

THE UNIVERSITY
OF ILLINOIS
LIBRARY

y 598.2 G735

Cold Roman State and Cold

Return this book on or before the Latest Date stamped below. A charge is made on all overdue books.

U. of I. Library

det mar

>100 7 2 1002



Digitized by the Internet Archive in 2017 with funding from University of Illinois Urbana-Champaign



ANALYTICAL INDEX

то

THE WORKS OF THE LATE

JOHN GOULD, F.R.S.



ANALYTICAL INDEX

TO

THE WORKS OF THE LATE

JOHN GOULD, F.R.S.

 \mathbf{BY}

R. BOWDLER SHARPE, LL.D., F.L.S., F.Z.S., ETC.,

DEPARTMENT OF ZOOLOGY, BRITISH MUSEUM;

HOLDER OF THE GOLD MEDAL FOR SCIENCE FROM H.I.M. THE EMPEROR OF AUSTRIA:

HON, MEMBER OF THE NEW-ZEALAND INSTITUTE; FOREIGN MEMBER OF THE ROYAL ACADEMY OF

SCIENCES OF LISBON; HON, MEMBER OF THE ROYAL ZOOLOGICAL SOCIETY (NATURA ARTIS

MAGISTRA") OF ANSTERDAM; FOREIGN MEMBER OF THE AMERICAN ORNITHOLOGISTS UNION;

MEMBER OF THE ROYAL SOCIETY OF NATURALISTS OF MOSCOW; FOREIGN MEMBER OF THE

ZOOLOGICAL SOCIETY OF FRANCE; HON, MEMBER OF THE MANCHESTER LITERARY AND PHILOSOPHICAL

SOCIETY; MEMBER OF THE BETTIESH ORNITHOLOGISTS UNION, ETC. FTC.

THE LIBRARY OF THE

SEP 25 1932

UNIVERSITY OF THE

WITH A BIOGRAPHICAL MEMOIR AND PORTRAIT.

LONDON:

HENRY SOTHERAN & CO., 37 PICCADILLY

(OPPOSITE ST. JAMES'S CHURCH).

1893.



PRINTED BY TAYLOR AND FRANCIS, RED LION COURT. FLEET STREET.

9598.2 G73 D

PREFACE.

The idea of compiling a complete 'Index' to the works of Gould was suggested to me by the Earl of Wharneliffe. On a certain occasion he was discussing some ornithological question with Lord Walsingham at his country seat, and a reference to one of Gould's plates became Some difficulty having been experienced in finding the exact volume in which the figure was given, it occurred to both the Mabove-named noblemen that such a difficulty would not arise if there existed a complete 'Index' to all the folio works issued by Gould. Lord Wharneliffe having asked me if I would undertake such a book, al found that Messrs. Sotheran were equally willing to publish an 'Index,' and I therefore set about the task. Without quoting every reference to papers published by Gould in various journals, I deemed it wise to include at least every work which he had issued separately, whether in folio, or 8vo, or 4to form. Thus the present 'Index' contains quotations from the 'Synopsis' and the 'Handbook' to the 'Birds of Australia'; while, in order to make the work still more complete, the 'Mammals of Australia' have also been included in the scheme. I must confess that when I so cheerfully undertook this 'Index' I had no idea of the time which it would take to catalogue all the books written by Gould and to extract the references therefrom. I find, however, now that my task is completed, that it has taken me as many years to finish as I expected it would have taken months. This is no doubt due to a wish on my part to do the work as conscientiously as possible, for an 'Index' is of no use unless it be very earefully compiled and thoroughly checked. With the aid, therefore, of my faithful attendant at the

vi Preface.

British Museum, Mr. Charles Chubb, I have checked every one of the references quoted in this book—nearly seventeen thousand in number! The labour involved in this work will be appreciated by any one who is accustomed to "verify his references." In my desire to make the book as useful as possible I have gone further and have put in a number of extra synonyms from popular works, such, for instance, as Oates's 'Birds of British India,' which in a few years will have familiarized Indian naturalists and sportsmen with a certain set of names which do not occur in Gould's works, though the species may be duly figured therein.

Thus, for instance, The Fulvous-fronted Suthora (Suthora fulvifrons) occurs in the 'Birds of Asia,' vol. iii. pl. 71. Oates calls these birds "Crow-Tits," and the above-named species is the "Fulvous-fronted Crow-Tit" of his 'Fauna of British India,' Birds, vol. i. p. 66. I have therefore placed "Crow-Tit" in the present Index, in case any one, remembering the bird's English name, might have forgotten the Latin title.

Again, in the 'Birds of Asia,' vol. v. pl. 52, Gould figures:—

Crypsirhina cucullata. The Hooded Crypsirhina.

This is the "Hooded Racket-tailed Magpie" of Oates's book (Faun. Brit. Ind., Birds, i. p. 35), so I have added the latter names in the 'Index.' It might have been better, perhaps, to have printed such names as are thus added in brackets or in a different type; but this notion did not occur to me until too late, and it must be remembered that this 'Index' was not primarily written for scientific men, but for people who own a set of Gould's works, and who want to find a particular plate in the series, as was the case with Lord Wharneliffe and Lord Walsingham in the instance alluded to at the commencement of the "Preface." It is therefore incumbent upon me to give a

Warning to Ornithologists

to verify their references, and to look up the original quotations, after consulting the present work. I trust that they will find all the

PREFACE. vii

references which they seek; but they will also meet with other synonyms which are not published in Gould's works, and which have merely been inserted to aid those who are familiar only with recent work and modern nomenclature.

I have, moreover, duplicated many references, with the object of giving a complete index to Gould's plates for any one studying particular groups of birds, and it is again necessary to repeat my caution as to copying the synonyms from this 'Index' without consulting the books themselves.

As an example, take "Savi's Warbler." I have (p. 294) given the reference to the plate in the 'Birds of Europe' as well as to that in the 'Birds of Great Britain,' although the name really occurs only in the latter work. In the 'Birds of Europe' it is called the "Willow Locustelle," a name under which very few people would now think of looking for it.

The choice of English names for exotic birds seems to have been more or less a stumbling-block to Gould, as it is to every one, and several amusing mistakes have occurred through the publication of his works in parts. Generally he got out of the difficulty by repeating the Latin name. Thus "Amydrus tristrami" became "Tristram's Amydrus;" but in the manufacture of English titles for some of the species of Humming-birds we get some curious names, such as "Aurelia's Puff-leg"!

It is quite comprehensible that an author, issuing in parts a work which takes many years to complete, should repeat English names, through forgetting that he had bestowed them in a previous number; but one or two amusing mistakes of this kind are found even in the 'Handbook,' where, for instance, two "Beautiful" Parrakeets occur within a few pages of each other, as well as two "Pied" Crow-Shrikes, "Fasciated" Honey-eaters, "Shining" Flycatchers, "White-throated" Honey-eaters; two "Sclater's" Honey-eaters in the 'Birds of New Guinea,' two "Pied" Cormorants in the 'Birds of Australia,' two "Elegant" Tits in the 'Birds of Asia,' two "Helmeted" Friar-birds in

viii PREFACE.

the Supplement to the 'Birds of Australia,' two "Allied" and two "Hairy" Hermits in the 'Monograph of the Humming-Birds,' and two "Orange-breasted" Trogons in the second edition of the Monograph.

The list of "Errata et Corrigenda" proves that, with all one's care, a good many mistakes will occur in a gigantic Index like the present. Many of these errors were not discovered until the final sheets of the book were being checked, as it was impossible to put the whole of the work up in type at the same time, and in this way most of the mistakes were noted only when too late for correction.

In conclusion, I can only hope that this 'Index,' over which I have expended so much time, will be found to supply a real want, and will be of much service to the possessors of Gould's splendid series of ornithological works. I have only once more to thank my assistant, Mr. Chubb, for the cheerful help which he has rendered me throughout the preparation of the work.

Some little difficulty arose at first as to whose set of Gould's works should be used as an authentic and complete copy. Messrs. Sotheran very kindly lent me a complete set of the Indices to the folio works, as far as they had got them, but they were unable to supply me with those of the 'Birds of Europe,' the 'Birds of Australia,' and some of the earlier Monographs. I therefore determined, in the case of these works, to depend upon the copies in the library of the Zoological Society of London.

R. BOY DLEF SHARPE.

Chiswick, Dec. 15, 1892.

BIOGRAPHICAL MEMOIR.

To write the history of a man's life when the subject of one's pen has passed away, leaving behind him no private journal or memoranda of any kind, is not easy. In the ease of John Gould it is perhaps not necessary to seek for such data, for his work speaks for itself and his books tell the story of his life. This is, I am sure, what he would himself have wished them to do.

Several excellent notices of his life and labours were published in 1881 at the time of his death, notably in 'Nature' and in the 'Zoologist;' but perhaps the best and fullest account was that written by Count Salvadori in the 'Atti' of the Royal Academy of Science of Turin, of which Could had been a Corresponding Member since 1841. This paper, entitled "Della vita e delle opere dell' ornitologo inglese John Gould," was published in the 'Atti' of the above-named Academy in 1881, and Count Salvadori therein gives a complete list of all the works and papers written by the deceased naturalist. Another excellent notice was published in 1864 in 'Photographic Portraits of Men of Eminence,' when Gould was sixty years of age, and from this memoir and the story which he himself tells of his work in the "Prefaces" to his various publications we gain a history of his early life and accomplishments. I have also received much assistance in compiling this memoir from his three daughters, Mrs. Moon, Miss Louisa Gould, and Miss Sai Gould, and also from my colleague Mr. John Cleave, of the British Museum, who is a nephew of the deceased naturalist.

John Gould was born at Lyme, in Dorsetshire, on the 14th of September, 1804, and when quite an infant his parents went to live at Stoke Hill, near Guildford, and it was in this beautiful neighbourhood that the child first imbibed his notions of the beauty of natural life. In the year 1818, when the future great ornithologist was fourteen years old, his father received a good appointment in the Royal Gardens at Windsor under Mr. J. T. Aiton, and there the boy assisted his father in gardening. He always remembered these youthful days in later life, when he would recount how he had picked many a bunch of dandelions for Queen Charlotte's dandelion-tea. He had now begun to study birds in earnest, and he made the acquaintance of many British species for the first time in the royal domain; while there is no doubt that the botanical knowledge acquired at this time also stood him in good stead at a later period. After some years spent at Windsor, during which time he had already established a reputation for skilful taxidermy, Gould was sent by Mr. Aiton to Yorkshire, where he was placed under the care of Mr. Legge, gardener at Sir William Ingleby's seat at Ripley Castle, for the purpose of studying the higher branches of forcing. He does not, however, seem to have stayed long in the north of England; for in 1827 he was back in London, and had obtained an appointment at the Zoological Society, which then had its rooms in Bruton Street. The exact nature of his appointment appears to be doubtful, as Vigors, in the Introduction to the 'Century,' speaks of Gould as "Superintendent" of the ornithological collection of the Zoological Society, whereas he is elsewhere spoken of as "Curator" to the Zoological Society. My friend Mr. Gerrard remembers him in these early days as a man of singular energy, with a good knowledge of the art of mounting animals, and indeed some of the best taxidermists in England were working under Gould at that time—such men as Baker, Gilbert, and others. At that time Vigors and Broderip were the moving spirits of the Zoological Society, then in its infancy, and from the former naturalist Gould received great encouragement. Vigors was an Irish

gentleman and a member of Parliament for Co. Mayo. He was one of the most active of the early founders of the Zoological Society, and not only described several interesting collections of birds, but was the author of a "Classification" which exercised considerable influence on the minds of ornithologists for some years afterwards. He is also celebrated as having been the Editor of the 'Zoological Journal,' and, as Swainson says (Bibl. Zool. pt. 2, p. 365), he "was one of the first to apply the circular theory to the arrangement of birds."

Not long after his appointment to his post at the Zoological Society John Gould married Miss Coxen, the daughter of a Kentish gentleman named Nieholas Coxen; and to this lady is due much of the ultimate success of her husband's career, for she was as accomplished an artist as she was one of the best of wives. His marriage took place in 1829, and in 1832 he published his first work, the 'Century of Birds from the Himalaya Mountains.' From whom Gould got the collection has, I believe, never been stated. It would seem to have been formed principally in the North-western Himalayas, but at least one Southern species, Myjophonus horsfieldii, is included on the supposition that it might oceur also in the Himalayas. The text, however, shows that the collections of Sykes and Hodgson were known to Gould and Vigors. The descriptions of these Himalayan birds form the subject of some of the earliest papers in the 'Proceedings' of the infant Zoological Society, and Vigors's articles were read at the meeting on Nov. 23, 1830, and continued at intervals until Dec. 27, 1831. At the time of the first meeting in 1830 Gould is spoken of as an "Associate" of the Linnean Society, but from the title of the 'Century,' published in 1832, he appears to have beeome by that time a "Fellow" of the Society. After Vigors had described the Himalayan novelties, the idea struck Gould that an illustrated work might be published, with figures of these interesting birds. Vigors would write the letterpress and Gould himself

would be responsible for the illustrations. With his unfailing instinct he rightly estimated his wife's artistic powers, and he broached the subject to her. "But who will do the plates on stone?" she asked; for lithography was not at that time an everyday matter as it is now. "Who?" replied her husband. "Why, you of course!" This was the story as told me by my old friend forty years after the event. Anyhow, aided by the sketches of her husband, Mrs. Gould did draw all the plates of the 'Century,' and, with the exception of Bewick's woodcuts and the beautiful illustrations of Swainson, no such clever drawings of birds had been seen in this country. By this time Gould had left the service of the Zoological Society and had a house in Broad Street, Golden Square, where Mr. Gerrard tells me he many times visited the young couple and saw Mrs. Gould at work upon the lithographic stones, which were destined to make the names of herself and her husband imperishable in the history of Ornithology. Considering that Gould was a self-taught man, his talents for sketching the details of a bird picture were remarkable; and though he had excellent interpreters in his wife, and afterwards in Mr. Lear, Mr. Richter, and Mr. Hart, still his was always the moving spirit in designing the plates.

When Gould died, and the papers were publishing notices of his career, the 'Times' alluded to him as a true Priest of Nature, and the following letter from the late Blanchard Jerrold appeared in that journal on the 11th of February, 1881:—

"SIR,—I should like to add a few words to your admirable article on that 'true Priest of Nature,' the author of a 'Century of Birds from the Himalayas,' and so much other work of the highest value. The Priest of Nature was assisted by a devoted Priestess. The loving, skilful hands of Mrs. Gould were at work, painting the birds which she and her husband so passionately studied together, through trials and perils innumerable, for many a long year. There are those alive who

remember her at work in the rooms of the Zoological Society in Bruton Street, where she and her husband lived, in the days when Laman Blanchard was Secretary to the Society, and Mr. N. Vigors, M.P., his brother-in-law, was one of its most arduous supporters. Mr. Gould never failed to tell his friends how deep was his debt of gratitude to the artistic aptitude and courageous devotion of his wife and fellow-traveller. She it was who gave form and colour to his 600 varieties of birds. It would grieve him could he know that this debt of his had been overlooked.

"I have the honour to remain, Sir,

"Your obedient Servant,

"Reform Club, Feb. 9."

"Blanchard Jerrold."

The appreciation which Vigors felt for the talents of Mrs. Gould was shown by his naming a Sun-bird after her, Nectarinia gouldiæ, and his regard for her husband by his writing the letterpress for the 'Century.' This work consisted of 80 plates only; but many of these illustrated both male and female of certain species, so that altogether 102 figures are given in the work. The males of N. gouldiæ and Vinago militaris being figured in two positions makes the total number of specimens illustrated exactly 100—hence the title of a 'Century.' Of these, ninety specimens are said to have been given by Gould to the Museum of the Zoological Society, and ten were borrowed from other collections. From internal evidence I am able to account for five of the latter with certainty; viz., Henicurus scouleri, Pyrrhula erythrocephala, and Ibidorhynchus struthersi, which were borrowed from the Glasgow Museum, and Pastor traillii from the Liverpool Museum. Falco chicquera and Phonicornis peregrina may have been either in Sykes's or Franklin's collection; and Otus bengalensis was probably taken from a drawing belonging to the Hon. C. J. Shore, as *Picus shorii* certainly was. Vigors likewise says that some plates were drawn from specimens in the Ashmolean Museum at Oxford, but I cannot find which they actually were.

When, in 1855, the Zoological Society determined to abandon the idea of keeping up a separate Museum, to the British Museum was given the choice of securing whatever specimens were deemed of value to the national collection, and the choice of the birds was, I believe, left in the hands of my predecessor, Mr. George Robert Gray. The number of types which ought to have come to the British Museum and did not do so is considerable, and among the most important were the Himalayan types of Gould's 'Century.' Out of the ninety specimens which Vigors mentions as having been given by Gould to the Museum, I can find but three at the present day: viz., the type of Alcedo guttatus (purchased in 1881 with the rest of the Gould Collection), the male of Pteruthius erythropterus, from the same source, and Coccothraustes icteroides, which seems really to be the only type of the 'Century' about which no doubt ean exist (cf. Sharpe, Cat. B. xii. p. 44). Of Turdus pecilopterus = Merula boulboul, spec. y of Seebohm's fifth volume of the 'Catalogue' (p. 249), from the Gould Collection, may possibly have been one of the types. The same may be said of Cinclosoma ocellatum, of which spee. a of my seventh volume of the 'Catalogue' (p. 383) may possibly be the type. Of Cinclosoma variegatum speeimens v, w, of the same volume (p. 360), from the Gould Collection, may perhaps be types *. In none of these cases, however, is there any proof of the fact.

On the completion of the 'Century,' Gould seems to have been so far encouraged by the success of his first undertaking as to have commenced the publication of several folio works, the most important of which was his 'Birds of Europe.' Assisted by his wife in the drawing of the plates, which were 449 in number, he appears to have published the whole of the five volumes between 1832 and 1837; but during the same time he was also occupied with the production of sundry other works. Thus in 1834 appeared a 'Monograph of the *Ramphastidæ*, or Family of

^{*} N.B.—On p. 360 of vol. vii. of the 'Catalogue of Birds' for Cinclosoma erythropterum read C. eruthrocephalum.

Toucans; in 1837 the 'Synopsis of the Birds of Australia,' wherein were figured the heads of most of the species of birds known to inhabit that great country up to the time when Gould wrote. But even then additional material was beginning to flow in upon him from the southern continent, for the 'Synopsis' contains an appendix in which many new species are described but not figured.

The two parts of the 'Ieones Avium' were published in 1837 and 1838; and in the latter work Gould appears to have conceived the idea of publishing a monograph of the *Caprimulgidæ*, or family of Goatsuekers—a difficult undertaking, which had to be abandoned in face of his journey to Australia, which must have been at that time in contemplation; before going, however, he had finished his 'Monograph of the *Trogonidæ*, or Family of Trogons.'

The energy with which Gould and his devoted wife worked during the eight years from 1830 to 1838 may be gauged by the above list of works which they produced in the time; and he seems to have found leisure to visit the principal Museums of Europe, while his friendship with Temminek, then Director at the Leyden Museum, enabled him to figure many of the rare birds which that museum possessed. In his preface to the 'Birds of Europe' Mr. Gould states that the greater number of the plates of that work, as well as all those of his 'Century of Birds,' the 'Monograph of the Trogons,' and at least three fourths of those of the 'Monograph of the Toucans,' had been drawn and lithographed by Mrs. Gould from sketches and designs by himself, always taken from nature. The remainder of the drawings were done by Mr. Lear.

In 1837 Gould commenced to publish his 'Birds of Australia.' A second part bears date 1838; but he speedily found that he had not sufficient material to earry on the work as he wished it to be done, and he therefore boldly conceived the notion of leaving England with his wife, for the purpose of procuring the speeimens necessary for the

completion of his gigantic enterprise. The work was therefore stopped after the appearance of part 2; and these two eancelled parts of Gould's 'Birds of Australia' are among the rarest of his works.

Gould left England in May 1838 and returned in August 1840, after exploring Van Diemen's Land, Bass's Straits, South Australia, and New South Wales, into the interior of which country he penetrated to the distance of nearly four hundred miles from the coast-line. 300 species were added to the list of the Australian Avifauna by this adventurous journey of Gould and his assistants. Gilbert, who had worked under him at the Zoological Society, was sent by Gould to the western and northern parts of Australia and discovered many novelties. He then revisited England in September 1841, after two years of labour in the field, and returned to Swan River in the spring of 1842; and on the 28th of June in the same year he was killed by natives during Leichardt's expedition, to which he had attached himself.

During Gould's absence his business affairs had been attended to by his faithful sceretary, Mr. E. C. Prinee, a most amiable and conscientious man, whom I knew personally when I first eame to London, and from whom I heard many anecdotes of his patron's early struggles. Mr. Prince entered Mr. Gould's service shortly before the latter went to Australia; and he is especially thanked for his administration of the traveller's affairs during his absence, in the "Introduction" to the 'Birds of Australia.' At the time of leaving for his travels in the southern hemisphere, Gould had made seven thousand pounds by his publications, so I was told in after years by his sceretary; and it shows the marvellous self-reliance of the man, to undertake the long journey to Australia (a much more arduous business fifty years ago than it is now) for the purpose of procuring specimens and sketches of the country, that his work, on his return to England, might be

more perfect. This great achievement has been rightly lauded by all Gould's biographers; and although in later years there have been men who have undertaken hazardous explorations for the purpose of completing their knowledge of the natural history of a country, there have been none which produced such ample results.

On his return to England, Gould at once recommenced the publication of his great work on the 'Birds of Australia,' the first part of which appeared in 1840; and in 1848, the seven volumes, with their six hundred plates, were completed. No part of the work was more interesting than the account of the Petrels, a family of birds to which the author had devoted the greatest attention. While in Australia, Mrs. Gould lived for some time with Sir John and Lady Franklin, and in Government House at Hobart Town their youngest son was born and named Franklin Gould after their kind entertainers. Within a year of his return to England Gould had the misfortune to lose his wife, a shock from which he never entirely recovered, and his later years were further saddened by the loss of two of his sons, both of whom had adopted the medical profession. Dr. Henry Gould died in Sinde, and Dr. Franklin Gould in the Red Sea, on his way between Aden and Suez, on the 19th of March, 1873. The third son, Charles, occupied an important post in Australia as a Government Geologist, and retired shortly before his father's death, since which date he has been travelling in China and Japan.

After the death of Mrs. Gould, it was long before her husband could find a competent artist to supply her place; but he was at length fortunate enough to secure the services of Mr. Richter, who was a skilful lithographer, and the work then progressed without interruption. Simultaneously he commenced the publication of a 'Monograph of the *Macropodidæ*, or Family of Kangaroos,' which was begun in 1841 and finished in 1844, and in continuation of the

last-named work he published the 'Mammals of Australia,' which lasted from 1845 to 1860. This was one of the most important works ever attempted by Gould, and he has often told me that he considered that he deserved more praise for bringing out this work than for any other which he attempted, because he did it for the love of science only, knowing well that it could never be remunerative.

After the 'Birds of Australia' were completed, Gould made an offer of the whole of his collection of birds and eggs to the Trustees of the British Museum; the account of the offer is given in the 'Portraits of Men of Eminence,' and is no doubt authentic:—"He was naturally anxious that the specimens figured in the 'Birds of Australia,' most of which were new and of the utmost rarity and value, especially as being the original types of the species, should be preserved in the British Museum. They comprised examples of both sexes of nearly every known species of Australian bird, 1800 specimens in all, in various stages of plumage, each carefully labelled with the scientific name and the name of the place where killed; and they were, of course, mostly new to our National Museum. A sum of two thousand pounds having been spent in the expedition by which they were acquired, it was not to be expected that Mr. Gould could present them as a donation. He offered them to the Trustees for the moderate sum of £1000 in money, or as a gift if they would purchase twenty-five copies of his work. The offer was declined, and Mr. Gould was induced, under his disappointment, to accept £1000, immediately tendered for the collection by an American, for the Academy of Natural Sciences of Philadelphia."

It is not for the present writer, who of all men has felt most keenly the absence of the Gould collection, with its hundreds of types, from the series of bird-skins in the British Museum, to criticise the action of the officers of the British Museum at this distant date, but there can be no doubt that scientifically the loss of this historical series was nothing less than a national disaster and one which unfortunately was irreparable. The fortunate purchaser was Dr. John Wilson, of Philadelphia, in which city the collection is still to be found. There was not, of course, the same keen interest in Ornithology in those days which marks the present era; but Gould told me in later years that he had never intended that the collection should leave the country, and he regretted ever afterwards that, in a moment of chagrin at the unexpected refusal of his offer to the nation, he accepted Dr. Wilson's offer and allowed his treasures to go to America. It is pleasing to remember how, after Gould's death, the Trustees of the British Museum promptly secured his remaining collections of birds and eggs on the recommendation of Dr. Günther.

In 1840 Gould was elected a Fellow of the Royal Society, and many other honours were bestowed upon him by learned bodies in nearly every country in the world. A slight lull in the issue of his publications appears to have taken place during the year 1849, while Gould was preparing for still greater enterprises, and he was doubtless occupied during 1849 and 1850 in preparing for exhibition that wonderful collection of mounted Humming-Birds which was to be one of the sights of London in the year 1851. His love for Humming-Birds had always been manifested, but the study of this particular group had been held in abevance during the life of his friend Mr. Loddiges, who was a well-known collector of these birds. In 1842 this gentleman possessed 196 species; but on the death of Mr. Loddiges, Gould turned his attention to the family and speedily made a collection which far surpassed anything that had existed before in a public or private museum. Having obtained the permission of the Council of the Zoological Society, he erected a building for the exhibition of his mounted Humming-Birds in the Zoological Gardens, and here they were shown during the great exhibition year of 1851. The birds were exhibited in twenty-four eases, which were the handiwork of Gould himself, and every case

was prepared with a charming simplicity of detail, the few dried ferns and sober surroundings serving as a foil to the glittering plumage of the birds themselves. So long as these birds were in Gould's possession the cases were placed in a large room with light coming from above them, and each bird was carefully set at the angle that would best display the metallic lustre of its plumage, producing thus separately and collectively a fine effect of eolour. It is much to be regretted that in the National Museum no suitable space is available where they can be shown to equal advantage. When the season was over and the building was demolished and its materials were sold, Gould found himself with a clear profit of £800 (visitors paid the modest sum of sixpence for admission to the exhibition), and he further gained the names of seventy-two subscribers to his 'Monograph of the Humming-Birds,' including nearly all the erowned heads of Europe. In the year 1849 the 'Monograph of the Trochilidæ' was commenced, and in 1850 another great work, namely the 'Birds of Asia,' and a very interesting 'Monograph of the Odontophorinæ, or Partridges of America,' complete in a single folio volume, was issued. In 1851 the first part of the Supplement to the 'Birds of Australia' was published, and this was finished in 1869. In 1854 appeared the second edition of his 'Monograph of the Ramphastida'; and he was occupied with the different works above mentioned until 1861, when the 'Monograph of the Humming-Birds ' was finished. In the ensuing year Gould commenced his celebrated work on the 'Birds of Great Britain,' and just as he had invested the Humming-Birds with their natural beauty by means of a process of metallic reproduction, which was the admiration of scientists and artists alike, so now he threw his whole soul into the delineation of our native birds, and he searched high and low for specimens of the nestlings of the rarer species, while the vast majority of the plates were drawn from freshly killed specimens, and the pictures of the nests were taken from the objects themselves. Such beautiful illustrations as those of the 'Birds of Great Britain' scarcely existed

before and are not likely to be surpassed. The rough sketches were always designed by the author himself, and were drawn on stone by Mr. Hart, who also made a finished painting of the whole of the plates of the 'Birds of Great Britain' (excepting the few done by Mr. Wolf) before they were put on stone. Mr. Hart commenced working for Mr. Gould in the summer of 1851, making the patterns for the 'Humming-Birds' and colouring the metallic portions of the plates. He commenced to draw the plates on stone from the twenty-second part of the 'Birds of Great Britain,' and continued to do so till all the works were completed.

It was about the year 1862 that I myself first became acquainted with Mr. Gould, when I was a boy eareering about the neighbourhood of Cookham in search of birds. He was a frequent visitor to the pleasant little Berkshire village, which was not then the erowded resort of boating men that it is now. None of the notices of Gould's life which I have seen have referred to his prowess as a fisherman; but in my young days his name was in every one's mouth whenever an unusually big fish was known to be feeding in our neighbourhood. When the local fishermen had tried in vain to eateh it, they used to say: "Well! we shall have to leave it till Mr. Gould comes down." And in after years, when he was an invalid, many is the story he has told me of the capture of some of his best trout in the Thames. One particularly fine fish which he eaught off Formosa was painted for him by Mr. Hart, and the picture used to hang over the sideboard in his dining-room. His usual habit, on receiving information as to the time when the fish used to rise and feed, was to come down for several evenings in succession and verify for himself the time of feeding, and when assured of the faet he brought his tackle and seldom failed to land the trout. The particular fish whose portrait I have often seen in the dining-room at Charlotte Street was known to frequent the neighbourhood of Formosa Point, and after the usual preliminaries Mr. Gould set out with the well-known Maidenhead fisherman, Harry Wilder, to capture it. All the evening, as he related to me, he threw his bait over and over again without sueeess, and the night was closing in rapidly-in fact it became quite dark-and it was agreed to try one more east before turning homeward. That last east secured the fish, and, said Mr. Gould, "we landed him safely; and there is his portrait, painted by Mr. Hart." Nor was this the only trophy of the rod which was to be seen in his house, for there were paintings in various rooms of Mr. Gould's house which represented other fine captures, mostly from the Thames. One of his favourite fishing-grounds was the mill-tail of Mr. Venables's papermill, where he was always a welcome guest. It was outside Mr. Venables's house that I first met Mr. Gould. I was returning home with some specimens of the chase, amongst which were some young of Ray's Wagtails, when I was hailed by an elderly gentleman, who asked what I was going to do with my birds. "Take them to Mr. Briggs to be skinned," was my reply. At that time Mr. De Vitré lived at Formosa and Mrs. De Vitré was very interested in birds, a beautiful collection of which had been mounted for her by the head gardener, Mr. Briggs, one of the most thorough field-naturalists I have ever known. On the next evening, when I went down to Mr. Briggs's cottage to see how the skins were getting on, he told me that Mr. Gould had been asking about me, and wanted my Ray's Wagtails for his collection. So I found out who my interrogator of the previous day had been, and it is needless to say that I was only too proud to think that I had shot some specimens which would be of use to such a well-known naturalist. After that we became quite friends, and I received an invitation to visit him in London, little thinking at the time that I should ultimately become an almost daily visitor at his The days of the British Museum, however, were then far off. I used always to let Mr. Gould know if any big fish was feeding

off my brother-in-law's, Mr. James Burrows's, grounds at "The Elms," which are situated on the upper part of the mill-stream at Cookham; and many a time, when we have been walking by the side of the river in the evening, we have seen the light of Mr. Gould's cigar on Odney Common, where, after his wont, he was studying quietly the feeding-grounds of some trout.

After I came to London I used to meet Mr. Gould continually at the Zoological Society's meetings and also at his house, when he lent me many specimens of Kingfishers for my Monograph. In 1875 he finished the second edition of his 'Monograph of the Trogons,' which he had begun in 1858, and he also commenced his 'Birds of New Guinea.' By this time Mr. Gould had become somewhat of an invalid and his faithful secretary, Mr. Prince, had died, so that he often asked me to help him in the preparation of his works. Of the 'Birds of New Guinea,' eleven parts were finished at the time of his death, and I have since completed this and the 'Birds of Asia,' as well as the Supplement to the 'Monograph of the Humming-Birds,' which Gould had commenced in 1880. A single part of a 'Monograph of the Pittidæ, or Ant-Thrushes of the Old World, which Mr. Gould brought out in the same year, is the only one of his works which has not been completed, the plates being in almost every case reproductions of those in the 'Birds of Asia,' all the stones of these birds having been retained for a reproduction in a monograph.

In manner Mr. Gould was always somewhat brusque, but those who were intimate with him were aware that under a rough exterior he concealed a very kind heart. A friend who knew him well writes to me:—"He had a really tender and affectionate heart, hidden though it was beneath a highly sensitive reserve, which never permitted him the relief of expression. The deaths of his loving

wife and two promising boys affected him in a way hardly known outside of his family eirele." I remember too when Mr. Prince was ill, how Mr. Gould, though himself an invalid, used to drive out himself every day to see his old friend and to carry with him everything that he fancied would do good to the sufferer. As a man of business he was most punetilious, making it a rule to pay for all the work directly it was delivered; and herein lay much of the secret why he was so well served. His artists, his lithographic printers, his colourists, and his printers worked for him for years, and the two latter seem never to have been changed throughout his life. I once asked him what had been the secret of his success in business, and he told me that he had always employed good workmen and had always paid them well. "You should never," said he, "spend fifteen shillings until you have got a sovereignthen you will have five shillings to put by." Shortly before his death Mr. Gould had his portrait painted twice. One of these pictures is in the possession of his eldest daughter, Mrs. Moon, and the other was given to the Linnean Society. To Mrs. Moon was bequeathed by will his own complete set of his works, to be kept as a family heirloom. In both of the pictures, which were executed by Mr. Robertson, the naturalist is represented holding a Bird of Paradise in his hand. He wished that when anyone should ask about the pieture, the reply should be, "This is John Gould, the 'Bird Man'"; and he would have liked also to have had his epitaph written:-"Here lies John Gould, the 'Bird Man.'"

No one has excelled Mr. Gould in his appreciation of bird-life. He was in every way a born ornithologist and knew and loved the birds. He was always able to sketch, somewhat roughly perhaps, the positions in which the birds were to be drawn upon the plates, and no one could have a better "eye" for specific differences. It was always a real pleasure to see the delight which animated the old naturalist when,

BIBLIOGRAPHY.*

ILLUSTRATED FOLIO WORKS.

- 1832. A Century of Birds from the Himalaya Mountains. 1 vol., 80 plates. London, 1832.
- 2. 1832-1837. The Birds of Europe. 5 vols., 449 plates. London, 1832-1837.
- 1834. A Monograph of the Ramphastidæ, or Family of Toucans. 1 vol., 34 plates. London, 1834.
- 1837-1838. Ieones Avium, or Figures and Descriptions of New and interesting Species of Birds from various parts of the World. 2 parts, 18 plates. London, 1837-1838.
- 1838. A Monograph of the Trogonidæ, or Family of Trogons. 1 vol., 36 plates. London, 1838.
- 1840–1848. The Birds of Australia. 7 vols., 602 plates. London, 1840–1848.
- 1841-1844. A Monograph of the Macropodidæ, or Family of Kangaroos, with coloured representations of each species. 2 parts, 45 plates. London, 1841-1844.
- 1845–1863. The Mammals of Australia. 3 vols., 182 plates. London, 1845– 1863.
- 1849–1861. A Monograph of the *Trochilidæ*, or Humming-Birds. 5 vols., 360 plates. London, 1849–1861.
- 1850. A Monograph of the Odontophorinæ, or Partridges of America. 1 vol., 32 plates. London, 1850.
- 11. 1850-1883. The Birds of Asia. 35 parts, 530 plates. London, 1850-1883.
 [Completed by R. Bowdler Sharpe.]
- 12. 1851–1869. Supplement to the Birds of Australia. 1 vol., 81 plates. London, 1851–1869.
- 13. 1854. A Monograph of the Ramphastidæ, or Family of Toucans. 2nd cd. 1 vol., 52 plates. London, 1854.

^{*} Copied by permission, with a few additions and corrections, from Count Salvadori's Memoir of John Gould ('Atti della R. Accademia delle Scienze di Torino,' vol. xvi. pp. 1-24).

- 14. 1858-1875. A Monograph of the *Trogonida*, or Family of Trogons. 2nd ed. 1 vol., 47 plates. London, 1858-1875.
- 1862-1873. The Birds of Great Britain. 5 vols., 367 plates. London, 1862-1873.
- 1875–1888. The Birds of New Guinea and the adjacent Papuan Islands, including
 any new species that may be discovered in Australia. 25 parts,
 320 plates. London, 1875–1888. [Completed by R. Bowdler Sharpe.]
- 17. 1880-87. Supplement to the Monograph of the Trochilidæ, or Humming-Birds.
 5 parts, 58 plates. London, 1880-1887. [Completed by R. BOWDLER SHARPE.]
- 180. A Monograph of the Pittidæ, or Ant-Thrushes of the Old World. 1 part, 13 plates. London, 1880. (Incomplete.)

OPUSCULA.

- 1829-1830. On the occurrence of a New British Warbler, the Black Redtail of Latham's Synopsis (Zool, Journ, v. pp. 102-104).
- 1832. A Notice of the Reed-Warbler (Curruca arundinacea, Briss.) (Mag. Nat. Hist. v. pp. 309-311).
- On a New Species of Wagtail (Motacilla neglecta) (P. Z. S. 1832, pp. 129, 130).
- 4. On a New Species of Woodpecker (Picus imperialis) (ibid. pp. 139, 140).
- 5. On a Collection of Birds from the Orkneys (ibid. p. 189).
- 1833. On Specimens of *Phasianus lineatus*, Lath., presented by G. Swinton, Esq. (P. Z. S. 1833, pp. 13, 14).
- Characters of a New Species of Toucan (Pteroglossus ulocomus) (ibid. p. 38).
- On a New Genus of the Family Corvidae (*Dendrocitta, D. leucogastra* nov. sp.) (ibid. p. 57; Trans. Zool. Soe. i. pp. 87–90, 1835).
- On a Specimen of a Hornbill (Buceros cavatus, Lath.) living at the Society's Gardens (P. Z. S. 1833, p. 61).
- Characters of three New Species of Toucan (Ramphastos swainsonii, R. culminatus, Pteroglossus hypoglaucus) (ibid. pp. 69, 70).
- Characters of a New Species of Malurus, Vicill. (M. pectoralis) (ibid. pp. 106, 107).
- 12. Description of the Female of Troyon pavoninus, Spix (ibid. p. 107).
- Characters of a New Species of Toucan (*Pteroglossus custanotis*) (ibid. pp. 119, 120).

- 14. 1833. Characters of a New Species of Woodpecker (Picus flavinucha) (ibid. p. 120).
- Characters of a New Species of *Eurylaimus* (E. lunatus) (ibid. pp. 133, 134; Trans. Zool. Soc. i. (1836) pp. 175-178).
- 1834. On a Collection of Birds from North America, presented by Mr. Folliot (P. Z. S. 1834, pp. 14, 15).
- Characters of three New Species of Trogon in the Collection of the Society (Trogon erythrocephalus, T. malabaricus, T. elegans) (ibid. pp. 25, 26).
- Characters of a New Species of Plover (Vanellus, Linn.), collected by Lieut. Allen in Western Africa (Vanellus albiceps) (ibid. pp. 45, 46).
- On a Collection of Birds formed by Mr. Abbot in the neighbourhood of Trebizond (ibid, pp. 50-52).
- Characters of the Genera and Species of the Family Ramphastidæ, Vig. (ibid. pp. 72-79).
- On a Collection of Birds from Nepaul, presented by B. H. Hodgson, Esq. (ibid. p. 115).
- On a Second Collection of Birds from the neighbourhood of Trebizond (ibid. pp. 133, 134).
- Characters of a New Species of Toucan (Pteroglossus hæmatopygus) (ibid. p. 147).
- 1835. Exhibition of a living Red-billed Toucan (Ramphastos erythrorhynchus, Gm.) (P. Z. S. 1835, p. 21).
- Characters of several New Species of Trogon (T. resplendens, T. temminckii, T. pavoninus, T. ambiguus, T. citreolus) (ibid. pp. 29, 30).
- Characters of a New Genus of Merulidæ (Ianthocinela) (I. chrysoptera, nov. sp., I. rufogularis, n. sp.) (ibid. pp. 47, 48).
- 27. On a New Species of Toucan (Aulacorhynchus derbyanus) (ibid. p. 49).
- Catalogue, with Remarks, of some Birds from Trebizond (ibid. pp. 90, 91).
- 29. Notice of a Collection of Birds from Travancore (ibid. pp. 92, 93).
- 30. Characters of New Toucans and Araçaris (Ramphastidæ), with a Synoptic Table of the Species of the Family (Ramphastos citreopygius, R. osculans, Pteroglossus pluricinctus, Pt. humboldtii, Pt. nattereri, Pt. reinwardtii, Pt. langsdorffii, Pt. pavoninns) (ibid. pp. 156-160; Wiegm. Archiv, ii. (1836) pp. 307-311).
- Characters of several New Species of Insessorial Birds, including a New Genus (Stenorhynchus) (P. Z. S. 1835, pp. 185-187).

- 32. 1836. Characters of some New Species of Birds in the Society's Collection (Edolius grandis, E. rangoonensis, E. crisna, E. viridescens, Orpheus modulator, Ixos leucotis, Colluricincla fusca, Trichophorus flaveolus, Geocichia rubecula) (P.Z. S. 1836, pp. 5, 6).
- 33. On a New Genus of Birds (Kittacincla) (ibid. p. 7).
- Exhibition of Trogon resplendens and T. pavoninus (ibid. p. 12).
- 35. Characters of some new Birds in the Society's Collection, including two new Genera, Paradoxornis and Actinodura (Paradoxornis flavirostris, Actinodura egertoni, Corvus pectoralis, Corvus curvirostris, Prionites cæruleiceps, Phyctolophus productus) (ibid. pp. 17-19).
- Exhibition of Birds from North Africa, presented to the Society by Sir Thomas Reade, with other specimens sent by M. Temminek to Mr. Gould (ibid. p. 59).
- Characters of two New Species of Birds constituting a New Genus, Aplonis (A. marginata, A. fusca) (ibid. pp. 73, 74).
- Characters of a New Species of Ortyx from Mexico and two New Species of Zosterops from New South Wales (O. ocellatus, Z. albogularis, Z. tenuirostris) (ibid. pp. 75, 76).
- Characters of some New Species of Birds belonging to the Genera Tamatia and Cursorius (T. bicincta, C. rufus) (ibid. pp. 80, 81).
- Characters of some New Species of Birds from Swan River (Gallinula ventralis, Oxyura australis) (ibid. pp. 85, 86).
- Exhibition of Birds allied to the European Wren, with characters of new Species (Troylodytes magellanicus, T. leucogastra, Thryothorus guttatus, Scytalopus (nov. gen.) fuscus, S. albogularis) (ibid. pp. 88-90).
- 42. Characters of New Species of Birds from New South Wales (Petroica phænicea, Amadina castanotis, A. modesta, A. cincta, A. ruficauda, Calodera maculata, Cracticus hypoleucus, C. fuliginosus, Calyptorhynchus naso) (ibid. pp. 104–106).
- Characters of three New Species of the Genus Strix (S. castanops, S. cyclops, S. delicatulus) (ibid. pp. 139, 140).
- 44. Exhibition of the specimens figured in the first part of Mr. Gould's work on the 'Australian Birds,' with characters of the new species (Ocypterus superciliosus, Vanya cinerea, V. nigrogularis, Struthidea (nov. gen.) cinerea, Tropidorhynchus citreogularis, Meliphaga penicillata, M. sericea, Hæmatops (nov. gen.) validirostris, H. gularis, Neomorpha (nov. gen.) acutirostris, N. crassirostris, Podiceps gularis, P. nestor, Calodera (nov. gen.) (ibid. pp. 142-146).

- 45. 1837. Remarks on a group of Ground-Finches from Mr. Darwin's Collection, with characters of the New Species (Geospiza (nov. gen.) magnirostris, G. strenua, G. fortis, G. nebulosa, G. fuliginosa, G. dentirostris, G. parvula, G. dubia, Camarhynchus (nov. gen.) psittacula, C. crassirostris, Cactornis (nov. gen.) scandens, C. assimilis, Certhidea (nov. gen.) olivacea) (P. Z. S. 1837, pp. 4-7).
- 46. Exhibition of Australian Birds from his own Collection, and characters of New Species (Hemipodius melanogaster, H. melanotus, Coturnix pectoralis, Platycercus ignitus) (ibid. pp. 7, 8).
- 47. Observations on the Raptorial Birds in Mr. Darwin's Collection, with characters of New Species (Polyborus galapagoensis, Polyborus (Phalcobænus) albogularis, Buteo varius, Circus megaspilus, Buteo ventralis, Otus (Brachyotus) galapagoensis) (ibid. pp. 9-11).
- Exhibition of the Fissirostral Birds from Mr. Darwin's Collection, and eharacters of the New Species (Caprimulgus bifasciatus, C. parvulus, Hirundo frontalis, H. concolor, Hulcyon erythrorhynchus) (ibid. p. 22).
- Characters of New Species of Australian Birds (Acanthorhynchus (nov. gen.) superciliosus, A. dubius, Pardalotus affinis, Nanodes elegans, Platycercus flaveolus, Himantopus leucocephalus) (ibid. pp. 24-26).
- Characters of New Species of Birds (Sterna poliocerca, S. macrotarsa, Phalacrocorax brevirostris, Orpheus trifasciatus, O. melanotis, O. parvulus) (ibid. pp. 26, 27).
- 51. On the Genus Paradoxornis (Mag. Zool, Bot. i. pp. 62-64).
- On a New Rhea (Rhea darwinii) from Mr. Darwin's Collection (P. Z. S. 1837, pp. 35, 36).
- 53. On a New Species of Ortyx from the Collection of the late Mr. David Douglas, and a New Species of the Genus Podargus from Java (Ortyx plumifera, Podargus stellatus) (ibid. pp. 42, 43).
- Exhibition of some rare European Birds received from Mr. Temminek (ibid. p. 48).
- Remarks on the Common British Wagtail (Motacilla yarrelli) (ibid. pp. 73, 74).
- Exhibition of Mr. Darwin's Birds (*Pyrgita jagoensis*) and description of a New Species of Wagtail (*Motacilla leucopsis*) (ibid. pp. 77, 78).
- Characters of New Birds in the Society's Collection (Corrus uobilis, Ortyx guttata, Thamnophilus fuliginosus, Dendrocitta rufigastra) (ibid. pp. 79, 80).
- Exhibition of Australian Birds from his own Collection and Characters
 of New Species (*Platycercus hæmatonotus*, *P. hæmatogaster*) (ibid.
 pp. 88, 89).

- 59. 1837. Description of New Species of Birds from the Museum at Fort Pitt, Chatham (Ceyx microsoma, Caprimulgus monticolus Q, Carduelis burtoni) (ibid. pp. 89, 90).
- Observations on the Raptorial Birds of Australia and the adjacent Islands (ibid. pp. 96-100).
- Description of a New Genus (Amblypterus) among the Caprimulgidae and characters of New Birds from Australia (Amblypterus anomalus, Ibis strictipennis, Platalea regia, Platalea flavipes) (ibid. pp. 105, 106).
- Observations upon a small Collection of Birds from Erzeroum, with characters of the New Species (Alauda penicillata, Fringilla sanguinea) (ibid. pp. 126, 127).
- Description of a New Ibis from Hayti (Ibis erythrorhyncha) (ibid. p. 127).
- Characters of a New Grouse (*Lyrurus derbyanus*) from the Collection of the Earl of Derby (ibid. pp. 132, 133).
- Characters of a New Genus (Sericornis) of Australian Birds (S. humilis, S. citreogularis, S. parvulus) (ibid. pp. 133, 134).
- 66. Characters of New Species of Birds from the Himalaya Mountains (Athene erythropterus, Turdus unicolor, Oreocincla parvirostris, Cinclidia (nov. gen.) panetata, Brachypus plumifera, Cuculus micropterus, Pomatorhinus leucogaster) (ibid. pp. 136, 137).
- 67. Characters of about eighty New Species of Australian Birds (Haliaëtus sphenurus, H. leucosternus, Pandion leucocephalus, Falco frontatus, F. melanogenys, F. brunneus, Ieracidea (nov. gen.), Lepidogenys subcristatus, Milvus affinis, M. isurus, Elanus notatus, Circus jardinei, Athene fortis, A. strenua, Halcyon incinctus, Eurostopodus (nov. gen.), Myiagra nitida, Graucalus parvirostris, Gr. melanotis, Ceblepyris humeralis, Falcunculus leucogaster, F. flavigulus, Eopsaltria parvula, E. griseogularis, Sericulus magnirostris, Oreocincla (nov. gen.), O. macrorhyncha, Symmorphus (nov. gen.), S. leucopygius, Acanthiza magnirostra, A. uropygialis, A. diemenensis, A. lineata, Psilopus (nov. gen.), Ps. brevirostris, Ps. fuscus, Ps. olivaceus, Ps. albogularis, Petroica modesta, Origma (nov. gen.), Ephthianura (nov. gen.) aurifrons, Mahurus longicaudus, Pardalotus quadragintus, P. melauocephalus, P. vubricatus, Pachycephala xanthoprocta, P. longirostris, Sphenostoma (nov. gen.) cristatum, Cincloramphus (nov. gen.), Dasyornis brunneus, Calamanthus (nov. gen.), Cisticola ruficeps, Oreoica (nov. gen.), Calyptorhynchus xanthonotus, Platycercus hæmatonotus, Sittella pileata, S. melanocepkala, S. leurocephala, Meliphaga sericeola, M. inornata, Acanthogenys (nov. gen.) rufo-

- galaris, Anthochæra lunalata, Plectorhyncha (nov. gen.) lanceolata, Entomophila (nov. gen.) picta, Glyciphila ocularis, Gl. subocularis, Ægialitis canus, Erythrogonys (nov. gen.) cinctus, Hæmatopus australianus, Rhynchæa australis, Numenius australis, Sterna melanura, Sula rubripes, Puffinus assimilis, Phalacrocorax carboides, Ph. leucogaster, Ph. flavirhynchus) (ibid. pp. 138–157).
- 1837. Observations on some Species of the Genns Motacilla (Mag. Nat. Hist. 1837, i, pp. 459-461).
- A Synopsis of the Birds of Australia and its adjacent Islands. Parts 1-4.
 72 plates, in imperial 8vo. London, 1837.
- 1838. On two New Species of Birds from Australia, belonging to the Genus Ptilotis (P. ornata, P. flavigula) (P. Z. S. 1838, p. 24).
- 71. 1839. Letter from Van Diemen's Land, accompanied with descriptions of some New Australian Birds (Cypselas aastralis, Podargus phalænoides, Grancalus phasianellus, Pachycephala lanioides, Petroica rosea, P. pulchella, Malurus cruentatus, Pardalotus uropygialis, Amadina annulosa, A. acuticauda, Dasyornis striatus, Myzantha flavigula, M. lutea, Tropidorhynchus argenticeps, Pomatorhinas rubecalus, Ptilotis flavescens, Myzomela erythrocephala, Sittella leucoptera, Hemipodius custanotus) (P. Z. S. 1839, pp. 139-145).
- 1840. On five New Species of Kangaroos (Macropus robustus, M. fraenutus, M. ungaifer, M. lunatas, M. leporides) (P. Z. S. 1840, pp. 92-94).
- On the "Bower" or Playing-house constructed by the Satin-bird (Ptilonorhynchus holosericeus), and on a similar structure formed by the Chlamydera maculata of Australia (ibid. p. 94).
- On the Brush-Turkey (Talegalla lathami) of New South Wales (ibid. pp. 111, 112).
- On some New Species of Australian Birds (Cinclosoma castanotus, Halcyon pyrrhopygia, Rhipidura albiscapa, Colamba (Peristera) histrionica, Pedionomas (nov. gen.) torquatus) (ibid. pp. 113-115).
- On the Habits and Characters of Leipoa ocellata, a new Genus of Birds from Swan River, allied to the Brush-Turkey of New South Wales (ibid. pp. 125, 126).
- Descriptions of two New Species of Australian Birds (Cracticus argenteus, Amadina pectoralis) (ibid. pp. 126, 127).
- On two New Species of Kangaroos (Macropus manicatus and M. brachyotis) from Swan River (ibid. pp. 127, 128).
- Descriptions of fifty new Birds from Australia: Euphenia splendida,
 E. aarautia, E. petrophila, Climacteris crythrops, C. rufa, Ocypterus

personatus, Ptilotis plumulus, Hemipodius velox, H. pyrrhothorax (ibid. pp. 147–151); Ephthianura tricolor, Myzantha obscura, Ptilotis sonorus, P. cratitius, Glyciphila albifrons, Meliphaga mystacalis, Platycercus adelaidæ, Aquila morphnoides, Buteo melanosternum, Falco hypoleucos, Podargus brachypterus, Mahurus melunotus, Colluricincla brunnea, C. rufiventris, Pachycephala rufigularis, P. inornata, Zosterops chloronotus (ibid. pp. 159–165); Entomyza albipennis, Myzomela pectoralis, Dasyornis longirostris, Drymodes (nov. gen.) brunneopygia, Piezorhynchus (nov. gen.) nitidus, Praticola campestris, Acanthiza inornata, Micræca (nov. gen.) assimilis, Myiagra latirostris, Hirundoleucosternus, Pyrrholæmus (nov. gen.) brunneus, Petrophassa (nov. gen.) albipennis, Eudromias australis, Rhipidura isura, Psilopus culicivorus, Xerophila (nov. gen.) leucopsis, Licmetis pastinator, Numenius uropygialis, N. minutus, Porphyrio bellus, Otis australasianus, Anas næosa, Sula australis, Diomedea culminata, Thalassidroma nereis (ibid. pp. 169–178).

- 1840. Observations on Dasyurus maugei and D. viverrinus of Geoffroy, and Description of a New Species (D. geoffroyi) (ibid. p. 151).
- Description of a New Species of Hypsiprymnus (H. grayi) (ibid. pp. 178, 179).
- 82. 1840-1844. The Zoology of the Voyage of H.M.S. 'Beagle,' under the command of Capt. Fitzroy, during the years 1832 to 1836. Edited and superintended by Charles Darwin. Birds: by John Gould (Pts. 3, 6, 9, 11, and 15).
- 1841. Description of a New Species of Himantopus from New Zealand (H. novæ-zealandiæ) (P. Z. S. 1841, p. 8).
- On a New Species of Hypsiprymnus from King George's Sound (H. gilbertii) (ibid. p. 14).
- 85. On the Habits of the Lyre-bird (Menura superba) (ibid. p. 41).
- 86. Exhibition of a specimen of Apteryx australis (ibid. p. 70).
- 87. Exhibition of Skulls of a New Species of Kangaroo (ibid. p. 77).
- Descriptions of four New Species of Kangaroos (Osphranter antilopinus,

 isabellinus, Halmaturus agilis, Lagorchestes conspicillatus)
 pp. 80-83).
- Characters of a New Species of Goose nearly allied to Nettapus coromandelianus (N. pulchellus) (ibid. p. 89).
- Characters of a New Genus and Species of Anatida (Merganetta armata) (ibid. pp. 95, 96).
- 1842. Description of two New Species of Kangaroos from Western Australia (Macropus ocydromus, Lagorchestes albipilis) (Ann. Nat. Hist. x. 1842, pp. 1-5).

- 1842. On the Habits of the Alectura lathami (Tasm. Journ. Nat. Sc. i. 1842, pp. 21-24; Froriep's Notizen, xxii. 1842, cols. 22, 23).
- 93. On a New Species of Petrogale (P. inornata) (P. Z. S. 1842, p. 5).
- On some New Species of Australian Mammals (Macropus melanops, Belidea ariel, Mus penicillatus, Mus hirsutus, Mus delicatus) (ibid. pp. 10-14).
- 95. On New Species of Birds from Australia (Artamus leucopygialis, Pitta iris, Emblema (nov. gen.) picta, Poephila (nov. gen.) personata, Ptilinopus swainsoni, P. ewingii, Geophaps (nov. gen.) plumifera, Ocyphaps (nov. gen.), Pedionomus micrurus, Megapodius tumulus) (ibid. pp. 17–21).
- Characters of a New Species of Perameles (P. macroura) and a New Species of Dasyurus (D. hallucatus) (ibid. p. 41).
- On two New Species of Kangaroo (Petrogale concinna and Halmaturus binoë) (ibid. pp. 57, 58).
- Characters of two New Species of Australian Halcyonidæ (Halcyon platyrostris, Halcyon sordidus) (ibid. p. 72).
- On a New Species of Hawk belonging to the Genus Elanus (E. scriptus) (ibid. p. 80).
- 100. On two New Genera of Birds belonging, one to the Family Sylviadæ, and the other to the Family Psittacidæ (Aprosmictus, Erythrodryas) (ibid. pp. 111, 112).
- On two New Species of Australian Birds belonging to the Genera Astur and Lobivanellus (Astur cruentus, Lobivanellus personatus) (ibid. p. 113).
- 102. Descriptions of thirty New Species of Birds from Australia (Hirundo neoxena, Collocalia ariel, Dicrurus bracteatus, Rhipidura dryas. Micræca flavigaster, Gerygone (nov. gen.) magnirostris, G. chloronotus, G. levigaster, Smicrornis (nov. gen.) fluvescens, Pachycephala falcatu, P. melannra, P. simplex, Hylacola (nov. gen.) cauta, Cincloramphus cantatoris, Ptilotis flava, P. versicolor, P. unicolor, Myzomela obscura, Glyciphila fasciata, Entomophila rufogularis, E. albogularis, Calyptorhynchus macrorhynchus, Cacatua sanguinea, Climacteris melanura, Porzana fluminea, P. palustris, Sterna velox, Hydrochelidon fluviatilis, Thalasseus torresii, Sternula nereis) (ibid. pp. 131–140).
- 103. On a New Species of Parrot belonging to the Genus Coryphilus (C. dryas) (ibid. pp. 165, 166).
- On various New Species of Ortyx (O. nigrogularis, O. pectoralis, O. castanea, O. stellata) (ibid. pp. 181-184).

BIBLIOGRAPHY.

- 105. 1842. On two New Species of Trogon (T. personata, T. auriceps) and a New Species of Toucan (Pteroglossus castaneorhynchus) from the Cordillerian Andes (Ann. Nat. Hist. ix. 1842, pp. 236–239).
- 106. 1843. On two New Species of Birds from the Collection formed by Sir Edward Belcher (Pteroglossus erythropygius, Pterocles personatus) (P. Z. S. 1843, pp. 15, 16).
- 107. Description of Ardea rectirostris (ibid. p. 22).
- On the Habits of Leipoa (ibid. p. 81).
- 109. On a New Species of Kangaroo Rat (Bettongia campestris) (ibid. p. 81).
- 110. On nine New Birds collected during the Voyage of H.M.S. 'Sulphur' (Halcyon saurophaga, Pipra vitellina, Lencosticte griseogenys, Nectarinia flavigaster, Cactornis inornatus, Psittacus flavinuchus, Coccyzus ferrugineus, Penelope leucogastra, Larus brachyrhynchus) (ibid. pp. 103-106).
- Descriptions of two New Species of Ortyx (O. parvicristatus, O. marmoratus) (ibid. pp. 106, 107).
- 112. Description of Diomedea culminata (ibid. pp. 107, 108).
- Description of four New Species of Ortyx (O. leucophrys, O. fasciatus, O. leucotis, O. strophium) (ibid. pp. 132-134).
- Characters of two New Species of Toucans (Ramphastos citreolæmus, Pteroglossus pœcilosternus) (ibid. pp. 147, 148).
- 115. 1843-1845. Zoology of the Voyage of H.M.S. 'Sulphur,' under the Command of Capt. Sir Edward Belcher. London, 1843-1845. Birds: by John Gould. (Parts 3, 4.)
- 116. 1844. Description of Atrichia (nov. gen.) clamosa (P. Z. S. 1844, pp. 1, 2).
- On New Species of Western Australian Birds (Psophodes nigrogularis, Amadina gouldiæ) (ibid. pp. 5, 6).
- Descriptions of three New Species of Hulmaturus and Lagorchestes
 (H. houtmannii, H. dama, L. hirsutus) (ibid. pp. 31, 32).
- New Species of Birds from Australia (Geopelia placida, G. tranquilla, Eulabeornis (nov. gcn.) castaneoventris, Puffinus carneipes, Procellaria solandri, P. leucoptera, Aptenodytes undina) (ibid. pp. 55-58).
- 120. Characters of New Species of Mammals and Birds transmitted from Australia by Mr. Gilbert (Macropus gracilis, Hypsiprymnus platyops, Perameles arenaria, Hapalotis longicaudata, Phascogale calurus, Ph. crassicaudata, Ieracidea occidentalis, Ægotheles leucogaster, Malurus pulcherrimus, Puchycephala gilberti) (ibid. pp. 103-107).
- 121. Description of Podiceps australis (ibid. p. 135).

- 122. 1844. On the Family Procellaridæ, with description of the New Species (Ann. Nat. Hist. xiii. 1844, pp. 360-368).
- 123. 1845. On three New Species of Birds from China (Corvus pastinator, Mergus orientalis, Pica sericea) (P. Z. S. 1845, pp. 1, 2).
- 124. On a small Mammal and new Grallatorial Bird from Western Australia (Dromicia concinna, Fulica australis) (ibid. pp. 2, 3).
- 125. Descriptions of a New Trogon (Trogon puella) and seven New Birds from Australia (Cuculus optatus, C. insperatus, C. dumetorum, Sphenwacus gramineus, Pachycephala glaucura, Cisticola campestris, Calamoherpe longirostris) (ibid. pp. 18-20).
- 126. Description of four New Species of Birds from Australia (Ardea picata, Colluricincla parvula, Melithreptus melanocephalus, Hemipodius scintillans) (ibid. pp. 62, 63).
- 127. Description of a New Tern (Sterna gracilis) (ibid. p. 76).
- 128. Descriptions of five New Species of Mammals (Mns lineolatus, M. gracilicaudatus, M. albocinereus, Hapalotis murinus, Podabrus macrurus) (ibid. pp. 77-79).
- Descriptions of three New Species of Birds from Australia (Strix tenebricosus, Colluricincla rufogaster, Donacola flaviprymna) (ibid. p. 80).
- On the Genus Anous, Leach (Megalopterus, Boie) (A. leucocapillus, nov. sp., A. melanops, nov. sp., A. cinereus, nov. sp., A. parvulus, nov. sp.) (ibid. pp. 103, 104).
- Descriptions of two New Birds from New South Wales (Podargns plumiferus, Platycercus splendidus) (ibid. pp. 104, 105).
- 132. On a New Species of *Platycercus (P. pulcherrimus)* (Ann. Nat. Hist. xv. 1845, p. 114).
- 133. 1846. On a New Species of Nyctibius (N. bracteatus) (P. Z. S. 1846, p. 1).
- 134. Description of eleven New Species of Australian Birds (Athene marmorata, A. rufa, Alcyone pulchra, A. diemenensis, Eopsaltria leucogaster, Strepera arguta, S. plumbea, S. melanoptera, Gallinula tenebrosa, Sylochelidon strenuus, Sula personata) (ibid. pp. 18–21).
- Description of three New Species of the Family Trochilidæ (Trochilus (Petasophora) coruscans, T. flabelliferus, T. strophianus) (ibid. pp. 44, 45).
- 136. Description of six New Species of Birds (Trogon assimilis, Cinclosoma cinnamomeus, Ramphastos inca, Pteroglossus cucultatus, Odontophorus balliviani, Callipepla venusta) (ibid. pp. 67-71).
- Description of two New Species of Australian Birds (Meliphaga longirostris, Limosa melanuroides) (ibid. pp. 83, 84).

- 138. 1846. On twenty New Species of Trochilidæ, or Humming-birds (Trochilus pyra, T. smaragdinus, T. gracilis, T. rufocaligatus, T. ligonicauda, T. cupricauda, T. æneocauda, T. violifer, T. cyanopectus, T. aurescens, T. fulviventris, T. nigrofasciata, T. ruficeps, T. inornata, T. regulus, T. hypoleucus, T. hispidus) (ibid. pp. 85-90).
- Descriptions of three New Australian Birds (Petroica superciliosa, Poephila leucotis, Climacteris melanotus) (ibid. pp. 106, 107).
- 140. 1847. Descriptions of six New Species of Australian Birds (Cisticola lineo-capilla, Mirafra horsfieldii, Amytis macrourus, Sericornis maculatus, S. osculans, S. læviyaster) (P. Z. S. 1847, pp. 1-3).
- 141. Drafts for an Arrangement of the Trochilidæ, with descriptions of some New Species: Oreotrochilus leucopleurus, O. melanogaster, Trochilus calliope (ibid. pp. 7-11); Eriopus, nov. gen. (pp. 16, 17); Cometes, nov. gen., C. phaon (pp. 30, 31); Metallura, nov. gen., Doryfera, nov. gen., Trochilus violifrons, Lophornis regiuæ, Trochilus cæruleogaster (ibid. pp. 94-96).
- 142. On eight New Species of Australian Birds, and on Anthus minimus, Vig. & Horsf., as the type of a new Genus Chthonicola, Gould (Actamus albiventris, Acanthiza apicalis, Cisticola isura, Chalcites osculans, Synoicus diemenensis, S. sordidus, Porzana leucophrys, Plotus nova hollandiæ) (ibid. pp. 31-35).
- 143. Descriptions of some New Species of Australian Birds (Melithreptus chloropsis, M. albogularis, Grus australianus, Myiagra concinna, Herodias plumiferus, H. pannosus, Ardetta stagnatilis, Actitis empusa, Sterna gracilis) (ibid. pp. 220–222).
- On a New Species of Apteryx (A. owenii) (ibid. pp. 93, 94; Trans. Zool. Soc. iii, 1849, pp. 379, 380, tab. 57).
- 145. 1848. Drafts for a new Arrangement of the Trochilidæ (Helianthea, H. eos, Agleactis, A. caumatonotus, Heliangelus, H. mavors, Thalurania, T. viridipectus, Campylopterus obscurus, Trochilus caligatus, Oxypogou) (P. Z. S. 1848, pp. 11-14).
- 146. On seven New Species of Australian Birds (Graucalus hypoleucus, Limosa uropygialis, Charadrius veredus, Totanus griseopygius, Schæniclus magnus, Ardetta macrorhyncha, Cracticus picatus) (ibid. pp. 38-40).
- 147. Description of a New Heron (Ardea leucophæa) (ibid. pp. 58, 59).
- Description of a New Species of Cinclosoma (C. castaneothorax) (ibid. p. 139).
- 149. 1849. Description of a New Species of Nutcracker (Nucifraga multipunctata) (P. Z. S. 1849, p. 23).

- 150. 1849. Descriptions of two New Species, with the characters of a New Genus of Trochilidæ (Heliodoxa (nov. gen.) jacula, Eriopus simplex) (ibid. pp. 95, 96).
- On New Species of Mammalia and Birds from Australia (Pteropus conspicillatus, Phalangista nudicaudata, Ptiloris victoriae, pl. xii., Sphecotheres flaviventris) (ibid. pp. 109-112).
- Descriptions of three New Species of Indian Birds (Ruticilla grandis, Yunx indica, Sitta leucopsis) (ibid. pp. 112, 113).
- 153. 1850. Descriptions of New Birds (Cephalopterus glabricollis, pl. xx., Syrrhaptes tibetanus, Andigena (nov. gen.) laminirostris, Odontophorus columbianus, Pycnoptilus (nov. gen.) floccosus) (P.Z. S. 1850, pp. 91-95).
- 154. On six New Species of Humming-birds (Trochilus scintilla, T. chionura, T. venusta, T. cæruleogularis, T. castaneoventris, T. niveoventer) (ibid. pp. 162-164).
- 155. On New Species of Birds from Australia (Tanysiptera sylvia, Simu flavirostris, Drymodes superciliaris, Carpophaga assimilis, Chlamydera cerviniventris, Nectarinia australis, Monarcha leucotis) (ibid. pp. 200, 201).
- 156. A brief Account of the researches in Natural History of John M'Gillivray Esq., the naturalist attached to H.M. Surveying Ship the 'Rattlesnake,' on the north-eastern coasts of Australia, New Guinea, ctc. (Jardine's Contrib. Orn. 1850, pp. 92-106*).
- Remarks on Notornis mantelli (P. Z. S. 1850, pp. 212-214, pl. xxi.;
 Trans. Zool. Soc. iv. 1850, pp. 73, 74).
- 158. On new Australian Birds in the Collection of the Zoological Society of London (Malurus amabilis, Machærirhynchus flaviventer, pl. xxxiii., Ptilotis filigera, pl. xxxiv., Arses kaupi, Pycnoptilus floccosus) (P. Z. S. 1850, pp. 276-279).
- 159. 1851. On a new and most remarkable form in Ornithology (Balæniceps rev.) (P. Z. S. 1851, pp. 1, 2, pl. xxxv.).
- 160. On a New Species of Musophaga (M. rossæ) (ibid. p. 93; Jardine's Contr. Orn. 1851, pp. 137–138, pl. lxxxi.; P. Z. S. 1854, pp. 23, 24).
- On a New Species of the Genus Montifringilla (M. hæmatopygia) (P. Z. S. 1851, pp. 114, 115).
- 162. On some New Species of Trochilidæ (Trochilus amabilis, Phaëtornis griseogularis) (ibid. pp. 115, 116).
- Remarks on the Genus Hapalotis (H. apicalis, H. cervinus) (ibid. pp. 126, 127).
- 164. Description of two New Species of Mammalia of the Genus Antechinus (A. maculatus, A. minutissimus) (ibid. pp. 284, 285).

- 198. 1857. On several New Species of Birds from various parts of the World (Psephotus chrysopterygius, Malurus coronatus, Petroica cerviniventris, Spilornis rufipectus, Pyrrhula aurantiaca, Momotus æquatorialis, Odontophorus hyperythrus) (ibid. pp. 220-224).
- On four New Species of Mus and one of Hapalotis from Australia (Mus assimilis, M. sordidus, M. manicatus, Hapalotis hemileucura) (ibid. pp. 241-243).
- On a New Species of Cassowary (Casuarius bennetti, pl. exxix.) (ibid. pp. 268-271).
- 1858. Exhibition of British Specimens of Motacilla flava, Ray (P. Z. S. 1858, p. 77).
- 202. Remarks on three specimens of Steller's Duck (ibid. p. 78).
- 203. Remarks on a scries of Birds collected by Mr. A. R. Wallace in the Aru Islands (ibid. p. 95).
- 204. On a New Species of Toucan (Andigena spilorhynchus) (ibid. pp. 149, 150).
- On a New Species of Ptarmigan (Lagopus hemileucurus) (ibid. pp. 354, 355).
- Descriptions of two New Species of the Family Hirundinidæ (Atticora pileata, Chelidon cashmeriensis) (ibid. pp. 355, 356).
- 207. Exhibition of a Drawing of Molossus australis of Gray (ibid. p. 372).
- 208. 1859. List of Birds from the Falkland Islands, with Descriptions of the Eggs of some of the Species, from specimens collected principally by Capt. C. C. Abbot, of the Falkland Islands Detachment (Gavia roseiventris, n. sp.) (P. Z. S. 1859, pp. 93-98).
- 209. On a New Species of Odontophorus (O. erythrops) (ibid. pp. 98, 99; Ann. Nat. Hist. v. 1860, p. 72).
- 210. On the Members of the Genus Rupicola, and whether there be two or more Species (Rupicola sanguinolenta, nov. sp.) (P. Z. S. 1859, pp. 99, 100; Ann. Nat. Hist. v. 1860, p. 62).
- On a New Species of *Dendrochelidon*, or Tree-Swift (*D. wallacii*)
 (P. Z. S. 1859, p. 100; Ann. Nat. Hist. v. 1860, pp. 62, 63).
- 212. Exhibition of all the known Species of the Genus Elanus, with description of a New Species (E. hypoleucus) (P. Z. S. 1859, pp. 126, 127; Ann. Nat. Hist. v. 1860, p. 329).
- 213. Description of two New Species of Birds, one belonging to the Family Cuculidæ, the other to the Coturniceæ (Chrysococcyx minutillus, Excalfactoria minima) (P. Z. S. 1859, pp. 128, 129; Ann. Nat. Hist. v. 1860, p. 144).

ANALYTICAL INDEX

TO THE

COMPLETE SERIES

of

GOULD'S WORKS. THE LEGISLARY OF

UNIVERSITY OF ILLINOIS.

| Abeille's Flutterer | | | | Humming B. iv. pl. 211. |
|--------------------------|---|---|---|--|
| | | | | Europe, iii. pl. 197; Gt. Brit. iii. pl. 37. |
| abnormis, Sasia | , | | | Asia, vi. pl. 41. |
| Acanthiparus jouschistos | | | | Asia, ii. pl. 68. |
| niveogularis | | | | Asia, ii. pl. 67. |
| Acanthiza apicalis | | | | Australia, iii. pl. 57; Handb. i. p. 368. |
| = | | | | Australia, iii. pl. 56; Handb. i. p. 367. |
| chrysorrhœa | | | | Synopsis, part iv.; Australia, iii. pl. 63. |
| • | | | | Synopsis, part iv.; Australia, iii. pl. 54; |
| | | | | Handb. i. p. 365. |
| — ewingi | | | | Australia, iii. pl. 55. |
| | | | | Australia, Suppl. pl. 28; Handb. i. |
| , | | | | p. 373. |
| — inornata | | | | Australia, iii. pl. 59; Handb. i. p. 370. |
| | | | | Synopsis, part iv.; Australia, iii. pl. 61; |
| | | | | Handb. i. p. 372. |
| ——. Little | | | | Australia, iii. pl. 60; Handb. i. p. 371. |
| | | | | Australia, iii. pl. 53; Handb. i. p. 364. |
| | | | | Australia, Suppl. pl. 28; Handb. i. |
| | • | • | • | р. 373. |
| | | | | p. 010. |

| | | | | G |
|---|---|---|---|--|
| Acanthiza magnirostra . | • | ٠ | ٠ | Synopsis, part iv. |
| — nana | ٠ | ٠ | • | Synopsis, part iv.; Australia, iii. pl. 60; |
| 731 : 1 1 | | | | Handb. i. p. 371. |
| —, Plain-coloured | ٠ | • | • | Australia, iii. pl. 59; Handb. i. p. 370. |
| — pusilla | • | • | • | Synopsis, part iv.; Australia, iii. pl. 53; Handb. i. p. 364. |
| — pyrrhopygia | | | | Australia, iii. pl. 58; Handb. i. p. 369. |
| | | • | • | Australia, iii. pl. 58; Handb. i. p. 369. |
| | | | | Synopsis, part iv; Australia, iii. pl. 62. |
| - · · · · · · · · · · · · · · · · · · · | | • | • | Australia, iii. pl. 62. |
| | | • | • | Australia, iii. pl. 62. Australia, iii. pl. 61; Handb. i. p. 372. |
| | | • | • | |
| —, Tasmanian | | ٠ | ٠ | Australia, iii. pl. 54; Handb. i. p. 365. Synopsis, part iv.; Australia, iii. pl. 56; |
| uropygialis | • | • | • | Handb. i. p. 367. |
| , Western | | | | Australia, iii. pl. 57; Handb. i. p. 368. |
| , Yellow-rumped . | | | | Australia, iii. pl. 63. |
| Acanthogenys rufogularis | | | | Synopsis, part iv.; Australia, iv. pl. 53; |
| | | | | Handb. i. p. 534. |
| Acanthorhynchus dubius | | | | Synopsis, part ii. |
| superciliosus | | | | Synopsis, part ii.; Australia, iv. pl. 62; |
| | | | | Handb. i. p. 553. |
| tenuirostris | | | | Synopsis, part ii.; Australia, iv. pl. 61; |
| | | | | Handb. i. p. 551. |
| Acanthylis caudacuta . | | | | Australia, ii. pl. 10. |
| Accentor, Alpine | | | | Europe, ii. pl. 99; Gt. Brit. ii. pl. 54. |
| — alpinus | | | | Europe, ii. pl. 99; Gt. Brit. ii. pl. 54. |
| —, Altaian | | | | Asia, iv. pl. 49. |
| altaicus | | | | Asia, iv. pl. 49. |
| atrogularis | | | | Asia, iv. pl. 48. |
| —, Banded | | | | Asia, iv. pl. 47. |
| —, Black-throated . | | | | Asia, iv. pl. 48. |
| —, Blue-shouldered . | | | | Asia, iv. pl. 45. |
| - erythropygius | | | | Asia, iv. pl. 43. |
| —, Hedge | | | | Europe, ii. pl. 100; Gt. Brit. ii. pl. 55. |
| —— immaculatus | | | | Asia, iv. pl. 45. |
| — modularis | | | | Europe, ii. pl. 100; Gt. Brit. ii. |
| | | | | pl. 55. |
| — montanellus | | | | Europe, ii. pl. 101; Asia, iv. pl. 41. |
| | | | | |

| Accentor, Mountain | | | Europe, ii. pl. 101; Asia, iv. pl. 41. |
|---------------------------|---|---|--|
| — nepalensis | | | Asia, iv. pl. 44. |
| • | | | Asia, iv. pl. 44. |
| —, Red-backed | | | Asia, iv. pl. 43. |
| —, Red-breasted | | | Asia, iv. pl. 46. |
| rubeculoides | | | Asia, iv. pl. 46. |
| — rubidus | | | Asia, iv. pl. 42. |
| —, Ruddy | | | Asia, iv. pl. 42. |
| strophiatus | | | Asia, iv. pl. 47. |
| Accipiter fringillarius . | | | Europe, i. pl. 18. |
| niger | | | Synopsis, part iii. |
| nisus | | | Gt. Brit. i. pl. 10. |
| — torquatus | | | Synopsis, part iii.; Australia, i. pl. 19; |
| | | | Handb. i. p. 45. |
| Acrobates, Pigmy | | | Mamm. Austr. i. pl. 28. |
| — pygmæus | | | Mamm. Austr. i. pl. 28. |
| Acrocephalus australis . | | | Australia, iii. pl. 37. |
| longirostris | | | Australia, iii. pl. 38. |
| turdoides | | | Gt. Brit. ii. pl. 72. |
| Actenoides concretus . | | | Asia, i. pl. 42. |
| — hombroni | | | Asia, i. pl. 40. |
| — lindsayi | | | Asia, i. pl. 41. |
| Actinodura egertoni | | | Asia, iii. pl. 56. |
| —, Egerton's | | | Asia, iii. pl. 56. |
| — nepalensis | | | Asia, iii. pl. 57. |
| —, Nepalese | | | Asia, iii. pl. 57. |
| — ramsayi | | | Asia, iii. pl. 59. |
| | | | Asia, iii. pl. 58. |
| Actitis hypoleucus | | | Gt. Brit. iv. pl. 58. |
| - macularius | | | Gt. Brit. iv. pl. 59. |
| Actiturus bartramius . | | | Australia, Suppl. pl. 77; Handb. ii. |
| | | | p. 242; Gt. Brit. iv. pl. 63. |
| Actochelidon cantiaca . | | | Gt. Brit. v. pl. 69. |
| Actodromas australis | | | Handb. ii. p. 257. |
| minuta | | | Gt. Brit. iv. pl. 72. |
| acuminatus, Limnocinclus | | | Handb. ii. p. 254. |
| acuta, Dafila | | | Gt. Brit. v. pl. 18. |
| acuticauda, Poephila | • | • | Australia, iii. pl. 90; Handb. i. p. 422. |

| acutirostris, Neomorpha | | | | Synopsis, part i. |
|---------------------------|-----|------|-----|---|
| Adamastor cinerea | | | | Handb. ii. p. 446. |
| Adams's Mountain Finch | | | | Asia, v. pl. 1. |
| adamsi, Montifringilla . | | | | Asia, v. pl. 1. |
| Adela's Hill-Star | | | | Humming B. ii. pl. 73. |
| adela, Oreotrochilus | | | | Humming B. ii. pl. 73. |
| adelaidæ, Platycercus . | | ٠. | | Australia, v. pl. 22. |
| Adelaide Parrakeet | | | | Australia, v. pl. 22; Handb. ii. p. 46. |
| adelaidensis, Platycercus | | | | Handb. ii. p. 46. |
| Adelomyia, see also Humm | ing | g Bi | rd. | • |
| castaneiventris | | | | Humming B. iii. pl. 203. |
| — cervina | | | | Humming B., Suppl. pl. 46. |
| chlorospila | | | | Humming B., Suppl. p. 66. |
| — floriceps | | | | Humming B. iii. pl. 202. |
| — inornata | | | | Humming B. iii. pl. 197. |
| — maculata | | | | Humming B. iii. pl. 199. |
| melanogenys | | | | Humming B. iii. pl. 198. |
| Adolph's Hermit | | | | Humming B. i. pl. 35. |
| adolphi, Phaethornis | | | | Humming B. i. pl. 35. |
| adorabilis, Lophornis . | | | | Humming B., Suppl. pl. 35. |
| Aedon galactodes | | | | Gt. Brit. ii. pl. 53. |
| Ægialitis bicinctus | | | | Synopsis, part ii. |
| canus | | | | Synopsis, App. p. 6. |
| —— hiaticula | • | | | Gt. Brit. iv. pl. 41; Handb. ii. p. 231. |
| minor | | | | Gt. Brit. iv. pl. 42. |
| monacha | | | | Handb. ii. p. 231. |
| — monachus | | | | Synopsis, part ii.; Australia, part ii. (cancelled) pl. 10. |
| — nigrifrons | | | | Synopsis, part ii.; Handb. ii. p. 232. |
| Ægialophilus cantianus . | | | | Gt. Brit. iv. pl. 40. |
| — ruficapillus | | | | Handb. ii. p. 235. |
| Ægintha temporalis | | | | Handb. i. p. 411. |
| Ægiothus linaria | | | | Gt. Brit. iii. pl. 51. |
| rufescens | | | | Gt. Brit. iii. pl. 52. |
| Ægithaliscus erythrocepha | | | | Cent. pl. 30. fig. 1. |
| Ægithalus consobrinus . | | | | Asia, ii. pl. 70. |
| flammiceps | | | | Asia, ii. pl. 71. |
| = | | | | |

| Ægithalus pendulinus | | | Europe, iii. pl. 159. |
|------------------------|--|--|--|
| 0 | | | Australia, ii. pl. 2; Handb. i. p. 81. |
| novæ-hollandiæ . | | | Australia, ii. pl. 1; Handb. i. p. 79. |
| wallacii | | | New Guinea, iv. pl. 39. |
| ægyptiaca, Chenalopex | | | Europe, v. pl. 353. |
| ægyptius, Pluvianus . | | | Asia, vii. pl. 62. |
| æneicauda, Metallura | | | Humming B. iii. pl. 192. |
| æneum, Dicæum | | | New Guinea, iv. pl. 4. |
| æquatoralis, Androdon | | | Humming B., Suppl. pl. 1. |
| —, Gouldia | | | Humming B., Suppl. p. 51. |
| , Phæolæma | | | Humming B. iv. pl. 269. |
| æralatus, Pteruthius . | | | Asia, ii. pl. 13. |
| æruginosus, Circus . | | | Europe, i. pl. 32; Gt. Brit. i. pls. 24, 25. |
| æsalon, Falco | | | Europe, i. pl. 24; Gt. Brit. i. pl. 19. |
| Æstrelata cookii | | | Handb. ii. p. 456. |
| —— leucocephala . | | | Handb. ii. p. 451. |
| — leucoptera | | | Handb. ii. p. 454. |
| — mollis | | | Handb. ii. p. 453. |
| Æthopyga gouldiæ . | | | Cent. pl. 56. |
| affine, Trochalopteron | | | Asia, iii. pl. 37. |
| affinis, Coracias | | | Asia, i. pl. 55. |
| , Cymbirhynchus | | | Asia, i. pl. 60. |
| —, Glaucis | | | Humming B. i. pl. 7. |
| , Hesperiphona . | | | Asia, v. pl. 23. |
| —, Milvus | | | Synopsis, part iii.; Australia, i. pl. 21; |
| | | | Handb. i. p. 49. |
| —, Mimeta | | | Handb. i. p. 465. |
| , Oriolus | | | Australia, i. Introd. p. liii. |
| —, Palæornis | | | Asia, vi. pl. 11. |
| , Pardalotus | | | Synopsis, part ii.; Australia, ii. pl. 39; |
| | | | Handb. i. p. 163. |
| —, Thaumatias | | | Humming B. v. pl. 299. |
| Afghan Magpie | | | Asia, v. pl. 56. |
| — Thrush | | | Asia, iii. pl. 4. |
| — Tit | | | Asia, ii. pl. 66. |
| africanus, Turnix | | | Gt. Brit. iv. pl. 16. |
| Agile Wallaby | | | Mamm. Austr. ii. pls. 24, 25; Monogr. |
| | | | Macrop. part ii. pl. 5. |
| | | | - |

| agilis, Halmaturus | | | | Mamm. Austr. ii. pls. 24, 25; Monogr. |
|-------------------------|---|---|---|--|
| 704 | | | | Macrop. part ii. pl. 5. |
| —, Pipastes | ٠ | ٠ | ٠ | Asia, iv. pl. 65. |
| Aglæactis castelneaui . | • | ٠ | ٠ | Humming B. iii. pl. 180. |
| — caumatonota | ٠ | • | ٠ | Humming B., Suppl. pl. 47. |
| cupreipennis | ٠ | ٠ | ٠ | Humming B. iii. pl. 179. |
| — pamela | • | ٠ | • | Humming B. iii. pl. 181. |
| Agyrtria apicalis | ٠ | • | • | Humming B., Suppl. p. 77. |
| — bartletti | • | ٠ | • | Humming B., Suppl. pl. 50. |
| — cæruleiceps | ٠ | ٠ | ٠ | Humming B., Suppl. p. 76. |
| —— compsa | ٠ | • | ٠ | Humming B., Suppl. p. 75. |
| — fluviatilis | • | ٠ | | Humming B., Suppl. pl. 51. |
| — luciæ | | | ٠ | Humming B., Suppl. p. 78. |
| — maculicauda | | ٠ | ٠ | Humming B., Suppl. p. 77. |
| 0 | • | | | Humming B., Suppl. p. 75. |
| — nigricauda | | | | Humming B., Suppl. p. 80. |
| — nitidicauda | | | | Humming B., Suppl. p. 80. |
| taczanowskii | | | | Humming B., Suppl. pl. 52. |
| Aidemosyne modesta | | | | Handb. i. p. 414. |
| Ailurœdus arfakianus . | | | | New Guinea, i. pl. 40. |
| — buccoides | | | | New Guinea, i. pl. 41. |
| — maculosus | | | | New Guinea, i. pl. 38. |
| melanocephalus | | | | New Guinea, i. pl. 42. |
| melanotis | | | | New Guinea, i. pl. 39. |
| smithii | | | | Handb. i. p. 446. |
| stonii | | | | New Guinea, i. pl. 37. |
| Aix galericulata | | | | Asia, vii. pl. 69. |
| ajax, Cinclosoma | | | | New Guinea, iii. pl. 10. |
| Alauda alpestris | | | | Europe, iii. pl. 164. |
| — arborea | | | | Europe, iii. pl. 167; Gt. Brit. iii. pl. 16. |
| — arvensis | | | | Europe, iii. pl. 166; Gt. Brit. iii. pl. 15. |
| | | | | Europe, iii. pl. 163. |
| — calandra | | | | Europe, iii. pl. 162. |
| — cristata | | | | Europe, iii. pl. 165. |
| — tartarica | | | | Europe, iii. pl. 161. |
| alaudarius, Falco | | | | Gt. Brit. i. pl. 21. |
| , Tinnunculus . | | | | Gt. Brit. i. pl. 21. |
| alba, Ardea | | | | Europe, iv. pl. 276. |

| alba Cicania | | | Europe, iv. pl. 283; Gt. Brit. iv. pl. 30. |
|-----------------------------|---|---|--|
| alba, Ciconia | | | Gt. Brit. iv. pl. 22; Handb. ii. p. 301. |
| —, Motacilla | | | Europe, ii. pl. 143; Gt. Brit. iii. pl. 2. |
| | | | New Guinea, iii. pl. 28. |
| albata, Sitella | | | Australia, vii. pl. 43; Handb. ii. p. 438. |
| Albatros, Black-eyebrowed . | | ٠ | Australia, vii. pl. 49. |
| —, Cautious | • | • | Australia, vii. pl. 40; Handb. ii. p. 436. |
| —, Culminated | | ٠ | |
| —, Short-tailed | • | ٠ | Australia, vii. pl. 39; Handb. ii. p. 433. |
| , Shy | • | • | Handb. ii. p. 434. |
| —, Sooty | • | ٠ | Australia, vii. pl. 44; Handb. ii. p. 441. |
| —, Wandering | | | Australia, vii. pl. 38; Handb. ii. p. 427. |
| , Yellow-billed | | | Australia, vii. pl. 42. |
| —, Yellow-nosed | | | Handb. ii. p. 437. |
| albellus, Mergus | | | Europe, v. pl. 387; Gt. Brit. v. pl. 37. |
| Albert Lyre-Bird | | | Australia, Suppl. pl. 19. |
| alberti, Menura | | | Australia, Suppl. pl. 19; Handb. i. |
| | | | p. 307. |
| albertisii, Drepanornis | | | New Guinea, i. pl. 11. |
| albescens, Schæniclus | | | Australia, vi. pl. 31. |
| albicilla, Haliaetus | | | Europe, i. pl. 10; Gt. Brit. i. pl. 4. |
| albicollis, Leucochloris | | | Humming B. v. pl. 291. |
| —, Muscicapa | | | Europe, ii. pl. 63. fig. 2. |
| albicrissa, Heliomaster . | | | Humming B., Suppl. p. 30. |
| albifacies, Pœcilodryas . | | | New Guinea, ii. pl. 18. |
| | | | Australia, Suppl. pl. 2; Handb. ii. |
| , 8 | | | p. 524. |
| albifrons, Anser | | | Europe, v. pl. 349; Gt. Brit. v. pl. 4. |
| —, Ephthianura | | | Australia, iii. pl. 64; Handb. i. p. 377. |
| , Glyciphila | | | Australia, iv. pl. 29; Handb. i. p. 497. |
| -, Machærirhynchus . | | | New Guinea, ii. pl. 37. |
| albigularis, Conopophila | | | Handb. i. p. 532. |
| —, Ianthœnas | | | New Guinea, v. pl. 67. |
| —, Zosterops | | | Australia, Suppl. pl. 46; Handb. ii. |
| • | | | р. 535. |
| albipennis, Entomyza . | | | Australia, iv. pl. 69; Handb. i. p. 563. |
| —, Nettapus | | | Handb. ii. p. 359. |
| 70 | | | Australia, v. pl. 71; Handb. ii. p. 141. |
| albipes, Antechinus | | | Mamm. Austr. i. pl. 42. |

| albipes, Hapalotis | Mamm. Austr. iii. pl. 1. Australia, ii. pl. 83; Handb. i. p. 238. |
|-----------------------------|--|
| albiventris, Artamus | Australia, ii. pl. 30; Handb. i. p. 149. |
| —, Callene | Asia, iii. pl. 29. |
| —, Monarcha | Australia, Suppl. pl. 13. |
| —, Thaumatias | Humming B. v. pl. 301. |
| albivitta, Aulacorhamphus | Toucans, (2) pl. 59. |
| —, Procelsterna | Handb. ii. p. 420. |
| alboauricularis, Stigmatops | New Guinea, iii. pl. 45. |
| albocincta, Merula | Asia, iii. pl. 6. |
| albocinereus, Mus | Mamm. Austr. iii. pl. 21. |
| albocoronata, Microchera | Humming B. ii. pl. 116. |
| albocristatus, Euplocomus | Cent. pls. 66, 67. |
| —, Phasianus | Cent. pls. 66, 67. |
| albogularis, Dumetia | Asia, iv. pl. 5. |
| —, Entomophila | Australia, iv. pl. 51; Handb. i. p. 532. |
| —, Eurostopodus | Australia, ii. pl. 7; Handb. i. p. 96. |
| ——, Gerygone | Australia, ii. pl. 97; Handb. i. p. 266. |
| —, Melithreptus | Australia, iv. pl. 74; Handb. i. p. 571. |
| —, Psilopus | Synopsis, part iv. |
| —, Schistes | Humming B. iv. pl. 220. |
| —, Zosterops | Synopsis, part i. |
| albolimbatus, Megalurus | New Guinea, iii. pl. 12. |
| alboniger, Spizaetus | Asia, i. pl. 10. |
| albonotata, Ptilotis | New Guinea, iii. pl. 47. |
| alboscapulatus, Malurus | New Guinea, ii. pl. 25. |
| albovittatus, Ocypterus | Synopsis, part i. |
| Alca impennis | Europe, v. pl. 400; Gt. Brit. v. pl. 46. |
| — torda | Europe, v. pl. 401; Gt. Brit. v. pl. 47. |
| Alcedo bengalensis | Asia, i. pl. 53. |
| — grandis | Asia, i. pl. 52. |
| guttatus | Cent. pl. 5. |
| ispida | Europe, ii. pl. 61; Gt. Brit. ii. pl. 10. |
| — rudis | Europe, ii. pl. 62. |
| Alcippe brunnea | Asia, iii. pl. 66. |
| Alcyone azurea | Australia, ii. pl. 25; Handb. i. p. 139. |
| diemenensis | Australia, i. Introd. p. xxxi; Handb. |
| | i. p. 141. |

| Alcyone pulchra | | Australia, i. Introd. p. xxxii; Handb. i. p. 141. |
|-----------------------|--|---|
| pusilla | | Australia, ii. pl. 26; Handb. i. p. 142. |
| aldrovandi, Scops | | Europe, i. pl. 41. |
| alexandræ, Polytelis | | Australia, Suppl. pl. 62; Handb. ii. p. 32. |
| alexandri, Trochilus | | Humming B. iii. pl. 132. |
| Alice's Emerald | | Humming B. v. pl. 357. |
| aliciæ, Chlorostilbon | | Humming B. v. pl. 357. |
| alinæ, Eriocnemis | | Humming B. iv. pl. 280. |
| alle, Mergulus | | Europe, v. pl. 402; Gt. Brit. v. pl. 50. |
| All-green Phyllornis | | Asia, iii. pl. 18. |
| Allied Diamond-bird | | Australia, ii. pl. 39; Handb. i. p. 163. |
| —— Dottrel | | Australia, vi. pl. 19; Handb. ii. p. 237. |
| —— Emerald | | Humming B. v. pl. 299. |
| — Eurylaime | | Asia, i. pl. 60. |
| — Flycatcher | | Handb. i. p. 260. |
| Fruit-Pigeon | | Australia, Suppl. pl. 67; Handb. ii. |
| | | p. 111. |
| —— Grosbeak | | Asia, v. pl. 23. |
| — Harrier | | Australia, i. pl. 26; Handb. i. p. 58. |
| — Hermit | | Humming B. i. pls. 7, 18. |
| —— Ianthocincla | | Asia, iii. pl. 45. |
| — Kite | | Australia, i. pl. 21; Handb. i. p. 49. |
| - Laughing Thrush | | Asia, iii. pl. 45. |
| —— Parrakeet | | Asia, vi. pl. 11. |
| —— Petrel | | Australia, vii. pl. 59; Handb. ii. p. 458. |
| —— Rat | | Mamm. Austr. iii. pl. 15. |
| Sericornis | | Handb. i. p. 358. |
| —— Thrush | | Asia, iii. pl. 37. |
| — Warbler | | Australia, iii. pl. 48. |
| Allotrius melanotis | | Asia, ii. pl. 16. |
| - xanthochloris | | Asia, ii. pl. 17. |
| alpestris, Alauda | | Europe, iii. pl. 164. |
| —, Otocoris | | Europe, iii. pl. 164; Gt. Brit. iii. pl. 18. |
| Alpine Accentor | | Eur. ii. pl. 99; Gt. Brit. ii. pl. 54. |
| — Chough | | Europe, iii. pl. 218. |
| — Sparrow | | Europe, iii. pl. 185. fig. 2. |
| - | | |

| Alpine Swift | | | Gt. Brit. ii. pl. 4. |
|---------------------------|---|---|--|
| alpinus, Accentor | | | |
| —, Cypselus | | | |
| Altaian Accentor | | | |
| Altaic Snow-Partridge | | | |
| altaicus, Accentor | | | |
| —, Tetraogallus | | | 1 1 01 |
| alticola, Amazilia | | | TI 1 D 1 004 |
| aluco, Syrnium | | | T . 1 (F O: D: 1 1 00 |
| amabilis, Carcineutes | | | 4 |
| —, Damophila | | | TT 1 TO 1 0.47 |
| —, Malurus | | | Australia, Suppl. pl. 21; Handb. i. |
| , maidrus | • | • | р. 328. |
| Amadina castaneothorax . | | | . Synopsis, part ii. |
| castanotis | | | Synopsis, part i.; Australia, part ii. |
| | | | (cancelled) pl. 5, and vol. iii. pl. 87. |
| —— cincta | | | . Synopsis, part ii. |
| — gouldiæ | | | Australia, iii. pl. 88. |
| — lathami | | | Synopsis, part ii.; Australia, iii. pl. 86. |
| — modesta | | | Synopsis, part i.; Australia, iii. pl. 85. |
| ruficauda | | | . Synopsis, part i.; Australia, part i. (cancelled) pl. 4. |
| Amaduvade, Chestnut-eared | | | Australia, part ii. (cancelled) pl. 5. |
| amaryllis, Lesbia | | | Humming B. iii. pl. 170. |
| Amaura Hermit | | | Humming B. i. pl. 32. |
| amaura, Phaethornis | | | Humming B. i. pl. 32. |
| Amaurodryas vittata | | | . Handb. i. p. 286. |
| Amazili | | | . Humming B. v. pl. 303. |
| —, Berylline | | | Humming B. v. pl. 312. |
| —, Blue-tailed | | | . Humming B. v. pl. 315. |
| —, Chestnut-bellied | | | TT ' T) 2 010 |
| Copper-tailed | | | TT : D C . 1 1 C |
| —, Coral-billed | | | Humming B. v. pl. 307. |
| —, De Oca's | • | | Humming B. v. pl. 289. |
| , ma | | | Humming B. v. pl. 313. |
| 72 (12) | | | . Humming B. v. pl. 305. |
| , Elegant | | | . Humming B., Suppl. p. 90. |
| —, Elliot's | | | Humming B., Suppl. p. 89. |
| , | • | | bi, ouppir pi coi |

| Amazili, Fawn-breasted | | Humming B. v. pl. 309. |
|--------------------------|--|--------------------------------|
| —, Grayson's | | Humming B., Suppl. p. 87. |
| | | Humming B. v. pl. 314. |
| —, Mountain | | Humming B. v. pl. 304. |
| | | Humming B. v. pl. 311. |
| —, Warszewicz's | | Humming B., Suppl. p. 89. |
| —, White-breasted | | Humming B. v. pl. 306. |
| —, White-vented | | Humming B., Suppl. p. 88. |
| —, Yucatan | | Humming B. v. pl. 308. |
| Amazilia alticola | | Humming B. v. pl. 304. |
| — beryllina | | Humming B. v. pl. 312. |
| castaneiventris | | Humming B. v. pl. 310. |
| — cerviniventris | | Humming B. v. pl. 309. |
| — corallirostris | | Humming B. v. pl. 307. |
| — cupreicauda | | Humming B., Suppl. pl. 56. |
| —— cyanura | | Humming B. v. pl. 315. |
| — devillei | | Humming B. v. pl. 313. |
| | | Humming B. v. pl. 305. |
| —— elegans | | Humming B., Suppl. p. 90. |
| — graysoni | | Humming B., Suppl. p. 87. |
| iodura | | Humming B., Suppl. p. 88. |
| | | Humming B. v. pl. 306. |
| —— lucida | | Humming B., Suppl. p. 89. |
| | | Humming B. v. pl. 289. |
| —— pristina | | Humming B. v. pl. 303. |
| — riefferi | | Humming B. v. pl. 311. |
| —— viridigaster | | Humming B. v. pl. 314. |
| — warszewiczi | | Humming B., Suppl. p. 89. |
| — yucatanensis | | Humming B. v. pl. 308. |
| ambiguus, Rhamphastos . | | Toucans, (2) pl. 5. |
| —, Trogon | | Trogons, (1) pl. 4, (2) pl. 8. |
| Amblyornis inornata | | New Guinea, i. pl. 46. |
| | | New Guinea, i. pl. 47. |
| Amblypterus anomalus | | Icones Avium, pl. 11. |
| American Bittern | | Gt. Brit. iv. pl. 28. |
| —— Cuckoo | | Europe, iii. pl. 242. |
| —— Robin | | Europe, ii. pl. 74. |
| — White-winged Crossbill | | Gt. Brit. iii. pl. 48. |

| americanus, Coccyzus | Europe, iii. pl. 242. |
|------------------------------|--|
| Amethyst | Humming B. iii. pl. 159. |
| —, Mitchell's | Humming B. iii. pl. 160. |
| amethysticollis, Heliangelus | Humming B. iv. pl. 245. |
| amethystina, Calliphlox | Humming B. iii. pl. 159. |
| Amesthystine Cuckoo | Asia, vi. pl. 47. |
| — Sun-Angel | Humming B. iv. pl. 245. |
| amherstiæ, Thaumalea | Asia, vii. pl. 20. |
| amictus, Nyctiornis | Asia, i. pl. 38. |
| ammodendri, Passer | Asia, v. pl. 15. |
| Ammoperdix bonhami | Asia, vii. pl. 1. |
| — heyi | Asia, vii. pl. 2. |
| Ampelis garrula | Gt. Brit. ii. pl. 21. |
| amurensis, Erythropus | Asia, i. pl. 8. |
| Amydrus tristrami | Asia, v. pl. 45. |
| Amytis goyderi | New Guinea, iii. pl. 8. |
| — macrourus | Australia, iii. pl. 30; Handb. i. p. 338. |
| | Australia, iii. pl. 29; Handb. i. p. 337. |
| textilis | Australia, iii. pl. 28; Handb. i. p. 335. |
| anais, Melanopyrrhus | New Guinea, iv. pl. 16. |
| —, Petasophora | Humming B. iv. pl. 224. |
| anaphonensis, Strepera | Australia, ii. pl. 45; Handb. i. p. 173. |
| Anas boschas | Europe, v. pl. 361; Gt. Brit. v. pl. 15. |
| — nævosa | Australia, vii. pl. 10. |
| — punctata | Australia, vii. pl. 11; Handb. ii. p. 365. |
| — superciliosa | Australia, vii. pl. 9; Handb. ii. p. 363. |
| anatinus, Ornithorhynchus | Mamm. Austr. i. pl. 1. |
| Ancylocheilus subarquatus | Gt. Brit. iv. pl. 68. |
| Ancylochilus subarquatus | Handb. ii. p. 256. |
| Andalusian Hemipode | Gt. Brit. iv. pl. 16. |
| —— Turnix | Europe, iv. pl. 264; Gt. Brit. iv. |
| | pl. 16. |
| Anderson's Suthora | Asia, iii. pl. 68. |
| Andigena bailloni | Toucans, (2) pl. 41. |
| cucullatus | Toucans, (2) pl. 39. |
| — hypoglaucus | Toucans, (2) pl. 38. |
| —— laminirostris | Toucans, (2) pl. 37. |
| —— nigrirostris | Toucans, (2) pl. 40. |
| | |

| | | | | TT |
|-------------------------|---|---|---|--|
| Androdon æquatorialis . | | • | | Humming B., Suppl. pl. 1. |
| Anellobia lunulata | | ٠ | | Handb. i. p. 543. |
| — mellivora | | ٠ | ٠ | Handb. i. p. 541. |
| Angela Star-throat | | | | Humming B. iv. pl. 263. |
| angelæ, Heliomaster | | | | Humming B. iv. pl. 263. |
| anglica, Gelochelidon . | | | | Gt. Brit. v. pl. 74. |
| —, Sterna | | | | Europe, v. pl. 416. |
| anglorum, Puffinus | | | | Europe, v. pl. 443; Gt. Brit. v. |
| | | | | pl. 84. |
| annabellæ, Myzomela . | | | | New Guinea, iii. pl. 67. |
| Anna's Humming-bird . | | | ٠ | Humming B. iii. pl. 135. |
| annæ, Calypte | | | | Humming B. iii. pl. 135. |
| annectens, Lioptila | | | | Asia, iii. pl. 30. |
| annulosa, Estrelda | | | | Australia, iii. pl. 81. |
| , Stictoptera | | | | Handb. i. p. 410. |
| anomalus, Amblypterus . | | | | Icones Avium, pl. 11. |
| Anorthura formosa | | | | Asia, iv. pl. 52. |
| Anous cinereus | | | | Australia, vii. pl. 37. |
| —— leucocapillus | | | | Australia, vii. pl. 36; Handb. ii. p. 419. |
| melanops | | | | Australia, vii. pl. 35; Handb. ii. p. 417. |
| — stolidus | | | | Australia, vii. pl. 34; Handb. ii. p. 413. |
| Anser albifrons | | | | Europe, v. pl. 349; Gt. Brit. v. pl. 4. |
| brachyrhynchus . | | | | Gt. Brit. v. pl. 3. |
| — brenta | | | | Europe, v. pl. 352. |
| — ferus | | | | Europe, v. pl. 347; Gt. Brit. v. pl. 1. |
| hyperboreus | | | | Europe, v. pl. 346. |
| —— indica | | | | Cent. pl. 80. |
| — leucopsis | | | | Europe, v. pl. 350. |
| — ruficollis | | | | Europe, v. pl. 351. |
| segetum | | | | Europe, v. pl. 348; Gt. Brit. v. pl. 2. |
| Anseranas melanoleuca . | | | | Australia, vii. pl. 2; Handb. ii. p. 552. |
| | | | | Australia, v. pl. 61; Handb. ii. p. 116. |
| Antechinus albipes | | | | Mamm. Austr. i. pl. 42. |
| — apicalis | | • | • | Mamm. Austr. i. pl. 39. |
| —, Dusky | | | | Mamm. Austr. i. pl. 37. |
| —— ferruginifrons | | | | Mamm. Austr. i. pl. 36. |
| flavipes | | | • | Mamm. Austr. i. pl. 40. |
| | | | ٠ | |
| —, Freckled | • | ٠ | ٠ | Mamm, Austr. i. pl. 39. |

| Antechinus fuliginosus | | Mamm. Austr. i. pl. 41. |
|----------------------------|--|---|
| leucogaster | | Mamm. Austr. i. pl. 38. |
| — leucopus | | Mamm. Austr. i. pl. 35. |
| maculatus | | Mamm. Austr. i. pl. 44. |
| , Minute | | Mamm. Austr. i. pl. 45. |
| — minutissimus | | Mamm. Austr. i. pl. 45. |
| —, Murine | | Mamm. Austr. i. pl. 43. |
| — murinus | | Mamm. Austr. i. pl. 43. |
| —, Rusty-footed | | Mamm. Austr. i. pl. 40. |
| —, Rusty-fronted | | Mamm. Austr. i. pl. 36. |
| , Sooty | | Mamm. Austr. i. pl. 41. |
| , Spotted | | Mamm. Austr. i. pl. 44. |
| swainsoni | | Mamm. Austr. i. pl. 34. |
| — unicolor | | Mamm. Austr. i. pl. 37. |
| —, White-bellied | | Mamm. Austr. i. pl. 38. |
| —, White-footed | | Mamm. Austr. i. pls. 35, 42. |
| Anthochæra carunculata . | | Synopsis, part i.; Australia, iv. pl. 55; |
| | | Handb. i. p. 538. |
| —— inauris | | Australia, iv. pl. 54; Handb. i. p. 536. |
| —— lewinii | | Synopsis, part i. |
| —— lunulata | | Synopsis, part iv.; Australia, iv. pl. 57. |
| — mellivora | | Synopsis, part i.; Australia, iv. pl. 56. |
| anthophilus, Phaethornis . | | Humming B. i. pl. 24. |
| Anthropoïdes virgo | | Europe, iv. pl. 272. |
| Anthus aquaticus | | Europe, ii. pl. 138. |
| —— arboreus | | Europe, ii. pl. 139; Gt. Brit. iii. pl. 14. |
| —— australis | | Australia, iii. pl. 73; Handb. i. p. 392. |
| campestris | | Gt. Brit. iii. pl. 9. |
| cervinus | | Gt. Brit. iii. pl. 12; Asia, iv. pl. 66. |
| obscurus | | Gt. Brit. iii. pl. 10. |
| — pratensis | | Europe, ii. pl. 136; Gt. Brit. iii. pl. 13. |
| —— richardi | | Europe, ii. pl. 135; Gt. Brit. iii. pl. 8. |
| rufescens | | Europe, ii. pl. 137. |
| — rufogularis | | Europe, ii. pl. 140. |
| — spinoletta | | Gt. Brit. iii. pl. 11. |
| antilopinus, Osphranter | | Mamm. Austr. ii. pls. 8, 9; Monogr. |
| | | Macrop. part ii. pl. 7. |
| antiqua, Erythronota | | Humming B. v. pl. 316. |

| antisianus, Pharomacrus . | | Trogons, (2) pl. 2. |
|----------------------------|--|-------------------------|
| antoniæ, Threnetes | | Humming B. i. pl. 15. |
| Ant-Thrush, Baud's | | Asia, v. pl. 72. |
| —, Bengal | | Asia, v. pl. 64. |
| , Black | | New Guinea, iv. pl. 28. |
| —, Black-headed | | Asia, v. pl. 76. |
| , Blue | | Asia, v. pl. 80. |
| —, Blue-backed | | New Guinea, iv. pl. 29. |
| ——, Blue-tailed | | Asia, v. pl. 77. |
| , Bornean | | Asia, v. pl. 67. |
| —, Cærulean | | Asia, v. pl. 81. |
| —, Celebean | | New Guinea, iv. pl. 34. |
| —, Elegant | | New Guinea, iv. pl. 31. |
| —, Elliot's | | Asia, v. pl. 66. |
| ——, Formosan | | Asia, v. pl. 65. |
| —, Forsten's | | New Guinea, iv. pl. 30. |
| —, Great | | New Guinea, iv. pl. 27. |
| —, Gurney's | | Asia, v. pl. 73. |
| —, Hooded | | Asia, v. pl. 82. |
| , Koch's | | Asia, v. pl. 71. |
| —, Large-billed | | Asia, v. pl. 70. |
| —, Mafoor Island | | New Guinea, iv. pl. 33. |
| —, Malaccan | | Asia, v. pl. 68. |
| —, Necklaced | | Asia, v. pl. 69. |
| —, Nepal | | Asia, v. pl. 79. |
| —, New Guinea | | New Guinea, iv. pl. 36. |
| , Noisy | | Handb. i. p. 430. |
| —, Rainbow | | Handb. i. p. 432. |
| —, Red-headed | | New Guinea, iv. pl. 32. |
| , Red-naped | | New Guinea, iv. pl. 35. |
| —, Rosenberg's | | New Guinea, iv. pl. 37. |
| —, Schwaner's | | Asia, v. pl. 78. |
| , Steere's | | Asia, v. pl. 74. |
| , Ussher's | | Asia, v. pl. 75. |
| —, Van der Bosch's | | Asia, v. pl. 83. |
| , Vigors' | | Handb. ii. p. 527. |
| Aphantochroa cirrhochloris | | Humming B. ii. pl. 54. |
| — gularis | | Humming B. ii. pl. 55. |

| Aphantochroa hyposticta | Humming B., Suppl. pl. 4. |
|-------------------------|--|
| apiaster, Merops | Europe, ii. pl. 59; Gt. Brit. ii. pl. 9. |
| apicalis, Acanthiza | Australia, iii. pl. 57; Handb. i. p. 368. |
| —, Agyrtria | Humming B., Suppl. p. 77. |
| , Antechinus | Mamm. Austr. i. pl. 39. |
| —, Hapalotis | Mamm. Austr. iii. pl. 2. |
| —, Hypsiprymnus | Mamm. Austr. ii. pl. 68. |
| apivorus, Pernis | Europe, i. pl. 16; Gt. Brit. i. pl. 8. |
| Aplonis metallica | Australia, Suppl. pl. 33. |
| —, Shining | Australia, Suppl. pl. 33. |
| apoda, Paradisea | New Guinea, i. pl. 30. |
| approximans, Astur | Synopsis, part iii.; Australia, i. pl. 17; |
| | Handb. i. p. 41. |
| Aprosmictus callopterus | New Guinea, v. pl. 9. |
| erythropterus | Australia, v. pl. 18. |
| insignissimus | New Guinea, v. pl. 10. |
| — scapulatus | Australia, v. pl. 17; Handb. ii. p. 35. |
| Apternus tridactylus | Europe, iii. pl. 232. |
| Apteryx australis | Australia, part ii. (cancelled) pl. 9, and |
| | vol. vi. pl. 2; Handb. ii. App. p. 568. |
| — owenii | Australia, vi. pl. 3; Handb. ii. App. |
| | p. 573. |
| —, Owen's | Australia, vi. pl. 3. |
| apus, Cypselus | Gt. Brit. ii. pl. 3. |
| Aquatic Warbler | Europe, ii. pl. 111. fig. 2; Gt. Brit. ii. |
| • | pl. 76. |
| aquatica, Calamodyta | Gt. Brit. ii. pl. 76. |
| , Salicaria | Europe, ii. pl. 111. fig. 2. |
| aquaticus, Acrocephalus | Europe, ii. pl. 111. fig. 2; Gt. Brit. ii. |
| • | pl. 76. |
| , Anthus | Europe, ii. pl. 138. |
| , Cinclus | Europe, ii. pl. 83; Gt. Brit. ii. pl. 41. |
| , Rallus | Europe, iv. pl. 339; Gt. Brit. iv. pl. 86. |
| Aquila audax | Handb. i. p. 8. |
| — bonellii | Europe, i. pl. 7. |
| — chrysaetos | Europe, i. pl. 6; Gt. Brit. i. pl. 2. |
| — fucosa | Australia, i. pl. 1; Synopsis, part iii. |
| —— imperialis | Europe, i. pl. 5. |
| • | |

| Aquila morphnoides | Australia, i. pl. 2. |
|---------------------------------|--|
| | Europe, i. pl. 8; Gt. Brit. i. pl. 3. |
| —— pennata | Europe, i. pl. 9. |
| aquila, Eutoxeres | Humming B. i. pl. 3. |
| —, Tachypetes | Handb. ii. p. 499. |
| Araçari, Azara's | Toucans, (2) pl. 28. |
| ——, Banded | Toucans, (1) pl. 17. |
| , Blood-rumped Groove-bill . | Toucans, (1) pl. 33. |
| ——, Cayenne | Toucans, (1) pl. 12, (2) pl. 15. |
| —, Chestnut-eared | Toucans, (1) pl. 13, (2) pl. 19. |
| —, Collared | Toucans, (2) pl. 20. |
| ——, Curl-crested | Toucans, (1) pl. 18, (2) pl. 25. |
| ——, Double-banded | Toucans, (2) pl. 18. |
| —, Double-collared | Toucans, (1) pl. 16, (2) pl. 26. |
| ——, Duchess of Leuchtenberg's . | Toucans, (2) pl. 30. |
| —, Golden-green | Toucans, (1) pl. 29. |
| —, Green | Toucans, (1) pl. 21, (2) pl. 24. |
| —, Grey-breasted | Toucans, (1) pl. 19. |
| —, Grooved-bill | Toucans, (1) pl. 31. |
| —, Humboldt's | Toucans, (1) pl. 22, (2) pl. 22. |
| —, Koulik | Toucans, (1) pl. 27. |
| —, Langsdorff's | Toucans, (1) pl. 28, |
| —, Lettered | Toucans, (1) pl. 23, (2) pl. 23. |
| —, Many-banded | Toucans, (1) pl. 15, (2) pl. 17. |
| —, Natterer's | Toucans, (1) pl. 25. |
| , Peacock Groove-bill | Toucans, (1) pl. 30. |
| , Prince Maximilian's | Toucans, (2) pl. 16, |
| —, Red-rumped | Toucans, (2) pl. 21. |
| —, Reinwardt's | Toucans, (1) pl. 26. |
| ——, Royal | Toucans, (1) pl. 14. |
| —, Saffron-coloured | Toucans, (1) pl. 20. |
| —, Spotted-billed | Toucans, (1) pl. 24. |
| —, Sturm's | Toucans, (2) pl. 27. |
| —, Yellow-billed | Toucans, (2) pl. 29. |
| aracari, Pteroglossus | Toucans, (1) pl. 12, (2) pl. 15. |
| arborea, Alauda | Europe, iii. pl. 167; Gt. Brit. iii. pl. 16. |
| —, Collocalia | Australia, ii. pl. 14. |
| arboreus, Anthus | Europe, ii. pl. 139; Gt. Brit. iii. pl. 14. |

| Archibuteo lagopus | Gt. Brit. i. pl. 7. |
|----------------------------|--|
| Arctic Skua | Gt. Brit. v. pl. 80. |
| — Tern | Europe, v. pl. 419; Gt. Brit. v. pl. 72. |
| arctica, Fratercula | Gt. Brit. v. pl. 51. |
| , Sterna | Europe, v. pl. 419. |
| arcticus, Colymbus | Europe, v. pl. 394; Gt. Brit. v. pl. 44. |
| arctitorquis, Pachycephala | New Guinea, iii. pl. 19. |
| arctoa, Leucosticte | Asia, v. pl. 2. |
| , Montifringilla | Asia, v. pl. 2. |
| Arctocephalus lobatus | Mamm. Austr. iii. pl. 49. |
| arcuata, Dendrocygna | Australia, vii. pl. 14. |
| , Pitta | Asia, v. pl. 69. |
| Ardea alba | Europe, iv. pl. 276. |
| — cinerea | Europe, iv. pl. 273; Gt. Brit. iv. pl. 20; |
| | Handb. ii. p. 295. |
| comata | Europe, iv. pl. 275. |
| garzetta | Europe, iv. pl. 277. |
| —— leucophæa | Australia, vi. pl. 55. |
| novæ-hollandiæ | Australia, vi. pl. 53; Handb. ii. p. 299. |
| pacifica | Australia, vi. pl. 52; Handb. ii. p. 297. |
| — purpurea | Europe, iv. pl. 274; Gt. Brit. iv. pl. 21. |
| — rectirostris | Australia, vi. pl. 54. |
| — russata | Europe, iv. pl. 278. |
| sumatrana | Handb. ii. p. 296. |
| ardens, Harpactes | Asia, i. pl. 76; Trogons, (2) pl. 39. |
| —, Psaropholus | Asia, ii. pl. 75. |
| , Selasphorus | Humming B., Suppl. pl. 31. fig. 1. |
| —, Trogon | Trogons, (1) pl. 35. |
| Ardetta flavicollis | Australia, vi. pl. 65. |
| macrorhyncha | Australia, vi. pl. 66. |
| | Gt. Brit. iv. pl. 29. |
| pusilla | Australia, vi. pl. 68; Handb. ii. p. 319. |
| —— stagnatilis | Australia, vi. pl. 67. |
| arenaria, Calidris | Europe, iv. pl. 335; Gt. Brit. iv. pl. 66. |
| arenarius, Pterocles | Europe, iv. pl. 257. |
| Arfak Cat-bird | New Guinea, i. pl. 40. |
| —— Drongo | New Guinea, i. pl. &0. |
| Lorikeet | New Guinea, v. pl. 18. |

| Arfak Sericornis | New Guinea, iii. pl. 6. |
|------------------------------|--|
| arfaki, Oreocharis | New Guinea, iv. pl. 1. |
| ——, Parus | New Guinea, iv. pl. 1. |
| —, Psitteuteles | New Guinea, v. pl. 18. |
| arfakiana, Sericornis | New Guinea, iii. pl. 6. |
| arfakianus, Ailurœdus | New Guinea, i. pl. 40. |
| argentatus, Larus | Europe, v. pl. 434; Gt. Brit. v. pl. 59. |
| argentauris, Liothrix | Asia, iv. pl. 16. |
| —, Mesia | Asia, iv. pl. 16. |
| argenteus, Cracticus | Australia, ii. pl. 51; Handb. i. p. 182. |
| argenticeps, Tropidorhynchus | Australia, iv. pl. 59; Handb. i. p. 548. |
| Argoondah Bush-Quail | Asia, vii. pl. 5. |
| argoondah, Perdicula | Asia, vii. pl. 5. |
| argus, Argusianus | Asia, vii. pl. 52. |
| Argus Pheasant | Asia, vii. pl. 52. |
| Argusianus argus | Asia, vii. pl. 52. |
| arguta, Strepera | Australia, ii. pl. 44; Handb. i. p. 171. |
| ariel, Attagen | Australia, vii. pl. 72. |
| —, Belideus | Mamm. Austr. i. pl. 27. |
| —, Collocalia | Australia, ii. pl. 15. |
| —, Lagenoplastes | Handb. i. p. 113. |
| —, Prion | Handb. ii. p. 473. |
| , Rhamphastos | Toucans, (1) pl. 10, (2) pl. 12. |
| Ariel Toucan | Toucans, (1) pl. 10, (2) pl. 12. |
| Arinia boucardi | Humming B., Suppl. p. 81. |
| arquata, Numenius | Europe, iv. pl. 302; Gt. Brit. iv. pl. 48. |
| Arquatella maritima | Gt. Brit. iv. pl. 74. |
| Arrenga blighi | Asia, iii. pl. 27. |
| Arses aruensis | New Guinea, ii. pl. 42. |
| — batantæ | New Guinea, ii. pl. 41. |
| — insularis | New Guinea, ii. pl. 43. |
| — kaupi | Australia, Suppl. pl. 10; Handb. i. |
| | р. 251. |
| telescophthalmus | New Guinea, ii. pl. 40. |
| Artamides temmincki | New Guinea, ii. pl. 2. |
| — unimodus | New Guinea, ii. pl. 1. |
| Artamus albiventris | Australia, ii. pl. 30; Handb. i. p. 149. |
| — cinereus | Australia, ii. pl. 29; Handb. i. p. 147. |
| | D 2 |
| | |

| Artamus insignis New Guinea, iv. pl. 20. |
|---|
| —— leucopygialis Australia, ii. pl. 33; Handb. i. |
| р. 154. |
| — maximus New Guinea, iv. pl. 19. |
| — melanops Australia, Suppl. pl. 7; Handb. i. p. 149. |
| — minor Australia, ii. pl. 28; Handb. i. p. 146. |
| — monachus New Guinea, iv. pl. 21. |
| — personatus Australia, ii. pl. 31; Handb. i. p. 150. |
| —— sordidus Australia, ii. pl. 27; Handb. i. p. 143. |
| — superciliosus Australia, ii. pl. 32; Handb. i. p. 152. |
| artemisiæ, Ianthocincla Asia, iii. pl. 45. |
| Aru-Island Wood-Shrike New Guinea, i. pl. 56. |
| Aru Perroquet New Guinea, v. pl. 4. |
| aruensis, Arses New Guinea, ii. pl. 42. |
| —, Cyclopsitta New Guinea, v. pl. 4. |
| —, Rectes New Guinea, i. pl. 56. |
| arundinacea, Calamoherpe Gt. Brit. ii. pl. 73. |
| —, Salicaria Europe, ii. pl. 108. |
| —, Schænicola Gt. Brit. iii. pl. 29. |
| arundinaceus, Acrocephalus Europe, ii. pl. 108; Gt. Brit. ii. pl. 73. |
| arvensis, Alauda Europe, iii. pl. 166; Gt. Brit. iii. pl. 15. |
| ascalaphus, Bubo Europe, i. pl. 38. |
| asha, Herodias Handb. ii. p. 305. |
| Ash-coloured Cuckoo Australia, iv. pl. 86. |
| — Harrier Europe, i. pl. 35; Gt. Brit. i. pl. 27. |
| — Honey-eater New Guinea, iii. pl. 69. |
| —— Tit Asia, ii. pl. 55. |
| Ashy-fronted Flycatcher New Guinea, ii. pl. 15. |
| Asiatic Bush-Quail Asia, vii. pl. 4. |
| — Dottrel Handb. ii. p. 229. |
| Nuthatch Europe, iii. pl. 236. |
| — Sun-bird Asia, ii. pl. 32. |
| — Water-Ouzel Asia, iv. pl. 21. |
| asiatica, Perdicula Asia, vii. pl. 4. |
| —, Sitta Europe, iii. pl. 236. |
| —, Nectarinia Asia, ii. pl. 32. |
| asiaticus, Cinclus Asia, iv. pl. 21; Cent. pl. 24. |
| —, Cirripidesmus Handb. ii. p. 229. |

| Asio brachyotus | | | | Europe, i. pl. 40; Gt. Brit. i. pl. 32. Europe, i. pl. 39; Gt. Brit. i. pl. 31. |
|---------------------------|---|---|---|--|
| Assam Peacock Pheasant | | | | Asia, vii. pl. 50. |
| assimilis, Bourcieria | | | | Humming B., Suppl. p. 26. |
| , Carpophaga | | | | Australia, Suppl. pl. 67. |
| —, Circus | | | | Australia, i. pl. 26; Handb. i. p. 58. |
| —, Eriocnemis | | | | Humming B., Suppl. p. 70. |
| —, Megaloprepia | | | | Handb. ii. p. 111. |
| —, Micrœca | | · | i | Australia, i. Introd. p. xi; Haudb. i. |
| | | | | p. 260; New Guinea, ii. pl. 10. |
| ——, Mus | | | ٠ | Mamm. Austr. iii. pl. 15. |
| —, Puffinus | | | • | Synopsis, part iv. App. p. 7; Australia, vii. pl. 59. |
| Astrapia nigra | | | | New Guinea, i. pl. 17. |
| Astrolabe-Mountain Perro | | | | New Guinea, v. pl. 8. |
| Astur approximans | - | | | Synopsis, part iii.; Australia, i. pl. 17; Handb. i. p. 41. |
| — cruentus | | | | Australia, i. pl. 18; Handb. i. p. 43. |
| melanochlamys . | | | | New Guinea, i. pl. 1. |
| · · | | | | Synopsis, part iii.; Australia, i. pls. 14. |
| — palumbarius | | | | Europe, i. pl. 17; Gt. Brit. i. pl. 9. |
| radiatus | | | • | Australia, i. pl. 16; Handb. i. p. 40. |
| atala, Chlorostilbon | | · | • | Humming B. v. pl. 356. |
| Atala's Emerald | | • | • | Humming B. v. pl. 356. |
| ater, Milvus | | • | • | Europe, i. pl. 29. |
| —, Parus | | | | Europe, iii. pl. 155. fig. 1; Gt. Brit. ii. pl. 25. |
| aterrimus, Microglossus . | | | | Australia, Suppl. pl. 61; Handb. ii. p. 27. |
| Athene boobook | | | | Synopsis, part iii.; Australia, i. pl. 32. |
| — brodiei | | | | Asia, i. pl. 15. |
| — connivens | | | | Australia, i. pl. 34. |
| c | | | | Synopsis, part iii. |
| 1 . | | | | Synopsis, part iii.; Australia, i. pl. 33. |
| | | | | Gt. Brit. i. pl. 37. |
| C | | | | Australia, i. pl. 36. |
| strenua | | | | Synopsis, part iii.; Australia, i. pl. 35. |
| | | | | |

| athertoni, Nyctiornis | Asia, i. pl. 37. |
|------------------------|--|
| Atlantic Petrel | Handb. ii. p. 449. |
| atlantica, Pterodroma | Handb. ii. p. 449. |
| atra, Florisuga | Humming B. ii. pl. 115. |
| —, Fulica | Europe, iv. pl. 338; Gt. Brit. iv. |
| | pl. 84. |
| atrata, Chenopis | Handb. ii. p. 346. |
| atratus, Cygnus | Australia, vii. pl. 6. |
| atricapilla, Curruca | Europe, ii. pl. 120; Gt. Brit. ii. pl. 60. |
| ——, Muscicapa | Gt. Brit. ii. pl. 17. |
| —, Pitta | Asia, v. pl. 76. |
| —, Sylvia | Europe, ii. pl. 120; Gt. Brit. ii. pl. 60. |
| atricapillus, Halcyon | Asia, i. pl. 45. |
| —, Larus | Europe, v. pl. 426. |
| Atrichia clamosa | Australia, iii. pl. 34; Handb. i. p. 344. |
| rufescens | Australia, Suppl. pl. 26. |
| atricilla, Xema | Europe, v. pl. 426. |
| atricollis, Trogon | Trogons, (1) pl. 8, (2) pl. 14. |
| atrogularis, Accentor | Asia, iv. pl. 48. |
| ——, Aulacorhamphus | Toucans, (2) pl. 50. |
| —, Saxicola | Asia, iv. pl. 31. |
| ——, Turdus | Europe, ii. pl. 75; Gt. Brit. ii. pl. 36. |
| Attagen ariel | Australia, vii. pl. 72. |
| Atthis ellioti | Humming B., Suppl. p. 44. |
| Atticora leucosternon | Australia, ii. pl. 12 . |
| audax, Λ quila | Handb. i. p. 8. |
| audouinii, Larus | Europe, v. pl. 438. |
| Audouin's Gull | Europe, v. pl. 438. |
| Augastes lumachellus | Humming B. iv. pl. 222. |
| scutatus | Humming B. iv. pl. 221. |
| augusti, Phaethornis | Humming B. i. pl. 29. |
| Auk, Great | Europe, v. pl. 400; Gt. Brit. v. pl. 46. |
| —, Little | Europe, v. pl. 402; Gt. Brit. v. pl. 50. |
| —, Razor-billed | Europe, v. pl. 401. |
| | Toucans, (2) pl. 49. |
| — atrogularis | Toucans, (2) pl. 50. |
| cæruleicinctus | Toucans, (2) pl. 46. |
| cæruleogularis | Toucans, (2) pl. 51. |

| Aulacorhamphus castaneorhynchus. | Toucans, (2) pl. 44. |
|----------------------------------|---|
| — derbianus | Toucans, (2) pl. 43. |
| hæmatopygius | Toucans, (2) pl. 45. |
| prasinus | Toucans, (2) pl. 47. |
| sulcatus | Toucans, (2) pl. 42. |
| — wagleri | Toucaus, (2) pl. 48. |
| aurantia, Euphema | Australia, v. pl. 39; Handb. ii. p. 75. |
| , Pyrrhula | Asia, v. pl. 34. |
| aurantiifrons, Loriculus | New Guinea, v. pl. 43. |
| aurantiiventris, Iyngipicus | Asia, vi. pl. 23. |
| —, Trogon | Trogons, (2) pl. 12. |
| aurantius, Rhinolophus | Mamm. Austr. iii. pl. 35. |
| , Trogon | Trogons, (1) pl. 14, (2) pl. 24. |
| aurea, Oreocincla | Gt. Brit. ii. pl. 39. |
| Aurelia's Puff-leg | Humming B. iv. pl. 283. |
| aureliæ, Eriocnemis | Humming B. iv. pl. 283. |
| aureola, Emberiza | Europe, iii. pl. 174. |
| aurescens, Clytolæma | Humming B. iv. pl. 250. |
| aureus, Xanthomelus | New Guinea, i. pl. 48. |
| auriceps, Chlorostilbon | Humming B. v. pl. 350. |
| —, Pharomacrus | Trogons, (2) pls. 4, 4 a. |
| auricomis, Meliphaga | Synopsis, part ii. |
| , Ptilotis | Australia, iv. pl. 37; Handb. i. p. 511. |
| auriculatus, Heliothrix | Humming B. iv. pl. 214. |
| aurifrons, Ephthianura | Synopsis, part iv. App. p. 4; Australia, |
| | iii. pl. 65; Handb. i. p. 380. |
| aurita, Saxicola | Europe, ii. pl. 92. |
| auritum, Crossoptilon | Asia, vii. pl. 22. |
| auritus, Batrachostomus | Icones Avium, pl. 17. |
| , Heliothrix | Humming B. iv. pl. 213. |
| —, Iyngipicus | Asia, vi. pl. 29. |
| —, Podiceps | Europe, v. pl. 391; Gt. Brit. v. pl. 40. |
| , Sypheotides | Asia, vii. pl. 57. |
| —, Turtur | Europe, iv. pl. 246; Gt. Brit. iv. pl. 4. |
| aurora, Diphlogæna | Humming B. iv. pl. 248; Suppl. |
| | pl. 17. |
| aurulentus, Lampornis | Humming B. ii. pl. 79. |
| austeni, Ianthocincla | Asia, iii. pl. 47. |
| | |

| austeni, Paradoxornis | | | | | Asia, iii. pl. 73. |
|-------------------------|---|---|---|---|---|
| Austen's Ianthocincla | | | | | Asia, iii. pl. 47. |
| —— Paradoxornis . | | | | | Asia, iii. pl. 73. |
| australasiana, Lichmera | | | | | Handb. i. p. 493. |
| —, Meliphaga | | | | | Synopsis, part i.; Australia, iv. pl. 27 |
| australasianus, Grus . | | | | | Australia, vi. pl. 48; Handb. ii. p. 290. |
| —, Hæmatopus | | | | | Synopsis, part iv. App. p. 6. |
| —, Numenius | | | | | Synopsis, part iv. App. p. 6. |
| —, Otis | | | | | Australia, vi. pl. 4. |
| Australian Bee-eater . | | | | | Australia, ii. pl. 16; Handb. i. p. 117. |
| — Bell-bird | | | | | Australia, iv. pl. 80. |
| — Bittern | | | | | Australia, vi. pl. 64; Handb. ii. p. 313. |
| — Bustard | | | | | Australia, vi. pl. 4; Handb. ii. p. 208. |
| — Cassowary | | | | | Australia, Suppl. pls. 70, 71; Handb. ii. |
| • | | | | | p. 206. |
| —— Coot | | | | | Australia, vi. pl. 74; Handb. ii. p. 329. |
| — Cormorant | | | | | Australia, vii. pl. 66; Handb. ii. p. 488. |
| —— Crane | | | | | Australia, vi. pl. 48; Handb. ii. p. 290. |
| — Cuckoo | • | | | | Australia, iv. pl. 84; Handb. i. p. 614. |
| — Curlew | | | | | Australia, vi. pl. 42; Handb. ii. p. 277. |
| — Dottrel | | | | | Australia, vi. pl. 15; Handb. ii. p. 227. |
| — Egret | | | | | Australia, vi. pl. 56; Handb. ii. p. 301. |
| — Gannet | | | | | Australia, vii. pl. 76; Handb. ii. p. 504. |
| | | | | | Australia, vi. pl. 13; Handb. ii. p. 225. |
| — Goshawk | | | | | Australia, i. pl. 17; Handb. i. p. 41. |
| — Greenshank | | | | | Australia, vi. pl. 36. |
| Jabiru | | | | | Handb. ii. p. 293. |
| Koel | | | | | Handb. i. p. 632. |
| — Little Tern | | | | • | Australia, vii. pl. 29. |
| | | | | • | Handb. ii. p. 167. |
| 3.5.3 | | | | ٠ | • |
| 2.5 | | | | ٠ | Mamm. Austr. iii. pl. 31. |
| — Mycteria — Partridge | | | • | ٠ | Australia, vi. pl. 51. Australia, v. pl. 89. |
| | | | • | • | • |
| — Pelican | • | • | • | • | Australia, vii. pl. 74; Handb. ii. p. 486. |
| — Pipit | • | ٠ | ٠ | • | Australia, iii. pl. 73; Handb. i. p. 392. |
| —— Pratincole | • | ٠ | • | | Australia, vi. pl. 22; Handb. ii. p. 243. |
| — Rhynchæa | • | ٠ | | ٠ | Australia, vi. pl. 41; Handb. ii. p. 274. |
| — Roller | | | | | Australia, ii. pl. 17; Handb. i. p. 119. |

| A 4 11 G 1 1 | A1::1 20 |
|-------------------------|---|
| Australian Sandpiper | Australia, vi. pl. 30. |
| — Shoveller | Australia, vii. pl. 12; Handb. ii. p. 368. |
| — Sphecotheres | Australia, iv. pl. 15. |
| —— Spine-tailed Swallow | Australia, ii. pl. 10. |
| — Sun-bird | Australia, Suppl. pl. 45; Handb. i. |
| | p. 584. |
| —— Swift | Australia, ii. pl. 11; Handb. i. p. 105. |
| — Taphozous | Mamm. Austr. iii. pl. 32. |
| —— Teal | Handb. ii. p. 365. |
| — Tippet-Grebe | Australia, vii. pl. 80 ; Handb. ii. p. 511. |
| —— Tringa | Australia, vi. pl. 30. |
| — Whimbrel | Australia, vi. pl. 43; Handb. ii. p. 279. |
| — Wild Duck | Australia, vii. pl. 9; Handb. ii. p. 363. |
| australis, Acrocephalus | Australia, iii. pl. 37. |
| —, Actodromas | Handb. ii. p. 257. |
| —, Anthus | Australia, iii. pl. 73; Handb. i. p. 392. |
| —, Apteryx | Australia, pt. ii. (cancelled) pl. 9, and |
| | vol. vi. pl. 2; Handb. ii. App. p. 568. |
| —, Botaurus | Australia, vi. pl. 64. |
| —, Calamoherpe | Handb. i. p. 402. |
| —, Casuarius | Australia, Suppl. pls. 70, 71; Handb. |
| , - 1 | ii. p. 206. |
| —, Choriotis | Handb. ii. p. 208. |
| —, Corvus | Handb. i. p. 475. |
| —, Coturnix | Synopsis, part ii. |
| 0 1 | Australia, ii. pl. 11. |
| T) . | Australia, iii. pl. 32. |
| F 16. 1. | |
| | Australia, iii. pl. 11; Handb. i. p. 293. |
| —, Erismatura | Australia, vii. pl. 17; Handb. ii. p. 379. |
| —, Eudromias | Australia, vi. pl. 15; Handb. ii. p. 227. |
| —, Excalfactoria | Handb. ii. p. 197. |
| —, Fulica | Australia, vi. pl. 74; Handb. ii. p. 329. |
| —, Gallinago | Handb. ii. p. 271. |
| —, Glossopsitta | Handb. ii. p. 100. |
| —, Grallina | Australia, ii. pl. 54. |
| —, Molussus | Mamm. Austr. iii. pl. 31. |
| —, Mycteria | Australia, vi. pl. 51. |
| —, Nectarinia | Australia, Suppl. pl. 45; Handb. i. |
| | p. 584. |
| | C) |

| anatuslia Nasassina | | Ametrolic vi pl 42 |
|---|---|--|
| australis, Numenius | • | Australia, vi. pl. 42. |
| —, Nyroca | ٠ | Australia, vii. pl. 16; Handb. ii. p. 377. |
| —, Oxyura | | Synopsis, part ii. |
| —, Podiceps | ٠ | Australia, vii. pl. 80; Handb. ii. p. 511. |
| —, Rhynchæa | • | Synopsis, part iv. App. p. 6; Australia, |
| ~ | | vi. pl. 41; Handb. ii. p. 274. |
| —, Schæniclus | ٠ | Australia, vi. pl. 30. |
| —, Scolopax | ٠ | Australia, vi. pl. 40. |
| —, Sphecotheres | • | Australia, iv. pl. 15. |
| —, Sula | ٠ | Australia, vii. pl. 76; Handb. ii. p. 504. |
| —, Synoicus | | Australia, v. pl. 89; Handb. ii. p. 193. |
| ——, Taphozous | | Mamm. Austr. iii. pl. 32. |
| —, Xenorhynchus | | Handb. ii. p. 293. |
| avicula, Locustella | | Europe, ii. pl. 103; Gt. Brit. ii. pl. 78. |
| Avocet | | Europe, iv. pl. 308; Gt. Brit. iv. pl. 52. |
| —, Fiery-tailed | | Humming B. iii. pl. 201. |
| —, Purple-tailed | | Humming B. iii. pl. 200. |
| —, Red-necked | | Australia, vi. pl. 27; Handb. ii. p. 249. |
| avocetta, Recurvirostra | | Europe, iv. pl. 308; Gt. Brit. iv. pl. 52. |
| Avocettinus eurypterus | | Humming B. iii. pl. 200. |
| Avocettula recurvirostris | | Humming B. iii. pl. 201. |
| axillaris, Elanus | | Australia, i. pl. 23; Handb. i. p. 53. |
| —, Graucalus | | New Guinea, ii. pl. 5. |
| —, Piezorliynchus | | New Guinea, ii. pl. 51. |
| azaræ, Pteroglossus | | Toucans, (2) pl. 28. |
| Azara's Aracari | | Toucans, (2) pl. 28. |
| Azure-breasted Porphyrio | | Australia, vi. pl. 70; Handb. ii. p. 322. |
| Azure-crown, Black-billed | | Humming B. v. pl. 286. |
| —, Blue-necked | | Humming B. v. pl. 288. |
| —, Francia's | | Humming B. v. pl. 287. |
| —, Green-fronted | | Humming B., Suppl. pl. 49. |
| —, Red-billed | | Humming B. v. pl. 284. |
| —, Small-billed | | Humming B., Suppl. p. 72. |
| Azure Kingfisher | | Australia, ii. pl. 25; Handb. i. p. 139. |
| — Tit | | Europe, iii. pl. 153. |
| Azure-winged Magpie | | Europe, iii. pl. 217. |
| azurea, Alcyone | | Australia, ii. pl. 25; Handb. i. p. 139. |
| , | - | , 1 |

| Babbler, Brown | |
|------------------------------|--|
| —, Long-billed | . 1 |
| —, Marsh Spotted | Asia, iii. pl. 65. |
| —, Red-billed | Asia, iv. pl. 9. |
| —, Red-eyed | Asia, iv. pl. 9. |
| ——, Red-headed | Asia, iv. pl. 10. |
| —, Robert's Pigmy | Asia, iii. pl. 62. |
| —, Rufous-throated | Asia, iv. pl. 6. |
| —, Short-tailed | Asia, iii. pl. 63. |
| —, White-throated | Asia, iv. pl. 5. |
| babylonicus, Falco | Asia, i. pl. 4. |
| bactriana, Pica | Asia, v. pl. 56. |
| badius, Phodilus | Asia, i. pl. 14. |
| Bahama Wood-Star | Humming B. iii. pl. 156. |
| bailloni, Andigena | Toucans, (2) pl. 41. |
| —, Crex | Europe, iv. pl. 344. |
| —, Ortygometra | Europe, iv. pl. 344. |
| —, Pteroglossus | Toucans, (1) pl. 20. |
| —, Zapornia | Europe, iv. pl. 344. |
| Baillon's Crake | Europe, iv. pl. 344; Gt. Brit. iv. pl. 89. |
| bairdi, Trogon | Trogons, (2) pl. 23. |
| Baird's Trogon | Trogons, (2) pl. 23. |
| balliviani, Odontopherus | Odontoph, pl. 29. |
| Ballivian's Partridge | Odontoph. pl. 29. |
| Bamboo-Partridge, Formosan . | Asia, vi. pl. 72. |
| , Rufous-breasted | Asia, vi. pl. 71. |
| Bambusicola hyperythra | Asia, vi. pl. 71. |
| — sonorivox | Asia, vi. pl. 72. |
| Banded Accentor | Asia, iv. pl. 47. |
| —— Araçari | Toucans, (1) pl. 17. |
| — Grass-Finch | Australia, iii. pl. 93; Handb. i. p. 425. |
| — Hare-Kangaroo | Mamm. Austr. ii. pl. 56. |
| — Honey-eater | Australia, iv. pl. 65; Handb. i. p. 557. |
| — Jerboa-Kangaroo | Monogr. Macrop. part ii. |
| — Kingfisher | Asia, i. pl. 48. |
| — Lory | New Guinea, v. pl. 34. |
| — Myrmecobius | Mamm. Austr. i. pl. 4. |
| —— Parrakeet | Handb. ii. p. 43. |
| | - 9 |

| Banded Perameles | Mamm Austr i al C |
|------------------------------|---|
| | Mamm. Austr. i. pl. 8. |
| Post Ko | Asia, vi. pl. 31. |
| — Red Knee | Australia, vi. pl. 21. |
| — Ruby | Humming B. iv. pl. 250. |
| Sand-Grouse | Asia, vi. pl. 65. |
| Stilt | Australia, vi. pl. 26; Handb. ii. p. 248. |
| — Superb Warbler | Handb. i. p. 323. |
| — Thickhead | Australia, ii. pl. 67. |
| — Wren | Australia, iii. pl. 21. |
| Banksian Cockatoo | Australia, v. pl. 7; Handb. ii. p. 13. |
| banksii, Calyptorhynchus | Australia, v. pl. 7; Handb. ii. p. 13. |
| —, Prion | Handb. ii. p. 474. |
| Banks's Prion | Handb. ii. p. 474. |
| Barbary Partridge | Europe, iv. pl. 261. |
| barbata, Perdix | Asia, vi. pl. 73. |
| barbatus, Dendrortyx | Odontoph. pl. 22. |
| —, Gypaetus | Europe, i. pl. 4. |
| Barbed-throat, Fawn-tailed | Humming B. i. pl. 14. |
| ——, Sooty | Humming B. i. pl. 15. |
| —, White-tailed | Humming B. i. pl. 13. |
| Barbet, Embroidered | Asia, vi. pl. 49. |
| —, Franklin's | Asia, vi. pl. 50. |
| Barbet-like Cat-bird | New Guinea, i. pl. 41. |
| Bare-headed Bird of Paradise | New Guinea, i. pl. 20. |
| barnardi, Platycercus | Synopsis, part iv.; Australia, v. pl. 21; |
| | Handb. ii. p. 40. |
| Barnard's Parrakeet | Australia, v. pl. 21; Handb. ii. p. 40. |
| Barn-Owl | Europe, i. pl. 36; Gt. Brit. i. pl. 28. |
| barrabandi, Polytelis | Synopsis, part iv.; Australia, v. pl. 15; |
| · | Handb. ii. p. 31. |
| Barraband's Parrakeet | Australia, v. pl. 15; Handb. ii. p. 31. |
| barrali, Heliotrypha | Humming B., Suppl. p. 32. |
| Barred Owl | Europe, i. pl. 46. |
| — Warbler | Europe, ii. pl. 128. |
| Barred-rumped Godwit | Australia, vi. pl. 29; Handb. ii. p. 252. |
| Barred-shouldered Dove | Handb. ii. p. 142. |
| — Ground-Dove | Australia, v. pl. 72. |
| barroti, Heliothrix | Humming B. iv. pl. 217. |
| | 0 1 |

| barrovii, Clangula | Europe, v. pl. 380. |
|----------------------------|--|
| Barrow's Duck | Europe, v. pl. 380. |
| Bar-tailed Emerald | Humming B., Suppl. p. 75. |
| — Godwit | Europe, iv. pl. 306; Gt. Brit. iv. pl. 51. |
| bartletti, Agyrtria | Humming B., Suppl. pl. 50. |
| Bartlett's Emerald | Humming B., Suppl. pl. 50. |
| bartramius, Actiturus | Australia, Suppl. pl. 77; Handb. ii. |
| | p. 242; Gt. Brit. iv. pl. 63. |
| —, Totanus | Europe, iv. pl. 313. |
| Bartram's Sandpiper | Europe, iv. pl. 313; Gt. Brit. iv. pl. 63; |
| | Australia, Suppl. pl. 77; Handb. ii. p. 242. |
| Bar-wing, Egerton's | Asia, iii. pl. 56. |
| —, Nepalese | Asia, iii. pl. 57. |
| | Asia, iii. pl. 59. |
| —, Ramsay's | Asia, iii. pl. 58. |
| | · • |
| basalis, Lamprococcyx | Handb. i. p. 626. |
| bassana, Sula | Europe, v. pl. 412; Gt. Brit. v. pl. 54. |
| Bass's Straits' Tern | Australia, vii. pl. 24; Handb. ii. p. 396. |
| Bat, Chocolate | Mamm. Austr. iii. pl. 41. |
| —, Fawn-coloured | Mamm. Austr. iii. pl. 34. |
| —, Gould's | Mamm. Austr. iii. pl. 40. |
| —, Great-footed | Mamm. Austr. iii. pl. 47. |
| —, Great-leaved Horse-shoe | Mamm. Austr. iii. pl. 33. |
| —, Little | Mamm. Austr. iii. pl. 46. |
| —, Orange Horse-shoe | Mamm. Austr. iii. pl. 35. |
| —, Small-footed | Mamm. Austr. iii. pl. 42. |
| —, Tasmanian | Mamm. Austr. iii. pl. 48. |
| batantæ, Arses | New Guinea, ii. pl. 41. |
| batesi, Melirrhophetes | New Guinea, iii. pl. 35. |
| Bates's Honey-eater | New Guinea, iii. pl. 35. |
| Bathilda ruficauda | Handb. i. p. 412. |
| Batrachostomus auritus | Icones Avium, pl. 17. |
| baudi, Pitta | Asia, v. pl. 72. |
| baudinii, Calyptoryhnchus | Australia, v. pl. 13; Handb. ii. p. 25. |
| Baudin's Cockatoo | Australia, v. pl. 13; Handb. ii. p. 25. |
| Baud's Ant-Thrush | Asia, v. pl. 72. |
| baueri, Platycercus | Australia, v. pl. 20. |
| | |

| Bauer's Parrakeet | | | | Australia, v. pl. 20. |
|----------------------------|---|---|---|---|
| Bay Owl | | | | Asia, i. pl. 14. |
| Baza gurneyi | | | | New Guinea, i. pl. 4. |
| subcristata | | | | Handb. i. p. 56. |
| Bean-Goose | | | | Europe, v. pl. 348; Gt. Brit. v. pl. 2. |
| Bearded Mountaineer . | | | | Humming B., Suppl. pl. 42. |
| —— Partridge | | | | Asia, vi. pl. 73; Odontoph. pl. 22. |
| —— Reed-bird | | | | Europe, iii. pl. 158. |
| —— Tit | | | | Europe, iii. pl. 158; Gt. Brit. ii. pl. 30. |
| —— Tree-Swift | | | | Asia, i. pl. 24. |
| — Vulture | | | | Europe, i. pl. 4. |
| beauharnasii, Pteroglossus | | | | Toucans, (2) pl. 25. |
| Beautiful Dromicia | | | | Mamm. Austr. i. pl. 30. |
| — Grass-Finch | | | | Australia, iii. pl. 89; Handb. i. p. 421. |
| — Honey-eater | | | | New Guinea, iii. pl. 40. |
| — King Parrot | | | | New Guinea, v. pl. 10. |
| — Lorikeet | | | | New Guinea, v. pl. 20. |
| Nuthatch | | | | Asia, ii. pl. 43. |
| — Parrakeet | | | | Australia, v. pl. 34; Handb. ii. |
| | | | | pp. 53, 67. |
| —— Pigmy Goose | | | | Australia, vii. pl. 4. |
| —— Train-bearer | | | | Trogons, (2) pl. 2. |
| — Trochalopteron . | | | | Asia, iii. pl. 36. |
| — Trogon | | | | Trogons, (1) pl. 22. |
| — Wood-Star | | | | Humming B. iii. pl. 144. |
| — Wren | | | | Australia, iii. pl. 23. |
| Beavan's Bullfinch | | | | Asia, v. pl. 39. |
| beccarii, Drymædus | | | | New Guinea, iii. pl. 13. |
| —, Nasiterna | | | | New Guinea, v. pl. 25. |
| —, Sericornis | | | | New Guinea, iii. pl. 5. |
| Beccari's Pigmy Parrot . | | | | New Guinea, v. pl. 25. |
| —— Scrub-Robin | | | | New Guinea, iii. pl. 13. |
| — Sericornis | | | | New Guinea, iii. pl. 5. |
| Bee-cater | | | | Europe, ii. pl. 59; Gt. Brit. ii. pl. 9. |
| —, Australian | | | | Australia, ii. pl. 16; Handb. i. p. 117. |
| —, Forsten's | | | | Asia, i. pl. 39. |
| | • | • | • | Asia, i. pi. 55. |
| ——, Hurrial | | | | Asia, i. pl. 35. Asia, i. pl. 36. |

| Bee-eater, Pirik | Asia, i. pl. 34. |
|---|--|
| behni, Trogon | Trogons, (2) pl. 20. |
| Behn's Trogon | Trogons, (2) pl. 20. |
| Belideus ariel | Mamm. Austr. i. pl. 27. |
| — breviceps | Mamm. Austr. i. pl. 25. |
| —— flaviventer | Mamm. Austr. i. pl. 23. |
| — Long-tailed | Mamm. Austr. i. pl. 23. |
| — notatus | Mamm. Austr. i. pl. 26. |
| — sciureus | Mamm, Austr. i. pl. 24. |
| —, Short-headed | Mamm, Austr. i. pl. 25. |
| —, Squirrel-like | Mamm. Austr. i. pl. 24. |
| —, Stripe-tailed | Mamm. Austr. i. pl. 26. |
| Bell-bird | Handb. i. p. 579. |
| —, Australian | Australia, iv. pl. 80. |
| bellus, Porphyrio | Australia, vi. pl. 70; Handb. ii. p. 322. |
| —, Ptilopus | New Guinea, v. pl. 58. |
| —, Zonæginthus | Handb. i. p. 406. |
| Belted Hermit | Humming B. i. pl. 39. |
| Bengal Ant-Thrush | Asia, v. pl. 64. |
| Vulture | Asia, i. pl. 2. |
| bengalensis, Alcedo | Asia, i. pl. 53. |
| —, Gyps | Asia, i. pl. 2. |
| —, Otus | Cent. pl. 3. |
| —, Pitta | Asia, v. pl. 64; Cent. pl. 23. |
| —, Sypheotides | Cent. pls. 72, 73, 74. |
| —, Thalasseus | Handb. ii. p. 397. |
| benjamini, Urosticte | Humming B. iii. pl. 190. |
| bennetti, Casuarius | Australia, Suppl. pls. 72, 73; Handb. |
| content, casacinas | ii. p. 561. |
| bennettii, Halmaturus | Mamm. Austr. ii. pls. 16, 17; Monogr. |
| Jennettii, Haimatutus | Macrop. pt. i. |
| Bennett's Bird of Paradise | New Guinea, i. pl. 10. |
| —— Cassowary | Australia, Suppl. pls. 72, 73. |
| — Wallaby | Mamm. Austr. ii. pls. 16, 17; Monogr. |
| , | Macrop. i. |
| berigora, Hieracidea | Handb. i. p. 31. |
| —, Ieracidea | Synopsis, part iii.; Australia, i. pl. 11. |
| Berlepsch's Whitethroat | Humming B., Suppl. p. 73. |
| | J , |

| Bernicla brenta | . (| Gt. Brit. v. pl. 7. |
|----------------------------|-----|---|
| | | Australia, vii. pl. 3. |
| | . ' | Gt. Brit. v. pl. 5. |
| — ruficollis | . (| Gt. Brit. v. pl. 6. |
| Bernicle Goose | | Europe, v. pl. 350; Gt. Brit. v. pl. 5. |
| beryllina, Amazilia | | Humming B. v. pl. 312. |
| Berylline Amazili | | Humming B. v. pl. 312. |
| Bettongia campestris | . : | Mamm. Austr. ii. pl. 66. |
| cuniculus | | Mamm. Austr. ii. pl. 63; Monogr. |
| | | Macrop. pt. ii. |
| — fasciata | | Monogr. Macrop. pt. ii. |
| —— grayi | | Mamm. Austr. ii. pl. 64. |
| —— ogilbyi | | Mamm. Austr. ii. pl. 62. |
| — penicillata | | Mamm. Austr. ii. pl. 61; Monogr. |
| - | | Macrop. pt. i. |
| —— rufescens | | Mamm. Austr. ii. pl. 65; Monogr. |
| | | Macrop. pt. i. |
| bewickii, Cygnus | | Europe, v. pl. 356. |
| Bewick's Swan | | Europe, v. pl. 356; Gt. Brit. v. pl. 10. |
| biarmicus, Calamophilus | | Europe, iii. pl. 158; Gt. Brit. ii. pl. 30. |
| bicalcaratum, Polyplectron | | Asia, vii. pl. 51. |
| bicarunculatus, Casuarius | | New Guinea, v. pl. 73. |
| bichenovii, Estrelda | | Australia, iii. pl. 80. |
| —, Stictoptera | | Handb. i. p. 409. |
| Bicheno's Finch | | Australia, iii. pl. 80; Handb. i. p. 409. |
| bicineta, Hiaticula | | Australia, vi. pl. 16. |
| 1 1 1 1 1 73 1 21 1 | | Synopsis, part ii. |
| —, Ochthodromus | | Handb. ii. p. 238. |
| bicolor, Parus | | Europe, iii. pl. 152. |
| —, Petroica | | Australia, iii. pl. 7; Handb. i. p. 283. |
| biddulphi, Podoces | | Asia, v. pl. 60. |
| Biddulph's Podoces | | Asia, v. pl. 60. |
| bifasciata, Certhilauda | | Europe, iii. pl. 168. |
| —, Loxia | | Gt. Brit. iii. pl. 47. |
| Bifasciated Crossbill | | Gt. Brit. iii. pl. 47. |
| —— Lark | | Europe, iii. pl. 168. |
| billardieri, Halmaturus | | Mamm. Austr. ii. pls. 35, 36; Monogr. |
| , | | Macrop. pt. i. |
| | | * * |

| bimaculata, Pœcilodryas. | New Guinea, ii. pl. 17. |
|---------------------------------|--|
| Bimaculated Teal | Europe, v. pl. 363. |
| Bird, Coach-whip | Australia, iii. pl. 15; Handb. i. p. 312. |
| , Lyre | Australia, iii. pl. 14. |
| , Reed | Europe, iii. pl. 158. |
| Bird of Paradise, Bare-headed . | New Guinea, i. pl. 20. |
| ————, Bennett's | New Guinea, i. pl. 10. |
| , Bruijn's | New Guinea, i. pl. 12. |
| , D'Albertis' | New Guinea, i. pl. 11. |
| , Golden | New Guinea, i. pl. 48. |
| ————, Golden-winged | New Guinea, i. pl. 23. |
| , Gorget | New Guinea, i. pl. 17. |
| —— Greater | New Guinea, i. pl. 30. |
| — Grev-chested | New Guinea, i. pl. 27. |
| , King | New Guinea, i. pl. 24. |
| , Lawes' | New Guinea, i. pl. 26. |
| ——, Lesser Superb | New Guinea, i. pl. 19. |
| ————, Magnificent | New Guinea, i. pl. 22. |
| ————, Marquis de Raggi's . | New Guinea, i. pl. 32. |
| , Papuan | New Guinea, i. pls. 28, 29. |
| , Red | New Guinea, i. pl. 31. |
| ——, Six-plumed | New Guinea, i. pl. 25. |
| , Superb | New Guinea, i. pl. 18. |
| ————, Twelve-wired | New Guinea, i. pls. 14, 15. |
| , Waigiou | New Guinea, i. pl. 21. |
| ————, Wattled | New Guinea, i. pl. 16. |
| Bishop Hermit | Humming B. i. pl. 39. |
| bispecularis, Garrulus | Cent. pl. 38. |
| bitorquatus, Pteroglossus | Toucans, (1) pl. 16, (2) pl. 26. |
| Bittern | Gt. Brit. iv. pl. 27. |
| —, American | Europe, iv. pl. 281; Gt. Brit, iv. pl. 28. |
| —, Australian | Australia, vi. pl. 64; Handb. ii. p. 313. |
| —, Common | Europe, iv. pl. 280. |
| —, Freckled | Europe, iv. pl. 281. |
| —, Little | Europe, iv. pl. 282; Gt. Brit. iv. |
| | pl. 29. |
| —, Little Grey | |
| ——, —— Mangrove | Handb. ii. p. 317. |

| Bittern, Minute | Australia, vi. pl. 68; Handb. ii. p. 319. |
|-----------------------------------|--|
| —, Thick-billed Green | Australia, vi. pl. 66. |
| —, — Mangrove | Handb. ii. p. 316. |
| —, Yellow-necked | Australia, vi. pl. 65. |
| —, — Mangrove | Handb. ii. p. 315. |
| Biziura lobata | Australia, vii. pl. 18; Handb. ii. p. 381. |
| Black-and-Blue Kingfisher | New Guinea, iv. pl. 57. |
| Black-and-White Bush-Chat | Asia, iv. pl. 32. |
| —— Campephaga | Austr. ii. pl. 62; Handb. i. p. 203. |
| —— Crested Eagle | Asia, i. pl. 10. |
| — Cuckoo-Shrike | Australia, ii. pl. 62; Handb. i. p. 203. |
| — Flycatcher | New Guinea, ii. pl. 17. |
| — Kingfisher | Europe, i. pl. 62. |
| —— Sibia | Asia, iii. pl. 32. |
| — Stone-Chat | Asia, iv. pl. 29. |
| Black-and-Yellow Grosbeak | Asia, v. pl. 20. |
| Black-and-Yellow-billed Garrulax. | Asia, iii. pl. 51. |
| Black Ant-Thrush | New Guinea, iv. pl. 28. |
| Black-backed Hemipode | Australia, v. pl. 84. |
| — Porphyrio | Australia, vi. pl. 69; Handb. ii. p. 321. |
| — Superb Warbler | Handb. i. p. 322. |
| — Tree-creeper | Australia, iv. pl. 96; Handb. i. p. 603. |
| — Turnix | Handb. ii. p. 182. |
| — Wren | Australia, iii. pl. 20. |
| Black-banded Wood-Nymph | Humming B. ii. pl. 104. |
| Black-bellied Humming-bird | Humming B., Suppl. pl. 54. |
| —— Sapphire | Humming B., Suppl. p. 91. |
| — Storm-Petrel | Australia, vii. pl. 62; Handb. ii. p. 479. |
| — Tern | Asia, vii. pl. 70. |
| — Water-Ouzel | Europe, ii. pl. 84; Gt. Brit. ii. pl. 42. |
| Black-billed Azure-crown | Humming B. v. pl. 286. |
| — Hill Toucan | Toucans, (2) pl. 40. |
| — Tern | Australia, vii. pl. 26. |
| Blackbird | Gt. Brit. ii. pl. 37. |
| ——, Grey-headed | Australia, Suppl. pl. 30; Handb. ii. p. 528. |
| —, Vinous-tinted | Australia, Suppl. pl. 31; Handb. ii. p. 529. |

| Black-breasted Buzzard | |
|----------------------------------|--|
| — Cinclorhamphus | . Australia, iii. pl. 75; Handb. i. p. 395. |
| — Flycatcher | |
| — Hemipode | . Australia, v. pl. 81. |
| — Hill-Star | . Humming B. ii. pl. 72. |
| — Partridge | . Odontoph. pl. 5. |
| —— Pewit | . Australia, vi. pl. 11. |
| — Plover | . Handb. ii. p. 222. |
| —— Puff-leg | . Humming B. iv. pl. 276. |
| — Sun-bird | . Asia, ii. pl. 27. |
| — Turnix | |
| Black-browed Caterpillar-catcher | |
| Black-cap | . Europe, ii. pl. 120; Gt. Brit. ii. pl. 60. |
| Black-capped Humming-bird . | . Humming B. ii. pl. 98. |
| — Kingfisher | . Asia, i. pl. 45. |
| — Sittella | . Australia, iv. pl. 104; Handb. i. p. 612. |
| Black-cheeked Cat-bird | . New Guinea, i. pl. 39. |
| — Falcon | . Australia, i. pl. 8; Handb. i. p. 26. |
| — Finch | . New Guinea, iv. pl. 25. |
| —— Perroquet | . New Guinea, v. pl. 6. |
| Black-chinned Garrulax | . Asia, iii. pl. 52. |
| Black Cock | . Gt. Brit. iv. pl. 6. |
| - Cockatoo, see Cockatoo. | • |
| α . | . Europe, v. pl. 408. |
| Til 1 . 1 m: | . Asia, ii. pl. 61. |
| Black-eared Adelomyia | . Humming B. iii. pl. 198. |
| — Allotrius | . Asia, ii. pl. 16. |
| — Cuckoo | . Australia, iv. pl. 88; Handb. i. p. 621. |
| Humming-bird | . Humming B. ii. pl. 64. |
| — Wheatear | . Europe, ii. pl. 92. |
| Black-eyebrowed Albatros | Australia, vii. pl. 43; Handb. ii. p. 438. |
| Black-faced Graucalus | Australia, ii. pl. 55; Handb. i. p. 192. |
| - Kingfisher | |
| Trogon | Trogons, (2) pl. 10. |
| Wood-Swallow | |
| | p. 149. |
| Black Falcon | Australia, i. pl. 9; Handb. i. p. 28. |
| —— Fantail | 77 11 1 044 |
| | |

| Black Fan-tailed Flycatcher Australia, ii. pl. 86. | |
|---|----|
| Black-fronted Dottrel Australia, vi. pl. 20; Handb. ii. p. 23 | 2. |
| Flycatcher Australia, ii. pl. 96; Handb. i. p. 26 | 3. |
| Black-gloved Wallaby Mamm. Austr. ii. pls. 20, 21; Monog | r. |
| Macrop. part i. | |
| Black Grouse Europe, iv. pl. 250; Gr. Brit. iv. pl. 6 | 6. |
| ———, Georgian Asia, vi. pl. 66. | |
| Guillemot Europe, v. pl. 399; Gt. Brit. v. pl. 49 | 9. |
| Ground-Thrush New Guinea, iv. pl. 28. | |
| Black-headed Bunting Asia, v. pl. 13; Europe, iii. pl. 172 |). |
| Gt. Brit. iii. pl. 28. | ٠, |
| — Diamond-bird Australia, ii. pl. 40; Handb. i. p. 16 | 5 |
| — Gull Europe, v. pl. 427; Gt. Brit. v. pl. 64 | |
| Honey-eater Australia, iv. pl 75; Handb. i. p. 57 | |
| 77 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | J. |
| TO 3.3. | |
| D: (| |
| | |
| Superb Warbler Handb. i. p. 333. | |
| Tanysiptera New Guinea, iv. pl. 50. | |
| — Trogon Trogons, (1) pl. 12, (2) pl. 27. | |
| Wren Australia, iii. pl. 26. | |
| Black Honey-eater Australia, iv. pl. 66; Handb. i. p. 558 | 3; |
| New Guinea, iii. pl. 72. | |
| Blackish-grey Scotophilus Mamm. Austr. iii. pl. 44. | |
| Black Kite Europe, i. pl. 29; Gt. Brit. i. pl. 23. | |
| — Lark Europe, iii. pl. 161. | |
| Black-mantled Fairy Blue-bird . Asia, iii. pl. 23. | |
| Goshawk New Guinea, i. pl. 1. | |
| Black-naped Cat-bird New Guinea, i. pl. 42. | |
| — Tern Australia, vii. pl. 28; Handb. ii. p. 400 | 0. |
| Black Ouzel Europe, ii. pl. 72. | |
| — Redstart Europe, ii. pl. 96; Gt. Brit. ii. pl. 52 | 2. |
| — Scoter Europe, v. pl. 378. | |
| Black-rumped Finch Australia, iii. pl. 81; Handb. i. p. 410 | 0. |
| Black-shouldered Kite Australia, i. pl. 23; Handb. i. p. 53. | |
| Black-spectacled Flycatcher New Guinea, ii. pl. 52. | |
| Black Stork Europe, iv. pl. 284; Gt. Brit. iv. pl. 3 | 1. |
| Black-striped Wallaby Mamm. Austr. ii. pls. 26, 27; Monog | |
| Macrop. part i. | |

| Black Swan | | Australia, vii. pl. 6; Handb. ii. p. 346. |
|--------------------------|--|--|
| Black-tailed Coucal | | Handb. i. p. 636. |
| Emerald | | Humming B., Suppl. p. 80. |
| — Gannet | | Europe, v. pl. 413. |
| — Godwit | | Australia, vi. pl. 28; Handb. ii. p. 251; |
| | | Europe, iv. pl. 305; Gt. Brit. iv. |
| | | pl. 50. |
| — Grosbeak | | Asia, v. pl. 19. |
| — Hermit | | Humming B. i. pl. 9. |
| Pachycephala | | Australia, ii. pl. 66. |
| — Parrakeet | | Australia, v. pl. 16; Handb. ii. p. 33. |
| — Thickhead | | Australia, ii. pl. 66; Handb. i. p. 211. |
| — Tree-creeper | | Australia, iv. pl. 97; Handb. i. p. 604. |
| — Tribonyx | | Australia, vi. pl. 72; Handb. ii. p. 325. |
| — Trogon | | Trogons, (1) pl. 18, (2) pl. 29. |
| Black Tern | | Europe, v. pl. 422; Gt. Brit. v. pl. 75. |
| Black-throated Accentor | | Asia, iv. pl. 48. |
| Crow-Shrike | | Australia, ii. pl. 49; Handb. i. p. 180. |
| — Daimophila | | Humming B. v. pl341. |
| — Diver | | Europe, v. pl. 394; Gt. Brit. v. pl. 44. |
| — Grebe | | Australia, vii. pl. 81; Handb. ii. p. 513. |
| — Groove-bill | | Toucans, (2) pl. 50. |
| Honey-eater | | Australia, iv. pl. 71; Handb. i. p. 566. |
| Partridge | | Odontoph. pl. 4. |
| Psophodes | | Australia, iii. pl. 16; Handb. i. p. 314. |
| Stone-Chat | | Asia, iv. pl. 31. |
| — Sunbeam | | Humming B., Suppl. pl. 47. |
| — Thrush | | Europe, ii. pl. 75; Gt. Brit. ii. pl. 36. |
| Trogon | | Trogons, (1) pl. 8, (2) pl. 14. |
| Black-tipped Emerald . | | Humming B., Suppl. p. 77. |
| Black Tree-Kangaroo . | | Mamm. Austr. ii. pl. 49; Monogr. |
| · · | | Macrop. part ii. |
| Black-vented Plumeleteer | | Humming B., Suppl. pl. 13. |
| —— Puff-leg | | Humming B., Suppl. p. 69. |
| Black Vulture | | Asia, i. pl. 1. |
| — Wallaby | | Mamm. Austr. ii. pls. 22, 23; Monogr. |
| · | | Macrop. part ii. |
| — Wallaroo | | Mamm. Austr. ii. pls. 10, 11; Monogr. |
| | | Macrop. part i. |
| | | - * |

| Black Wheatear | Europe, ii. pl. 88. |
|-----------------------------------|---|
| Black-winged Gull | Europe, v. pl. 426. |
| — Kite | Europe, i. pl. 31. |
| — Pratincole | Asia, vii. pl. 63. |
| — Trogon | Trogons, (1) pls. 10, 11, (2) pl. 21. |
| blainvillii, Peltops | New Guinea, ii. pl. 55. |
| blighi, Arrenga | Asia, iii. pl. 27. |
| —, Myiophoneus | Asia, iii. pl. 27. |
| Bligh's Whistling Thrush | Asia, iii. pl. 27. |
| Blood-Pheasant, Geoffroy's | Asia, vii. pl. 42. |
| —, Himalayan | Asia, vii. pl. 43. |
| Blood-rumped Groove-bill Araçari. | Toucans, (1) pl. 33. |
| Blood-stained Cockatoo | Australia, v. pl. 3; Handb. ii. p. 6. |
| Blossom-crown Humming-bird . | Humming B. iii. pl. 202. |
| Blossom-headed Parrakeet | Asia, vi. pl. 2. |
| Blue-and-White Kingfisher | Asia, i. pl. 46. |
| Blue-backed Pitta | New Guinea, iv. pl. 29. |
| Blue-banded Grass-Parrakeet | Australia, v. pl. 37; Handb. ii. p. 71. |
| — Groove-bill | Toucans, (2) pl. 46. |
| Blue-bellied Lorikeet | Handb. ii. p. 93. |
| — Tesia | Asia, iv. pl. 1. |
| Blue-billed Duck | Australia, vii. pl. 17. |
| Blue-bird, Himalayan | Asia, iv. pl. 35. |
| Blue-bird, see Fairy Blue-bird. | |
| Blue-bodied Eupetes | New Guinea, iii. pl. 4. |
| Blue-breast | Humming B. ii. pl. 58. |
| —, Red-throated | Gt. Brit. ii. pl. 49. |
| —, White-throated | Gt. Brit. ii. pl. 50. |
| Blue-breasted Plumeleteer | Humming B. ii. pl. 91. |
| —— Sapphire | Humming B. v. pls. 334, 343; Suppl. |
| | p. 92. |
| — Superb Warbler | Handb. i. p. 326. |
| — Tanysiptera | New Guinea, iv. pl. 47. |
| Blue-capped Saucerottia | Humming B. v. pl. 323. |
| Blue-cheeked Parrakeet | Australia, Suppl. pl. 63; Handb. ii. |
| | p. 52. |
| Blue-chinned Sapphire | Humming B. v. pl. 335. |
| Blue-collared Parrot | New Guinea, v. pl. 29. |
| Blue-crest | Humming B. iv. pl. 205. |

| Blue Cuckoo-Shrike | New Guinea, ii. pl. 2. |
|--|---|
| Blue-eyed Cockatoo | New Guinea, v. pl. 45. |
| Blue-faced Entomyza | Australia, iv. pl. 68. |
| Honey-eater | Handb. i. p. 560. |
| Sapphire | Humming B., Suppl. p. 93. |
| Blue-fronted Lance-bill | Humming B. ii. pl. 87. |
| Blue-grey Campephaga | New Guinea, ii. pl. 3. |
| Blue-headed Emerald | Humming B., Suppl. p. 76. |
| — Sapphire | Humming B. v. pl. 330. |
| Blue Magpie, Chinese | Asia v. pl. 48. |
| — , Formosan | Asia, v. pl. 46. |
| ——, Great-billed | Asia, v. pl. 49. |
| —————————————————————————————————————— | Asia, v. pl. 47. |
| — White-capped | Asia, v. pl. 51. |
| ———, Yellow-billed | Asia, v. pl. 50. |
| Blue-mantled Fairy Blue-bird | Asia, iii. pl. 22. |
| Blue-necked Azure-crown | Humming B. v. pl. 288. |
| Blue Petrel | |
| | pl. 457. |
| Blue Pie, Burmese | Asia, v. pl. 49. |
| ———, Formosan | Asia, v. pl. 46. |
| —————————————————————————————————————— | Asia, v. pl. 47. |
| ——, White-capped | Asia, v. pl. 51. |
| ——, Yellow-billed | Asia, v. pl. 50. |
| Blue Pitta | Asia, v. pl. 80. |
| —— Reef-Heron | Australia, vi. pl. 60; Handb. ii. p. 307. |
| — Rock-Thrush | Gt. Brit. ii. pl. 43. |
| — Shining Flycatcher | Australia, ii. pl. 88. |
| Blue-shouldered Accentor | Asia, iv. pl. 45. |
| Blue-streaked Lory | New Guinea, v. pl. 35. |
| Blue-tailed Amazili | Humming B. v. pl. 315. |
| — Mango | Humming B. ii. pl. 78. |
| —— Pitta | Asia, v. pl. 77. |
| —— Sylph | Humming B. iii. pl. 172. |
| Blue-thighed Lory | New Guinea, v. pl. 37. |
| Blue-throated Cazique | Humming B. ii. pl. 60. |
| —— Groove-bill | Toucans, (2) pl. 5. |
| — Helmet-crest | Humming B., Suppl. pl. 4. |
| — Nyctiornis | Asia, i. pl. 37. |
| | |

| Blue-throated Sabre-wing | | Humming B. ii. pl. 46. |
|--------------------------|--|--|
| — Sapphironia | | Humming B. v. pl. 346. |
| — Warbler | | Europe, ii. pl. 97. |
| Blue Thrush | | Europe, ii. pl. 87. |
| —— Tit | | Europe, iii. pl. 154; Gt. Brit. ii. pl. 24 |
| 734 777 604 | | Humming B., Suppl. p. 69. |
| Blue-winged Parrakeet . | | Asia, vi. pl. 7. |
| — Siva | | Asia, iv. pl. 19. |
| Blue Wren | | Australia, iii. pl. 18. |
| blythi, Ceriornis | | Asia, vii. pl. 47. |
| , Trochalopteron . | | Asia, iii. pl. 41. |
| Blyth's Horned Pheasant | | Asia, vii. pl. 47. |
| — Laughing Thrush . | | Asia, iii. pl. 41. |
| boarula, Motacilla | | Europe, ii. pl. 147. |
| Bogota Train-bearer | | Humming B. iii. pl. 167. |
| Bolivian Inca | | Humming B., Suppl. p. 27. |
| — Rainbow | | Humming B. iv. pl. 248. |
| Sylph | | Humming B., Suppl. pl. 40. |
| — Violet-ear | | Humming B. iv. pl. 225. |
| boliviana, Bourcieria | | Humming B., Suppl. p. 27. |
| bolivianus, Cynanthus . | | Humming B., Suppl. pl. 40. |
| bombus, Chætocercus . | | Humming B., Suppl. pl. 32. |
| Bombycivora garrula | | Europe, iii. pl. 160. |
| bonapartei, Helianthea . | | Humming B. iv. pl. 236. |
| —, Pelidna | | Gt. Brit. iv. pl. 71. |
| —, Todopsis | | New Guinea, ii. pl. 22. |
| Bonaparte's Gull | | Gt. Brit. v. pl. 65. |
| —— Parrakeet | | Asia, vi. pl. 4. |
| — Sandpiper | | Gt. Brit. iv. pl. 71. |
| — Star-frontlet | | Humming B. iv. pl. 236. |
| — Todopsis | | New Guinea, ii. pl. 22. |
| Bonasia europæa | | Europe, iv. pl. 251. |
| bonellii, Aquila | | Europe, i. pl. 7. |
| Bonelli's Eagle | | Europe, i. pl. 7. |
| bonhami, Ammoperdix . | | Asia, vii. pl. 1. |
| Bonham's Sand-Partridge | | Asia, vii. pl. 1. |
| boobook, Athene | | Synopsis, part iii.; Australia, i. pl. 32. |
| —, Spiloglaux | | Handb. i. p. 74. |
| | | |

| Boobook Owl Australia, i. pl. 32; Handb. i. p. 74. | |
|--|----|
| Bootan Magpie Asia, v. pl. 57. | |
| Booted Eagle Europe, i. pl. 9. | |
| — Trogon Trogons, (1) pl. 7. | |
| Bornean Fairy Blue-bird Asia, iii. pl. 20. | |
| — Pitta Asia, v. pl. 67. | |
| boschas, Anas Europe, v. pl. 361; Gt. Brit. v. pl. 16 | 5. |
| boschii, Pitta Asia, v. pl. 83. | |
| Botaurus australis Australia, vi. pl. 64. | |
| — lentiginosus Europe, iv. pl. 281; Gt. Brit. iv. pl. 2 | 8. |
| — minutus Europe, iv. pl. 282. | |
| — poiciloptilus Handb. ii. p. 313. | |
| — stellaris Europe, iv. pl. 280; Gt. Brit. iv. pl. 2 | 7. |
| bottanensis, Pica Asia, v. pl. 57. | |
| boucardi, Arinia Humming B., Suppl. p. 81. | |
| Boucard's Emerald Humming B., Suppl. p. 81. | |
| bougueri, Urochroa Humming B. ii. pl. 57. | |
| boulboul, Merula Asia, iii. pl. 7; Cent. pl. 14. | |
| bourcieri, Phaethornis Humming B. i. pl. 25. | |
| Bourcieria assimilis Humming B., Suppl. p. 26. | |
| — boliviana Humming B., Suppl. p. 27. | |
| colombiana Humming B., Suppl. p. 27. | |
| conradi Humming B. iv. pl. 253. | |
| — fulgidigula Humming B. iv. pl. 252. | |
| — inca Humming B. iv. pl. 254. | |
| — insectivora Humming B., Suppl. pl. 20. | |
| — torquata Humming B. iv. pl. 251. | |
| traviesi Humming B., Suppl. pl. 21. | |
| Bourcier's Hermit Humming B. i. pl. 25. | |
| Bourke's Grass-Parrakeet Australia, v. pl. 43; Handb. ii. p. 80 |). |
| bourkii, Euphema Australia, v. pl. 43; Handb. ii. p. 80 | |
| Bower-bird, Fawn-breasted Australia, Suppl. pl. 36; Handb. p. 454. | |
| —, Gardener New Guinea, i. pl. 46. | |
| , Great Australia, iv. pl. 9; Handb. i. p. 448 | i. |
| —, Guttated Australia, Suppl. pl. 35; Handb. : p. 452. | |
| , Large-frilled New Guinea, i. pl. 45. | |

| Bower-bird, Orange-crested | | New Guinea, i. pl. 47. |
|-----------------------------|--|--|
| —, Queensland | | New Guinea, i. pl. 44. |
| —, Rawnsley's | | Australia, Suppl. pl. 34. |
| , Satin | | Australia, iv. pl. 10; Handb. i. p. 442. |
| —, Spotted | | Australia, iv. pl. 8; Handb. i. p. 450. |
| —, Toothed-billed | | New Guinea, i. pl. 43. |
| boyeri, Graucalus | | New Guinea, ii. pl. 3. |
| brachipus, Rallus | | Handb. ii. p. 336. |
| brachydactyla, Alauda | | Europe, iii. pl. 163. |
| , Calandrella | | Europe, iii. pl. 163; Gt. Brit. iii. |
| | | pl. 21. |
| brachydactylus, Circaetus . | | Europe, i. pl. 13. |
| , Lagopus | | Europe, iv. pl. 256. |
| brachyotis, Osphranter | | Monogr. Macrop. pt. i. |
| —, Petrogale | | Mamm. Austr. ii. pl. 47. |
| brachyotus, Asio | | Europe, i. pl. 40; Gt. Brit. i. pl. 32. |
| —, Otus | | Europe, i. pl. 40; Gt. Brit. i. pl. 32. |
| Brachyotus palustris | | Gt. Brit. i. pl. 32. |
| brachyptera, Sphenura | | Handb. i. p. 342. |
| brachypternus, Podargus . | | Australia, Introd. p. xxviii; Handb. |
| | | i. p. 89. |
| brachyrhynchus, Anser | | Gt. Brit. v. pl. 3. |
| brachyura, Diomedea | | Australia, vii. pl. 39; Handb. ii. p. 433. |
| —, Pitta | | Cent. pl. 23. |
| brachyurus, Halmaturus. | | Mamm. Austr. ii. pls. 37, 38. |
| bracteata, Chibia | | Australia, ii. pl. 82; Handb. i. p. 235. |
| bracteatus, Dicrurus | | Australia, ii. pl. 82. |
| Brake Locustelle | | Europe, ii. pl. 103. |
| Bramble-Finch | | Europe, iii. pl. 188; Gt. Brit. iii. pl. 35. |
| Brambling | | Europe, iii. pl. 188; Gt. Brit. iii. pl. 35. |
| Branded Pigeon | | Asia, vi. pl. 59. |
| Wallaby | | Mamm. Austr. ii. pls. 33, 34. |
| branickii, Lampraster | | Humming B., Suppl. pl. 14. |
| Branta rufina | | Gt. Brit. v. pl. 22. |
| Brassy-tail Humming-bird . | | Humming B. iii. pl. 192. |
| Brazilian Emerald | | Humming B. v. pl. 355. |
| — Fairy | | Humming B. iv. pl. 214. |
| Ruby | | Humming B. iv. pl. 249. |

| Brazilian Violet-ear | | Humming B. iv. pl. 223. |
|-----------------------------|--|---|
| Wood-Nymph | | Humming B. ii. pls. 99, 108. |
| brehmi, Psittacella | | New Guinea, v. pl. 39. |
| Brehm's Parrot | | New Guinea, v. pl. 39. |
| brenchleyi, Megapodius | | New Guinea, v. pl. 68. |
| Brenchley's Megapode | | New Guinea, v. pl. 68. |
| Brent Goose | | Europe, v. pl. 352; Gt. Brit. v. pl. 7. |
| brenta, Anser | | Europe, v. pl. 352. |
| —, Bernicla | | Gt. Brit. v. pl. 7. |
| brevicarinatus, Rhamphastos | | Toucans, (2) pl. 3. |
| brevicaudatus, Cuscus | | Mamm. Austr. i. pl. 21. |
| —, Turdinus | | Asia, iii. pl. 63. |
| brevicaudus, Nectris | | Handb. ii. p. 459. |
| —, Puffinus | | Australia, vii. pl. 56. |
| breviceps, Belideus | | Mamm. Austr. i. pl. 25. |
| brevirostris, Muscipeta | | Cent. pl. 8. |
| —, Pericrocotus | | Cent. pl. 8. |
| —, Psilopus | | Synopsis, part iv. |
| —, Smicrornis | | Australia, ii. pl. 103; Handb. i. p. 273. |
| —, Thaumatias | | Humming B. v. pl. 298. |
| Bridled Guillemot | | Europe, v. pl. 397. |
| — Honey-eater | | New Guinea, iii. pl. 49. |
| Kangaroo | | Monogr. Macrop. part i. |
| — Nail-tailed Kangaroo . | | Mamm. Austr. ii. pl. 54. |
| Bright-tailed Emerald | | Humming B., Suppl. p. 80. |
| Brilliant-fronted Emerald . | | Humming B. v. pl. 297. |
| Brilliant, Green-crowned . | | Humming B. ii. pl. 94. |
| , Guiana | | Humming B., Suppl. pl. 15. |
| —, Jameson's | | Humming B. ii. pl. 95. |
| —, Leadbeater's | | Humming B. ii. pl. 97. |
| —, Otero | | Humming B. ii. pl. 96. |
| Bristle-bird | | Australia, iii. pl. 32; Handb. i. p. 342. |
| —, Long-billed | | Australia, iii. pl. 33; Handb. i. p. 343. |
| —, Rufous-headed | | Australia, Suppl. pl. 25. |
| broadbenti, Sphenura | | Australia, Suppl. pl. 25. |
| Broadbent's Honey-eater . | | New Guinea, iii. pl. 45. |
| Broad-bill, Allied | | Asia, i. pl. 60. |
| —, Dalhousie's | | Asia, i. pl. 64. |
| | | • |

| Broad-bill, Great | Asia, i. pl. 61. |
|-----------------------------|--|
| —, Hooded | Asia, i. pl. 58. |
| —, Javan | Asia, i. pl. 57. |
| —, Lunated | Asia, i. pl. 62. |
| —, Red-backed | Asia, i. pl. 63. |
| —, Steere's | Asia, i. pl. 65. |
| Broad-billed Flycatcher | Australia, ii. pl. 92; Handb. i. p. 256; |
| | New Guinea, ii. pl. 55. |
| —— Prion | Australia, vii. pl. 55; Handb. ii. p. 474. |
| —— Sandpiper | Gt. Brit. iv. pl. 75. |
| —— Tringa | Europe, iv. pl. 331. |
| Broad-faced Rat-Kangaroo | Mamm. Austr. ii. pl. 70. |
| Broad-fronted Wombat | Mamm. Austr. i. pls. 57, 58. |
| Broad-shafted Sabre-wing | Humming B. ii. pl. 48. |
| Broad-tailed Flame-bearer | Humming B. iii. pl. 140. |
| broderipi, Oriolus | Asia, ii. pl. 73. |
| Broderip's Oriole | Asia, ii. pl. 73. |
| brodiei, Athene | Asia, i. pl. 15. |
| —, Piezorhynchus | New Guinea, ii. pl. 44. |
| Brodie's Flycatcher | New Guinea, ii. pl. 44. |
| — Owlet | Asia, i. pl. 15. |
| Bronze Cuckoo, see Cuckoo. | |
| Bronze-shaded Flower-pecker | New Guinea, iv. pl. 4. |
| Bronze-wing, Brush | Handb. ii. p. 125. |
| —, Common | Handb. ii. p. 122. |
| —, Crested | Handb. ii. p. 139. |
| —, Harlequin | Australia, v. pl. 66; Handb. ii. p. 127. |
| —, Partridge | Australia, v. pl. 67; Handb. ii. p. 130. |
| —, Plumed | Handb. ii. p. 135. |
| , Plumed Partridge | Australia, v. pl. 69. |
| —, Rust-coloured | Australia, Suppl. pl. 68; Handb. ii. |
| | p. 137. |
| —, Smith's Partridge | Australia, v. pl. 68; Handb. ii. p. 133. |
| —, White-bellied | Australia, Suppl. pl. 69. |
| Bronze-winged Pigeon | Australia, v. pl. 64. |
| Brown Alcippe | Asia, iii. pl. 66. |
| Brown-booted Puff-leg | Humming B., Suppl. p. 70. |
| Brown Cinclorhamphus | Australia, iii. pl. 74; Handb. i. p. 394. |
| | |

| Brown Dicæum New Guinea, iv. pl. 7. |
|---|
| — Flycatcher Handb. i. p. 258. |
| — Gannet Australia, vii. pl. 78; Handb. ii. p. 507. |
| Gerygone |
| — Hawk Australia, i. pl. 11; Handb. i. p. 31. |
| Honey-eater Australia, iv. pl. 31; Handb. i. p. 500; |
| New Guinea, iii. pl. 55. |
| Linnet Europe, iii. pl. 191; Gt. Brit. iii. pl. 49. |
| Brown-naped Mountain-Finch Asia, v. pl. 4. |
| Brown Plover Australia, vi. pl. 14. |
| Red-throat Australia, iii. pl. 68. |
| — Shrike-Thrush Handb. i. p. 223. |
| —— Snipe Gt. Brit. iv. pl. 76. |
| Brown-tailed White-eye New Guinea, iii. pl. 59. |
| Brown Thickhead New Guinea, iii. pl. 20. |
| Tree-creeper Australia, iv. pl. 93; Handb. i. p. 598. |
| — Tree-Kangaroo Mamm. Austr. ii. pl. 50; Monogr. |
| Macrop. part ii. |
| — Violet-ear Humming B. iv. pl. 229. |
| — Wood-Shrike Australia, ii. pl. 76. |
| browni, Piezorhynchus New Guinea, ii. pl. 45. |
| —, Platycercus Australia, v. pl. 31. |
| brownii, Malurus Australia, iii. pl. 27. |
| Brown's Flycatcher New Guinea, ii. pl. 45. |
| —— Parrakeet Australia, v. pl. 31. |
| —— Superb Warbler Handb. i. p. 334. |
| — Wren Australia, iii. pl. 27. |
| Bruchigavia gouldi Handb. ii. p. 388. |
| — jamesonii Handb. ii. p. 387. |
| bruijni, Drepanornis New Guinea, i. pl. 12. |
| —, Grallina New Guinea, iii. pl. 11. |
| —, Nasiterna · . New Guinea, v. pl. 24. |
| Bruijn's Bird of Paradise New Guinea, i. pl. 12. |
| — Cuckoo-Shrike New Guinea, ii. pl. 5. |
| — Grallina New Guinea, iii. pl. 11. |
| — Pigmy Parrot New Guinea, v. pl. 24. |
| bruni, Dorcopsis Mamm. Austr. ii. pl. 51. |
| brunnea, Alcippe Asia, iii. pl. 66. |

| brunnea, Colluriocincla | . Australia, ii. pl. 76; Handb. i. p. 223. |
|-------------------------------|---|
| —, Falco | . Synopsis, part iii. |
| —, Pachycephala | . New Guinea, iii. pl. 20. |
| —, Suthora | . Asia, iii. pl. 68. |
| brunneicauda, Zosterops | . New Guinea, iii. pl. 59. |
| brunneifrons, Picus | . Cent. pl. 52. |
| brunneinucha, Leucosticte | . Asia, v. pl. 4. |
| , Montifringilla | . Asia, v. pl. 4. |
| brunneopygia, Drymodes | . Australia, iii. pl. 10; Handb. i. p. 290. |
| brunneus, Dasyornis | . Synopsis, part iv. |
| —, Pyrrholæmus | . Australia, iii. pl. 68; Handb. i. p. 384. |
| brunnichii, Uria | . Europe, v. pl. 398. |
| Brunnich's Guillemot | . Europe, v. pl. 398. |
| Brush-bird, Noisy | . Australia, iii. pl. 34. |
| Brush Bronze-wing | . Handb. ii. p. 125. |
| —— Bronze-winged Pigeon . | . Australia, v. pl. 65. |
| —— Cuckoo | . Australia, iv. pl. 87; Handb. i. p. 619. |
| Brush-tailed Phascogale | . Mamm. Austr. i. pl. 31. |
| —— Rock-Wallaby | . Mamm. Austr. ii. pls. 39, 40; Monogr. |
| | Macrop. part ii. |
| Brush-Turkey, Ocellated | . Handb. ii. p. 155. |
| —, Wattled | . Handb. ii. p. 150. |
| Brush Wattle-bird | . Australia, iv. pl. 56; Handb. i. p. 541. |
| bryanti, Doricha | . Humming B., Suppl. pl. 33. |
| Bryant's Wood-Star | . Humming B., Suppl. pl. 33. |
| | . Europe, i. pl. 38. |
| — maximus | . Europe, i. pl. 37; Gt. Brit. i. pl. 30. |
| Bubulcus russatus | . Gt. Brit. iv. pl. 24. |
| Bucco grandis | . Cent. pl. 46. |
| buccoides, Ailurædus | . New Guinea, i. pl. 41. |
| buceroides, Tropidorhynchus . | . Australia, Suppl. pl. 44; Handb. i. p. 547. |
| Buceros cavatus | Cent. pl. 44. |
| buchanani, Emberiza | • |
| buckleyi, Pinarolæma | |
| Buckley's Mountain Humming- | zamming Di, outpli, pr. o. |
| bird | Humming B., Suppl. pl. 8. |
| Budytes cinereocapilla | |
| , | P. P. O |

| Budytes citreoloides | Asia, iv. pl. 64. |
|---------------------------|--|
| —— flava | Gt. Brit. iii. pl. 4. |
| rayi | Gt. Brit. iii. pl. 3. |
| Buff-backed Heron | Gt. Brit. iv. pl. 24. |
| Buff-bellied Flycatcher | New Guinea, ii. pl. 34. |
| — Shrike-Thrush | Handb. i. p. 222. |
| — Wood-Shrike | Australia, ii. pl. 75. |
| Buff-breasted Gerygone | Australia, ii. pl. 101; Handb. i. p. 270. |
| Humming-bird | Humming B., Suppl. pl. 46. |
| — Leucippus | Humming B. ii. pl. 56. |
| — Sandpiper | Europe, iv. pl. 326; Gt. Brit. iv. pl. 64. |
| — Sericornis | Handb. i. p. 360. |
| — Warbler | Australia, ii. pl. 101, iii. pl. 50. |
| Buff-footed Rat | Mamm. Austr. iii. pl. 14. |
| Buff-rumped Geobasileus | Handb. i. p. 376. |
| Buff-sided Robin | Australia, Suppl. pl. 15; Handb. i. |
| | р. 288. |
| Buff-tailed Star-frontlet | Humming B., Suppl. pl. 18. |
| Velvet-breast | Humming B. ii. pl. 85. |
| Buff-throated Dumetia | Asia, iv. pl. 6. |
| — Honey-eater | New Guinea, iii. pl. 54. |
| buffoni, Hypuroptila | Humming B. ii. pl. 89. |
| Buffon's Plumeleteer | Humming B. ii. pl. 89. |
| Building Hapalotis | Mamm. Austr. iii. pl. 6. |
| Bulbul, All-green | Asia, iii. pl. 18. |
| —, Chinese | Asia, iii. pl. 11. |
| —,— Crested | Asia, iii. pl. 10. |
| —, Crested | Asia, iii. pl. 9. |
| —, Formosan Black | Asia, iii. pl. 12. |
| —, Grey-fronted | Asia, iii. pl. 9. |
| —, Hardwicke's Green | Asia, iii. pl. 14. |
| —, Hodgson's Green | Asia, iii. pl. 15. |
| —, Javanese Green | Asia, iii. pl. 13. |
| —, Jerdon's Green | Asia, iii. pl. 17. |
| —, Malabar Green | Asia, iii. pl. 16. |
| , Moluccan | New Guinea, iii. pl. 2. |
| Bullfinch | |
| —, Beavan's | Asia, v. pl. 39. |

| Bullfinch, Cinereous | | Asia, v. pl. 40. |
|-----------------------|---|--|
| —, Nepaulese | | Asia, v. pl. 37. |
| —, Northern | | Asia, v. pl. 38. |
| , Orange-coloured | | Asia, v. pl. 34. |
| —, Oriental | | Asia, v. pl. 35. |
| —, Red-headed | | Asia, v. pl. 36. |
| —, Scarlet | | Gt. Brit. iii. pl. 43. |
| —, Trumpeter | | Asia, v. pl. 31. |
| bulweri, Lobiophasis | | Asia, vii. pl. 13. |
| —, Thalassidroma | | Europe, v. pl. 449. |
| Bulwer's Petrel | | Europe, v. pl. 449. |
| —— Pheasant | | Asia, vii. pl. 13. |
| Bungalow-Swallow | | Asia, i. pl. 32. |
| Bunting, Black-headed | | Asia, v. pl. 13; Europe, iii. pl. 172; |
| 8, | | Gt. Brit. iii. pl. 28. |
| —, Cinereous | | Asia, v. pl. 8. |
| —, Cirl | | Europe, iii. pl. 175; Gt. Brit. iii. |
| , | • | pl. 23. |
| —, Common | | Europe, iii. pl. 171; Gt. Brit. iii. pl. 26. |
| —, Cretzschmar's | | Europe, iii. pl. 181. |
| —, Dwarf | | Asia, v. pl. 7; Gt. Brit. iii. pl. 25. |
| —, Elegant | | Asia, v. pl. 12. |
| —, Grey-capped | | Asia, v. pl. 6. |
| —, Hutton's | | Asia, v. pl. 11. |
| , Lapland | | Europe, iii. pl. 169; Gt. Brit. iii. |
| ,r | | pl. 30. |
| , Lark-heeled | | Europe, iii. pl. 169. |
| —, Lesbian | | Europe, iii. pl. 178. |
| , Marsh | | Europe, iii. pl. 182. |
| , Meadow | | Europe, iii. pl. 179. |
| —, Ortolan | | Europe, iii. pl. 176; Gt. Brit. iii. pl. 27. |
| —, Painted | | Asia, v. pl. 9. |
| —, Pine | | Europe, iii. pl. 180. |
| Red-headed | | Asia, v. pl. 14. |
| —, Reed | | Europe, iii. pl. 183; Gt. Brit. iii. pl. 29. |
| Rustic | | Asia, v. pl. 10; Europe, iii. pl. 177; |
| , 2000000 | | Gt. Brit. iii. pl. 24. |
| | | r r. |

| Bunting, Snow | Europe, iii. pl. 170. |
|-------------------------------------|--|
| —, Yellow | Europe, iii. pl. 173. |
| —, Yellow-breasted | Europe, iii. pl. 174. |
| Bunting, see also Rose-Bunting. | |
| Buphus comatus | Gt. Brit. iv. pl. 25. |
| Buquet's Puff-leg | Humming B. iv. pl. 273. |
| Burmese Parrakeet | Asia, vi. pl. 3. |
| — Roller | Asia, i. pl. 55. |
| burtoni, Fringilla | Asia, v. pl. 16. |
| Burton's Grosbeak | Asia, v. pl. 16. |
| Bush-Chat, Black-and-White | Asia, iv. pl. 32. |
| —, White-tailed | Asia, iv. pl. 33. |
| Bush-Lark, Horsfield's | Handb. i. p. 404. |
| Bush-Quail, Argoondah | Asia, vii. pl. 5. |
| —, Asiatic | Asia, vii. pl. 4. |
| Bustard, Australian | Australia, vi. pl. 4; Handb. ii. p. 208. |
| —, Great | Europe, iv. pl. 267; Gt. Brit. iv. pl. 17. |
| —, Little | Europe, iv. pl. 269; Gt. Brit. iv. pl. 18. |
| —, Macqueen's | Asia, vii. pl. 58. |
| —, Ruffed | Europe, iv. pl. 268. |
| —, Thick-kneed | Europe, iv. pl. 288; Gt. Brit. iv. pl. 35. |
| Butalis grisola | Gt. Brit. ii. pl. 19. |
| Butcher-bird, see also Crow-Shrike. | |
| Butcher-bird | Australia, ii. pl. 52; Gt. Brit. ii. pl. 15. |
| —, Silvery-backed | Australia, ii. pl. 51. |
| Buteo lagopus | Europe, i. pl. 15. |
| — melanosternon | Australia, i. pl. 20. |
| — vulgaris | Europe, i. pl. 14; Gt. Brit. i. pl. 6. |
| Butorides flavicollis | Handb. ii. p. 315. |
| — javanica | Handb. ii. p. 317. |
| — macrorhyncha | Handb. ii. p. 316. |
| Button-Quail, Chinese | Asia, vii. pl. 6. |
| Buzzard, Black-breasted | Australia, i. pl. 20; Handb. i. p. 47. |
| —, Common | Europe, i. pl. 14; Gt. Brit. i. pl. 6. |
| —, Honey | Europe, i. pl. 16; Gt. Brit. i. pl. 8. |
| —, Rough-legged | Europe, i. pl. 15; Gt. Brit. i. pl. 7. |

| cabanisi, Picus | Asia, vi. pl. 17. |
|----------------------------------|---------------------------------------|
| caboti, Ceriornis | Asia, vii. pl. 48. |
| Cabot's Horned Pheasant | Asia, vii. pl. 49. |
| Cacatua ducorpsi | New Guinea, v. pl. 47. |
| eos | Australia, v. pl. 4. |
| —— galerita | Australia, v. pl. 1; Handb. ii. p. 2. |
| — gymnopis | New Guinea, v. pl. 46. |
| —— leadbeateri | Australia, v. pl. 2; Handb. ii. p. 5. |
| — ophthalmica | New Guinea, v. pl. 45. |
| — roseicapilla | Handb. ii. p. 8. |
| sanguinea | Australia, v. pl. 3; Handb. ii. |
| | p. 6. |
| — triton | New Guinea, v. pl. 44. |
| Caccabis chukar | Cent. pl. 71. |
| rubra | Gt. Brit. iv. pl. 14. |
| cachinnans, Saxicola | Europe, ii. pl. 88. |
| Cacique, White-bellied | Humming B., Suppl. pl. 5. |
| Cacomantis castaneiventris | Australia, Suppl. pl. 55. |
| dumetorum | Handb. i. p. 620. |
| —— flabelliformis | Handb. i. p. 618. |
| — insperatus | Handb. i. p. 619. |
| —— pallidus | Handb. i. p. 615. |
| cælicolor, Grandala | Asia, iv. pl. 35. |
| cærulea, Eucephala | Humming B. v. pl. 335. |
| ——, Halobæna | Handb. ii. p. 457. |
| ——, Pitta | Asia, v. pl. 81. |
| —, Procellaria | Australia, vii. pl. 52. |
| —, Urocissa | Asia, v. pl. 46. |
| Cærulean Pitta | Asia, v. pl. 81. |
| cæruleiceps, Agyrtria | Humming B., Suppl. pl. 76. |
| cæruleicinctus, Aulacorhamphus . | Toucans, (2) pl. 46. |
| cæruleigaster, Hypuroptila | Humming B. ii. pl. 91. |
| cæruleitorques, Pitta | New Guinea, iv. pl. 32. |
| cæruleocephala, Phænicura | Cent. pl. 25. fig. 2. |
| ——, Ruticilla | Cent. pl. 25. fig. 2. |
| cæruleogularis, Aulacorhamphus . | Toucans, (2) pl. 51. |
| —, Sapphironia | Humming B. v. pl. 346. |
| cæruleo-larvata, Eucephala | Humming B. v. pl. 333. |
| | |

| cærulescens, Eupetes | New Guinea, iii. pl. 4. |
|---------------------------|--|
| , Zosterops | Australia, iv. pl. 81; Handb. i. p. 587. |
| cæruleus, Parus | Europe, iii. pl. 154; Gt. Brit. ii. pl. 24. |
| cæsia, Emberiza | Europe, iii. pl. 181. |
| , Sitta | Gt. Brit. ii. pl. 22. |
| Calamanthus campestris | Australia, iii. pl. 71; Handb. i. p. 389. |
| — fuliginosus | Synopsis, part iv. App. p. 4; Australia, |
| | iii. pl. 70 ; Handb. i. p. 388. |
| Calamodyta aquatica | Gt. Brit. ii. pl. 76. |
| — phragmitis | Gt. Brit. ii. pl. 75. |
| Calamoherpe arundinacea | Gt. Brit. ii. pl. 73 |
| — australis | Handb. i. p. 402. |
| —— longirostris | Handb. i. p. 403. |
| — palustris | Gt. Brit. ii. pl. 74. |
| Calamophilus biarmicus | Europe, iii. pl. 158; Gt. Brit. ii. pl. 30. |
| calandra, Alauda | Europe, iii. pl. 162. |
| —, Melanocorypha | Gt. Brit. iii. pl. 19. |
| Calandra Lark | Europe, iii. pl. 162; Gt. Brit. iii. pl. 19. |
| Calandre, Long-billed | Asia, iv. pl. 72. |
| Calandrella brachydactyla | Gt. Brit. iii. pl. 21. |
| caledonicus, Nycticorax | Australia, vi. pl. 63; Handb. ii. p. 311. |
| Calidris arenaria | Europe, iv. pl. 335; Gt. Brit. iv. pl. 66. |
| canutus | Europe, iv. pl. 324. |
| calidris, Totanus | Europe, iv. pl. 310; Gt. Brit. iv. pl. 54. |
| Californian Partridge | Odontoph. pl. 16. |
| californica, Callipepla | Odontoph. pl. 16. |
| caligatus, Trogon | Trogons, (1) pl. 7, (2) pl. 16. |
| callainus, Malurus | Australia, Suppl. pl. 23. |
| Callene albiventris | Asia, iii. pl. 29. |
| Calliechthrus leucolophus | New Guinea, iv. pl. 42. |
| calliope, Calothorax | Humming B. iii. pl. 142. |
| Calliope camtschatkensis | Asia, iv. pl. 38. |
| — lathami | Europe, ii. pl. 118. |
| — pectoralis | Icones Avium, pl. 4; Asia, iv. pl. 39. |
| — tschebaiewi | Asia, iv. pl. 40. |
| Callipepla californica | Odontoph. pl. 16. |
| —— elegans | Odontoph. pl. 18. |
| gambelli | Odontoph. pl. 17. |

| Callipepla picta | | | Odontoph. pl. 15. |
|------------------------------|---|--|---|
| squamata | | | Odontoph. pl. 19. |
| Callipharus nigriventris | | | Humming B., Suppl. pl. 54. |
| Calliphlox amethystina | | | Humming B. iii. pl. 159. |
| — mitchelli | | | Humming B. iii. pl. 160. |
| Callocephalum galeatum . | | | Australia, v. pl. 14; Handb. ii. p. 29. |
| callopterus, Aprosmictus . | | | New Guinea, v. pl. 9. |
| Calobates sulphurea | | | Gt. Brit. iii. pls. 6, 7. |
| Calodera maculata | | | Synopsis, part i.; Australia, pt. i. |
| | | | (cancelled) pl. 3. |
| — nuchalis | | | Synopsis, part i. |
| —, Spotted | | | Australia, pt. i. (cancelled) pl. 3. |
| calolæma, Oreopyra | , | | Humming B., Suppl. pl. 6. |
| Calophasis ellioti | | | Asia, vii. pl. 23. |
| Calopsitta novæ-hollandiæ . | | | Handb. ii. p. 84. |
| Calornis crassa | | | New Guinea, iv. pl. 15. |
| — feadensis | | | New Guinea, iv. pl. 14. |
| — gularis | | | New Guinea, iv. pl. 13. |
| —— metallica | | | Handb. i. p. 477. |
| , 1 | | | Humming B., Suppl. pl. 91. |
| Calothorax calliope | | | Humming B. iii. pl. 142. |
| cyanopogon | | | Humming B. iii. pl. 143. |
| —— decoratus | | | Humming B. iii. pl. 146. |
| fanny | | | Humming B. iii. pl. 151. |
| — heliodori | | | Humming B. iii. pl. 147. |
| J | | | Humming B. iii. pl. 150. |
| | | | Humming B. iii. pl. 148. |
| — mulsanti | | | Humming B. iii. pl. 145. |
| | | | Humming B. iii. pl. 144. |
| — rosæ | | | Humming B. iii. pl. 149. |
| yarrelli | | | Humming B. iii. pl. 152. |
| calthorpæ, Palæornis . . | | | Asia, vi. pl. 1. |
| calura, Phascogale | | | Mamm. Austr. i. pl. 32. |
| calvus, Otogyps | | | Asia, i. pl. 1. |
| Calypte annæ | | | Humming B. iii. pl. 135. |
| costæ | | | Humming B. iii. pl. 134. |
| helenæ | | | Humming B. iii. pl. 136. |
| Calyptorhynchus banksii | | | Australia, v. pl. 7; Handb. ii. p. 13. |
| | | | |

| Calyptorhynchus baudinii | | Australia, v. pl. 13; Handb. ii. p. 25. |
|-----------------------------|------|--|
| — funereus | | Australia, v. pl. 11; Handb. ii. p. 20. |
| —— leachii | | Australia, v. pl. 10; Handb. ii. p. 18. |
| macrorhynchus | | Australia, v. pl. 8; Handb. ii. p. 15. |
| naso | | Australia, v. pl. 9; Handb. ii. p. 17. |
| — xanthonotus | | Synopsis, part iv.; Australia, v. pl. 12; |
| | | Handb. ii. p. 22. |
| Campephaga, Black-and-Wh | aite | Australia, ii. pl. 62; Handb. i. p. 203. |
| —, Blue-grey | | New Guinea, ii. pl. 3. |
| — humeralis | | Australia, ii. pl. 63; Handb. i. p. 204. |
| , Jardine's | | Australia, ii. pl. 60; Handb. i. p. 200. |
| —— jardinii | | Australia, ii. pl. 60; Handb. i. p. 200. |
| — karu | | Australia, ii. pl. 61; Handb. i. p. 202. |
| — leucomela | | Australia, ii. pl. 62; Handb. i. p. 203. |
| —, Northern | | Australia, ii. pl. 61; Handb. i. p. 202. |
| — strenua | | New Guinea, ii. pl. 3. |
| , White-shouldered | | Australia, ii. pl. 63; Handb. i. p. 204. |
| campestris, Anthus | | Europe, ii. pl. 137; Gt. Brit. iii. pl. 9. |
| —, Bettongia | | Mamm. Austr. ii. pl. 66. |
| —, Calamanthus | | Australia, iii. pl. 71; Handb. i. p. 389. |
| Campylopterus cuvieri | | Humming B. ii. pl. 52. |
| —— delattrei | | Humming B. ii. pl. 45. |
| — ensipennis | | Humming B. ii. pl. 46. |
| — hyperythrus | | Humming B. ii. pl. 51. |
| —— latipennis | | Humming B. ii. pl. 48. |
| —— lazulus | | Humming B. ii. pl. 44. |
| — obscurus | | Humming B. ii. pl. 49. |
| — pampa | | Humming B. ii. pl. 43. |
| — phainopeplus | | Humming B., Suppl. pl. 3. |
| — roberti | | Humming B. ii. pl. 53. |
| — rufus | | Humming B. ii. pl. 50. |
| — villavicencio | | Humming B. ii. pl. 47. |
| camtschatkensis, Calliope . | | Asia, iv. pl. 38. |
| candicans, Falco | | Gt. Brit. i. pls. 13, 14, 15. |
| candida, Gygis | | Australia, vii. pl. 30; Handb. ii. p. 405. |
| —, Strix | | Australia, Suppl. pl. 1; Asia, i. pl. 18. |
| candidus, Himantopus | | Gt. Brit. iv. pl. 34. |
| —, Thaumatias | | Humming B. v. pl. 292. |
| | | |

| canescens, Glottis | | Gt. Brit. iv. pl. 53. |
|---------------------------|--|--|
| —, Linaria | | Europe, iii. pl. 193. |
| canicapillus, Iyngipicus | | Asia, vi. pl. 27. |
| caniceps, Carduelis | | Cent. pl. 33, fig. 1. |
| —, Emberiza | | Asia, v. pl. 6. |
| , Palæornis | | Asia, vi. pl. 5. |
| canifrons, Spizixos | | Asia, iii. pl. 9. |
| canina, Phalangista | | Mamm. Austr. i. pl. 17. |
| Canis dingo | | Mamm. Austr. iii. pls. 51, 52. |
| 4 4 60 3 | | Humming B. v. pl. 351. |
| Canivet's Emerald | | Humming B. v. pl. 351. |
| cannabina, Linaria | | Europe, iii. pl. 191. |
| —, Linota | | Gt. Brit. iii. pl. 49. |
| canoroides, Cuculus | | Handb. i. p. 614. |
| canorus, Cuculus | | Europe, iii. pl. 240; Gt. Brit. iii. |
| • | | pls. 67, 68. |
| —, Haliaetus | | Synopsis, part iii. |
| cantiaca, Actochelidon . | | Gt. Brit. v. pl .69. |
| —, Sterna | | Europe, v. pl. 415. |
| cantianus, Ægialophilus . | | Gt. Brit. iv. pl. 40. |
| —, Charadrius | | Europe, iv. pl. 298. |
| cantillans, Cincloramphus | | Australia, iii. pl. 75; Handb. i. p. 395. |
| Canton Pericrocotus | | Asia, ii. pl. 4. |
| cantonensis, Pericrocotus | | Asia, ii. pl. 4. |
| canus, Ægialitis | | Synopsis, part iv. App. p. 6. |
| ——, Larus | | Europe, v. pl. 437; Gt. Brit. v. pl. 60. |
| canutus, Calidris | | Europe, iv. pl. 324. |
| —, Tringa | | Europe, iv. pl. 324; Gt. Brit. iv. |
| | | pl. 65; Handb. ii, p. 259. |
| Cape Petrel | | Australia, vii. pl. 53; Handb. ii. p. 469. |
| capensis, Daption | | Australia, vii. pl. 53; Handb. ii. p. 469. |
| Capercailzie | | Europe, iv. pl. 248; Gt. Brit. iv. pl. 5. |
| capistrata, Saxicola | | Asia, iv. pl. 28. |
| capito, Eopsaltria | | Australia, Suppl. pl. 17; Handb. i. |
| | | p. 297. |
| Caprimulgus europæus . | | Europe, ii. pl. 51; Gt. Brit. ii. pl. 1. |
| — macrurus | | Australia, ii. pl. 9; Handb. i. p. 100. |
| — mahrattensis | | Asia, i. pl. 19. |
| | | |

| Caprimulgus ruficollis | | | Europe, ii. pl. 52; Gt. Brit. ii. pl. 2. |
|-----------------------------|---|---|--|
| Capueira Partridge | | | Odontoph. pl. 26. |
| Caraccas Partridge | | | Odontoph. pl. 30. |
| carbo, Phalacrocorax | | | Europe, v. pl. 407; Gt. Brit. v. pl. 52. |
| —, Uria | | | Asia, vii. pl. 71. |
| carboides, Phalacrocorax . | | | Synopsis, part iv.; Australia, vii. pl. 66. |
| Carcineutes amabilis | | | Asia, i. pl. 50. |
| — melanops | | | Asia, i. pl. 49. |
| — pulchellus | | | Asia, i. pl. 48. |
| Carduelis caniceps | | | Cent. pl. 33, fig. 1. |
| — citrinella | | | Europe, iii. pl. 198. |
| —— elegans | | | Europe, iii. pl. 196; Gt. Brit. iii. pl. 36. |
| — orientalis | | | Asia, v. pl. 17. |
| — spinoides | | | Cent. pl. 33. fig. 2. |
| — spinus | | | Europe, iii. pl. 197. |
| Carib, Grass-green-breasted | | | Humming B. ii. pl. 84. |
| ——, Green-breasted | | | Humming B. ii. pl. 83. |
| —, Purple-breasted | | | Humming B. ii. pl. 82. |
| carinata, Monarcha | | | Synopsis, part ii.; Australia, ii. pl. 95; |
| | | | Handb. i. p. 262. |
| Carinated Flycatcher | | | Australia, ii. pl. 95; Handb. i. p. 262. |
| carinatus, Rhamphastos | | | Toucans, (1) pl. 7, (2) pl. 2. |
| carneipes, Nectris | | | Handb. ii. p. 465. |
| —, Mycerobas | | | Asia, v. p. 21. |
| ——, Puffinus | | | Australia, vii. pl. 57. |
| caroli, Cometes | | | Humming B. iii. pl. 177. |
| carolinæ, Tanysiptera | | | New Guinea, iv. pl. 47. |
| Carphibis spinicollis | | | Handb. ii. p. 282. |
| Carpodacus erythrinus | | | Europe, iii. pl. 206; Gt. Brit. iii. pl. 43. |
| rhodochlamys | | | Asia, v. pl. 26. |
| — rhodochrous | | | Cent. pl. 31. fig. 2. |
| — rhodopeplus | | | Cent. pl. 31. fig. 1. |
| — roseus | | | Asia, v. pl. 33. |
| — rubicilla | | | Asia, v. pl. 25. |
| Carpophaga assimilis | | • | Australia, Suppl. pl. 67. |
| — finschii | | | New Guinea, v. pl. 65. |
| — leucomela | | | Australia, v. pl. 59. |
| — luctuosa | • | | Australia, v. pl. 60. |

| Carpophaga magnifica | | | Australia, v. pl. 58. |
|------------------------------|----|---|--|
| — rubricera | | | New Guinea, v. pl. 63. |
| subflavescens | | | New Guinea, v. pl. 66. |
| | | | New Guinea, v. pl. 64. |
| Carrion-Crow | | | Europe, iii. pl. 221; Gt. Brit. iii. pl. 58. |
| carunculata, Anthochæra . | | • | Synopsis, part i.; Australia, iv. pl. 55; Handb. i. p. 538. |
| ——, Paradigalla | | | New Guinea, i. pl. 16. |
| caryocatactes, Nucifraga | | | Europe, iii. pl. 213; Gt. Brit. iii. pl. 65. |
| Casarca rutila | | | Gt. Brit. v. pl. 12. |
| — tadornoides | | | Australia, vii. pl. 7; Handb. ii. p. 361. |
| Cashmerian Water-Ouzel . | | | Asia, iv. pl. 25. |
| cashmiriensis, Cinclus | | | Asia, iv. pl. 25. |
| caspia, Hydroprogne | | | Gt. Brit. v. pl. 68. |
| —, Sterna | | | Europe, v. pl. 414. |
| —, Sylochelidon | | | Handb. ii. p. 392. |
| Caspian Snow-Partridge | | | Asia, vii. pl. 29. |
| — Tern | | | Europe, v. pl. 414; Gt. Brit. v. pl. 68; |
| | | | Handb. ii. p. 392. |
| caspius, Tetraogallus | | | Asia, vii. pl. 29. |
| cassidix, Ptilosis | | | Australia, Suppl. pl. 39. |
| Cassowary, Australian | | | Australia, Suppl. pls. 70, 71; Handb. |
| | | | ii. p. 206. |
| —, Bennett's | | | Australia, Suppl. pls. 72, 73. |
| , One-carunculated | | | Australia, Suppl. pls. 74, 75. |
| —, Painted-throated | | | New Guinea, v. pl. 74. |
| —, Two-wattled | | | New Guinea, v. pl. 73. |
| —, Westermann's | | | New Guinea, v. pl. 75. |
| castanea, Merula | | | Asia, iii. pl. 5. |
| ——, Pucrasia | | | Asia, vii. pl. 27. |
| castaneicaudatus, Lobiophasi | s. | | Asia, vii. pl. 12. |
| castaneiceps, Ixulus | | | Asia, iv. pl. 11. |
| —, Sittiparus | | | Asia, iv. pl. 11. |
| castaneiventris, Adelomyia. | | | Humming B. iii. pl. 203. |
| ——, Amazilia | | | Humming B. v. pl. 310. |
| —, Cacomantis | | | Australia, Suppl. pl. 55. |
| —, Eulabeornis | | | Australia, vi. pl. 78; Handb. ii. p. 338. |
| TD. | | | |

—, Parus Asia, ii. pl. 49.

| | N C ' ' 1 77 |
|-----------------------------------|---|
| castaneiventris, Pomarea | New Guinea, ii. pl. 57. |
| —, Sitta | Asia, ii. pl. 45. |
| castaneo-coronata, Oligura | Asia, iv. pl. 2. |
| —, Tesia | Asia, iv. pl. 2. |
| castaneonotum, Cinclosoma | Handb. i. p. 435. |
| castaneorhynchus, Aulacorhamphus. | |
| castaneothorax, Amadina | Synopsis, part ii. |
| —, Cinclosoma | Australia, Suppl. pl. 32; Handb. i. p. 438. |
| —, Donacola | Australia, iii. pl. 94; Handb. i. p. 426. |
| Castaneous Duck | Europe, v. pl. 368. |
| castaneus, Ortyx | Odontoph. pl. 3. |
| castanonotus, Eupetes | New Guinea, iii. pl. 3. |
| castanops, Strix | Synopsis, part iii.; Australia, i. pl. 28; |
| outling population in the second | Handb. i. p. 62. |
| castanotis, Amadina | Synopsis, part i.; Australia, pt. ii. (cancelled) pl. 5, iii. pl. 87. |
| —, Chœropus | Mamm. Austr. i. pl. 6. |
| —, Pteroglossus | Toucans, (1) pl. 13, (2) pl. 19. |
| —, Tæniopygia | Handb. i. p. 419. |
| castanotus, Cinclosoma | Australia, iv. pl. 5. |
| —, Hemipodius | Australia, v. pl. 85. |
| —, Turnix | Handb. ii. p. 183. |
| castelneaui, Aglæactis | Humming B. iii. pl. 180. |
| Castelneau's Sunbeam | Humming B. iii. pl. 180. |
| castor, Mergus | Gt. Brit. v. pl. 34. |
| castus, Piezorhynchus | New Guinea, ii. pl. 47. |
| Casuarius australis | Australia, Suppl. pls. 70, 71; Handb. |
| — bennetti | ii. p. 206. Australia, Suppl. pls. 72, 73; Handb. |
| | ii. p. 561. |
| — bicarunculatus | New Guinea, v. pl. 73. |
| — picticollis | New Guinea, v. pl. 74. |
| — uniappendiculatus | Australia, Suppl. pls. 74, 75. |
| — westermanni | New Guinea, v. pl. 75. |
| catarractes, Chrysocoma | Handb. ii. p. 517. |
| | 11anuo. n. p. 917. |

I

| catarrhactes, Lestris | Europe, v. pl. 439. |
|------------------------------------|--|
| —, Stercorarius | Gt. Brit. v. pl. 78; Handb. ii. p. 389. |
| Cat-bird | Australia, iv. pl. 11; Handb. i. p. 446. |
| , Arfak | New Guinea, i. pl. 40. |
| —, Barbet-like | New Guinea, i. pl. 41. |
| —, Black-cheeked | New Guinea, i. pl. 39. |
| —, Black-naped | New Guinea, i. pl. 42. |
| —, Queensland | New Guinea, i. pl. 38. |
| —, Stone's | New Guinea, i. pl. 37. |
| Caterpiller-catcher, Black-browed. | New Guinea, ii. pl. 9. |
| Catharma orthura | Humming B., Suppl. p. 43. |
| Catreus wallichii | Cent. pl. 67; Asia, vii. pl. 18. |
| Caucasian Grosbeak | Asia, v. pl. 25. |
| caudacuta, Acanthylis | Australia, ii. pl. 10. |
| —, Chætura | Handb. i. p. 103. |
| —, Dafila | Europe, v. pl. 365. |
| caudata, Acredula | Gt. Brit. ii. pls. 28, 29. |
| ——, Mecistura | Gt. Brit. ii. pls. 28, 29. |
| —, Pica | Gt. Brit. iii. pl. 63; Europe, iii. pl. 216. |
| caudatus, Parus | Europe, iii. pl. 157. |
| caumatonota, Aglæactis | Humming B., Suppl. pl. 47. |
| cauta, Diomedea | Australia, vii. pl. 40; Handb. ii. p. 434. |
| —, Hylacola | Australia, iii. pl. 40; Handb. i. p. 347. |
| Cautious Albatros | Australia, vii. pl. 40. |
| — Hylacola | Handb. i. p. 347. |
| — Wren | Australia, iii. pl. 40. |
| cavatus, Buceros | Cent. pl. 44. |
| Cawnpore Pericrocotus | Asia, ii. pl. 6. |
| Cayenne Araçari | Toucans, (1) pl. 12, (2) pl. 15. |
| — Fairy | Humming B. iv. pl. 213. |
| — Hermit | Humming B. i. pl. 17. |
| — Wood-Nymph | Humming B. ii. pl. 101. |
| Cazique, Blue-throated | Humming B. ii. pl. 60. |
| , Green-throated | Humming B. ii. pl. 63. |
| —, Henry de Lattre's | Humming B. ii. pl. 62. |
| Ceblepyris humeralis | Synopsis, part iv. App. p. 2. |
| Cecropis daurica | Asia, i. pl. 28. |
| erythropygia | Asia, i. pl. 29. |

| Cecropis hyperythra | Asia, i. pl. 30. |
|---------------------------|---|
| — rufula | Asia, i. pl. 27. |
| Celebean Elanus | Asia, i. pl. 12. |
| —— Pitta | New Guinea, iv. pl. 34. |
| celebensis, Pitta | New Guinea, iv. pl. 34. |
| Celestial Grandala | Asia, iv. pl. 35. |
| cenchroides, Tinnunculus | Australia, i. pl. 13; Handb. i. p. 35. |
| Centrophanes lapponica | Gt. Brit. iii. pl. 30. |
| Centropus macrurus | Australia, i. Introd. p. lxi, iv. text to |
| • | pl. 92; Handb. i. p. 636. |
| — melanurus | Australia, i. Introd. p. lxi, iv. text to |
| | pl. 92; Handb. i. p. 636. |
| — phasianus | Australia, iv. pl. 92; Handb. i. p. 634. |
| Cephalepis delalandi | Humming B. iv. pl. 208. |
| loddigesi | Humming B. iv. pl. 209. |
| cephalus, Phaethornis | Humming B. i. pl. 19. |
| Cereopsis Goose | Australia, vii. pl. 1; Handb. ii. p. 350. |
| novæ-hollandiæ | Australia, vii. pl. 1; Handb. ii. p. 350. |
| Ceriornis blythi | Asia, vii. pl. 47. |
| caboti | Asia, vii. pl. 48. |
| —— hastingsii | Cent. pls. 63, 64, 65. |
| — melanocephala | Asia, vii. pl. 45. |
| | Cent. pl. 62; Asia, vii. pl. 49. |
| temmincki | Asia, vii. pl. 46. |
| Certhia familiaris | Europe, iii. pl. 237; Gt. Brit. ii. pl. 64. |
| — himalayana | Asia, iv. pl. 58. |
| — nipalensis | Asia, iv. pl. 57. |
| Certhilauda bifasciata | Europe, iii. pl. 168. |
| certhiola, Locustella | Europe, ii. pl. 105. |
| cervicalis, Cyclopsitta | New Guinea, v. pl. 2. |
| —, Otidiphaps | New Guinea, v. pl. 61. |
| cervina, Adelomyia | Humming B., Suppl. pl. 46. |
| —, Dacelo | Australia, pt. ii. (cancelled) pl. 2, |
| | ii. pl. 20; Handb. i. p. 125. |
| cervinicauda, Drepanornis | New Guinea, i. pl. 10. |
| ——, Myiagra | New Guinea, ii. pl. 35. |
| ——, Threnetes | Humming B. i. pl. 14. |
| cerviniceps, Lyncornis | Icones Avium, pl. 14. |

| cervinipes, Mus | Mamm. Austr. iii. pl. 14. |
|------------------------------|---|
| cerviniventris, Amazilia | Humming B. v. pl. 309. |
| —, Chlamydera | Australia, Suppl. pl. 36. |
| —, Chlamydodera | Handb. i. p. 454. |
| —, Petroica | Australia, Suppl. pl. 15; Handb. i. p. 288. |
| , Pœcilodryas | Australia, Suppl. pl. 15; Handb. i. p. 288. |
| ——, Rectes | New Guinea, i. pl. 53. |
| cervinus, Anthus | Europe, ii. pl. 140; Asia, iv. pl. 66; Gt. Brit. iii. pl. 12. |
| —, Hapalotis | Mamm. Austr. iii. pl. 10. |
| —, Rhinolophus | Mamm. Austr. iii. pl. 34. |
| —, Synoicus | Handb. ii. p. 195. |
| Ceryle guttatus | Cent. pl. 5. |
| cettii, Salicaria | Europe, ii. pl. 114. |
| Cetti's Warbler | Europe, ii. pl. 114. |
| Ceylon Spur-fowl | Asia, vi. pl. 67. |
| Ceylonese Mosque Swallow | Asia, i. pl. 30. |
| — Pigmy Woodpecker | Asia, vi. pl. 32. |
| — Sun-bird | Asia, ii. pl. 24. |
| Ceyx gentiana | New Guinea, iv. pl. 46. |
| — solitaria | New Guinea, iv. pl. 45. |
| Chætocercus bombus | Humming B., Suppl. pl. 32. |
| Chætorhynchus papuensis | New Guinea, i. pl. 50. |
| Chætura caudacuta | Handb. i. p. 103. |
| macroptera | Australia, pt. ii. (cancelled) pl. 1. |
| Chaffinch | Europe, iii. pl. 187; Gt. Brit. iii. pl. 34. |
| Chalcites hodgsoni | Asia, vi. pl. 46. |
| | New Guinea, iv. pl. 43. |
| —— osculans | Australia, iv. pl. 88. |
| — xanthorhynchus | Asia, vi pl. 47. |
| Chalcophaps chrysochlora | Australia, v. pl. 62; Handb. ii. p. 118. |
| longirostris | Handb. ii. p. 119. |
| Chalcophasis sclateri | Asia, vii. pl. 55. |
| Chalcopsittacus scintillatus | New Guinea, v. pl. 38. |
| chalcoptera, Peristera | Australia, v. pl. 64. |
| | |

| chalcoptera, Phaps . | | | | | Handb. ii. p. 122. |
|---------------------------------------|---|---|---|---|--|
| chalybea, Manucodia . | | | | | New Guinea, i. pl. 34. |
| chalybeus, Lophornis. | | | | | Humming B. iii. pl. 124. |
| Chalybura isauræ | | | | | Humming B., Suppl. p. 13. |
| Channel-bill | | | | | Australia, iv. pl. 90; Handb. i. p. 628. |
| Charadrius cantianus. | | | | | Europe, iv. pl. 298; Gt. Brit. iv. pl. 40. |
| hiaticula | | | | | Europe, iv. pl. 296; Gt. Brit. iv. pl. 41. |
| minor | | | | | Europe, iv. pl. 297; Gt. Brit. iv. pl. 42. |
| — morinellus | | | | | Europe, iv. pl. 295; Gt. Brit. iv. pl. 43. |
| — orientalis | | | | | Handb. ii. p. 225. |
| — pluvialis | | | | | Europe, iv. pl. 294; Gt. Brit. iv. |
| 1 | | | | | pls. 38, 39. |
| — pyrrhothorax . | | | | | Europe, iv. pl. 299. |
| veredus | | | | | Australia, vi. pl. 14. |
| — xanthocheilus . | | | | | Australia, vi. pl. 13. |
| Charles's Comet | | | | | Humming B. iii. pl. 177. |
| Charmosyna josephinæ | | | | · | New Guinea, v. pl. 12. |
| — margaritæ | | | Ċ | • | New Guinea, v. pl. 11. |
| — papuensis | | | | • | New Guinea, v. pl. 14. |
| — pulchella | | | | • | New Guinea, v. pl. 13. |
| stellæ | | | | • | New Guinea, v. pl. 15. |
| Chat, Black | | | | • | Europe, ii. pl. 88. |
| —, Black-eared | | | | • | Europe, ii. pl. 92. |
| —, Black-throated . | | | | • | Asia, iv. pl. 31. |
| · · · · · · · · · · · · · · · · · · · | | | • | ٠ | Asia, iv. pl. 29. |
| —, — Bush | | | • | • | Asia, iv. pl. 20. |
| —, Furze | | | ٠ | | Gt. Brit. ii. pl. 47. |
| * | ٠ | | • | • | Asia, iv. pl. 28. |
| , , (T | | | • | • | |
| —, Indian Furze . | | | | • | Asia, iv. pl. 34. |
| —, Mountain | | | | ٠ | Asia, iv. pl. 30. |
| —, Pied | | | ٠ | ٠ | Asia, iv. pl. 26; Europe, ii. pl. 89. |
| , Russet | • | • | | ٠ | Europe, ii. pl. 91. |
| —, Stone | | | | • | Europe, ii. pl. 94; Gt. Brit. ii. pl. 47. |
| —, Whin | | | ٠ | | Europe, ii. pl. 93; Gt. Brit. ii. |
| | | | | | pl. 46. |
| —, White-tailed . | | | | | Asia, iv. pl. 27. |
| —, — Bush | | | | | Asia, iv. pl. 33. |
| Chat-like Flycatcher . | • | | | | New Guinea, ii. pl. 16. |
| | | | | | |

| Chat-Thrush, Slender-billed | Asia, iii. pl. 30. |
|------------------------------|---|
| —, White-bellied | Asia, iii. pl. 29. |
| Chatterer, Waxen | Europe, iii. pl. 160; Gt. Brit. ii. |
| , | pl. 21. |
| Chaulelasmus strepera | Gt. Brit. v. pl. 19. |
| Chauliodes strepera | Europe, v. pl. 366. |
| cheela, Spilornis | Cent. pl. 1. |
| Cheer Pheasant | Asia, vii. pl. 18. |
| Chelidon urbica | Gt. Brit. ii. pl. 6. |
| Chenalopex ægyptiaca | Europe, v. pl. 353. |
| Chenopis atrata | Handb. ii. p. 346. |
| Chequered Violet-ear | Humming B. iv. pl. 226. |
| Cheramœca leucosterna | Handb. i. p. 115. |
| Chestnut-backed Eupetes | New Guinea, iii. pl. 3. |
| — Ground-Thrush | Australia, iv. pl. 5; Handb. i. p. 435. |
| - Hemipode | Australia, v. pl. 85. |
| — Turnix | Handb. ii. p. 183. |
| Chestnut-bellied Adelomyia | Humming B. iii, pl. 203. |
| —— Amazili | Humming B. v. pl. 310. |
| —— Dial-bird | Asia, iii. pl. 26. |
| — Flycatcher | New Guinea, ii. pl. 57. |
| — Nuthatch | Asia, ii. pl. 45. |
| —— Rail | Australia, vi. pl. 78; Handb. ii. p. 338. |
| — Rock-Thrush | Asia, iii. pl. 8. |
| —— 'Tit | Asia, ii. pl. 49. |
| Chestnut-billed Groove-bill. | Toucans, (2) pl. 44. |
| Chestnut-breasted Cuckoo . | Australia, Suppl. pl. 55. |
| — Duck | Australia, vii. pl. 11. |
| — Finch | Australia, iii. pl. 94; Handb. i. p. 426. |
| — Ground-Thrush | Australia, Suppl. pl. 32; Handb. i. p. 438. |
| — Tit | Asia, ii. pl. 68. |
| — Xerophila | |
| Chestnut-coloured Merula . | Asia, iii. pl. 5. |
| —— Partridge | |
| — Shieldrake | |
| Chestnut-crowned Pomatorhin | |
| | р. 484. |

| Chestnut-crowned Tesia | Asia, iv. pl. 2. |
|----------------------------------|--|
| Chestnut-eared Amaduvade | Australia, pt. ii. (cancelled) pl. 5. |
| — Araçari | Toucans, (1) pl. 13, (2) pl. 19. |
| — Chœropus | Mamm. Austr. i. pl. 6. |
| — Finch | Australia, iii. pl. 87; Handb. i. p. 419. |
| Chestnut-faced Owl | Australia, i. pl. 28; Handb. i. p. 62. |
| Chestnut-headed Ixulus | Asia, iv. pl. 11. |
| Chestnut-rumped Acanthiza | Handb. i. p. 367. |
| — Warbler | Australia, iii. pl. 56. |
| Chestnut-shouldered Grass-Parra- | |
| keet | Australia, v. pl. 41; Handb. ii. p. 77. |
| Chestnut-sided Zosterops | Asia, ii. pl. 35. |
| Chestnut-tailed Lobed Pheasant . | Asia, vii. pl. 12. |
| Chibia bracteata | Australia, ii. pl. 82; Handb. i. p. 235. |
| chicquera, Falco | Cent. pl. 2. |
| Chiff-chaff | Europe, ii. pl. 131. fig. 2; Gt. Brit. ii. |
| | pl. 66. |
| , Siberian | Asia, iv. pl. 59. |
| Chilian Fire-crown | Humming B. iv. pl. 265. |
| Chimarrhornis leucocephala | Cent. pl. 26. fig. 2. |
| Chimborazian Hill-Star | Humming B. ii. pl. 68. |
| chimborazo, Oreotrochilus | Humming B. ii. pl. 68. |
| Chimney Swallow | Europe, ii. pl. 54. |
| chinensis, Cissa | Asia, v. pl. 54. |
| —, Enicurus | Asia, iv. pl. 70. |
| —, Excalfactoria | Asia, vii. pl. 6. |
| , Garrulax | Asia, iii. pl. 54. |
| —, Henicurus | Asia, iv. pl. 70. |
| , Oriolus | Asia, ii. pl. 72. |
| , Synoicus | Australia, v. pl. 92. |
| Chinese Blue Pie | Asia, v. pl. 48. |
| —— Bulbul | Asia, iii. pl. 11. |
| Crested Bulbul | , 1 |
| — Crossoptilon | , 1 |
| — Forktail | Asia, iv. pl. 70. |
| — Garrulax | Asia, iii. pl. 54. |
| — Jacana | reality for the second |
| —— Penduline Tit | Asia, ii. pl. 70. |
| | Asia, vii. pl. 24. |
| —— Quail | Asia, vii. pl. 6; Australia, v. pl. 92. |
| | |

| Chinese Rhopophilus | Asia, iv. pl. 3. |
|--------------------------------|--|
| Ring-necked Pheasant | |
| —— Spizixos | 4 4 414 3 40 |
| — Spotted Woodpecker | Asia, vi. pl. 17. |
| — Tit | Asia, ii. pl. 56. |
| chinquis, Polyplectron | Asia, vii. pl. 50. |
| chionogaster, Leucippus | Humming B. v. pl. 290. |
| chionopectus, Thaumatias | Humming B, v. pl. 293. |
| chionurus, Thaumatias | Humming B. v. pl. 300. |
| —, Trogon | Trogons, (2) pl. 22. |
| Chlamydera cerviniventris | Australia, Suppl. pl. 36. |
| — guttata | Australia, Suppl. pl. 35 |
| | Australia, iv. pl. 8. |
| — nuchalis | Australia, iv. pl. 9. |
| Chlamydochen jubata | Handb. ii. p. 354. |
| Chlamydodera cerviniventris | Handb. i. p. 454. |
| guttata | Handb. i. p. 452. |
| | Handb. i. p. 450. |
| —— nuchalis | Handb. i. p. 448. |
| — occipitalis | New Guinea, i. pl. 45. |
| — orientalis | New Guinea, i. pl. 44. |
| chloris, Coccothraustes | Europe, iii. pl. 200. |
| —, Criniger | New Guinea, iii. pl. 2. |
| —, Ligurinus | Gt. Brit. iii. pl. 39. |
| —, Stigmatops | New Guinea, iii. pl. 42. |
| chlorocephala, Eucephala | Humming B. v. pl. 332. |
| chlorocercus, Leucippus | Humming B., Suppl. p. 73. |
| chlorolæmus, Eulampis | Humming B. ii. pl. 84. |
| chlorolepidotus, Trichoglossus | Australia, v. pl. 50; Handb. ii. p. 96. |
| chloronotus, Gerygone | Australia, ii. pl. 102; Handb. i. p. 271. |
| —, Zosterops | Australia, iv. pl. 82. |
| chloropogon, Metallura | Humming B., Suppl. p. 64. |
| chloropsis, Melithreptus | Australia, iv. pl. 73; Handb. i. p. 570. |
| chloropus, Gallinula | Europe, iv. pl. 342; Gt. Brit. iv. pl. 85. |
| chlororhynchos, Diomedea | Australia, pl. 42; Handb. ii. p. 437. |
| chlorospila, Adelomyia | Humming B., Suppl. p. 66. |
| Chlorostilbon aliciæ | Humming B. v. pl. 357. |
| atala , | Humming B. v. pl. 356. |

| Chlorostilbon angustipennis | Humming B. v. pl. 353. |
|---------------------------------|--|
| auriceps | Humming B. v. pl. 350. |
| caniveti | Humming B. v. pl. 351. |
| — hæberlini | Humming B., Suppl. p. 98. |
| — osberti | Humming B. v. pl. 352. |
| — phaethon | Humming B. v. pl. 354. |
| — poortmanni | Humming B. v. pl. 358. |
| — prasinus | Humming B. v. pl. 355. |
| — stuebeli | Humming B., Suppl. p. 99. |
| chlorura, Lesbia | Humming B., Suppl. p. 53. |
| Chocolate Bat | Mamm. Austr. iii. pl. 41. |
| Chœropus castanotis | Mamm. Austr. i. pl. 6. |
| —, Chestnut-eared | Mamm. Austr. i. pl. 6. |
| Choriotis australis | Handb. ii. p. 208. |
| Chough | Europe, iii. pl. 219; Gt. Brit. iii. pl. 62. |
| —, Alpine | Europe, iii. pl. 218. |
| —, White-winged | Australia, iv. pl. 16; Handb. i. p. 470. |
| christophori, Pachycephala | New Guinea, iii. pl. 23. |
| Chroicocephalus philadelphia | Gt. Brit. v. pl. 65. |
| ridibundus | Gt. Brit. v. pl. 64. |
| chrysaetus, Aquila | Europe, i. pl. 6; Gt. Brit. i. pl. 2. |
| Chrysobronchus virescens | Humming B. iv. pl. 230. |
| viridicaudus | Humming B. iv. pl. 231. |
| chrysocephalus, Sericulus | Australia, iv. pl. 12. |
| chrysochlora, Chalcophaps | Australia, v. pl. 62; Handb. ii. p. 115. |
| Chrysococcyx lucidus | Australia, iv. pl. 89. |
| — minutillus | Australia, Suppl. pl. 56. |
| Chrysocolaptes xanthocephalus . | Asia, vi. pl. 37. |
| Chrysocoma catarractes | Handb. ii. p. 517. |
| chrysocome, Eudyptes | Australia, vii. pl. 83. |
| chrysogaster, Hydromys | Mamm. Austr. iii. pl. 24. |
| chrysogastra, Pseudogerygone | New Guinea, ii. pl. 13. |
| Chrysolampis moschitus | Humming B. iv. pl. 204. |
| chrysomelas, Phasianus | Asia, vii. pl. 36. |
| Chrysomitris spinoides | Cent. pl. 33. fig. 2. |
| — spinus | Gt. Brit. iii. pl. 37. |
| Chrysophlegma flavinucha | |
| chrysops, Meliphaga | Synopsis, part ii. |
| | |

| chrysops, Ptilotis | Australia, iv. pl. 45; Handb. i. p. 521. |
|----------------------------------|---|
| chrysoptera, Diphyllodes | New Guinea, i. pl. 23. |
| —, Sitella | Synopsis, part iv.; Australia, iv. pl. 101; |
| , | Handb. i. p. 609. |
| chrysopterygius, Psephotus | Australia, Suppl. pl. 64; Handb. ii. p. 65. |
| chrysorama, Eriocnemis | Humming B., Suppl. p. 69. |
| chrysorrhoa, Acanthiza | Synopsis, part iv. |
| chrysorrhœa, Acanthiza | Australia, iii. pl. 63. |
| chrysorrhous, Geobasileus | Handb. i. p. 374. |
| chrysostoma, Euphema | Australia, v. pl. 37; Handb. ii. p. 71. |
| chrysotis, Meliphaga | Synopsis, part i. |
| , Ptilotis | Australia, iv. pl. 32. |
| —, Xanthotis | New Guinea, iii. pl. 51. |
| chrysura, Chrysuronia | Humming B. v. pl. 329. |
| Chrysuronia chrysura | Humming B. v. pl. 329. |
| —— eliciæ | Humming B. v. pl. 328. |
| — liumboldti | Humming B. v. pl. 327. |
| — josephinæ | Humming B. v. pl. 326. |
| — œnone | Humming B. v. pl. 325. |
| Chthonicola, Little | Australia, iii. pl. 72; Handb. i. p. 390. |
| minima | Australia, iii. pl. 72. |
| | Handb. i. p. 390. |
| chukar, Caccabis | Cent. pl. 71. |
| —, Perdix | Cent. pl. 71. |
| cia, Emberiza | Europe, iii. pl. 179. |
| Cichloselys sibiricus | Gt. Brit. ii. pl. 40. |
| Cicinnurus regius | New Guinea, i. pl. 24. |
| Ciconia alba | Europe, iv. pl. 283; Gt. Brit. vi. pl. 30. |
| | Europe, iv. pl. 285. |
| — nigra | Europe, iv. pl. 284; Gt. Brit. iv. pl. 31. |
| Cinclorhamphus, Black-breasted . | Australia, iii. pl. 75; Handb. i. p. 47. |
| —, Brown | Australia, iii. pl. 74; Handb i. p. 394. |
| —— cantillans | Australia, iii. pl. 75; Handb. i. p. 395. |
| —— cruralis | Synopsis, part iv. App. p. 4; Australia, |
| | iii. pl. 74; Handb. i. p. 394. |
| rufescens | Australia, iii. pl. 76. |
| —, Rufous-tinted | Australia, iii. pl. 76. |
| cinclorhyncha, Phænicura | Cent. pl. 19. |

| t 1 1 1 Determinate | | Cent pl 10 |
|------------------------------|---|---|
| cinclorhyncha, Petrocincla | | Cent. pl. 19. Cent. pl. 19. |
| cinclorhynchus, Orocætes | • | New Guinea, iii. pl. 10. |
| Cinclosoma ajax | • | |
| castaneonotum | • | Handb. i. p. 435. |
| castaneothorax | • | Australia, Suppl. pl. 32; Handb. i. p. 438. |
| castanotus | ٠ | Australia, iv. pl. 5. |
| cinnamomeum | | Handb. i. p. 437. |
| — cinnamomeus | | Australia, iv. pl. 6. |
| —, Cinnamon-coloured | | Australia, iv. pl. 6. |
| — erythrocephalum | • | Cent. pl. 17. |
| — ocellatum | ٠ | Cent. pl. 15. |
| — punctatum | ٠ | Australia, iv. pl. 4; Handb. i. p. 433. |
| variegatum | ٠ | Cent. pl. 16. |
| Cinclus aquaticus | | Europe, ii. pl. 83; Gt. Brit. ii. pl. 41. |
| — asiaticus | | Asia, iv. pl. 21. |
| — cashmeriensis | | Asia, iv. pl. 25. |
| —— leucogaster | | Asia, iv. pl. 24. |
| — melanogaster | | Europe, ii. pl. 84; Gt. Brit. ii. pl. 42. |
| —— pallasi | | Cent. pl. 24; Asia, iv. pl. 22. |
| —— pallasii | | Europe, ii. pl. 85. |
| sordidus | | Asia, iv. pl. 23. |
| cinclus, Pelidna | | Gt. Brit. iv. pls. 69, 70. |
| cincta, Amadina | | Synopsis, part ii. |
| —, Poephila | | Australia, iii. pl. 93; Handb. i. p. 425. |
| cinctus, Erythrogonys | | Synopsis, part iv.; Australia, vi. pl. 21; |
| | | Handb. ii. p. 240. |
| cineracea, Myzomela | | New Guinea, iii. pl. 69. |
| —, Pyrrhula | | Asia, v. pl. 40. |
| cineraceum, Trochalopteron . | | Asia, iii. pl. 39. |
| cineraceus, Circus | | Europe, i. pl. 35. |
| —, Cuculus | | Australia, iv. pl. 86. |
| cinerascens, Circus | | Gt. Brit. i. pl. 27. |
| cinerea, Adamastor | | Handb. ii. p. 446. |
| —, Ardea | | Europe, iv. pl. 273; Gt. Brit. iv. pl. 20; |
| | | Handb. ii. p. 295. |
| —, Curruca | | Europe, ii. pl. 125. fig. 1. |
| —, Emberiza | | Asia, v. pl. 8. |
| —, Grus | | Europe, iv. pl. 270; Gt. Brit. iv. pl. 19. |
| , | ٠ | |

| cinerea, Perdix | Europe, iv. pl. 262; Gt. Brit. iv. pl. 13. |
|--------------------------------|---|
| ——, Squatarola | Europe, iv. pl. 290. |
| —, Struthidea | Synopsis, part i.; Australia, iv. pl. 17; Handb. i. p. 472. |
| , Surnia | Europe, i. pl. 42. |
| —, Sylvia | Europe, ii. pl. 125. fig. 1; Gt. Brit. ii. |
| | pl. 57. |
| ——, Terekia | Europe, iv. pl. 307; Australia, vi. pl. 34; |
| | Handb. ii. p. 261. |
| —, Vanga | Synopsis, part i. |
| cinereicauda, Oreopyra | Humming B., Suppl. pl. 7. |
| cinereiceps, Pseudogerygone | New Guinea, ii. pl. 14. |
| cinereifrons, Heteromyias | New Guinea, ii. pl. 15. |
| cinereocapilla, Budytes | Gt. Brit. iii. pl. 5. |
| Cinereous Bullfinch | Asia, v. pl. 40. |
| —— Bunting | Asia, v. pl. 8. |
| — Crow-Shrike | Handb. i. p. 186. |
| ——— Owl, Great | Europe, i. pl. 42. |
| —— Pratincole | Asia, vii. pl. 64. |
| — Shearwater | Europe, v. pl. 445. |
| — Trochalopteron | Asia, iii. pl. 39. |
| — Vulture | Europe, i. pl. 2. |
| cinereus, Anous | Australia, vii. pl. 37. |
| —, Artamus | Australia, ii. pl. 29; Handb. i. p. 147. |
| —, Cracticus | Australia, i. Introd. p. xxxv; Handb. i. |
| | p. 186. |
| —, Parns | Asia, iii. pl. 55. |
| —, Pericrocotus | Asia, ii. pl. 11. |
| —, Phascolarctos | Mamm. Austr. i. pls. 13, 14. |
| —, Puffinus | Europe, v. pl. 445. |
| —, Vultur | Europe, i. pl. 2. |
| cinnamomeiventris, Sitta | Asia, ii. pl. 44. |
| cinnamomeum, Cinclosoma | Australia, iv. pl. 6; Handb. i. p. 437. |
| cinnamominus, Haleyon | Synopsis, part iii. |
| Cinnamon-bellied Nuthatch | Asia, ii. pl. 44. |
| Cinnamon-coloured Cinclosoma . | Australia, iv. pl. 6; Handb. i. p. 437. |
| Cinnamon Fire-crown | Humming B. iv. pl. 267; Suppl. pl. 36. |
| Cinnyris gouldiæ | Cent. pl. 56. |
| - | |

| Cinnyris maforensis . | | | | New Guinea, iii. pl. 30. |
|---------------------------|----|---|--|--|
| mysorensis | | | | New Guinea, iii. pl. 31. |
| sangirensis | | | | New Guinea, iii. pl. 32. |
| Circaëtus brachydactyl | us | | | Europe, i. pl. 13. |
| Circe doubledayi | | | | Humming B. v. pl. 339. |
| — latirostris | | | | Humming B. v. pl. 338. |
| circia, Querquedula . | | | | Europe, v. pl. 364; Gt. Brit. v. pl. 17. |
| Circus æruginosus . | | | | Europe, i. pl. 32; Gt. Brit. i. pls. 24, 25. |
| — assimilis | | | | Australia, i. pl. 26; Handb. i. p. 58. |
| - cineraceus | | | | Europe, i. pl. 35. |
| cinerascens | | | | Gt. Brit. i. pl. 27. |
| cyaneus | | | | Europe, i. pl. 33; Gt. Brit. i. pl. 26. |
| — jardinii | | | | Synopsis, part iii.; Australia, i. pl. 27; |
| · | | | | Handb. i. p. 60. |
| — pallidus | | | | Europe, i. pl. 34. |
| — rufus | | | | Europe, i. pl. 32. |
| Cirl Bunting | | | | Europe, iii. pl. 175; Gt. Brit. iii. pl. 23. |
| cirlus, Emberiza | | | | Europe, iii. pl. 175; Gt. Brit. iii. pl. 23. |
| Cirrepidesmus asiaticus | | | | Handb. ii. p. 229. |
| cirrhochloris, Aphantoe | | | | Humming B. ii. pl. 54. |
| cisalpina, Pyrgita | | | | Europe, iii. pl. 185. fig. 2. |
| cisalpinus, Passer | | | | Europe, iii. pl. 185. fig. 2. |
| Cissa, Hunting | | | | Asia, v. pl. 54. |
| pyrrhocyanea . | | | | Asia, v. pl. 53. |
| , Red-and-Blue . | | | | Asia, v. pl. 53. |
| venatoria | | | | Asia, v. pl. 54. |
| Cisticola exilis | | | | Australia, iii. pl. 42; Handb. i. p. 350. |
| —— isura | | | | Australia, iii. pl. 44; Handb. i. p. 352. |
| —— lineocapilla | | | | Australia, iii. pl. 43; Handb. i. p. 351. |
| — magna | | | | Australia, iii. pl. 41; Handb. i. p. 349. |
| — ruficeps | | | | Australia, iii. pl. 45; Handb. i. p. 353. |
| cisticola, Salicaria | | | | Europe, ii. pl. 113. |
| Citado Wood-Nymph | | | | Humming B., Suppl. pl. 28. |
| citreogularis, Sericornis | | • | | Synopsis, part iv.; Australia, iii. pl. 46; Handb. i. p. 354. |
| , Tropidorhynchus | | | | Synopsis, part i.; Australia, iv. pl. 60; Handb. i. p. 549. |
| citreola, Motacilla . | | | | Europe, ii. pl. 144. |

| citreolæmus, Rhamphastos . | | Toucans, (2) pl. 9. |
|---------------------------------------|--|--|
| citreoloides, Budytes | | Asia, iv. pl. 64. |
| citreolus, Trogon | | Trogons, (1) pl. 13, (2) pl. 26. |
| citreopygius, Rhamphastos. | | Toucans, (1) pl. 4. |
| Citril Finch | | Europe, iii. pl. 198. |
| citrinella, Carduelis | | Europe, iii. pl. 198. |
| 77 1 | | Europe, iii. pl. 173; Gt. Brit. iii. pl. 22. |
| Citron-breasted Toucan | | Toucans, (2) pl. 9. |
| 601 1 1 1 1 | | Australia, vi. pl. 26; Handb. ii. p. 248. |
| | | Australia, iii. pl. 34; Handb. i. p. 344. |
| Clangula barrovii | | Europe, v. pl. 380. |
| — glaucion | | Gt. Brit. v. pl. 31. |
| | | Europe, v. pl. 381. |
| — vulgaris | | Europe, v. pl. 379. |
| clarissæ, Heliangelus | | Humming B. iv. pl. 242. |
| clathratus, Trogon | | Trogons, (2) pl. 28. |
| clemenciæ, Delattria | | Humming B. ii. pl. 60. |
| Cliff-Swallow, Indian | | Asia, i. pl. 33. |
| Climacteris erythrops | | Australia, iv. pl. 95; Handb. i. p. 602. |
| — leucophæa | | Handb. i. p. 605. |
| | | Handb. i. p. 603. |
| —— melanotus | | Australia, iv. pl. 96. |
| 1 | | Australia, iv. pl. 97; Handb. i. p. 604. |
| — picumnus | | Australia, iv. pl. 98. |
| placens | | New Guinea, iii. pl. 29. |
| — rufa | | Australia, iv. pl. 94; Handb. i. p. 600. |
| scandens | | Australia, iv. pl. 93; Handb. i. p. 598. |
| Clouded Thrush | | Asia, iii. pl. 1. |
| clypeata, Rhynchaspis | | Europe, v. pl. 360. |
| —, Spatula | | Gt. Brit. v. pl. 14; Handb. ii. p. 370. |
| Clytoceyx rex | | New Guinea, iv. pl. 59. |
| Clytolæma aurescens | | Humming B. iv. pl. 250. |
| — rubinea | | Humming B. iv. pl. 249. |
| Coach-whip Bird | | Australia, iii. pl. 15; Handb. i. p. 312. |
| ————————————————————————————————————— | | Australia, iii. pl. 16; Handb. i. p. 314. |
| Coal-black Redstart | | Asia, iv. pl. 37. |
| Coal Tit | | Gt. Brit. ii. pl. 25. |
| coccinea, Pitta | | Asia, v. pl. 68. |
| | | |

| coccineifrons, Cyclopsitta . | | New Guinea, v. pl. 8. |
|--------------------------------|--|---|
| coccineopterus, Ptistes | | Handb. ii. p. 39. |
| Coccothraustes chloris | | Europe, iii. pl. 200. |
| — icteroides | | Cent. pl. 45. |
| — vulgaris | | Europe, iii. pl. 199; Gt. Brit. iii. pl. 40. |
| Coccyzus americanus | | Europe, iii. pl. 242. |
| 0.1.0 | | Asia, ii. pl. 1. |
| —, Purple | | Asia, ii. pl. 2. |
| — purpurea | | Asia, ii. pl. 2. |
| — viridis | | Asia, ii. pl. 1. |
| Cock of the Wood | | Europe, iv. pl. 248; Gt. Brit. iv. pl. 5. |
| O 1 . D 1 . | | Australia, v. pl. 7; Handb. ii. p. 13. |
| D 11 1 | | Australia, v. pl. 13; Handb. ii. p. 25. |
| T01 1 1 | | Australia, v. pl. 3; Handb. ii. p. 6. |
| , Blue-eyed | | New Guinea, v. pl. 45. |
| —, Crested | | Australia, v. pl. 1. |
| —, Ducorps's | | New Guinea, v. pl. 47. |
| —, Funereal | | Australia, v. pl. 11; Handb. ii. p. 20. |
| , Gang-gang | | Australia, v. pl. 14; Handb. ii. p. 29. |
| —, Great-billed Black | | Australia, v. pl. 8; Handb. ii. p. 15. |
| , Great Palm | | Australia, Suppl. pl. 61; Handb. ii. |
| | | p. 27. |
| , Great Sulphur-crested . | | Handb. ii. p. 2. |
| —, Leach's | | Australia, v. pl. 10; Handb. ii. p. 18. |
| —, Leadbeater's | | Australia, v. pl. 2; Handb. ii. p. 5. |
| —, Long-billed | | Australia, v. pl. 5; Handb. ii. p. 11. |
| —, Naked-eyed | | New Guinea, v. pl. 46. |
| —, Rose-breasted | | Australia, v. pl. 4; Handb. ii. p. 8. |
| —, Triton | | New Guinea, v. pl. 44. |
| , Western Black | | Australia, v. pl. 9; Handb. ii. p. 17. |
| —, Western Long-billed | | Handb. ii. p. 12. |
| , Yellow-eared Black | | Australia, v. pl. 12; Handb. ii. p. 22. |
| Cockatoo-Parrakeet | | Australia, v. pl. 45; Handb. ii. p. 84. |
| cockerelli, Ptilotis | | Australia, Suppl. pl. 43. |
| —, Rhipidura | | New Guinea, ii. pl. 28. |
| Cockerell's Fantail Flycatcher | | New Guinea, ii. pl. 28. |
| — Honey-eater | | Australia, Suppl. pl. 43. |
| cœlebs, Fringilla | | Europe, iii. pl. 187 ; Gt. Brit. iii. pl. 34. |
| | | |

| cœlestis, Cynanthus . | | | | | Humming B., Suppl. p. 56. |
|--------------------------|---|---|---|---|---|
| Cœligena hemileuca . | | | | | Humming B., Suppl. pl. 5. |
| — prunelli | | | | | Humming B. iv. pl. 257. |
| — purpurea | | | | | Humming B. iv. pl. 256. |
| — typica | | | | | Humming B. iv. pl. 255. |
| — wilsoni | | | | | Humming B. iv. pl. 258. |
| Cœligene | | | | | Humming B. iv. pl. 255. |
| —, Prunelle's | | | | | Humming B. iv. pl. 257. |
| —, Purple | | | | | Humming B. iv. pl. 256. |
| —, Wilson's | | | | | Humming B. iv. pl. 258. |
| colchicus, Phasianus . | | | | | Europe, iv. pl. 247; Asia, vii. pl. 34 |
| | · | • | · | | Gt. Brit. iv. pl. 12. |
| Cole Tit | | | | | Europe, iii. pl. 155. fig. 1. |
| Colinus virginanus . | | | | • | Odontoph. pl. 1. |
| Collared Araçari | | | | • | Toucans, (2) pl. 20. |
| Crow-Shrike . | | | | • | Handb. i. p. 184. |
| Inca | | | | | Humming B. iv, pl. 251. |
| —— Plain-Wanderer | | | | | Australia, v. pl. 80; Haudb. ii. p. 187 |
| Pratincole | | | | ٠ | Europe, iv. pl. 265. |
| | | | | | Australia, i. pl. 19; Handb. i. p. 45. |
| Trogon | | | | • | Trogons, (1) pl. 5, (2) pl. 13. |
| Wood-Pigeon . | | | | • | Asia, vi. pl. 58. |
| collaris, Halcyon | | | | ٠ | Synopsis, part iii. |
| , Muscicapa | | | | ٠ | Gt. Brit. ii. pl. 18. |
| | | | | • | |
| , Pachycephala . | | | | • | New Guinea, iii. pl. 17. |
| , Strepsilas | | | | • | Europe, iv. pl. 318. |
| Trogon | | • | | • | Trogons, (1) pl. 5, (2) pl. 13. |
| Collocalia arborea | | | | • | Australia, ii. pl. 14. |
| ariel | | | | ٠ | Australia, ii. pl. 15. |
| — terræ reginæ . | | | | | New Guinea, iv. pl. 38. |
| Collurio excubitor . | | | | | Europe, ii. pl. 66. |
| hardwickii | | | | ٠ | Cent. pl. 12. |
| meridionalis . | | | | ٠ | Europe, ii. pl. 67. |
| — minor | | | | | Europe, ii. pl. 68. |
| collurio, Enneoctonus | | | | | |
| —, Lanius | | | | | Europe, ii. pl. 69. |
| Colluriocincla, see also | | | | | |
| ——, Brown | | | | | Australia, ii. pl. 76. |
| | | | | | |

| Colluriocincla brunnea | Australia, ii. pl. 76; Handb. i. p. 223. |
|---------------------------|--|
| —, Buff-bellied | Australia, ii. pl. 75. |
| harmonica | Australia, ii. pl. 74; Handb. i. p. 220. |
| —, Harmonious | Australia, ii. pl. 74. |
| , Little | Australia, ii. pl. 78. |
| — parvula | Australia, ii. pl. 78; Handb. i. p. 225. |
| — rufiventris | Australia, ii. pl. 75; Handb. i. p. 222. |
| — rufogaster | Australia, i. Introd. p. xxxvii; Handb. |
| | i. p. 226. |
| selbii | . Australia, ii. pl. 77; Handb. i. p. 224. |
| , Selby's | Australia, ii. pl. 77. |
| colombianus, Odontophorus | Odontoph. pl. 30. |
| colombica, Thalurania | Humming B. ii. pl. 106. |
| colubris, Trochilus | . Humming B. iii. pl. 131. |
| Columba intermedia | . Asia, vi. pl. 56. |
| leuconota | . Asia, vi. pl. 55; Cent. pl. 59. |
| livia | . Europe, iv. pl. 245; Gt. Brit. iv. pl. 3. |
| —— œnas | . Europe, iv. pl. 244; Gt. Brit. iv. pl. 2. |
| | . Europe, iv. pl. 243; Gt. Brit. iv. pl. 1. |
| rupestris | . Asia, vi. pl. 54. |
| | . Europe, iv. pl. 246. |
| Columbian Emerald | . Humming B. v. pl. 353. |
| — Fairy | . Humming B. iv. pl. 217. |
| —— Inca | . Humming B., Suppl. p. 27. |
| — Thorn-bill | . Humming B. iii. pl. 184. |
| | . Humming B. iv. pl. 224. |
| — Wood-Nymph | . Humming B. ii. pl. 106. |
| columbiana, Bourcieria | . Humming B., Suppl. p. 27. |
| columboides, Palæornis | . Asia, vi. pl. 7. |
| Colymbus arcticus | Europe, v. pl. 394; Gt. Brit. v. pl. 44. |
| — glacialis | . Europe, v. pl. 393; Gt. Brit. v. pl. 43. |
| — septentrionalis | . Europe, v. pl. 395; Gt. Brit. v. pl. 45. |
| comata, Ardea | . Europe, iv. pl. 275. |
| comatus, Buphus | . Europe, iv. pl. 275; Gt. Brit. iv. pl. 25. |
| —, Dendrochelidon | . Asia, i. pl. 25. |
| Comb-crested Parra | . Handb. ii. p. 330. |
| Comet, Charles's | . Humming B. iii. pl. 177. |
| —, Phaon | . Humming B. iii. pl. 175. |
| | |

Humming B. iii. pl. 176; Suppl. pl. 37.

Comet, Purple-tailed

| Comet, I di pie-taned | Trumming D. III. pr. 110, Suppr. pr. 31. |
|-----------------------|--|
| —, Sappho | Humming B. iii, pl. 174. |
| Cometes caroli | Humming B. iii. pl. 177. |
| — glyceria | Humming B. iii. pl. 176. |
| — phaon | Humming B. iii. pl. 175. |
| | Humming B. iii. pl. 174. |
| Common Bittern | Europe, iv. pl. 280; Gt. Brit. iv. pl. 27. |
| — Bronze-wing | Handb. ii. p. 122. |
| — Bunting | Europe, iii. pl. 171; Gt. Brit. iii. pl. 26. |
| — Buzzard | Europe, i. pl. 14; Gt. Brit. i. pl. 6. |
| —— Cormorant | Europe, v. pl. 407. |
| —— Crane | Europe, iv. pl. 270; Gt. Brit. iv. pl. 19. |
| —— Creeper | Europe, iii. pl. 237. |
| —— Crossbill | Europe, iii. pl. 202; Gt. Brit. iii. pl. 45. |
| —— Cuckoo | Europe, iii. pl. 240; Gt. Brit. iii. |
| | pls. 67, 68. |
| — Curlew | Europe, iv. pl. 302. |
| — Flamingo | Europe, iv. pl. 287. |
| — Gallinule | Europe, iv. pl. 342. |
| — Guillemot | Gt. Brit. v. pl. 48. |
| —— Gull | Europe, v. pl. 437; Gt. Brit. v. pl. 60. |
| — Heron | Europe, iv. pl. 273; Gt. Brit. iv. pl. 20; |
| | Handb. ii. p. 295. |
| — House-Sparrow | Gt. Brit. iii. pl. 32. |
| — Kite | Europe, i. pl. 28. |
| — Linnet | Europe, iii. pl. 191. |
| — Night-Heron | Europe, iv. pl. 279. |
| — Nuthatch | Europe, iii. pl. 234. |
| — Partridge | Europe, iv. pl. 262; Gt. Brit. iv. pl. 13. |
| — Pheasant | Europe, iv. pl. 247; Gt. Brit. iv. pl. 12; |
| | Asia, vii. pl. 34. |
| —— Pratincole | Gt. Brit. iv. pl. 46. |
| — Ptarmigan | Europe, iv. pl. 253. |
| — Quail | Gt. Brit. iv. pl. 15. |
| —— Sandpiper | Europe, iv. pl. 316; Gt. Brit. iv. pl. 58. |
| — Shieldrake | Europe, v. pl. 357. |
| —— Snipe | Europe, iv. pl. 321. fig. 2; Gt. Brit. iv. |
| _ | pl. 79. |

| | 7 1 104 6 . |
|------------------------------|--|
| Common Sparrow | Europe, iii. pl. 184. fig. 1. |
| — Storm-Petrel | Europe, v. pl. 448. |
| — Teal | Europe, v. pl. 362. |
| — Tern | Europe, v. pl. 417; Gt. Brit. v. pl. 70. |
| — White-throat | Europe, ii. pl. 125. fig. 1. |
| — Wild Duck | Europe, v. pl. 361. |
| — Wren | Gt. Brit. ii. pl. 63. |
| communis, Coturnix | Europe, iv. pl. 263; Gt. Brit. iv. pl. 15. |
| compsa, Agyrtria | Humming B., Suppl. p. 75. |
| comrii, Manucodia | New Guinea, i. pl. 33. |
| Comte de Paris Star-frontlet | Humming B. iv. pl. 238. |
| concinna, Dromicia | Mamm. Austr. i. pl. 30. |
| , Myiagra | Australia, ii. pl. 90; Handb. i. p. 254. |
| —, Petrogale | Mamm. Austr. ii. pl. 48. |
| —, Pitta | New Guinea, iv. pl. 31. |
| , Psaltria | Asia, ii. pl. 65. |
| concinnus, Trichoglossus | Australia, v. pl. 52. |
| concolor, Falco | Europe, i. pl. 25. |
| concretus, Actenoides | Asia, i. pl. 42. |
| ~~ . | Asia, vi. pl. 19. |
| —, Hemicercus | Humming B. i. pl. 4. |
| | |
| condamini, Eutoxeres | Humming B. i. pl. 4. |
| conditor, Hapalotis | Mamm. Austr. iii. pl. 6. |
| connivens, Athene | Australia, i. pl. 34. |
| —, Hieracoglaux | Handb. i. p. 71. |
| Conopophila albigularis | Handb. i. p. 532. |
| — rufigularis | Handb. i. p. 533. |
| Conostoma æmodium | Asia, iii. pl. 31. |
| conradi, Boucieria | Humming B. iv. pl. 253. |
| Conrad's Inca | Humming B. iv. pl. 253. |
| consobrinus, Ægithalus | Asia, ii. pl. 70. |
| conspicillata, Curruca | Europe, ii. pl. 126. |
| —, Procellaria | Australia, vii. pl. 46. |
| | Europe, ii. pl. 126. |
| conspicillatus, Lagorchestes | Mamm. Austr. ii. pl. 59; Monogr. |
| - G | Macrop. part ii. |
| —, Majaqueus | Handb. ii. p. 445. |
| —, Pelecanus | Australia, vii. pl. 74; Handb. ii. p. 486. |
| | L 2 |
| | |

| conspicillatus, Pteropus . | | | Mamm. Austr. iii. pl. 29. |
|----------------------------|---|---|---|
| constanti, Heliomaster . | | | Humming B. iv. pl. 260. |
| constantia, Hapaloderma | | | Trogons, (2) pl. 35. |
| Constant's Star-throat . | | | Humming B. iv. pl. 260. |
| Conver's Thorn-tail | | | Humming B. iii. pl. 129. |
| conversi, Gouldia | | | Humming B. iii. pl. 129. |
| cooki, Æstrelata | | | Handb. ii. p. 456. |
| cookii, Phalangista | | | Mamm. Austr. i. pl. 18. |
| —, Procellaria | | | Australia, vii. pl. 51. |
| Cook's Petrel | | | Australia, vii. pl. 51; Handb. ii. p. 456 |
| — Phalangista | | | Mamm. Austr. i. pl. 18. |
| Coot | | | Europe, iv. pl. 338; Gt. Brit. iv. pl. 84 |
| —, Australian | | | Australia, vi. pl. 74; Handb. ii. p. 329 |
| Copper-crown | | | Humming B., Suppl. pl. 53. |
| Copper-tail, Guiana | | | Humming B., Suppl. pl. 45. |
| —, Jelski's | | | Humming B., Suppl. p. 63. |
| | | | Humming B., Suppl. p. 64. |
| —, White-vented | | | Humming B., Suppl, p. 64. |
| Copper-tailed Amazili . | | | Humming B., Suppl. pl. 56. |
| Coppery Emerald | | | Humming B., Suppl. pl. 58. fig. 2. |
| Coppery-bellied Puff-leg | | | Humming B. iv. pl. 270. |
| Coppery-tail | | | Humming B. iii. pl. 191. |
| | | | New Guinea, ii. pl. 50. |
| Copsychus mindanensis . | | | Asia, iii. pl. 25. |
| — saularis | | | Asia, iii. pl. 24. |
| suavis | | | Asia, iii. pl. 26. |
| Coquette, De Lattre's . | | | Humming B. iii. pl. 121. |
| —, Festive | | | Humming B. iii. pl. 124. |
| —, Frilled | | | Humming B. iii. pl. 119. |
| —, Gould's | | | Humming B. iii. pl. 118. |
| , Great-crested | | | Humming B. iii. pl. 120. |
| —, Peruvian | | | Humming B. iii. pl. 125. |
| —, Princess Helena's . | | | Humming B. iii. pl. 123. |
| , Roraima | | | Humming B., Suppl. pl. 36. |
| , Salvin's | | | Humming B., Suppl. pl. 35. |
| —, Spangled | | | Humming B. iii. pl. 122. |
| —, Tufted | | | Humming B. iii. pl. 117. |
| cora, Thaumastura | | | Humming B. iii. pl. 153. |
| cora, rnaumastara | • | • | 114 |

| O | nl 55 |
|-------------------------------------|-------------------------------------|
| Coracias affinis Asia, i. | • |
| - | ii. pl. 60; Gt. Brit. ii. pl. 11. |
| | |
| temmincki Asia, i. | - |
| | ng B. v. pl. 307. |
| | ng B. v. pl. 307. |
| | ng B. iii. pl. 153. |
| corax, Corvus Europe, pl. 57 | iii. pl. 220; Gt. Brit. iii. |
| Corcorax leucopterus Australi | a, iv. pl. 16. |
| — melanorhamphus Handb. | i. p. 470. |
| cordatus, Hemicercus Asia, vi. | . pl. 18. |
| Cormorant Gt. Brit | . v. pl. 52. |
| | a, vii. pl. 66; Handb. ii. p. 488. |
| | v. pl. 408. |
| | v. pl. 407. |
| | . v. pl. 53. |
| | v. pl. 411. |
| | v. pl. 410. |
| • | a, vii. pl. 67. |
| —, Little Europe, | v. pl. 409; Handb. ii. p. 493. |
| | ii. p. 495. |
| —, Pied Australia | a, vii. pls. 68, 70; Handb. ii. |
| p. 490 | |
| —, Spotted Australia | a, vii. pl. 71 ; Handb. ii. p. 582. |
| | a, vii. pl. 69; Handb. ii. p. 492. |
| | iv. pl. 341; Gt. Brit. iv. pl. 87. |
| | part i.; Australia, iv. pl. 58; |
| Handb | . i. p. 545. |
| cornix, Corvus Europe, i | ii. pl. 222; Gt. Brit. iii. pl. 59. |
| cornuta, Heliactin Hummin | g B. iv. pl. 212. |
| cornutus, Podiceps Europe, | v. pl. 391. |
| Coromandel Quail Asia, vii. | pl. 9. |
| coromandelianus, Nettapus Australia | , vii. pl. 5. |
| coromandelicus, Coturnix Asia, vii. | |
| —, Cursorius Asia, vii. | pl. 65. |
| coronata, Dendrochelidon Asia, i. p | l. 21. |
| - | ,Suppl.pl.20; Handb. i.p. 329. |
| | * |

| coronatus, Pterocles | Asia, vi. pl. 63. |
|---------------------------------|--|
| corone, Corvus | Europe, iii. pl. 221; Gt. Brit. iii. pl. 58. |
| Coronetted Sand-Grouse | Asia, vi. pl. 63. |
| Coronica fuliginosa | Synopsis, part i. |
| — strepera | Synopsis, part i. |
| coronoides, Corvus | Australia, iv. pl. 18. |
| coruscans, Petasophora | Humming B. iv. pl. 226. |
| Corvus australis | Handb. i. p. 475. |
| corax | Europe, iii. pl. 220; Gt. Brit. iii. pl. 57. |
| cornix | Europe, iii. pl. 222; Gt. Brit. iii. pl. 59. |
| corone | Europe, iii. pl. 221; Gt. Brit. iii. pl. 58. |
| — coronoides | Australia, iv. pl. 18. |
| —— frugilegus | Europe, iii. pl. 224; Gt. Brit. iii. pl. 60. |
| | Europe, iii. pl. 223; Gt. Brit. iii. pl. 61. |
| Corydon sumatranus | Asia, i. pl. 61. |
| Corythus enucleator | Europe, iii. pl. 204. |
| longicauda | Europe, iii. pl. 205. |
| Cosmetornis vexillarius | Icones Avium, pl. 13. |
| Costa-Rican Humming-bird | Humming B. v. pl. 336; Suppl. pl. 13. |
| costæ, Calypte | Humming B. iii. pl. 134. |
| Costa's Humming-bird | Humming B. iii. pl. 134. |
| Cotile, see Cotyle. | |
| Coturnix australis | Synopsis, part ii. |
| communis | Gt. Brit. iv. pl. 15. |
| coromandelicus | Asia, vii. pl. 9. |
| — dactylisonans | Europe, iv. pl. 263. |
| — novæ zealandiæ | Synopsis, part ii. |
| pectoralis | Synopsis, part ii.; Australia, v. pl. 88; |
| | Handb. ii. p. 190. |
| Cotyle riparia | Gt. Brit. ii. pls. 7, 8. |
| Coucal, Black-tailed | Handb. i. p. 636. |
| ——, Great-tailed | Handb. i. p. 636. |
| ——, Pheasant | Handb, i. p. 634. |
| Count Turati's Honey-sucker | New Guinea, iii. pl. 37. |
| Count Branicki's Humming-bird . | Humming B., Suppl. pl. 14. |
| Courser, Cream-coloured | Europe, iv. pl. 266; Gt. Brit. iv. pl. 44. |
| , Indian | Asia, vii. pl. 65. |
| Cowled Seal | Mamm. Austr. iii. pl. 49. |

| coxeni, Cyclopsitta | Australia, Suppl. pl. 65. |
|----------------------------|--|
| Coxen's Parrakeet | Australia, Suppl. pl. 65. |
| coyolcos, Oxtyx | Odontoph. pl. 6. |
| Coyolcos Partridge | Odontoph. pl. 6. |
| Cracticus argenteus | Australia, ii. pl. 51; Handb. i. p. 182. |
| — cinereus | Australia, i. Introd. p. xxxv; Handb. |
| | i. p. 186. |
| — destructor | Australia, ii. pl. 52. |
| hypoleucus | Synopsis, part i. |
| leucopterus | Australia, i. Introd. p. xxxv; Handb. |
| • | i. p. 187. |
| — nigrogularis | Australia, ii. pl. 49; Handb. i. p. 180. |
| —— picatus | Australia, ii. pl. 50; Handb. i. p. 181. |
| — quoyii | Australia, ii. pl. 53; Handb. i. p. 183. |
| — rufescens | New Guinea, iii. pl. 16. |
| — tibi c en | Synopsis, part i. |
| — torquatus | Handb. i. p. 184. |
| Crake, Baillon's | Europe, iv. pl. 344; Gt. Brit. iv. pl. 89. |
| —, Little | Europe, iv. pl. 345; Gt. Brit. iv. pl. 90. |
| —, Little Water | Handb. ii. p. 340. |
| —, Olivaceous | Gt. Brit. iv. pl. 90. |
| —, Spotted | Europe, iv. pl. 343; Gt. Brit. iv. pl. 88. |
| —, Spotted Water | Handb. ii. p. 339. |
| —, Tabuan Water | Handb. ii. p. 341. |
| —, Water | Australia, vi. pl. 80. |
| Crane, Australian | Australia, vi. pl. 48; Handb. ii. p. 290. |
| —, Common | Europe, iv. pl. 270; Gt. Brit. iv. pl. 19. |
| —, Numidian | Europe, iv. pl. 272. |
| —, White | Europe, iv. pl. 271. |
| —, White-eyebrowed Water . | Handb. ii. p. 343. |
| Craspedophora magnifica | New Guinea, i. pl. 13; Handb. i. p. 595. |
| crassa, Calornis | New Guinea, iv. pl. 15. |
| crassicaudatus, Podabrus | Mamm. Austr. i. pl. 47. |
| crassirostris, Neomorpha | Synopsis, part i. |
| —, Rhamphocaris | New Guinea, iv. pl. 9. |
| cratitius, Ptilotis | Australia, iv. pl. 38; Handb. i. p. 513. |
| Cream-coloured Courser | Europe, iv. pl. 266; Gt. Brit. iv. pl. 44. |
| crecca, Querquedula | Europe, v. pl. 362; Gt. Brit. v. pl. 16. |
| | |

| Creeper, Common | Europe, iii. pl. 237. |
|--------------------------------|--|
| , Himalayan | Asia, iv. pl. 58. |
| —, Nepaulese | Asia, iv. pl. 57. |
| —, Spotted | Asia, iv. pl. 56. |
| ——, Tree | Gt. Brit. ii. pl. 64. |
| —, Wall | Europe, iii. pl. 239. |
| Creeping Locustelle | Europe, ii. pl. 105. |
| crepitans, Œdicnemus | Europe, iv. pl. 288; Gt. Brit. iv. pl. 35. |
| —, Psophodes | Australia, iii. pl. 15; Handb. i. p. 312. |
| Crescent-marked Oriole | Australia, iv. pl. 14; Handb. i. p. 466. |
| Crested Bronze-wing | Handb. ii. p. 139. |
| — Bulbul | Asia, iii. pl. 9. |
| Cockatoo | Australia, v. pl. 1. |
| — Cormorant | Gt. Brit. v. pl. 53. |
| — Eagle, Black-and-White | Asia, i. pl. 10. |
| — Hawk | Australia, i. pl. 25; Handb. i. p. 56. |
| — Ixulus | Asia, iv. pl. 13. |
| — Lark | Europe, iii. pl. 165; Gt. Brit. iii. pl. 17. |
| — Oreoica | Australia, ii. pl. 81; Handb. i. p. 231. |
| —— Partridge | Odontoph. pl. 9. |
| —— Penguin | Australia, vii. pl. 83; Handb. ii. p. 517. |
| —— Pigeon | Australia, v. pl. 70. |
| — Spizixos | Asia, iii. pl. 9. |
| — Tit | Europe, iii. pl. 156; Gt. Brit. ii. pl. 26. |
| — Tree-Swift | Asia, i. pl. 21. |
| — Wedge-bill | Australia, iii. pl. 17; Handb. i. p. 316. |
| — Wood-Shrike | Australia, ii. pl. 81. |
| Cretzschmar's Bunting | Europe, iii. pl. 181. |
| crex, Gallinula | Europe, iv. pl. 341. |
| Crex pratensis | Gt. Brit. iv. pl. 87. |
| Crimson-and-Brown Kingfisher . | New Guinea, iv. pl. 49. |
| Crimson-bellied Parrakeet | Australia, v. pl. 33. |
| Crimson-breasted Partridge | Asia, vi. pl. 70. |
| Crimson Finch | Australia, iii. pl. 83; Handb. i. p. 415. |
| Crimson-throated Wood-Star | Humming B. iii. pl. 149. |
| Crimson Topaz | Humming B. ii. pl. 66. |
| Crimson-winged Finch | Asia, v. pl. 28. |
| —— Lory | Handb. ii. p. 39. |
| | |

| Crimson-winged Trochalopteron . | Asia, iii. pl. 35. |
|-----------------------------------|--|
| Criniger chloris | New Guinea, iii. pl. 2. |
| criniger, Irena | Asia, iii. pl. 20. |
| crinigera, Phlogænas | Asia, vi. pl. 52. |
| crispus, Pelecanus | Europe, v. pl. 406. |
| cristata, Alauda | Europe, iii. pl. 165. |
| —, Fuligula | Europe, v. pl. 370; Gt. Brit. v. pl. 23. |
| —, Galerita | Gt. Brit. iii. pl. 17. |
| , Oreoica | Australia, ii. pl. 81; Handb. i. p. 231. |
| cristatum, Sphenostoma | Australia, iii. pl. 17; Handb. i. p. 316. |
| cristatus, Eupsychortyx | Odontoph. pl. 9. |
| —, Orthorhynchus | Humming B. iv. pl. 205. |
| —, Parus | Europe, iii. pl. 156; Gt. Brit. ii. pl. 26. |
| , Phalacrocorax | Europe, v. pl. 410. |
| —, Podiceps | Europe, v. pl. 388; Gt. Brit. v. pl. 38. |
| —, Regulus | Gt. Brit. ii. pl. 69. |
| —, Thalasseus | Handb. ii. p. 394. |
| —, Vanellus | Europe, iv. pl. 291; Gt. Brit. iv. pl. 33. |
| Crithophaga miliaria | Gt. Brit. iii. pl. 26. |
| crocea, Ephthianura | New Guinea, iii. pl. 14. |
| Crossbill, American White-winged. | Gt. Brit. iii. pl. 48. |
| —, Common | Europe, iii. pl. 202; Gt. Brit. iii. pl. 45. |
| , Himalayan | Asia, v. pl. 41. |
| , Parrot | Europe, iii. pl. 201; Gt. Brit. iii. pl. 46. |
| —, White-winged | Europe, iii. pl. 203; Gt. Brit. iii. pl. 47. |
| Crossoptilon auritum | Asia, vii. pl. 22. |
| —, Chinese | Asia, vii. pl. 22. |
| Crow, Carrion | Europe, iii. pl. 221; Gt. Brit. iii. pl. 58. |
| —, Hooded | Europe, iii. pl. 222; Gt. Brit. iii. pl. 59. |
| , Royston | Gt. Brit. iii. pl. 59. |
| —, White-eyed | Australia, iv. pl. 18; Handb. i. p. 475. |
| Crow-Shrike, Black-throated | Australia, ii. pl. 49; Handb. i. p. 479. Australia, ii. pl. 49; Handb. i. p. 180. |
| —, Cinereous | Handb. i. p. 186. |
| C 11 1 | Handb. i. p. 184. |
| C1 . | Australia, ii. pl. 42. |
| —, Great | |
| —, Hill | |
| | Australia, ii. pl. 45; Handb. i. p. 173. Australia, ii. pl. 44; Handb. i. p. 171. |

| Crow-Shrike, Pied | • | Australia, ii. pl. 50; Handb. i. pp. 168, 181. |
|-------------------------|---|--|
| —, Piping | | Australia, ii. pl. 46; Handb. i. p. 175. |
| —, Quoy's | | Australia, ii. pl. 53; Handb. i. p. 183. |
| —, Rufous | | New Guinea, iii. pl. 16. |
| —, Silvery-backed | | Australia, ii. pl. 51; Handb. i. p. 182. |
| , Sooty | | Australia, ii. pl. 43; Handb. i. p. 170. |
| —, Tasmanian | | Australia, ii. pl. 48; Handb. i. p. 178. |
| , White-backed | | Australia, ii. pl. 47; Handb. i. p. 176. |
| —, White-winged | | Handb. i. p. 187. |
| Crow-Tit, Anderson's | | Asia, iii. pl. 68. |
| —, Ash-eared | | Asia, iii. pl. 69. |
| —, Austen's | | Asia, iii. pl. 73. |
| —, Black-fronted | | Asia, iii. pl. 70. |
| —, Brown | | Asia, iii. pl. 76. |
| —, Fulvous-fronted | | Asia, iii. pl. 71. |
| ——, Heude's | | Asia, iii. pl. 74. |
| ——, Hoary-headed | | Asia, iii. pl. 77. |
| —, Larger Red-headed | | Asia, iii. pl. 78. |
| —, Munipur | | Asia, iii. pl. 69. |
| —, Red-billed | | Asia, iii. pl. 31. |
| —, Webb's | | Asia, iii. pl. 72. |
| —, Yellow-billed | | Asia, iii. pl. 75. |
| Crowned Superb Warbler | | Handb. i. p. 329. |
| — Wren | | Australia, Suppl. pl. 20. |
| cruenta, Phlogænas | | Asia, vi. pl. 51. |
| cruentata, Myzomela | | New Guinea, iii. pl. 71. |
| cruentatum, Dicæum | | Asia, ii. pl. 38. |
| cruentatus, Malurus | | Handb. i. p. 334. |
| cruentus, Astur | | Australia, i. pl. 18; Handb. i. p. 43. |
| —, Ithaginis | | Asia, vii. pl. 43. |
| cruralis, Cincloramphus | | Synopsis, part iv. App. p. 4; Australia, |
| | | iii. pl. 74; Handb. i. p. 394. |
| Crypsirhina cucullata | | Asia, v. pl. 52. |
| —, Hooded | | Asia, v. pl. 52. |
| Cuba Trogon | | Trogons, (1) pl. 19. |
| Cuban Partridge | | Odontoph. pl. 2. |
| — Trogon | | Trogons, (2) pl. 33. |

| cubanensis, Ortyx | Odontoph. pl. 2. |
|---------------------------------|--|
| Cuckoo, American | Europe, iii. pl. 242. |
| —, Amethystine | Asia, vi. pl. 47. |
| —, Ash-coloured | Australia, iv. pl. 86. |
| —, Australian | Australia, iv. pl. 84; Handb. i. p. 614. |
| —, Black-eared | Australia, iv. pl. 88; Handb. i. p. 621. |
| —, Bronze | Handb. i. p. 623. |
| , Brush | Australia, iv. pl. 87; Handb. i. p. 619. |
| —, Chestnut-breasted | Australia, Suppl. pl. 55. |
| —, Common | Europe, iii. pl. 240; Gt. Brit. iii. |
| , common | pls. 67, 68. |
| —, Curl-crested | Asia, vi. pl. 45. |
| —, Emerald | Asia, vi. pl. 46. |
| —, Fan-tailed | Handb, i. p. 618. |
| —, Flinders' | Australia, iv. pl. 91. |
| —, Great Spotted | Europe, iii. pl. 241; Gt. Brit. iii. pl. 69. |
| —, Hoary-browed | Asia, vi. pl. 44. |
| —, Hodgson's Emerald | Asia, vi. pl. 46. |
| —, Little | Australia, Suppl. pl. 56. |
| —, Little Bronze | Handb. i. p. 625. |
| —, Meyer's Golden | New Guinea, iv. pl. 43. |
| —, Pallid | Handb. i. p. 615. |
| —, Pheasant | Australia, iv. pl. 92. |
| —, Powerful | Asia, vi. pl. 42. |
| —, Rufous-bellied | Asia, vi. pl. 43. |
| —, Shining | Australia, iv. pl. 89. |
| —, Solomon Island Lark-heeled. | New Guinea, iv. pl. 44. |
| —, Square-tailed | Handb. i. p. 620. |
| —, Unadorned | Australia, iv. pl. 85. |
| —, White-crowned Black | New Guinea, iv. pl. 42. |
| Cuckoo-Falcon, Gurney's | New Guinea, i. pl. 4. |
| Cuckoo-Shrike, Black-and-White. | Australia, ii. pl. 62; Handb. i. p. 203. |
| —, Black-faced | Australia, ii. pl. 55; Handb. i. p. 192. |
| —, Blue | New Guinea, ii. pl. 2. |
| —, Bruijn's | New Guinea, ii. pl. 5. |
| —, Grey-faced | New Guinea, ii. pl. 8. |
| —, Ground | Australia, ii. pl. 59; Handb. i. p. 199. |
| —, Jardine's | Australia, ii. pl. 60; Handb. i. p. 200. |
| | м 2 |

| Cuckoo-Shrike, Mafoor-Island . | New Guinea, ii. pl. 6. |
|--|---|
| —, Mount Arfak | New Guinea, ii. pl. 7. |
| —, Northern | Australia, ii. pl. 61; Handb. i. p. 202. |
| ——, Ramsay's | New Guinea, ii. pl. 4. |
| , Slaty-grey | New Guinea, ii. pl. 1. |
| —, Swainson's | Australia, ii. pl. 58; Handb. i. p. 197. |
| —, Varied | Australia, ii. pl. 56; Handb. i. p. 195. |
| —, White-bellied | Australia, ii. pl. 57; Handb. i. p. 196. |
| , White-shouldered | Australia, ii. pl. 63; Handb. i. p. 204. |
| cucullata, Crypsirlina | Asia, v. pl. 52. |
| —, Melanodryas | Australia, iii. pl. 7; Handb. i. p. 283. |
| —, Pitta | Asia, v. pl. 82. |
| —, Urocissa | Asia, v. pl. 51. |
| cucullatus, Andigena | Toucans, (2) pl. 39. |
| —, Mergus | Europe, v. pl. 386; Gt. Brit. v. pl. 36. |
| cuculoides, Glaucidium | Cent. pl. 4. |
| —, Noctua | Cent. pl. 4. |
| Cuculus canoroides | Handb. i. p. 614. |
| canorus | Europe, iii. pl. 240; Gt. Brit. iii. |
| | pls. 67, 68. |
| — cineraceus | Australia, iv. pl. 86. |
| ornerwoods | Australia, IV. pr. 80. |
| glandarius | Europe, iii. pl. 241. |
| | • |
| — glandarius | Europe, iii. pl. 241. |
| —— glandarius | Europe, iii. pl. 241. Cent. pl. 54. |
| — glandarius | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. |
| — glandarius | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. |
| | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. |
| glandarius | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. |
| | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. |
| glandarius | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. |
| | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. |
| | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. Toucans, (1) pl. 27. |
| | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. Toucans, (1) pl. 27. Toucans, (2) pl. 36. |
| | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. Toucans, (1) pl. 27. Toucans, (2) pl. 36. Australia, vii. pl. 41; Handb. ii. p. 436. |
| | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. Toucans, (1) pl. 27. Toucans, (2) pl. 36. Australia, vii. pl. 41; Handb. ii. p. 436. Australia, vii. pl. 41; Handb. ii. p. 436. |
| glandarius himalayanus hyperythrus insperatus inornatus optatus sparverioides strenuus culicivora, Gerygone culik, Pteroglossus Culik Toucanet culminata, Diomedea Culminated Albatros Toucan | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. Toucans, (1) pl. 27. Toucans, (2) pl. 36. Australia, vii. pl. 41; Handb. ii. p. 436. Australia, vii. pl. 41; Handb. ii. p. 436. Toucans, (1) pl. 1, (2) pl. 11. |
| glandarius himalayanus himalayanus hyperythrus insperatus optatus optatus sparverioides strenuus culicivora, Gerygone culik, Pteroglossus Culik Toucanet culminata, Diomedea Culminated Albatros Toucan culminatus, Rhamphastos | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. Toucans, (1) pl. 27. Toucans, (2) pl. 36. Australia, vii. pl. 41; Handb. ii. p. 436. Australia, vii. pl. 41; Handb. ii. p. 436. Toucans, (1) pl. 1, (2) pl. 11. Toucans, (1) pl. 1, (2) pl. 11. |
| glandarius himalayanus himalayanus hyperythrus insperatus optatus optatus sparverioides strenuus culicivora, Gerygone culik, Pteroglossus Culik Toucanet culminata, Diomedea Culminated Albatros Toucan culminatus, Rhamphastos cumingi, Lepidogrammus | Europe, iii. pl. 241. Cent. pl. 54. Asia, vi. pl. 43. Australia, iv. pl. 87. Australia, iv. pl. 85. Australia, iv. pl. 84. Cent. pl. 53. Asia, vi. pl. 42. Australia, ii. pl. 99; Handb. i. p. 268. Toucans, (1) pl. 27. Toucans, (2) pl. 36. Australia, vii. pl. 41; Handb. ii. p. 436. Australia, vii. pl. 41; Handb. ii. p. 436. Toucans, (1) pl. 1, (2) pl. 11. Toucans, (1) pl. 1, (2) pl. 11. Asia, vi. pl. 45. |

| cuniculus, Bettongia | | Mamm. Austr. ii. pl. 63; Monogr. Macrop. i. pl. |
|-----------------------------|--|---|
| cupreicauda, Amazilia . | | Humming B., Suppl. pl. 56. |
| —, Metallura | | Humming B. iii. pl. 191. |
| cupreiceps, Elvira | | Humming B., Suppl. pl. 53. |
| cupreipennis, Aglæactis . | | Humming B. iii. pl. 179. |
| cupreiventris, Eriocnemis | | Humming B. iv. pl. 270. |
| Curl-crested Araçari | | Toucans, (1) pl. 18, (2) pl. 25. |
| — Cuckoo | | Asia, vi. pl. 45. |
| Manucode | | New Guinea, i. pl. 33. |
| Curlew, Australian | | Australia, vi. pl. 42; Handb. ii. pl. 277. |
| —, Common | | Europe, iv. pl. 302; Gt. Brit. iv. pl. 48. |
| —, Pigmy | | Europe, iv. pl. 328. |
| —, Rufescent | | Asia, vii. pl. 60. |
| Sandpiper | | Gt. Brit. iv. pl. 68; Australia, vi. |
| 1 1 | | pl. 32; Handb. ii. pl. 256. |
| , Slender-billed | | Europe, iv. pl. 304. |
| , Stone | | Europe, iv. pl. 288. |
| Curruca atricapilla | | Europe, ii. pl. 120; Gt. Brit. ii. pl. 60. |
| — cinerea | | Europe, ii. pl. 125. fig. 1. |
| * *** | | Europe, ii. pl. 126. |
| — garrula | | Europe, ii. pl. 125. fig. 2. |
| 1 | | Europe, ii. pl. 121; Gt. Brit. ii. pl. 62. |
| — leucopogon | | Europe, ii. pl. 124. |
| — melanocephala | | Europe, ii. pl. 123. |
| — nisoria | | Europe, ii. pl. 128. |
| — orphea | | Europe, ii. pl. 119; Gt. Brit. ii. pl. 61. |
| — ruppelli | | Europe, ii. pl. 122. |
| — sarda | | Europe, ii. pl. 127. |
| curruca, Sylvia | | Gt. Brit. ii. pl. 58. |
| Cursorius coromandelicus . | | Asia, vii. pl. 65. |
| — gallicus | | Gt. Brit. iv. pl. 44. |
| — isabellinus | | Europe, iv. pl. 266. |
| — rufus | | Icones Avium, pl. 10. |
| curvipennis, Sphenoproctus. | | Humming B., Suppl. p. 5. |
| curvirostra, Loxia | | Europe, iii. pl. 202; Gt. Brit. iii. pl. 45. |
| Cuscus brevicaudatus | | Mamm. Austr. i. pl. 21. |
| —, Short-tailed | | Mamm. Austr. i. pl. 21. |

| Cushat | | Gt. Brit. iv. pl. 1. |
|---------------------------|--|--|
| Cutia, Nepal | | Asia, iii. pl. 67. |
| — nepalensis | | Asia, iii. pl. 67. |
| cuvieri, Campylopterus . | | Humming B. ii. pl. 52. |
| —, Podargus | | Australia, ii. pl. 4; Handb. i. p. 87. |
| | | Toucans, (1) pl. 2, (2) pl. 8. |
| Cuvier's Podargus | | Australia, ii. pl. 4; Handb. i. p. 87. |
| - Sabre-wing | | Humming B. ii. pl. 52. |
| — Toucan | | Toucans, (1) pl. 2, (2) pl. 8. |
| Cyanalcyon macleayi | | Handb. i. p. 133. |
| cyanea, Cyanopica | | Europe, iii. pl. 217. |
| , Hylocharis | | Humming B. v. pl. 344. |
| —, Irena | | Asia, iii. pl. 19. |
| , Monticola | | Europe, ii. pl. 87. |
| , Petrocincla | | Europe, ii. pl. 87. |
| —, Pica | | Europe, iii. pl. 217. |
| , Pitta | | Asia, v. pl. 80. |
| Cyanecula leucocyanea . | | Gt. Brit. ii. pl. 50. |
| — suecica | | Gt. Brit. ii. pl. 49. |
| cyaneipectus, Sternoclyta | | Humming B. ii. pl. 58. |
| cyaneiventer, Tesia | | Asia, iv. pl. 1. |
| cyaneus, Circus | | Europe, i. pl. 33; Gt. Brit. i. pl. 26. |
| , Malurus | | Synopsis, part i.; Australia, iii. pl. 18; |
| | | Handb. i. p. 317. |
| —, Parus | | Europe, iii. pl. 153. |
| —, Petrocossyphus . | | Gt. Brit. ii. pl. 43. |
| cyanifrons, Saucerottia . | | Humming B. v. pl. 323. |
| cyanocephala, Cyanomyia | | Humming B. v. pl. 286. |
| —, Palæornis | | Asia, vi. pl. 3. |
| , Todopsis | | New Guinea, ii. pl. 21. |
| | | Humming B. v. pl. 288. |
| cyanogaster, Irena | | Asia, iii. pl. 22. |
| cyanogenys, Eucephala . | | Humming B., Suppl. p. 93. |
| —, Platycercus | | Australia, Suppl. pl. 63; Handb. |
| | | ii. p. 52. |
| | | Humming B., Suppl. pl. 41. |
| Cyanomyia cyanocephala | | 9 1 |
| cyanocollis | | Humming B. v. pl. 288. |

| Cyanomyia franciæ | | Humming B. v. pl. 287. |
|------------------------|--|--|
| — quadricolor | | Humming B. v. pl. 284. |
| — violiceps | | Humming B. v. pl. 285. |
| cvanonota, Pitta | | New Guinea, iv. pl. 29. |
| cyanopogon, Calothorax | | Humming B. iii. pl. 143. |
| —, Phyllornis | | Asia, iii. pl. 18. |
| cyanops, Sula | | Handb. ii. p. 506. |
| cyanopus, Numenius | | Handb. ii. p. 277. |
| cyanotis, Entomyza | | Australia, iv. pl. 68; Handb. i. p. 560. |
| —, Petasophora | | Humming B. iv. pl. 228. |
| | | Humming B. v. pl. 315. |
| —, Pitta | | Asia, v. pl. 77. |
| cyanuroptera, Siva | | Asia, iv. pl. 19. |
| cyanurus, Cynanthus | | Humming B. iii. pl. 172. |
| cyanus, Parus | | Europe, iii. pl. 153. |
| —, Petrocossyphus | | Gt. Brit. ii. pl. 43. |
| cyclops, Strix | | Synopsis, part iii. |
| Cyclopsitta aruensis | | New Guinea, v. pl. 4. |
| cervicalis | | New Guinea, v. pl. 2. |
| — coccineifrons | | New Guinea, v. pl. 8. |
| — coxeni | | Australia, Suppl. pl. 65. |
| — diophthalma | | New Guinea, v. pl. 3. |
| — тассоуі | | New Guinea, v. pl. 7. |
| melanogenys | | New Guinea, v. pl. 6. |
| — occidentalis | | New Guinea, v. pl. 1. |
| suavissima | | New Guinea, v. pl. 5. |
| Cygnus atratus | | Australia, vii. pl. 6. |
| — bewickii | | Europe, v. pl. 356. |
| — ferus | | Europe, v. pl. 355; Gt. Brit. v. pl. 9. |
| — mansuetus | | Europe, v. pl. 354. |
| — minor | | Gt. Brit. v, pl. 10. |
| —— olor | | Gt. Brit. v. pl. 8. |
| Cymbirhynchus affinis | | Asia, i. pl. 60. |
| macrorhynchus | | Asia, i. pl. 59. |
| Cynanthus bolivianus | | Humming B., Suppl. pl. 40. |
| — cœlestis | | Humming B., Suppl. p. 56. |
| —— cyanurus | | Humming B. iii. pl. 172. |
| — griseiventris | | Humming B., Suppl. p. 56. |
| | | |

| Cynanthus smaragdicaudus | Humming B. iii. pl. 173. |
|------------------------------|--|
| cynocephalus, Thylacinus | Mamm. Austr. i. pls. 53, 54. |
| Cyornis rubeculoides | Cent. pl. 25, fig. 1. |
| Cypselus alpinus | Europe, ii. pl. 53. fig. 2. |
| apus | Gt. Brit. ii. pl. 3. |
| —— australis | Australia, ii. pl. 11. |
| infumatus | Asia, i. pl. 20. |
| — melba | Gt. Brit. ii. pl. 4. |
| — murarius | Europe, ii. pl. 53. |
| —— pacificus | Handb. i. p. 105; |
| Cyrtonyx massena | Odontoph. pl. 7. |
| ocellatus | Odontoph. pl. 8. |
| Cysticola, see Cisticola. | |
| | |
| Dabchick | Europe, v. pl. 393; Gt. Brit. v. pl. 42. |
| Dacelo cervina | |
| | tralia, ii. pl. 20; Handb. i. p. 125. |
| — gigantea | Australia, ii. pl. 18. |
| —— gigas | Handb. i. p. 122. |
| — leachii | Australia, ii. pl. 19; Handb. i. p. 124. |
| tyro | Asia, i. pl. 51. |
| dactylisonans, Coturnix | Europe, iv. pl. 263. |
| Dafila acuta | Gt. Brit. v. pl. 18. |
| caudacuta | Europe, v. pl. 365. |
| D'Albertis' Bird of Paradise | New Guinea, i. pl. 11. |
| —— Perroquet | New Guinea, v. pl. 5. |
| dalhousiæ, Eurylaimus | Icones Avium, pl. i. |
| —, Psarisomus | Asia, i. pl. 64. |
| Dalhousie's Eurylaime | Asia, i. pl. 64. |
| Dalmatian Nuthatch | Europe, iii. pl. 235. |
| —— Pelican | Europe, v. pl. 406. |
| —— Regulus | Europe, ii. pl. 149. |
| Damophila amabilis | Humming B. v. pl. 341. |
| —, Black-throated | Humming B. v. pl. 341. |
| danaë, Tanysiptera | New Guinea, iv. pl. 49. |
| Daption capensis | Australia, vii. pl. 53; Handb. ii. p. 469. |
| Darjiling Pigmy Woodpecker | Asia, vi. pl. 26. |
| Darter, New Holland | Australia, vii. pl. 75; Handb. ii. p. 496. |

| Dartford Warbler | | | Europe, ii. pl. 129; Gt. Brit. ii. pl. 59. |
|----------------------------|---|---|--|
| darwini, Pucrasia | | | Asia, vii. pl. 25. |
| Darwin's Pucras Pheasant . | | | Asia, vii. pl. 25. |
| Dasylophus superciliosus . | | | Asia, vi. pl. 44. |
| Dasyornis australis | | | Australia, iii. pl. 32. |
| — brunneus | | | Synopsis, part iv. |
| longirostris | | | Australia, iii. pl. 33. |
| Dasyptilus pesqueti | | | New Guinea, v. pl. 33. |
| Dasyurus geoffroyi | | | Mamm. Austr. i. pl. 51. |
| — hallucatus | | | Mamm. Austr. i. pl. 52. |
| — maculatus | | | Mamm. Austr. i. pl. 49. |
| —, North Australian | | | Mamm. Austr. i. pl. 59. |
| —, Spotted-tailed | | | Mamm. Austr. i. pl. 49. |
| —, Variable | | | Mamm. Austr. i. pl. 50. |
| - viverrinus | | | Mamin. Austr. i. pl. 50. |
| Daurian Mosque-Swallow . | | • | Asia, i. pl. 28. |
| daurica, Cecropis | | • | Asia, i. pl. 28. |
| —, Hirundo | • | • | Asia, i. pl. 28. |
| davidi, Pterorhinus | • | | Asia, iii. pl. 55. |
| Deccan Wagtail | | | Asia, iv. pl. 62. |
| Deceptive Oriole | | | New Guinea, i. pl. 49. |
| decipiens, Oriolus | | | New Guinea, i. pl. 49. |
| decora, Paradisea | | | New Guinea, i. pl. 27. |
| Decorated Wood-Star | | | Humming B. iii. pl. 146. |
| decoratus, Calothorax | | • | Humming B. iii. pl. 146. |
| De Filippi's Hermit | • | • | Humming B. i. pl. 21. |
| TO T 1 1 1 TO | | • | Humming B. iv. pl. 208. |
| delalandi, Cephalepis | | | Humming B. iv. pl. 208. |
| 11: 10: 1 | | | Humming B. ii. pl. 45. |
| T 1 | | | Humming B. iii. pl. 121. |
| De Lattre's Coquette | | | Humming B. iii. pl. 121. |
| —— Sabre-wing | | | Humming B. ii. pl. 45. |
| Delattria clemenciæ | • | • | Humming B. ii. pl. 60. |
| — henrica | • | • | Humming B. ii. pl. 62. |
| — viridipallens | • | • | Humming B. ii. pl. 63. |
| delesserti, Garrulax | | | Asia, iii. pl. 48. |
| Delessert's Garrulax | | | Asia, iii. pl. 48. |
| — Laughing Thrush | | | Asia, iii. pl. 48. |
| De L'Huys's Monaul | | | Asia, vii. pl. 54. |
| | • | • | |

| Delicate-coloured Mouse . | | Mamm, Austr. iii. pl. 23. |
|----------------------------|--|---|
| Delicate Owl | | Australia, i. pl. 31; Handb. i. p. 66. |
| delicatula, Zosterops | | New Guinea, iii. pl. 62. |
| delicatulus, Mus | | Mamm. Austr. iii. pl. 23. |
| —, Strix | | Synopsis, part iii.; Australia, i. pl. 31; Handb. i. p. 66. |
| Delichon nipalensis | | Asia, i. pl. 31. |
| delphinæ, Petasophora | | Humming B. iv. pl. 229. |
| Demiegretta greyi | | Handb. ii. p. 309. |
| — jugularis | | Handb. ii. p. 307. |
| Demoiselle, Numidian | | Europe, iv. pl. 272. |
| | | Asia, i. pl. 25. |
| — coronata | | Asia, i. pl. 21. |
| 1.1 | | Asia, i. pl. 22. |
| — mystaceus | | Asia, i. pl. 24. |
| — wallacei | | Asia, i. pl. 23. |
| Dendrocitta himalayensis . | | Cent. pl. 43. |
| — rufa | | Cent. pl. 42. |
| Dendrocygna arcuata | | Australia, vii. pl. 14. |
| eytoni | | Handb. ii. p. 375. |
| — gouldi | | Handb. ii. p. 374. |
| Dendrolagus inustus | | Mamm. Austr. ii. pl. 50; Monogr. Macrop. part ii. |
| — ursinus | | Mamm. Austr. ii. pl. 49; Monogr. |
| | | Macrop. part ii. |
| Dendrortyx barbatus | | Odontoph. pl. 22. |
| — leucophrys | | Odontoph. pl. 21. |
| — macrourus | | Odontoph. pl. 20. |
| dentatus, Odontophorus | | Odontoph. pl. 26. |
| dentirostris, Scenopæus | | New Guinea, i. pl. 43. |
| De Oca's Amazili | | Humming B. v. pl. 289. |
| derbianus, Aulacorhamphus | | Toucans, (2) pl. 43. |
| —, Eriocnemis | | Humming B. iv. pl. 279. |
| , Halmaturus | | Mamm. Austr. ii. pls. 29, 30; Monogr. |
| | | Macrop. part i. |
| , Palæornis | | Asia, vi. pl. 9. |
| —, Pteroglossus | | Toucans, (1) pl. 32. |
| derbyianus, Nyctidromus . | | Icones Avium, pl. 12. |
| Derby's Araçari | | Toucans, (1) pl. 32. |

| Derby's Groove-bill —— Puff-leg —— Wallaby | | | Toucans, (2) pl. 43. Humming B. iv. pl. 279. Mamm. Austr. ii. pls. 29, 30; Monogr. |
|--|---|--|--|
| wanaby | • | | Macrop. part i. |
| De Rham's Garnet | | | Humming B. ii. pl. 61. |
| Desert White-throat | | | Asia, iv. pl. 50. |
| desmaresti, Phalacrocorax | | | Europe, v. pl. 411. |
| Desmarest's Cormorant . | | | Europe, v. pl. 411. |
| destructor, Cracticus | | | Australia, ii. pl. 52. |
| —, Vanga | | | Synopsis, part i. |
| devillei, Amazilia | | | Humming B. v. pl. 313. |
| Deville's Amazili | | | Humming B. v. pl. 313. |
| diademata, Yuhina | | | Asia, iii. pl. 64. |
| Dial-bird | | | Asia, iii. pl. 24. |
| —, Chestnut-bellied . | | | Asia, iii. pl. 26. |
| —, Malaccan | | | Asia, iii. pl. 25. |
| Diamond-bird, Allied | | | Australia, ii. pl. 39; Handb. i. p. 163. |
| —, Black-headed | | | Australia, ii. pl. 40; Handb. i. p. 165. |
| —, Forty-spotted | | | Australia, ii. pl. 37; Handb. i. p. 160. |
| —, Red-lored | | | Australia, ii. pl. 36; Handb. i. p. 158. |
| —, Spotted | | | Australia, ii. pl. 35; Handb. i. p. 157. |
| —, Striated | | | Australia, ii. pl. 38; Handb. i. p. 161. |
| , Yellow-rumped | | | Australia, ii. pl. 41; Handb. i. p. 166. |
| diardi, Harpactes | | | Asia, i. pl. 70; Trogons, (2) pl. 36. |
| —, Trogon | | | Trogons, (1) pl. 30. |
| Diardigallus prælatus | | | Asia, vii. pl. 21. |
| Diard's Trogon | | | Asia, i. pl. 70; Trogons, (1) pl. 30, (2) pl. 36. |
| Dicæum æneum | | | New Guinea, iv. pl. 4. |
| —, Brown | | | New Guinea, iv. pl. 7. |
| cruentatum | | | Asia, ii. pl. 38. |
| —— dorsale | | | Asia, ii. pl. 37. |
| — eximium | | | New Guinea, iv. pl. 7. |
| | | | New Guinea, iv. pl. 5. |
| — geelvinkianum | | | New Guinea, iv. pl. 6. |
| — hirundinaceum | | | Australia, ii. pl. 34; Handb. i. p. 581. |
| —— pectorale | | | New Guinea, iv. pl. 2. |
| pryeri | | | Asia, ii. pl. 39. |
| —, Red-backed | | | Asia, ii. pl. 38. |
| | | | v 9 |

n 2

| Dicæum, Red-collared | Asia, ii. pl. 36. |
|--------------------------------|---|
| retrocinctum | Asia, ii. pl. 36. |
| —, Swallow | Australia, ii. pl. 34; Handb. i. p. 581. |
| tristrami | New Guinea, iv. pl. 3. |
| , Yellow-throated | Asia, ii. pl. 37. |
| dichroura, Helianthea | Humming B., Suppl. pl. 19. |
| dichrous, Parus | Asia, ii. pl. 58. |
| dicolorus, Rhamphastos | Toucans, (1) pl. 11, (2) pl. 14. |
| Dicranostreptus megarhynchus . | New Guinea, i. pl. 51. |
| Dicrurus bracteatus | Australia, ii. pl. 82; Handb. i. p. 235. |
| Didunculus | Handb. ii. p. 556. |
| — strigirostris | Handb. ii. p. 556. |
| diemenensis, Acanthiza | Synopsis, part iv.; Australia, iii. pl. 54; |
| | Handb. i. p. 365. |
| ——, Alcyone | Australia, Intr. p. xxxi; Handb. i. |
| · | р. 141. |
| —, Synoicus | Australia, v. pl. 90; Handb ii. p. 194. |
| dimorpha, Ninox | New Guinea, i. pl. 7. |
| Dingo | Mamm. Austr. iii. pls. 51, 52. |
| dingo, Canis | Mamm. Austr. iii. pls. 51, 52. |
| Dingy Podoces | Asia, v. pl. 63. |
| Diomedea brachyura | Australia, vii. pl. 39; Handb. ii. p. 433. |
| —— cauta | Australia, vii. pl. 40; Handb. ii. p. 434. |
| — chlororhynchos | Australia, vii. pl. 42; Handb. ii. p. 437. |
| — culminata | Australia, vii. pl. 41; Handb. ii. p. 436. |
| —— exulans | Australia, vii. pl. 38; Handb. ii. p. 427. |
| — fuliginosa | Australia, vii. pl. 44. |
| —— melanophrys | Australia, vii. pl. 43; Handb. ii. p. 438. |
| diophthalma, Cyclopsitta | New Guinea, v. pl. 3. |
| Diphlogæna aurora | Humming B. iv. pl. 248; Suppl. pl. 17. |
| — hesperus | Humming B., Suppl. pl. 16. |
| iris | Humming B. iv. pl. 247. |
| Diphyllodes chrysoptera | New Guinea, i. pl. 23. |
| — gulielmi III | New Guinea, i. pl. 21. |
| — respublica | New Guinea, i. pl. 20. |
| —— speciosa | New Guinea, i. pl. 22. |
| Dipper | Gt. Brit. ii. pl. 41. |
| , Asiatic | 4 1 1 2 2 |
| , Cashmere | Asia, iv. pl. 25. |
| | • |

| Dipper, Pallas's | Asia, iv. pl. 22. |
|-------------------------------|--|
| —, Sombre-coloured | Asia, iv. pl. 23. |
| discolor, Lathamus | Australia, v. pl. 47; Handb. ii. p. 90. |
| Discura longicauda | Humming B. iii. pl. 126. |
| discurus, Prioniturus | Asia, vi. pl. 15. |
| dispar, Fuligula | Europe, v. pl. 372. |
| Diver, Black-throated | Europe, v. pl. 394; Gt. Brit. v. pl. 44. |
| —, Great Northern | Europe, v. pl. 393; Gt. Brit. v. pl. 43. |
| —, Northern | Europe, v. pl. 394. |
| —, Red-throated | Europe, v. pl. 395; Gt. Brit. v. pl. 45. |
| Diving Petrel | Australia, vii. pl. 60; Handb. ii. p. 483. |
| D'Oca's Amazili | Humming B. v. pl. 289. |
| Docimastes ensiferus | Humming B. iv. pl. 233. |
| doerriesi, Iyngipicus | Asia, vi. pl. 22. |
| Doerries's Pigmy Woodpecker . | Asia, vi. pl. 22. |
| dohrni, Glaucis | Humming B. i. pl. 10. |
| Dohrn's Hermit | Humming B. i. pl. 10. |
| Domestic Swan | Europe, v. pl. 354. |
| domestica, Pyrgita | Europe, iii. pl. 184. fig. 1. |
| domesticus, Passer | Europe, iii. pl. 184. fig. 1; Gt. Brit. |
| | iii. pl. 32. |
| domicola, Hypurolepis | Asia, i. pl. 32. |
| Donacicola hunsteini | New Guinea, iv. pl. 26. |
| —— nigriceps | New Guinea, iv. pl. 25. |
| — spectabilis | New Guinea, iv. pl. 24. |
| Donacola castaneothorax | Australia, iii. pl. 94; Handb. i. p. 426. |
| — flaviprymna | Australia, iii. pl. 96. |
| — pectoralis | Australia, iii. pl. 95; Handb. i. p. 427. |
| d'orbignyi, Eriocnemis | Humming B. iv. pl. 278. |
| D'Orbigny's Puff-leg | Humming B. iv. pl. 278. |
| Dorcopsis bruni | Mamm. Austr. ii. pl. 51. |
| Doria's Goshawk | New Guinea, i. pl. 2. |
| doriæ, Erythrotriorchis | New Guinea, i. pl. 2. |
| Doricha bryantæ | Humming B., Suppl. pl. 33. |
| —— lyrura | Humming B., Suppl. pl. 34. |
| Dorifera euphrosinæ | Humming B., Suppl. p. 28. |
| johannæ | Humming B. ii. pl. 87. |
| — ludoviciæ | Humming B. ii. pl. 88. |
| rectirostris | Humming B., Suppl. p. 28. |
| | |

| Asia, ii. pl. 37. Humming B., Suppl. pl. 43. | Dorifera veraguensis | Humming B., Suppl. pl. 22. |
|--|----------------------|--|
| —, Rhamphomicron Humming B., Suppl. pl. 43. dorsalis, Gerygone New Guinea, ii. pl. 11. —, Halmaturus Mamm. Austr. ii. pls. 26, 27; Monogr. Macrop. part i. —, Zosterops Synopsis, part i.; Australia, iv. pl. 81. D'Osery's Hermit Humming B. i. pl. 23. Dottrel Gt. Brit. iv. pl. 43. Dottrel, Allied Australia, vi. pl. 19; Handb. ii. p. 237. —, Asiatic Handb. ii. p. 229. —, Australian Australia, vi. pl. 15; Handb. ii. p. 237. —, Black-fronted Australia, vi. pl. 16; Handb. ii. p. 232. —, Double-banded Australia, vi. pl. 16; Handb. ii. p. 238. —, Hooded Australia, vi. pl. 18; Handb. ii. p. 231. —, Little Ring Europe, iv. pl. 297. —, Red-capped Australia, vi. pl. 17; Handb. ii. p. 235. —, Red-kneed Handb. ii. pl. 240. —, Red-kneed Handb. ii. pl. 296; Handb. ii. pl. 231. Dottrel Europe, iv. pl. 295. Double-banded Araçari Toucans, (2) pl. 18. — Dottrel Australia, vi. pl. 16; Handb. ii. pl. 231. Double-collared Araçari Toucans, (1) pl. 16; (2) pl. 26. Humming B | | |
| Morsalis, Gerygone | | |
| —, Halmaturus Mamm. Austr. ii. pls. 26, 27; Monogr. Macrop. part i. —, Zosterops Synopsis, part i.; Australia, iv. pl. 81. D'Osery's Hermit Humming B. i. pl. 23. Dotterel Gt. Brit. iv. pl. 43. Dottrel, Allied Australia, vi. pl. 19; Handb. ii. p. 237. —, Asiatic Handb. ii. p. 229. —, Australian Australia, vi. pl. 15; Handb. ii. p. 232. —, Black-fronted Australia, vi. pl. 16; Handb. ii. p. 232. —, Double-banded Australia, vi. pl. 16; Handb. ii. p. 238. —, Hooded Australia, vi. pl. 18; Handb. ii. p. 231. —, Little Ring Europe, iv. pl. 297. —, Red-capped Australia, vi. pl. 17; Handb. ii. p. 235. —, Red-kneed Handb. ii. pl. 240. —, Ring Europe, iv. pl. 296; Handb. ii. pl. 231. Dottrell Europe, iv. pl. 295. Double-banded Araçari Toucans, (2) pl. 18. — Dottrel Australia, vi. pl. 16; Handb. ii. p. 238. Double-dayi, Circe Humming B. v. pl. 339. Doubledayi, Circe Humming B. v. pl. 339. Double-eyed Perroquet New Guinea, v. pl. 38. — Toucan Toucans, (2) pl. 5. | | |
| Macrop. part i. | | |
| D'Osery's Hermit Humming B. i. pl. 23. Dotterel Gt. Brit. iv. pl. 43. Dottrel, Allied Australia, vi. pl. 19; Handb. ii. p. 237. —, Asiatic Handb. ii. p. 229. —, Australian Australia, vi. pl. 15; Handb. ii. p. 227. —, Black-fronted Australia, vi. pl. 16; Handb. ii. p. 232. —, Double-banded Australia, vi. pl. 16; Handb. ii. p. 238. —, Hooded Australia, vi. pl. 18; Handb. ii. p. 231. —, Little Ring Europe, iv. pl. 297. —, Red-capped Australia, vi. pl. 17; Handb. ii. p. 235. —, Red-chested Europe, iv. pl. 299. —, Red-kneed Handb. ii. pl. 240. —, Ring Europe, iv. pl. 296; Handb. ii. pl. 231. Dottrell Europe, iv. pl. 295. Double-banded Araçari Toucans, (2) pl. 18. — Dottrel Australia, vi. pl. 16; Handb. ii. p. 238. Double-collared Araçari Toucans, (1) pl. 16, (2) pl. 26. doubledayi, Circe Humming B. v. pl. 339. Doubleday's Humming-bird Humming B. v. pl. 339. Doubtful Sparrow Europe, iii. pl. 186. — Toucan Toucans, (2) pl. 5. <td>,</td> <td></td> | , | |
| Dottrel Gt. Brit. iv. pl. 43. Dottrel, Allied Australia, vi. pl. 19; Handb. ii. p. 237. —, Asiatic Handb. ii. p. 229. —, Australian Australia, vi. pl. 15; Handb. ii. p. 227. —, Black-fronted Australia, vi. pl. 16; Handb. ii. p. 232. —, Double-banded Australia, vi. pl. 16; Handb. ii. p. 238. —, Hooded Australia, vi. pl. 18; Handb. ii. p. 231. —, Little Ring Europe, iv. pl. 297. —, Red-capped Australia, vi. pl. 17; Handb. ii. p. 235. —, Red-chested Europe, iv. pl. 299. —, Red-kneed Handb. ii. pl. 240. —, Ring Europe, iv. pl. 296; Handb. ii. pl. 231. Dottrell Europe, iv. pl. 295. Double-banded Araçari Toucans, (2) pl. 18. — Dottrel Australia, vi. pl. 16; Handb. ii. p. 238. Double-collared Araçari Toucans, (1) pl. 16, (2) pl. 26. doubledayi, Circe Humming B. v. pl. 339. Doubleday's Humming-bird Humming B. v. pl. 339. Doubtful Sparrow Europe, iii. pl. 186. — Toucan Toucans, (2) pl. 5. — Trogon Trogons, (1) pl. 4, (2) pl. 8. <td>*</td> <td>Synopsis, part i.; Australia, iv. pl. 81.</td> | * | Synopsis, part i.; Australia, iv. pl. 81. |
| Dottrel, Allied Australia, vi. pl. 10; Handb. ii. p. 237. —, Asiatic Handb. ii. p. 229. —, Australian Australia, vi. pl. 15; Handb. ii. p. 232. —, Black-fronted Australia, vi. pl. 20; Handb. ii. p. 232. —, Double-banded Australia, vi. pl. 16; Handb. ii. p. 238. —, Hooded Australia, vi. pl. 18; Handb. ii. p. 231. —, Little Ring Europe, iv. pl. 297. —, Red-capped Australia, vi. pl. 17; Handb. ii. p. 235. —, Red-chested Europe, iv. pl. 299. —, Red-kneed Handb. ii. pl. 240. —, Ring Europe, iv. pl. 296; Handb. ii. pl. 231. Dottrell Europe, iv. pl. 295. Double-banded Araçari Toucans, (2) pl. 18. — Dottrel Australia, vi. pl. 16; Handb. ii. p. 238. Double-collared Araçari Toucans, (2) pl. 18. — Dottrel Humming B. v. pl. 339. Doubledayi, Circe Humming B. v. pl. 339. Doubledayi's Humming-bird Humming B. v. pl. 330. Doubtful Sparrow Europe, iii. pl. 186. — Toucan Toucans, (2) pl. 5. — Trogon Trogons, (1) pl. 4, (2) pl. 8. <t< td=""><td></td><td>Humming B. i. pl. 23.</td></t<> | | Humming B. i. pl. 23. |
| | Dotterel | Gt. Brit. iv. pl. 43. |
| ————————————————————————————————————— | Dottrel, Allied | Australia, vi. pl. 19 ; Handb. ii. p. 237. |
| | —, Asiatic | Handb. ii. p. 229. |
| ——, Double-banded | —, Australian | Australia, vi. pl. 15; Handb. ii. p. 227. |
| | —, Black-fronted | Australia, vi. pl. 20; Handb. ii. p. 232. |
| ——, Little Ring | —, Double-banded | Australia, vi. pl. 16; Handb. ii. p. 238. |
| ——, Red-capped | ——, Hooded | Australia, vi. pl. 18; Handb. ii. p. 231. |
| ——, Red-capped | —, Little Ring | Europe, iv. pl. 297. |
| ——, Red-kneed | | Australia, vi. pl. 17; Handb. ii. p. 235. |
| ——, Red-kneed | , Red-chested | Europe, iv. pl. 299. |
| ——, Ring Europe, iv. pl. 296 ; Handb. ii. pl. 231. Dottrell | , Red-kneed | Handb. ii. pl. 240. |
| Dottrell | | Europe, iv. pl. 296; Handb. ii. pl. 231. |
| Double-banded Araçari Toucans, (2) pl. 18. — Dottrel Australia, vi. pl. 16; Handb. ii. p. 238. Double-collared Araçari Toucans, (1) pl. 16, (2) pl. 26. doubledayi, Circe Humming B. v. pl. 339. Double-eyed Perroquet Humming B. v. pl. 339. Doubtful Sparrow Europe, iii. pl. 186. — Toucan Toucans, (2) pl. 5. — Trogon Trogons, (1) pl. 4, (2) pl. 8. dougalli, Sterna Europe, v. pl. 418. Dove, Barred-shouldered Handb. ii. p. 142. —, Mrs. Sclater's Ground New Guinea, v. pl. 49. —, Peaceful Handb. ii. p. 144. —-, Placid Handb. ii. p. 145. | Dottrell | |
| —— Dottrel | | Toucans, (2) pl. 18. |
| Double-collared Araçari Toucans, (1) pl. 16, (2) pl. 26. doubledayi, Circe | | Australia, vi. pl. 16; Handb. ii. p. 238. |
| doubledayi, Circe | | Toucans, (1) pl. 16, (2) pl. 26. |
| Doubleday's Humming-bird Humming B. v. pl. 339. Double-eyed Perroquet New Guinea, v. pl. 3. Doubtful Sparrow Europe, iii. pl. 186. — Toucan Toucans, (2) pl. 5. — Trogon Trogons, (1) pl. 4, (2) pl. 8. dougalli, Sterna Europe, v. pl. 418. Dove, Barred-shouldered Handb. ii. p. 142. —, Mrs. Sclater's Ground New Guinea, v. pl. 49. —, Peaceful Handb. ii. p. 144. —, Placid Handb. ii. p. 145. | | |
| Double-eyed Perroquet New Guinea, v. pl. 3. Doubtful Sparrow Europe, iii. pl. 186. — Toucan Toucans, (2) pl. 5. — Trogon Trogons, (1) pl. 4, (2) pl. 8. dougalli, Sterna Europe, v. pl. 418. Dove, Barred-shouldered | | |
| Doubtful Sparrow Europe, iii. pl. 186. — Toucan Toucans, (2) pl. 5. — Trogon Trogons, (1) pl. 4, (2) pl. 8. dougalli, Sterna Europe, v. pl. 418. Dove, Barred-shouldered Handb. ii. p. 142. —, Mrs. Sclater's Ground New Guinea, v. pl. 49. —, Peaceful Handb. ii. p. 144. —-, Placid Handb. ii. p. 145. | | - |
| — Toucan | | |
| — Trogon | | |
| dougalli, Sterna Europe, v. pl. 418. Dove, Barred-shouldered | | |
| Dove, Barred-shouldered | | |
| ——, Mrs. Sclater's Ground New Guinea, v. pl. 49. ——, Peaceful | | |
| ——, Peaceful | | |
| ————, Placid | | |
| · · · · · · · · · · · · · · · · · · · | | |
| | | |
| , Stock Europe, iv. pl. 244; Gt. Brit. iv. pl. 2. | | |
| , Turtle Europe, iv. pl. 246; Gt. Brit. iv. pl. 4. | | |
| | Dove-like Prion | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 1701C-IIIC I IIOI Itabitana, in prolifitation pro | | , . |

| Downy Pycnoptilus | Australia, Suppl. pl. 27; Handb. i. p. 348. |
|------------------------------------|---|
| Drepanornis albertisi | New Guinea, i. pl. 11. |
| bruijnii | New Guinea, i. pl. 12. |
| — cervinicauda | New Guinea, i. pl. 10. |
| Dromaius irroratus | Handb. ii. p. 204. |
| — novæ-hollandiæ | Australia, vi. pl. 1; Handb. ii. p. 200. |
| Dromicia, Beautiful | Mamm. Austr. i. pl. 30. |
| — concinna | Mamm. Austr. i. pl. 30. |
| — gliriformis | Mamm. Austr. i. pl. 29. |
| —, Thick-tailed | Mamm. Austr. i. pl. 29. |
| Dromolæa opistholeuca | Asia, iv. pl. 27. |
| picata | Asia, iv. pl. 26. |
| Drongo, Arfak | New Guinea, i. pl. 50. |
| —, New Ireland | New Guinea, i. pl. 51. |
| , Spangled | Australia, ii. pl. 82; Handb. i. p. 235. |
| dryas, Rhipidura | Australia, Intr. p. xxxix; Handb. i. |
| , , , | p. 242; New Guinea, ii. pl. 32. |
| Drymochares stellatus | Asia, iii. pl. 61. |
| Drymodes brunneopygia | Australia, iii. pl. 10; Handb. i. p. 290. |
| — superciliaris | Australia, Suppl. pl. 16; Handb. i. |
| • | p. 291. |
| Drymædus beccarii | New Guinea, iii. pl. 13 |
| Dryocopus martius | Gt. Brit. iii. pl. 73. |
| dubius, Acanthorhynchus | Synopsis, part ii. |
| Duchess of Connaught's Parrakeet. | New Guinea, v. pl. 11. |
| Duchess of Leuchtenberg's Araçari. | Toucans, (2) pl. 30. |
| Duck, Australian Wild | Australia, vii. pl. 9. |
| —, Barrow's | Europe, v. pl. 380. |
| —, Blue-billed | Australia, vii. pl. 17. |
| —, Castaneous | Europe, v. pl. 368. |
| —, Chestnut-breasted | Australia, vii. pl. 11. |
| —, Eider | Europe, v. pl. 374; Gt. Brit. v. pl. 26. |
| —, Eyton's | Australia, vii. pl. 15. |
| —, Ferruginous | Gt. Brit. v. pl. 21. |
| —, Freckled | Australia, vii. pl. 10 ; Handb. ii. p. 367. |
| —, Golden-eye | Europe, v. pl. 379. |
| —, Harlequin | Europe, v. pl. 381; Gt. Brit. v. pl. 32. |
| —, King | Europe, v. pl. 375; Gt. Brit. v. pl. 27. |
| , Long-tailed | Europe, v. pl. 382; Gt. Brit. v. pl. 33. |
| | |

| Duck, Mallard | Gt. Brit. v. pl. 15. |
|-------------------------|--|
| , Mandarin | Asia, vii. pl. 69. |
| —, Marbled | Europe, v. pl. 373. |
| —, Membranaceous | Australia, vii. pl. 13. |
| —, Musk | Australia, vii. pl. 18; Handb. ii. p. 381. |
| —, Pink-eyed | Handb. ii. p. 372. |
| —, Pin-tail | Europe, v. pl. 365; Gt. Brit. v. pl. 18. |
| ——, Red-crested | Europe, v. pl. 369; Gt. Brit. v. pl. 22. |
| —, Scaup | Europe, v. pl. 371; Gt. Brit. v. pl. 24. |
| —, Shoveller | Europe, v. pl. 360; Gt. Brit. v. pl. 14. |
| ——, Steller's | Europe, v. pl. 372; Gt. Brit. v. pl. 25. |
| —, Surf | Europe, v. pl. 376. |
| —, Tufted | Europe, v. pl. 370; Gt. Brit. v. pl. 23. |
| —, Western | Europe, v. pl. 372. |
| —, Whistling | Australia, vii. pl. 14. |
| ——, White-eyed | Australia, vii. pl. 16; Handb. ii. p. 377; |
| | Europe, v. pl. 368; Gt. Brit. v. pl. 21. |
| —, White-headed | Europe, v. pl. 383. |
| —, Wild | Europe, v. pl. 361; Gt. Brit. v. pl. 15. |
| ducorpsi, Cacatua | New Guinea, v. pl. 47. |
| Ducorps's Cockatoo | New Guinea, v. pl. 47. |
| dukhunensis, Motacilla | Asia, iv. pl. 62. |
| dumerilii, Amazilia | Humming B. v. pl. 305. |
| Dumeril's Amazili | Humming B. v. pl. 305. |
| Dumetia albogularis | Asia, iv. pl. 5. |
| ——, Buff-throated | Asia, iv. pl. 6. |
| — hyperythra | Asia, iv. pl. 6. |
| —, White-throated | Asia, iv. pl. 5. |
| dumetorum, Cacomantis | Handb. i. p. 620. |
| Dunlin | Europe, iv. pl. 329; Gt. Brit. iv. |
| | pls. 69, 70. |
| dupontii, Tryphæna | Humming B. iii, pl. 158. |
| Dusky Antechinus | Mamın. Austr. i. pl. 37. |
| Honey-eater | New Guinea, iii. pl. 46. |
| — Humming-bird | Humming B. v. pl. 340. |
| — Robin | Australia, iii. pl. 8; Handb. i. p. 286. |
| Shearwater | Europe, v. pl. 444. |
| Dusky-footed Rat | Mamm. Austr. iii. pl. 11. |
| Dusky-fronted White-eye | New Guinea, iii. pl. 60. |
| | |

| dussumieri, Turnix | Asia, vii. pl. 10. |
|-----------------------------|--|
| duvauceli, Harpactes | Asia, i. pl. 67; Trogons, (2) pl. 40. |
| duvaucelii, Trogon | Trogons, (1) pl. 32. |
| Duvaucel's Trogon | Asia, i. pl. 67; Trogons, (1) pl. 32, |
| Duvaucci's 110gon | (2) pl. 40. |
| Dwarf Bunting | Asia, v. pl. 7; Gt. Brit. iii. pl. 25. |
| — Koel | New Guinea, iv. pl. 41. |
| dybowskii, Eriocnemis | Humming B., Suppl. p. 68. |
| Dybowski's Puff-leg | Humming B., Suppl. p. 68. |
| dyselius, Eriocnemis | Humming B., Suppl. p. 69. |
| • | 0 |
| Eagle, Bonelli's | Europe, i. pl. 7. |
| —, Booted | Europe, i. pl. 9. |
| —, Golden | Europe, i. pl. 6; Gt. Brit. i. pl. 2. |
| —, Imperial | Europe, i. pl. 5. |
| —, Little | Handb. i. p. 11. |
| , Little Australian | Australia, i. pl. 2. |
| — Owl | Europe, i. pl. 37; Gt. Brit. i. pl. 30. |
| ——, Sea | Europe, i. pl. 10; Gt. Brit. i. pl. 4. |
| , Short-toed | Europe, i. pl. 13. |
| , Spotted | Europe, i. pl. 8; Gt. Brit. i. pl. 3. |
| —, Wedge-tailed | Australia, i. pl. 1; Handb. i p. 8. |
| —, Whistling | Australia, i. pl. 5; Handb. i. p. 20. |
| —, White-bellied Sea | Australia, i. pl. 3. |
| —, White-breasted Sea | Australia, i. pl. 4. |
| —, White-headed | Europe, i. pl. 11. |
| Eared Grebe | Europe, v. pl. 392; Gt. Brit. v. pl. 41. |
| — Owl, Scops | Europe, i. pl. 41. |
| ————, Long | Europe, i. pl. 39. |
| , Short | Europe, i. pl. 40. |
| Pheasant, Chinese | Asia, vii. pl. 22. |
| Earl of Derby's Groove-bill | Toucans, (2) pl. 43. |
| — of Derby's Parrakeet | Australia, v. pl. 29; Asia, vi. pl. 9. |
| Eastern Goldfinch | Asia, v. pl. 17. |
| — Great Horned Owl | Europe, i. pl. 38. |
| —— Scrub-Robin | Australia, Suppl. pl. 16; Handb. i. |
| | p. 291. |
| eburnea, Pagophila | Gt. Brit. v. pl. 62. |
| eburneus, Larus | Europe, v. pl. 436. |
| | 0 |

| Echidna, Hairy | Mamm. Austr. i. pl. 3. |
|--|---|
| — hystrix | Mamm. Austr. i. pl. 2. |
| setosa | Mamm. Austr. i. pl. 3. |
| —, Spiny | Mamm. Austr. i. pl. 2. |
| ** | New Guinea, v. pl. 31. |
| | New Guinea, v. pl. 32. |
| Ecuador Racket-tail | Humming B., Suppl. pl. 37. |
| — Thorn-tail | Humming B., Suppl. p. 51. |
| Train-bearer | Humming B., Suppl. p. 56. |
| Ecuadorian Lance-bill | Humming B., Suppl. p. 28. |
| —— Racket-tail | Humming B. iii. pl. 163. |
| — Rainbow | Humming B., Suppl. pl. 16. |
| —— Sickle-bill | Humming B., Suppl. p. 1. |
| — Star-frontlet | Humming B., Suppl. pl. 23. |
| — Tooth-bill | Humming B., Suppl. pl. 3. |
| | New Guinea, iv. pl. 38. |
| Edoliisoma montanum | New Guinea, ii. pl. 7. |
| poliopse | New Guinea, ii. pl. 8. |
| edwardi, Erythronota | Humming B. v. pl. 318. |
| edwardsi, Otis | Cent. pl. 72. |
| egertoni, Actinodura | Asia, iii. pl. 56. |
| Egerton's Actinodura | Asia, iii. pl. 56. |
| —— Bar-wing | Asia, iii. pl. 56. |
| egregia, Eupherusa | Humming B., Suppl. p. 85. |
| Egret, Australian | Australia, vi. pl. 56; Handb. ii. p. 301. |
| —, Great | Europe, iv. pl. 276. |
| —, Great White | Gt. Brit. iv. pl. 22. |
| ——, Little | Europe, iv. pl. 277; Handb. ii. p. 305; |
| | Gt. Brit. iv. pl. 23. |
| ——, Pied | Australia, vi. pl. 62; Handb. ii. p. 306. |
| <i>'</i> | Australia, vi. pl. 57; Handb. ii. p. 303. |
| ——, Rufous-backed . . . | Europe, iv. pl. 278. |
| ——, Sombre | Australia, vi. pl. 59; Handb. ii. p. 305. |
| , Spotless | Australia, vi. pl. 58; Handb. ii. p. 304. |
| egrettoides, Herodias | Handb. ii. p. 303. |
| 071 | Europe, v. pl. 353. |
| Egyptian Goose | Europe, v. pl. 353. |
| — Neophron | Europe, i. pl. 3. |
| — Vulture | Europe, i. pl. 3; Gt. Brit. i. pl. 1. |
| | |

| Eider Duck | Europe, v. pl. 374; Gt. Brit. v. pl. 26. |
|--------------------------|--|
| Elanus axillaris | Australia, i. pl. 23; Handb. i. p. 53. |
| —, Celebean | Asia, i. pl. 12. |
| — hypoleucus | Asia, i. pl. 12. |
| — melanopterus | Europe, i. pl. 31. |
| — notatus | Synopsis, part iv. App. p. 1. |
| scriptus | Australia, i. pl. 24; Handb. i. p. 55. |
| elegans, Amazilia | Humming B., Suppl. p. 90. |
| —, Callipepla | Odontoph. pl. 18. |
| —, Carduelis | Europe, iii. pl. 196; Gt. Brit. iii. pl. 36. |
| —, Emberiza | Asia, v. pl. 12. |
| —, Erythronota | Humming B. v. pl. 320. |
| —, Euphema | Australia, v. pl. 38; Handb. ii. p. 73. |
| —, Euspiza | Asia, v. pl. 12. |
| —, Malurus | Australia, pt. i. (cancelled) pl. 21, |
| , | iii. pl. 22; Handb. i. p. 324. |
| —, Nanodes | Synopsis, part ii. |
| —, Parus | Asia, ii. pl. 50. |
| —, Peristera | Australia, v. pl. 65. |
| —, Phaps | Handb. ii. p. 125. |
| —, Sporadinus | Humming B. v. pl. 347. |
| —, Trogon | Trogons, (1) pl. 3, (2) pl. 9. |
| Elegant Amazili | Humming B., Suppl. p. 90. |
| Bunting | Asia, v. pl. 12. |
| — Erythronote | Humming B. v. pl. 320. |
| — Grass-Parrakeet | Australia, v. pl. 38; Handb. ii. p. 73. |
| —— Partridge | Odontoph. pl. 18. |
| —— Pitta | New Guinea, iv. pl. 31. |
| — Tit | Asia, ii. pls. 50, 65. |
| eliciæ, Chrysuronia | Humming B. v. pl. 328. |
| Elicia's Golden-tail | Humming B. v. pl. 328. |
| elisæ, Thaumastura | Humming B. iii. pl. 155. |
| ellioti, Atthis | Humming B., Suppl. p. 44. |
| —, Calophasis | Asia, vii. pl. 23. |
| —, Epimachus | New Guinea, i. pl. 8. |
| —, Pitta | Asia, v. pl. 66. |
| elliotii, Trochalopteron | Asia, iii. pl. 42. |
| Elliot's Amazili | Humming B., Suppl. p. 89. |
| — Ant-Thrush | Asia, v. pl. 66. |

0.2

| Elliot's Flame-bearer | | Humming B., Suppl. p. 44. |
|-----------------------------|---|--|
| —— Inca | | Humming B., Suppl. p. 26. |
| —— Pheasant | | Asia, vii. pl. 23. |
| —— Pitta | | Asia, v. pl. 66. |
| — Promerops | | New Guinea, i. pl. 8. |
| F = 3 | | Humming B., Suppl. pl. 12. |
| Trochalopteron | | Asia, iii. pl. 42. |
| elphinstonei, Palumbus | | Asia, vi. pl. 57. |
| Elphinstone's Wood-Pigeon . | | Asia, vi. pl. 57. |
| Elsey's Hapalotis | | Mamm. Austr. iii. pl. 3. |
| Elvira cupreiceps | | Humming B., Suppl. pl. 53. |
| | | Europe, iii. pl. 174. |
| — buchanani | | Asia, v. pl. 11. |
| —— cæsia | | Europe, iii. pl. 181. |
| — caniceps | • | Asia, v. pl. 6. |
| | | Europe, iii. pl. 179. |
| — cinerea | | Asia, v. pl. 8. |
| —— cirlus | | Europe, iii. pl. 175; Gt. Brit. iii. pl. 23. |
| citrinella | | Europe, iii. pl. 173; Gt. Brit. iii. |
| | | pl. 22. |
| — fucata | • | Asia, v. pl. 9. |
| — hortulana | • | Europe, iii. pl. 176. |
| —— lesbia | | Europe, iii. pl. 178. |
| — melanocephala | • | Europe, iii. pl. 172. |
| — miliaria | | Europe, iii. pl. 171. |
| — palustris | | Europe, iii. pl. 182. |
| — pithyornus | | Europe, iii. pl. 180. |
| —— pusilla | | Asia, v. pl. 7; Gt. Brit. iii. pl. 25. |
| — rustica | ٠ | Europe, iii. pl. 177; Asia, v. pl. 10; |
| | | Gt. Brit. iii. pl. 24. |
| — schæniclus | | Europe, iii. pl. 183; Gt. Brit. iii. pl. 29. |
| Emblema picta | | Australia, iii. pl. 97; Handb. i. p. 429. |
| Embroidered Barbet | | Asia, vi. pl. 49. |
| Emerald, Alice's | | Humming B. v. pl. 357. |
| —, Allied | | Humming B. v. pl. 299. |
| —, Atala's | | Humming B. v. pl. 356. |
| | | Humming B., Suppl. p. 75. |
| —, Bartlett's | | Humming B., Suppl. pl. 50. |

| Emerald, Black-tailed | Humming B., Suppl. p. 80. |
|--------------------------------|---|
| , Black-tipped | Humming B., Suppl. p. 77. |
| 1 1 1 1 | - · · · · - · - · · - · · · · · · · · · |
| | Humming B., Suppl. p. 76. |
| —, Boucard's | Humming B., Suppl. p. 81. |
| —, Brazilian | Humming B. v. pl. 355. |
| —, Bright-tailed | Humming B., Suppl. p. 80. |
| —, Brilliant-fronted | Humming B. v. pl. 297. |
| —, Canivet's | Humming B. v. pl. 351. |
| —, Colombian | Humming B. v. pl. 353. |
| —, Coppery | Humming B., Suppl. pl. 58. fig. 2. |
| — Cuckoo | Asia, vi. pl. 46. |
| —, Glittering | Humming B. v. pl. 354. |
| —, Green-headed | Humming B. v. pl. 295. |
| —, Guiana | Humming B., Suppl. p. 77. |
| —, Heine's | Humming B., Suppl. p. 75. |
| —, Linnæus's | Humming B. v. pl. 302. |
| —, Long-tailed | Humming B. v. pl. 350. |
| , Lucy's | Humming B., Suppl. p. 78. |
| —, Miller's | Humming B. v. pl. 296. |
| —, Osbert's | Humming B. v. pl. 352. |
| —, Poortman's | Humming B. v. pl. 358. |
| , Riverine | TT ' D C 1 1 51 |
| , Ruddy-breasted | Humming B., Suppl. p. 98. |
| —, Short-billed | Humming B. v. pl. 298. |
| , Snowy-throated | Humming B. v. pl. 293. |
| —, Stübel's | TT 1 TO 0 1 00 |
| —, Taczanowski's | 77 . 7 |
| —, Venezuelan | TT 1 TO 0 1 1 TO |
| —, White-bellied | TT : TO 1 001 |
| —, White-breasted | TT ' D 1 200 |
| —, White-tailed | • |
| —, White-throated | Humming B. v. pl. 294. |
| Emerald-fronted Humming-bird . | |
| emilii, Melidectes | 17 G L |
| Empress Humming-bird | ** |
| Emu | Australia, vi. pl. 1; Handb. ii. p. 200. |
| 0 | Handb. ii. p. 204. |
| 317 | . Australia, iii. pl. 31; Handb. i. p. 339. |
| T : | Gt. Brit. v. pl. 25. |
| Zinconctut stellell | . Gt. Ditt. v. pr. 20. |

| enicura, Thaumastura . | | Humming B. iii. pl. 157. |
|---------------------------|--|---|
| Enicurus chinensis | | Asia, iv. pl. 70. |
| —— guttatus | | Asia, iv. pl. 69. |
| — maculatus | | Cent. pl. 27; Asia, iv. pl. 68. |
| — scouleri | | Cent. pl. 28; Asia, iv. pl. 71. |
| Enneoctonus collurio | | Gt. Brit. ii. pl. 15. |
| rufus | | Gt. Brit. ii. pl. 16. |
| ensiferus, Docimastes . | | Humming B. iv. pl. 233. |
| ensipennis, Campylopterus | | Humming B. ii. pl. 46. |
| Entomophila albogularis | | Australia, iv. pl. 51; Handb. i. p. 532. |
| —— picta | | Synopsis, part iv.; Australia, iv. pl. 50; |
| | | Handb. i. p. 530. |
| — rufogularis | | Australia, iv. pl. 52. |
| Entomyza albipennis | | Australia, iv. pl. 69; Handb. i. p. 563. |
| , Blue-faced | | Australia, iv. pl. 68. |
| —— cyanotis | | Australia, iv. pl. 68; Handb. i. p. 560. |
| enucleator, Corythus | | Europe, iii. pl. 204. |
| —, Pinicola | | Gt. Brit. iii. pl. 44. |
| Eophona melanura | | Asia, v. pl. 19. |
| — personata | | Asia, v. pl. 18. |
| Eopsaltria australis | | Australia, iii. pl. 11; Handb. i. p. 293. |
| capito | | Australia, Suppl. pl. 17; Handb. i. p. 297. |
| — griseogularis | | Synopsis, part iv.; Australia, iii. pl. 12; |
| | | Handb. i. p. 294. |
| — leucogaster | | Australia, iii. pl. 13; Handb. i. p. 296. |
| — leucura | | Australia, Suppl. pl. 18. |
| —— parvulus | | Synopsis, part iv. |
| Eos fuscata | | New Guinea, v. pl. 34. |
| — reticulata | | New Guinea, v. pl. 35. |
| eos, Cacatua | | Australia, v. pl. 4. |
| —, Helianthea | | Humming B. iv. pl. 237. |
| Ephthianura albifrons . | | Synopsis, part iv. App. p. 4; Australia, |
| | | iii. pl. 64; Handb. i. p. 377. |
| —— aurifrons | | Synopsis, part iv. App. p. 4; Australia, |
| | | iii. pl. 65; Handb. i. p. 380. |
| crocea | | New Guinea, iii. pl. 14. |
| —, Orange-fronted . | | Australia, iii. pl. 65. |
| tricolor | | Australia, iii. pl. 66; Handb. i. p. 380. |
| —, Tricoloured | | Australia, iii. pl. 66. |
| —, White-fronted | | Australia, iii. pl. 64. |

| Ephthianura, Yellow-breasted | New Guinea, iii. pl. 14. |
|------------------------------|---|
| Epimachus eilioti | New Guinea, i. pl. 8. |
| speciosus | New Guinea, i. pl. 9. |
| episcopus, Phaethornis | Humming B. i. pl. 39. fig. 2. |
| epops, Upupa | Europe, iii. pl. 238; Gt. Brit. ii. pl. 12. |
| Equatorial Lilac-throat | Humming B. iv. pl. 269. |
| eremita, Phaethornis | Humming B. i. pl. 40. |
| Eriocnemis alinæ | Humming B. iv. pl. 280. |
| assimilis | Humming B., Suppl. p. 70. |
| aureliæ | Humming B. iv. pl. 283. |
| chrysorama | Humming B., Suppl. p. 67. |
| — cupreiventris | Humming B. iv. pl. 270. |
| — derbianus | Humming B. iv. pl. 279. |
| — d'orbignyi | Humming B. iv. pl. 278. |
| — dybowskii | Humming B., Suppl. p. 68. |
| dyselius | Humming B., Suppl. p. 69. |
| godini | Humming B. iv. pl. 277. |
| — isaacsoni | Humming B. iv. pl. 277. |
| —— luciani | Humming B. iv. pl. 273. |
| lugens | Humming B. iv. pl. 282. |
| — mosquera | Humming B. iv. pl. 252. |
| | Humming B. iv. pl. 274. Humming B. iv. pl. 276. |
| nigrivestris | |
| — sapphiropygia | Humming B., Suppl. pl. 48. |
| — simplex | Humming B. iv. pl. 271. |
| smaragdinipectus | Humming B., Suppl. p. 70. |
| squamata | Humming B. iv. pl. 281. |
| — vestita | Humming B. iv. pl. 275. |
| Erismatura australis | Australia, vii. pl. 17; Handb. ii. p. 379. |
| Erolia, Red-billed | Asia, vii. pl. 61. |
| eryphile, Thalurania | Humming B. ii. pl. 108. |
| Erythaca rubecula | Europe, ii. pl. 98. |
| Erythacus rubecula | Gt. Brit. ii. pl. 48. |
| erythacus, Pyrrhula | Asia, v. pl. 39. |
| Erythra quadristrigata | Handb. ii. p. 343. |
| Erythrauchæna humeralis | Handb. ii. p. 142. |
| erythrina, Erythrospiza | Europe, iii. pl. 206. |
| —, Myzomela | New Guinea, iii. pl. 65. |
| erythrinus, Carpodacus | Europe, iii. pl. 206; Gt. Brit. iii. pl. 43. |
| erythrocephala, Cinclosoma | Cent. pl. 17. |
| ——, Myzomela | Australia, iv. pl. 64; Handb. i. p. 556. |
| | |

| erythrocephala, Psaltria | Asia, ii. pl. 64. |
|----------------------------------|--|
| —, Pyrrhula | Asia, v. pl. 36; Cent. pl. 32. |
| erythrocephalum, Trochalopteron. | Cent. pl. 17. |
| erythrocephalus, Ægithaliscus . | Cent. pl. 30. fig. 1. |
| —, Harpactes | Trogons, (2) pl. 43. |
| —, Parus | Cent. pl. 30. fig. 1. |
| —, Trogon | Trogons, (1) pl. 33. |
| erythrocnemis, Pomatorhinus | Asia, iii. pl. 33. |
| Erythrodryas rhodinogaster | Australia, iii. pl. 1; Handb. i. p. 276. |
| — rosea | Australia, iii. pl. 2; Handb. i. p. 277. |
| erythrogaster, Petrocincla | Asia, iii. pl. 8. |
| —, Turdus | Cent. pl. 13. |
| erythrogastra, Monticola | |
| —, Petroica | Australia, iii. pl. 4; Handb. ii. p. 526. |
| —, Ruticilla | Asia, iv. pl. 36. |
| erythrogenys, Pomatorhinus | Cent. pl. 55. |
| Erythrogonys cinctus | Synopsis, part iv.; Australia, vi. pl. 21; |
| | Handb. ii. p. 240. |
| Erythronota antiqua | Humming B. v. pl. 316. |
| —— edwardi | Humming B. v. pl. 318. |
| —— elegans | Humming B. v. pl. 320. |
| —— feliciæ | Humming B. v. pl. 317. |
| — niveiventris | Humming B. v. pl. 319. |
| — saucerottei | Humming B. v. pl. 321. |
| —— sophiæ | Humming B. v. pl. 322. |
| Erythronote | Humming B. v. pl. 316. |
| —, Elegant | Humming B. v. pl. 320. |
| —, Felicia's | Humming B. v. pl. 317. |
| ——, Saucerotte's | Humming B. v. pl. 321. |
| —, Sophia's | Humming B. v. pl. 322. |
| —, White-breasted | Humming B. v. pl. 319. |
| —, Wilson's | Humming B. v. pl. 318. |
| erythronotus, Collurio | Cent. pl. 12. fig. 2. |
| erythropleura, Zosterops | Asia, ii. pl. 35. |
| erythroprocta, Ruticilla | Asia, iv. pl. 37. |
| erythrops, Climacteris | Australia, iv. pl. 95; Handb. i. p. 602. |
| erythropterus, Aprosmictus | Australia, v. pl. 18. |
| —, Lanius | Cent. pl. 11. |
| —, Pteruthius | Asia, ii. pl. 14. |

| erythropterus, Ptistes | Handb. ii. p. 37. |
|--------------------------------|--|
| 77 1 | Asia, i. pl. 8. |
| Erythropus amurensis | Gt. Brit. i. pl. 20. |
| erythropygia, Cecropis | Asia, i. pl. 29. |
| | = |
| —, Hirundo | Asia, i. pl. 29. |
| erythropygius, Accentor | Asia, iv. pl. 43. |
| —, Pericrocotus | Asia, ii. pl. 6. |
| —, Pteroglossus | Toucans, (2) pl. 21. |
| erythrorhyncha, Microperdix | Asia, vii. pl. 3. |
| —, Pica | Cent. pl. 46. |
| —, Urocissa | Cent. pl. 41. |
| erythrorhynchus, Rhamphastos . | Toucans, (1) pl. 3, (2) pl. 6. |
| Erythrospiza erythrina | Europe, iii. pl. 206. |
| — githaginea | Asia, v. pl. 31; Europe, iii. pl. 208. |
| — incarnata | Asia, v. pl. 30. |
| obsoleta | Asia, v. pl. 29. |
| — rosea | Europe, iii. pl. 207. |
| Erythrosterna parva | Gt. Brit. ii. pl. 20. |
| Erythrotriorchis doriæ | New Guinea, i. pl. 2. |
| Esacus magnirostris | Australia, vi. pl. 6; Handb. ii. pl. 213. |
| esslingi, Nestor | Australia, Suppl. pl.59; Handb.ii.p.552. |
| estella, Oreotrochilus | Humming B. ii. pl. 70. |
| Estella's Hill-Star | Humming B. ii. pl. 70. |
| Estrelda annulosa | Australia, iii. pl. 81. |
| — bella | Australia, iii. pl. 78. |
| — bichenovii | Australia, iii. pl. 80. |
| — oculea | Australia, iii. pl. 79. |
| —— phaeton | Australia, iii. pl. 83. |
| — ruficauda | Australia, iii. pl. 84. |
| — temporalis | Australia, iii. pl. 82. |
| Eucephala cærulea | Humming B. v. pl. 335. |
| — cæruleo-larvata | Humming B. v. pl. 333. |
| chlorocephala | Humming B. v. pl. 332. |
| cyanogenys | Humming B., Suppl. p. 93. |
| grayi | Humming B. v. pl. 330. |
| hypocyanea | Humming B. v. pl. 334. |
| | Humming B., Suppl. p. 92. |
| 1 . | Humming B., Suppl. p. 92. Humming B., Suppl. p. 91. |
| * , , | 9 7 11 1 |
| smaragdo-cærulea | Humming B. v. pl. 331. |
| | • |

| Eucephala subcærulea | Humming B., Suppl. p. 92. |
|-----------------------------|---|
| eucharis, Lesbia | Humming B. iii. pl. 171. |
| Eudromias australis | Australia, vi. pl. 15; Handb. ii. p. 227. |
| — morinellus | Gt. Brit, iv. pl. 43. |
| Eudynamis flindersi | Australia, iv. pl. 91; Handb. i. p. 632 |
| Eudyptes chrysocome | Australia, vii. pl. 83. |
| Eudyptula minor | Handb. ii. p. 518. |
| — undina | Handb. ii. p. 521. |
| Eugenes fulgens | Humming B. ii, pl. 59. |
| — spectabilis | Humming B., Suppl. pl. 13. |
| Eulabeornis castaneiventris | Australia, vi. pl. 78; Handb. ii. p. 338 |
| Eulampis chlorolæmus | Humming B. ii. pl. 84. |
| — holosericeus | Humming B. ii. pl. 83. |
| — jugularis | Humming B. ii. pl. 82. |
| Eumyias melanops | Cent. pl. 6. |
| Eupetes, Blue-bodied | New Guinea, iii. pl. 4. |
| cærulescens | New Guinea, iii. pl. 4. |
| — castanonotus | New Guinea, iii. pl. 3. |
| —, Chestnut-backed | New Guinea, iii. pl. 3. |
| Eupetomena hirundinacea | Humming B. ii. pl. 42. |
| — hirundo | Humming B., Suppl. pl. 2. |
| Euphema aurantia | Australia, v. pl. 39; Handb. ii. p. 75. |
| bourkii | Australia, v. pl. 43; Handb. ii. p. 80. |
| chrysostoma | Australia, v. pl. 37; Handb. ii. p. 71. |
| — elegans | Australia, v. pl. 38; Handb. ii. p. 73. |
| petrophila | Australia, v. pl. 40; Handb. ii. p. 76. |
| — pulchella | Australia, v. pl. 41; Handb. ii. p. 77. |
| —— splendida | Australia, v. pl. 42; Handb. ii. p. 79. |
| Eupherusa egregia | Humming B., Suppl. p. 85. |
| eximia | Humming B. v. pl. 324. |
| — poliocerca | Humming B., Suppl. pl. 55. |
| euphrosinæ, Dorifera | Humming B., Suppl. p. 28. |
| Euplocamus lineatus | Asia, vii. pl. 14. |
| swinhoii | Asia, vii. pl. 16. |
| — vieillotii | Asia, vii. pl. 15. |
| Euplocomus albocristatus | Cent. pls. 65, 66. |
| eupogon, Metallura | Humming B., Suppl. p. 64. |
| Eupsychortyx cristatus | Odontoph. pl. 9. |
| — leucopogon | Odontoph. pl. 13. |
| Tacopogon | odomopii, pr. 10. |

| | 01 4 1 1 10 |
|--------------------------|--|
| Eupsychortyx leucotis | |
| — parvicristatus | . Odontoph. pl. 12. |
| sonninii | . Odontoph. pl. 11. |
| Euptilotis neoxenus | . Toucans, (2) pl. 6. |
| Eurinorhynchus pygmæus | . Asia, vii. pl. 66. |
| europæa, Bonasia | Europe, iv. pl. 251. |
| —, Sitta | Europe, iii. pl. 234. |
| europæus, Caprimulgus | . Europe, ii. pl. 51; Gt. Brit. ii. pl. 1. |
| , Nycticorax | . Europe, iv. pl. 279. |
| —, Troglodytes | . Europe, ii. pl. 130; Gt. Brit. ii. pl. 63. |
| | . Europe, iv. pl. 259. |
| — Goatsucker | . Europe, ii. pl. 51; Gt. Brit. ii. pl. 1. |
| Shoveller | . Handb. ii. p. 370. |
| Eurostopodus albogularis | . Australia, ii. pl. 7; Handb. i. p. 96. |
| — guttatus | . Synopsis, part iv.; Australia, ii. pl. 8; |
| | Handb. i. p. 98. |
| Eurylaime, Allied | . Asia, i. pl. 60. |
| 70 11 1 1 | . Asia, i. pl. 64. |
| , a | . Asia, i. pl. 61. |
| C . 1 . 11 . 1 | . Asia, i. pl. 59. |
| —, Hooded | . Asia, i. pl. 58. |
| —, Javan | . Asia, i. pl. 57. |
| —, Lunulated | Asia, i. pl. 62. |
| —, Red-backed | |
| Eurylaimus dalhousiæ | |
| javanicus | |
| — ochromelas | |
| Eurynome Hermit | TT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| eurynome, Phaethornis | TT ' TO ' 1 10 |
| eurypterus, Avocettinus | TT ' 1 1000 |
| Eurystomus pacificus | Australia, ii. pl. 17; Handb. i. p. 119. |
| Euspiza elegans | . Asia, v. pl. 12. |
| — luteola | . Asia, v. pl. 14. |
| — melanocephala | 1.10 0: 10.1: 10. 1.30 |
| Eustephanus fernandensis | |
| galeritus | 77 1 7 1 00 |
| — leyboldi | II ' D G 1 1 0" |
| — stokesi | Humming B. iv. pl. 266. |
| Euthyrhynchus flavigula | New Guinea, iii. pl. 53. |
| JJ | new Gamen, In. pr. 56. |

| Euthyrhynchus fulvigula | New Guinea, iii. pl. 54. |
|--------------------------------|---|
| — griseigula | New Guinea, iii. pl. 55. |
| Eutoxeres aquila | Humming B. i. pl. 3. |
| — condamini | . Humming B. i. pl. 4. |
| — heterura | Humming B., Suppl. p. 1. |
| —— salvini | Humming B., Suppl. p. 3. |
| Eutrygon terrestris | New Guinea, v. pl. 62. |
| evelinæ, Thaumastura | Humming B. iii. pl. 156. |
| Evening Humming-bird | Humming B. iii. pl. 154. |
| ewingii, Ptilonopus | Australia, v. pl. 56; Handb. ii. p. 107. |
| Ewing's Fruit-Pigeon | Australia, v. pl. 56; Handb. ii. p. 107. |
| — Warbler | Australia, iii. pl. 55. |
| Excalfactoria australis | . Handb. ii. p. 197. |
| — chinensis | . Asia, vii. pl. 6. |
| — minima | Asia, vii. pl. 7. |
| excubitor, Collurio | Europe, ii. pl. 66. |
| —, Lanius | Gt. Brit. ii. pl. 13. |
| Exile Grass-Warbler | Handb. i. p. 350. |
| — Tit | Asia, ii. pl. 63. |
| 337 13 | Australia, iii. pl. 42. |
| 11' (1' 1' 1 | . Australia, iii. pl. 42; Handb. i. p. 350. |
| 0.1.1.1 | Humming B. iv. pl. 207. |
| D. 1. 1 | . Asia, ii. pl. 63. |
| eximia, Eupherusa | Humming B. v. pl. 324. |
| eximium, Dicæum | |
| eximius, Platycercus | Synopsis, part ii.; Australia, v. pl. 27; |
| | Handb. ii. p. 55. |
| exulans, Diomedea | Australia, vii. pl. 38; Handb. ii. p. 427. |
| exustus, Pterocles | Asia, vi. pl. 64. |
| | Handb. ii. p. 375. |
| т | Australia, vii. pl. 15. |
| Evton's Duck | Australia, vii. pl. 15. |
| —— Tree-Duck | |
| | • |
| | |
| Fairy Blue-bird, Black-mantled | Asia, iii. pl. 23. |
| ————, Blue-mantled | |
| T) | |

. . . Asia, iii. pl. 20.

. . . Asia, iii. pl. 21.

–, Bornean .

-----, Indian

| Fairy Blue-bird, Malayan | | | | Asia, iii. pl. 19. |
|--------------------------|---|---|---|---|
| Fairy, Brazilian | | | | Humming B. iv. pl. 214. |
| Cayenne | | | | Humming B. iv. pl. 214. Humming B. iv. pl. 213. |
| | | | | |
| —, Colombian | | | | Humming B. iv. pl. 217. |
| —, Green-throated | | | | Humming B. iv. pl. 215. |
| — Martin | | | | Australia, ii. pl. 15; Handb. i. p. 113. |
| —— Penguin | | | | Australia, vii. pl. 85; Handb. ii. p. 521. |
| —— Prion | | ٠ | | Handb. ii. p. 473. |
| —, Purple-crowned . | | ٠ | ٠ | Humming B. iv. pl. 216. |
| — Sandpiper | | | | Australia, vi. pl. 35. |
| falcata, Pachycephala . | | | | Australia, ii. pl. 68; Handb. i. p. 213. |
| Falcinellus igneus | | | | Australia, vi. pl. 47; Handb. ii. p. 286; |
| | | | | Gt. Brit. iv. pl. 47. |
| falcinellus, Ibis | | | | Europe, iv. pl. 301. |
| Falco æsalon | | | | Europe, i. pl. 24; Gt. Brit. i. pl. 19. |
| — babylonicus | | | | Asia, i. pl. 4. |
| — brunnea | | | | Synopsis, part iii. |
| — candicans | | | | Gt. Brit. i. pls. 13, 14, 15. |
| — chicquera | | | | Cent. pl. 2. |
| — concolor | | | | Europe, i. pl. 25. |
| — frontatus | | | | Synopsis, part iii.; Australia, i. pl. 10. |
| — gyrfalco | | | | Gt. Brit. i. pl. 16. |
| — hypoleucus | | | | Australia, i. pl. 7; Handb. i. p. 24. |
| — islandicus | | | • | Europe, i. pl. 19. |
| islandus | | | ٠ | Gt. Brit. i. pls. 11, 12. |
| jugger | | • | • | Asia, i. pl. 7. |
| lanarius | | | ٠ | - |
| | | | • | Europe, i. pl. 20; Asia, i. pl. 6. |
| lunulatus | | | | Handb. i. p. 29. |
| — melanogenys | ٠ | | | Synopsis, part iii.; Australia, i. pl. 8; |
| | | | | Handb. i. p. 26. |
| — peregrinator | | | ٠ | Asia, i. pl. 3. |
| — peregrinus | | | | Europe, i. pl. 21; Gt. Brit. i. pl. 17. |
| rufipes | | | | Europe, i. pl. 23. |
| sacer | | | | Asia, i. pl. 5. |
| — subbuteo | | | | Europe, i. pl. 22; Gt. Brit. i. pl. 18. |
| — subniger | | | | Australia, i. pl. 9; Handb. i. p. 28. |
| tinnunculoides | | | | Europe, i. pl. 27. |
| tinnunculus | | | | Europe, i. pl. 26. |
| Falcon, Black | | | | Australia, i. pl. 9; Handb. i. p. 28. |
| | | | | |

| Falcon, Black-cheeked | | Australia, i. pl. 8; Handb. i. p. 26. |
|-----------------------------|----|---|
| —, Greenland | | Gt. Brit. i. pls. 13, 14, 15. |
| ——, Grey | | Australia, i. pl. 7; Handb. i. p. 24. |
| —, Gyr | | Gt. Brit. i. pl. 16. |
| TT 11 | | Europe, i. pl. 22. |
| —, Iceland | | Gt. Brit. i. pls. 11, 12. |
| —, Jer | | Europe, i. pl. 19. |
| —, Juggur | | Asia, i. pl. 7. |
| —, Kestrel | | Europe, i. pl. 26. |
| —, Lanner | | Europe, i. pl. 20; Asia, i. pl. 6. |
| —, Lead-coloured | | Europe, i. pl. 25. |
| —, Lesser Kestrel | | Europe, i. pl. 27. |
| —, Merlin | | Europe, i. pl. 24. |
| —, Norwegian | | Gt. Brit, i. pl. 16. |
| —, Peregrine | ٠. | Europe, i. pl. 21; Gt. Brit. i. pl. 17. |
| —, Red-footed | | Europe, i. pl. 23. |
| —, Red-naped | | Asia, i. pl. 4. |
| —, Saker | | Asia, i. pl. 5. |
| , Shaheen | | Asia, i. pl. 3. |
| —, White-fronted | | Australia, i. pl. 10; Handb. i. p. 29. |
| Falcunculus flavigulus | | Synopsis, part iv. |
| — frontatus | | Australia, ii. pl. 79; Handb. i. p. 228. |
| leucogaster | | Synopsis, part iv.; Australia, ii. pl. 80; |
| G | | Handb. i. p. 229. |
| fallax, Glicychæra | | New Guinea, iii. pl. 39. |
| —, Leucippus | | Humming B. ii. pl. 56. |
| familiaris, Certhia | | Europe, iii. pl. 237; Gt. Brit. ii. pl. 64. |
| fanny, Calothorax | | Humming B. iii. pl. 151. |
| Fanny's Wood-Star | | Humming B. iii. pl. 151. |
| Fantail Flycatcher, Black . | | Australia, ii. pl. 86; Handb. i. p. 244. |
| , Cockerell's | | New Guinea, ii. pl. 28. |
| ————, Larat | | New Guinea, ii. pl. 29. |
| ——, Northern | | Australia, ii. pl. 85; Handb. i. p. 242. |
| ———, Pied | | Handb. i. p. 246. |
| ————, Preiss's | | Handb. i. p. 240. |
| F 0 1 1 1 | | New Guinea, ii. pl. 30. |
| | | New Guinea, ii. pl. 33. |
| , Rufous-fronted . | | Australia, ii. pl. 84; Handb. i. p. 240; |
| | | New Guinea, ii. pl. 26. |
| | | |

| Fantail Flycatcher, Timor Laut | . New Guinea, ii. pl. 31. |
|--------------------------------|--|
| ———, White-breasted. | . New Guinea, ii. pl. 27. |
| ————, White-shafted | . Australia, ii. pl. 83; Handb. i. p. 238 |
| — Warbler | . Europe, ii. pl. 113. |
| Fan-tailed Cuckoo | . Handb. i. p. 618. |
| — Flycatcher | . Australia, ii. pl. 86. |
| fasciata, Bettongia | . Monogr. Macrop. part ii. |
| —, Glyciphila | . Australia, iv. pl. 30; Handb. i. p. 499 |
| —, Perameles | . Mainm. Austr. i. pl. 8. |
| Fasciated Hemipode | . Asia, vii. pl. 11. |
| — Honey-eater | . Australia, iv. pl. 30; Suppl. pl. 40 |
| izonej caver | Handb. i. pp. 499, 507. |
| —— Partridge | Odontoph. pl. 14. |
| — Trogon | . Asia, i. pl. 75; Trogons, (2) pl. 38. |
| C II | Asia, i. pl. 75; Trogons, (2) pl. 38. |
| —, Lagorchestes | . Mamm. Austr. ii. pl. 56. |
| —, Myrmecobius | . Mamm. Austr. i. pl. 4. |
| —, Philortyx | Odontoph. pl. 14. |
| —, Pterocles | . Asia, vi. pl. 65. |
| —, Turnix | . Asia, vii. pl. 11. |
| fascinans, Micrœca | . Australia, ii. pl. 93; Handb. i. p. 258. |
| C 1 1 Total | Australia, Suppl. pl. 40; Handb. i. |
| | p. 507. |
| Fawn-breasted Amazili | Humming B. v. pl. 309. |
| — Bower-bird | Australia, Suppl. pl. 36; Handb. i. |
| | р. 454. |
| — Kingfisher | Australia, ii. pl. 20; Handb. i. p. 125. |
| —— Sabre-wing | Humming B, ii. pl. 50. |
| — Superb Warbler | |
| — Wood-Shrike | |
| Fawn-coloured Bat | 36 1 101 |
| — Hapalotis | Mamm. Austr. iii. pl. 10. |
| Fawn-tailed Barbed-throat | Humming B. i. pl. 14. |
| — Flycatcher | New Guinea, ii. pl. 35. |
| feadensis, Calornis | New Guinea, iv. pl. 14. |
| Fead-Island Starling | New Guinea, iv. pl. 14. |
| feliciæ, Erythronota | Humming B. v. pl. 317. |
| feliciana, Juliamyia | Humming B., Suppl. p. 95. |
| Felicia's Erythronote | Humming B. v. pl. 317. |
| • | 0 1 |

| Felicia's Humming-bird | Humming B., Suppl. p. 95. |
|----------------------------|--|
| Felt | Europe, ii. pl. 76. |
| ferina, Fuligula | Europe, v. pl. 367. |
| —, Nyroca | Gt. Brit. v. pl. 20. |
| fernandensis, Eustephanus | Humming B. iv. pl. 267; Suppl. pl. 374. |
| ferrocyanea, Myiagra | New Guinea, ii. pl. 36. |
| ferruginea, Lophophaps | Australia, Suppl. pl. 68; Handb. ii.p. 137. |
| ferruginifrons, Antechinus | Mamm. Austr. i. pl. 36. |
| Ferruginous Duck | Gt. Brit. v. pl. 21. |
| ferus, Anser | Europe, v. pl. 347; Gt. Brit. v. pl. 1. |
| —, Cygnus | Europe, v. pl. 355; Gt. Brit. v. pl. 9. |
| Festive Coquette | Humming B. iii. pl. 124. |
| fiber, Sula | Handb. ii. p. 507. |
| Ficedula hypolais | Gt. Brit. ii. pl. 71. |
| Field Calamanthus | Handb. i. p. 389. |
| — Ground-Warbler | Handb. i. p. 389. |
| —— Reed-Lark | Australia, iii. pl. 71. |
| Fieldfare | Europe, ii. pl. 76; Gt. Brit. ii. pl. 35. |
| Field-Mouse | Mamm. Austr. iii. pl. 22. |
| Fiery Parrakeet | Australia, v. pl. 30. |
| Fiery-tailed Avocet | Humming B. iii. pl. 201. |
| Sun-bird | Asia, ii. pl. 28. |
| Fiery Topaz | . Humming B. ii. pl. 67. |
| Filander | . Mamm. Austr. ii. pl. 51. |
| filifera, Hirundo | Asia, i. pl. 26. |
| filigera, Ptilotis | Australia, Suppl. pl. 42; Handb. i. p. 522. |
| Finch, Adams's Mountain | . Asia, v. pl. 1. |
| —, Banded Grass | . Australia, iii. pl. 93; Handb. i. p. 425. |
| —, Beautiful Grass | . Australia, iii. pl. 89; Handb. i. p. 421. |
| , | Australia, iii. pl. 80; Handb. i. p. 409. |
| —, Black-cheeked | . New Guinea, iv. pl. 25. |
| , 1 | . Australia, iii. pl. 81; Handb. i. p. 410. |
| | . Europe, iii. pl. 188; Gt. Brit. iii. pl. 35. |
| , 1 | . Asia, v. pl. 4. |
| —, Burton's | . Asia, v. pl. 16. |
| ——, Caucasian | . Asia, v. pl. 25. |
| ——, Chestnut-breasted | • |
| , Chestnut-eared | |
| —, Citril | . Europe, iii. pl. 198. |

| Finch, Crimson | Australia, iii. pl. 83; Handb. i. p. 451. |
|---------------------------|--|
| —, Crimson-winged | Asia, v. pl. 28. |
| —, Fire-tailed | Australia, iii. pl. 78; Handb. i. p. 406. |
| —, Forbes' | New Guinea, iv. pl. 23. |
| —, Gouldian | Australia, iii. pl. 88. |
| —, Gouldian Grass | Handb. i. p. 420. |
| —, Large Rufous-and-Black | New Guinea, iv. pl. 22. |
| —, Long-tailed Grass | Australia, iii. pl. 90; Handb. i. p. 422. |
| , Masked Grass | Australia, iii. pl. 91; Handb. i. p. 423. |
| , Mountain | Europe, iii. pl. 188. |
| , Northern Mountain | Asia, v. pl. 2. |
| , Orange-rumped | New Guinea, iv. pl. 24. |
| —, Painted | Australia, iii. pl. 97; Handb. i. p. 429. |
| , Plain-coloured | Australia, iii. pl. 85; Handb. i. p. 414. |
| —, Red-eared | Australia, iii. pl. 79; Handb. i. p. 407. |
| —, Red-eyebrowed | Australia, iii. pl. 82; Handb. i. p. 411. |
| —, Red-mantled | Asia, v. pl. 26. |
| —, Red-necked Mountain | Asia, v. pl. 5. |
| ——, Red-rumped Mountain | Asia, v. pl. 3. |
| , Red-tailed | Australia, iii. pl. 84; Handb. i. p. 412. |
| —, Rosy | Asia, v. pl. 30. |
| —, Rosy-winged | Asia, v. pl. 29. |
| —, Sepoy | Asia, v. pl. 24. |
| , Serin | Europe, iii. pl. 195; Gt. Brit. iii. pl. 38. |
| —, Siberian Rose | Asia, v. pl. 27. |
| —, Snow | Europe, iii. pl. 189. |
| —, Spotted-sided | Australia, iii. pl. 86; Handb. i. p. 417. |
| —, White-breasted | Australia, iii. pl. 95; Handb. i. p. 427. |
| —, White-eared Grass | Australia, iii. pl. 92. |
| —, Winter | Europe, iii. pl. 190. |
| , Yellow-rumped | Australia, iii. pl. 96; Handb. i. p. 428. |
| Finsch's Fruit-Pigeon | New Guinea, v. pl. 65. |
| finschii, Carpophaga | New Guinea, v. pl. 65. |
| Fireback, Siamese | Asia, vii. pl. 21. |
| —, Swinhoe's | Asia, vii. pl. 16. |
| —, Vieillot's | Asia, vii. pl. 15. |
| Fire-breasted Myzanthe | Asia, ii. pl. 40. |
| Fire-crested Wren | Europe, ii. pl. 148. fig. 1; Gr. Brit. ii. |
| | pl. 70. |
| | |

| Fire-crown, Chilian | | Humming B. iv. pl. 265. |
|------------------------------|--|--|
| —, Cinnamon | | Humming B. iv. pl. 267; Suppl. pl. 26. |
| —, Leybold's | | Humming B., Suppl. pl. 25. |
| Fire-rumped Sapphire | | Humming B., Suppl. p. 92. |
| Fire-tailed Finch | | Australia, iii. pl. 78; Handb. i. p. 406. |
| fischeri, Ptilopus | | New Guinea, v. pl. 56. |
| Fischer's Fruit-Pigeon | | New Guinea, v. pl. 56. |
| flabellifera, Florisuga | | Humming B. ii. pl. 114. |
| flabelliformis, Cacomantis . | | Handb. i. p. 618. |
| Flame-bearer, Broad-tailed. | | Humming B. iii. pl. 140. |
| —, Elliot's | | Humming B., Suppl. p. 44. |
| —, Floresi's | | Humming B. iii. pl. 139. |
| —, Heloisa's | | Humming B. iii. pl. 141. |
| ——, Henshaw's | | Humming B., Suppl. p. 41. |
| —, Lesson's | | Humming B., Suppl. p. 43. |
| ——, Little | | Humming B. iii. pl. 138. |
| —, Rosy-throated | | Humming B., Suppl. pl. 31. fig. 2. |
| —, Rufous | | Humming B. iii. pl. 137. |
| —, Salvin's | | Humming B., Suppl. pl. 31. fig. 1. |
| —, Torrid | | Humming B., Suppl. p. 41. |
| Flame-breasted Robin | | Australia, iii. pl. 6; Handb. i. p. 282. |
| Flame-fronted Flower-pecker | | Asia, ii. pl. 71. |
| Flamingo, Common | | Europe, iv. pl. 287. |
| flammea, Strix | | Europe, i. pl. 36; Gt. Brit. i. pl. 28. |
| flammeus, Pericrocotus | | Asia, ii. pl. 8. |
| flammiceps, Ægithalus | | Asia, ii. pl. 71. |
| flammula, Selasphorus | | Humming B., Suppl. pl. 31. fig. 2. |
| flava, Budytes | | Gt. Brit. iii. pl. 4. |
| —, Motacilla | | Europe, ii. pl. 145. |
| —, Ptilotis | | Australia, iv. pl. 42; Handb. i. p. 518. |
| flaveolus, Platycercus | | Synopsis, part ii.; Australia, v. pl. 25; Handb. ii. p. 50. |
| flavescens, Panoplites | | Humming B. ii. pl. 111. |
| —, Ptilotis | | Australia, iv. pl. 41; Handb. i. p. 517. |
| —, Serinus | | Europe, iii. pl. 195. |
| —, Smicrornis | | Australia, ii. pl. 104; Handb. i. p. 274. |
| flavicans, Prioniturus | | Asia, vi. pl. 13. |
| flavicaudata, Lafresnaya | | Humming B. ii. pl. 85. |
| flavicollis, Ardetta | | Australia, vi. pl. 65. |
| | | * * |

| flavicollis, Butorides | Handb. ii. p. 315. |
|------------------------------|--|
| —, Ixulus | Asia, iv. pl. 13. |
| flavigaster, Micræca | Australia, ii. pl. 94; Handb. i. p. 261. |
| flavigula, Euthyrhynchus | New Guinea, iii. pl. 53. |
| —, Myzantha | Australia, iv. pl. 79; Handb. i. p. 578. |
| —, Ptilotis | Synopsis, part iv.; Australia, iv. pl. 35; |
| , | Handb. i. p. 508. |
| flavigulus, Falcunculus | Synopsis, part iv. App. p. 2. |
| flavinucha, Chrysophlegma | Asia, vi. pl. 36. |
| flavipes, Antechinus | Mamm. Austr. i. pl. 40. |
| —, Platalea | Synopsis, part iv. App. p. 7; Australia, |
| , | vi. pl. 49. |
| —, Platibis | Handb. ii. p. 288. |
| flaviprymna, Donacola | Australia, iii. pl. 96. |
| —, Munia | Handb. i. p. 428. |
| flavirhynchus, Phalacrocorax | Synopsis, part iv. App. p. 8. |
| flavirostris, Halcyon | Australia, Suppl. pl. 5. |
| —, Paradoxornis | Asia, iii. pl. 75; Icones Avium, pl. 6. |
| —, Pteroglossus | Toucans, (2) pl. 29. |
| 0 | Handb. i. p. 135. |
| | 1 |
| —, Urocissa | Asia, v. pl. 50. |
| flaviventer, Belideus | Mamm. Austr. i. pl. 23. |
| —, Machærirhynchus | Australia, Suppl. pl. 11; Handb. i. |
| 0 : | p. 257. |
| flaviventris, Platycercus | Synopsis, part ii.; Australia, v. pl. 24; |
| ~ · | Handb. ii. p. 48. |
| —, Sphecotheres | Australia, Suppl. pl. 37; Handb. i. |
| | p. 468. |
| flavocincta, Mimeta | Handb. i. p. 466. |
| flavocinctus, Oriolus | Australia, iv. pl. 14. |
| flavogrisea, Pachycare | New Guinea, iii. pl. 15. |
| flavopalliatus, Lorius | New Guinea, v. pl. 36. |
| flavostriata, Ptilotis | New Guinea, iii. pl. 50. |
| Flesh-footed Grosbeak | Asia, v. pl. 21. |
| | Australia, vii. pl. 57; Handb. ii. p. 465. |
| flindersi, Eudynamis | Australia, iv. pl. 91; Handb. i. p. 632. |
| | Australia, iv. pl. 91. |
| floccosus, Pycnoptilus | Australia, Suppl. pl. 27; Handb. i. |
| | p. 348. |

| floresii, Selasphorus | Humming B. iii. pl. 139. |
|------------------------------|---|
| Di 'i Tii i | Humming B. iii. pl. 139. |
| 0 | Humming B. iii. pl. 202. |
| | 2 |
| Florikin, Lesser | Asia, vii. pl. 57. |
| Florisuga atra | Humming B. ii. pl. 115. |
| flabellifera | Humming B. ii. pl. 114. |
| — mellivora | Humming B. ii. pl. 113. |
| Flower-pecker, Bronze-shaded | New Guinea, iv. pl. 4. |
| —, Brown | New Guinea, iv. pl. 7. |
| —, Fire-breasted | Asia, ii. pl. 40. |
| , Flame-fronted | Asia, ii. pl. 71. |
| —, Geelvink Bay | New Guinea, iv. pl. 6. |
| —, Legge's | Asia, ii. pl. 41. |
| ——, Long-tailed | New Guinea, iv. pl. 11. |
| ——, Müller's | New Guinea, iv. pl. 2. |
| —, Pryer's | Asia, ii. pl. 39. |
| ——, Red-backed | Asia, ii. pl. 38. |
| ——, Red-collared | Asia, ii. pl. 36. |
| —, Rosy-flanked | New Guinea, iv. pl. 5. |
| —, Stout-billed | New Guinea, iv. pl. 9. |
| —, Tristram's | New Guinea, iv. pl. 3. |
| —, Verster's | New Guinea, iv. pl. 10. |
| , Yellow-throated | Asia, ii. pl. 37. |
| fluminea, Porzana | Australia, vi. pl. 79; Handb. ii. p. 339. |
| Flutterer, Abeille's | Humming B. iv. pl. 211. |
| —, Guimet's | Humming B. iv. pl. 210. |
| fluviatilis, Agyrtria | Humming B., Suppl. pl. 51. |
| —, Hydrochelidon | Australia, vii. pl. 31. |
| , Locustella | Europe, ii. pl. 102. |
| fluvicola, Lagenoplastes | Asia, i. pl. 33. |
| Flycatcher, Allied | Australia, i. Intr. p. x; Handb. i. p. 260. |
| —, Ashy-fronted | New Guinea, ii. pl. 15. |
| —, Black | Australia, ii. pl. 86. |
| —, Black-and-White | New Guinea, ii. pl. 17. |
| —, Black-breasted | New Guinea, ii. pl. 38. |
| —, Black Fantail | Handb. i. p. 244. |
| T)1 3 C . 1 | Australia, ii. pl. 96; Handb. i. pl. 263. |
| T01 1 . 1 1 | New Guinea, ii. pl. 50; Hando. I. pl. 205. |
| | |
| —, Blue Shining | Australia, ii. pl. 88. |

| Flycatcher, Bonaparte's | New Guinea, ii. pl. 22. |
|--------------------------|--|
| —, Broad-billed | Australia, ii. pl. 92; Handb. i. p. 256; |
| | New Guinea, ii. pl. 55. |
| , Brodie's | New Guinea, ii. pl. 44. |
| , Brown | Australia, ii. pl. 93; Handb. i. p. 258. |
| , Brown's | New Guinea, ii. pl. 45. |
| —, Buff-bellied | New Guinea, ii. pl. 34. |
| , Carinated | Australia, ii. pl. 95; Handb. i. p. 262. |
| , Chat-like | New Guinea, ii. pl. 16. |
| —, Chestnut-bellied | New Guinea, ii. pl. 57. |
| —, Cockerell's Fantail | New Guinea, ii. pl. 28. |
| , Common | Europe, ii. pl. 65. |
| —, Coppinger's | New Guinea, ii. pl. 50. |
| —, Fan-tailed | Australia, ii. pl. 86. |
| —, Fawn-tailed | New Guinea, ii. pl. 35. |
| —, Forbes' Pied | New Guinea, ii. pl. 39. |
| —, Frilled-necked | New Guinea, ii. pl. 40. |
| —, Gray's | New Guinea, ii. pl. 24. |
| —, Great Blue | Asia, ii. pl. 20. |
| —, Great-winged | Australia, ii. pl. 93. |
| —, Grey-headed | New Guinea, ii. pl. 14. |
| —, Ince's Paradise | Asia, ii. pl. 19. |
| —, Kaup's | Australia, Suppl. pl. 10; Handb. i. |
| | p. 251. |
| —, Larat Fantail | New Guinea, ii. pl. 29. |
| , Large Frilled-necked | New Guinea, ii. pl. 41. |
| —, Leaden-coloured | Australia, ii. pl. 89; Handb. i. p. 252. |
| —, Little Frilled-necked | New Guinea, ii. pl. 42. |
| , Macgregor's | Asia, ii. pl. 22. |
| —, Misori Yellow | New Guinea, ii. pl. 53. |
| —, New Guinea | New Guinea, ii. pl. 21. |
| —, Northern Fantail | Australia, ii. pl. 85; Handb. i. p. 242. |
| —, Orange-collared | New Guinea, ii. pl. 43. |
| , Papuan Yellow | New Guinea, ii. pl. 54. |
| —, Paradise | Asia, ii. pl. 18. |
| —, Pied | Europe, ii.pl. 63. fig. 1; Gt. Brit. ii. pl. 17. |
| —, Pied Fantail | Handb. i. p. 246 |
| —, Plumbeous | Australia, ii. pl. 89. |
| —, Preiss's | Handb. i. p. 240. |

| Flycatcher, Pretty Australia, ii. pl. 90; Handb. i. p | . 254. |
|---|---------|
| —, Purple-backed New Guinea, ii. pl. 36. | |
| —, Red-breasted Europe, ii. pl. 64; Gt. Brit. ii. p | ol. 20. |
| —, Restless Australia, ii. pl. 87; Handb. i. p | |
| , Richards's New Guinea, ii. pl. 46. | |
| —, Rowley's Blue New Guinea, ii. pl. 20. | |
| —, Rufous-and-Chestnut . New Guinea, ii. pl. 56. | |
| —, Rufous-backed Fantail New Guinea, ii. pl. 30. | |
| —, Rufous-breasted Fantail New Guinea, ii. pl. 33. | |
| —, Rufous-fronted Fantail Australia, ii. pl. 84; Handb. i. p. | 240 • |
| New Guinea, ii. pl. 26. | 2±0, |
| —, Scaly-necked Pied New Guinea, ii. pl. 49. | |
| , Shining Australia, ii. pl. 91; Handb. i. pp | 240 |
| 255. | . 449, |
| —, Southern White-faced New Guinea, ii. pl. 18. | |
| —, Spotted Europe, ii. pl. 65; Gt. Brit. ii. p | l. 19. |
| —, Sundara Asia, ii. pl. 21. | |
| —, Timor Laut Fantail New Guinea, ii. pl. 31. | |
| —, Ugi Island New Guinea, ii. pl. 58. | |
| —, Wallace's New Guinea, ii. pl. 23. | |
| —, White-backed Pied New Guinea, ii. pl. 48. | |
| —, White-bellied Australia, Suppl. pl. 13. | |
| —, White-breasted Fantail . New Guinea, ii. pl. 27. | |
| —, White-collared Europe, ii. pl. 63. fig. 2; Gt. Brit. ii. | pl.18. |
| —, White-crowned New Guinea, ii. pl. 47. | |
| | db. i. |
| p. 264. | |
| —, White-fronted New Guinea, ii. pl. 37. | |
| , White-shafted Fantail Australia, ii. pl. 83; Handb. i. p | . 238. |
| —, White-spotted New Guinea, ii. pl. 12. | |
| —, White-tufted New Guinea, ii. pl. 51. | |
| —, Wood Handb. i. p. 242. | |
| , Wood Fantail New Guinea, ii. pl. 32. | |
| , Yellow-bellied Australia, ii. pl. 94; Handb. i. p | . 261: |
| New Guinea, ii. pl. 13. | , |
| —, Yellow-breasted Australia, Suppl. pl. 11; Han | db. i. |
| р. 257. | |
| | |
| Flying Phalanger, Great Mamm. Austr. i. pl. 22. | |

| forbesi, Munia | |
|---------------------------------|--|
| —, Ninox | New Guinea, i. pl. 6. |
| —, Rallicula | New Guinea, v. pl. 70. |
| Forbes' Hawk-Owl | New Guinea, i. pl. 6. |
| Munia | New Guinea, iv. pl. 23. |
| — Pied Flycatcher | New Guinea, ii. pl. 39. |
| —— Rail | New Guinea, v. pl. 70. |
| Fork-tail, Chinese | Asia, iv. pl. 70. |
| —, Lunated | Asia, iv. pl. 68. |
| —, Scouler's | Asia, iv. pl. 71. |
| , Spotted | - |
| Fork-tailed Humming-bird, Great | Humming B., Suppl. pl. 27. |
| — Kite | |
| —— Liothrix | |
| — Storm-Petrel | T 1 44 7 2 7 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| formosa, Anorthura | |
| , Sitta | Asia, ii. pl. 43. |
| Formosan Bamboo-Partridge | Asia, vi. pl. 72. |
| Blue Pie | Asia, v. pl. 46. |
| — Green Woodpecker | |
| — Hypsipetes | |
| Jay | |
| — Pitta | |
| — Spotted Woodpecker | |
| — Whistling Thrush | |
| formosum, Trochalopteron | * |
| formosus, Pezoporus | Australia, v. pl. 46; Handb. ii. p. 86. |
| —, Troglodytes | |
| forsteni, Meropogon | Asia, i. pl. 39. |
| —, Pitta | New Guinea, iv. pl. 30. |
| Forsten's Bee-eater | Asia, i. pl. 39. |
| — Pitta | New Guinea, iv. pl. 30. |
| fortis, Athene | Synopsis, part iii. |
| —, Pachycephalopsis | New Guinea, iii. pl. 24. |
| Forty-spotted Diamond-bird | Handb. i. p. 160. |
| Four-coloured Kingfisher | New Guinea, iv. pl. 56. |
| Fowl, Ceylon Spur | |
| —, Painted Spur | |
| , Rufous Spur | - |
| ,, | , |

| Fowl, Sonnerat's Jungle. | | Asia, vii. pl. 56. |
|---------------------------|--|--|
| frænata, Onychogalea . | | Mamm. Austr. ii. pl. 54. |
| frænatus, Macropus | | Monogr. Macrop. part i. |
| franciæ, Cyanomyia | | Humming B. v. pl. 287. |
| Francia's Azure-crown . | | Humming B. v. pl. 287. |
| Francolin, European | | Europe, iv. pl. 259. |
| —, Geoffroy's | | Asia, vii. pl. 42. |
| —, Sanguine | | Asia, vii. pl. 43. |
| Francolinus vulgaris | | Europe, iv. pl. 259. |
| franklini, Cyanops | | Asia, vi. pl. 50. |
| —, Megalæma | | Asia, vi. pl. 50. |
| Franklin's Barbet | | Asia, vi. pl. 50. |
| fraseri, Glaucis | | Humming B. i. pl. 12. |
| Fraser's Hermit | | Humming B. i. pl. 12. |
| Fratercula arctica | | Gt. Brit. v. pl. 51. |
| fratercula, Mormon | | Europe, v. pl. 403. |
| fraterculus, Phaethornis. | | Humming B. i. pl. 18. |
| Freckled Antechinus . | | Mamm. Austr. i. pl. 39. |
| — Bittern | | Europe, iv. pl. 281. |
| — Duck | | Australia, vii. pl. 10; Handb. ii. p. 367. |
| fregata, Pelagodroma . | | Handb. ii. p. 482. |
| Fregetta grallaria | | Handb. ii. p. 480. |
| melanogaster | | Handb. ii. p. 479. |
| Fregilus graculus | | Europe, iii. pl. 219; Gt. Brit. iii. pl. 62. |
| frenata, Ptilotis | | New Guinea, iii. pl. 49. |
| fretensis, Hirundo | | Handb. i. p. 110. |
| Friar-bird | | Australia, iv. pl. 58; Handb. i. p. 545. |
| —, Helmeted | | Handb. i. p. 547. |
| , Silvery-crowned . | | Australia, iv. pl. 59; Handb. i. p. 548. |
| —, Sordid | | Handb. i. p. 550. |
| —, Yellow-throated . | | Australia, iv. pl. 60; Handb. i. p. 549. |
| Frigate-bird, Great | | Handb. ii. p. 499. |
| —, Small | | Australia, vii. pl. 72; Handb. ii. p. 499. |
| Frilled Coquette | | Humming B. iii. pl. 119. |
| Frilled-necked Flycatcher | | New Guinea, ii. pl. 40. |
| ——, Large | | New Guinea, ii. pl. 41. |
| —, Little | | New Guinea, ii. pl. 42. |
| Fringilla burtoni | | Asia, v. pl. 16. |
| — cœlebs | | Europe, iii. pl. 187; Gt. Brit. iii. pl. 34. |

| Fringilla hyemalis | | | Europe, iii. pl. 190. |
|----------------------------|--|----|--|
| montifringilla | | | Europe, iii. pl. 188; Gt. Brit. iii. pl. 35. |
| nivalis | | | Europe, iii. pl. 189. |
| rhodochroa | | | Cent. pl. 31. fig. 2. |
| rhodopepla | | | Cent. pl. 31. fig. 1. |
| fringillarius, Accipiter . | | | Europe, i. pl. 18. |
| Frontal Shrike-Tit | | | Australia, ii. pl. 79; Handb. i. p. 228. |
| frontalis, Hirundo | | | Handb. i. p. 107. |
| , Ionolaima | | | Humming B. ii. pl. 92. |
| —, Phœnicura | | | Cent. pl. 26. fig. 1. |
| —, Ruticilla | | | Cent. pl. 26. fig. 1. |
| —, Sericornis | | | Synopsis, part iv.; Australia, iii. pl. 49; Handb. i. p. 559. |
| frontatus, Falco | | | Synopsis, part iii.; Australia, i. pl. 10. |
| —, Falcunculus | | | Australia, ii. pl. 79; Handb. i. p. 228. |
| frugilegus, Corvus | | | Europe, iii. pl. 224; Gt. Brit. iii. pl. 60. |
| Fruit-Pigeon, Allied | | | Australia, Suppl. pl. 67; Handb. ii. p. 111. |
| —, Ewing's | | | Australia, v. pl. 56; Handb. ii. p. 107. |
| , Finsch's | | | New Guinea, v. pl. 65. |
| —, Fischer's | | | New Guinea, v. pl. 56. |
| —, Knob-billed | | ٠. | New Guinea, v. pl. 50. |
| , Lewis' | | | New Guinea, v. pl. 54. |
| —, Lilac-bellied | | | New Guinea, v. pl. 57. |
| —, Magnificent | | | Australia, v. pl. 58; Handb. ii. p. 110. |
| —, Massena | | | New Guinea, v. pl. 59. |
| —, New Ireland | | | New Guinea, v. pl. 63. |
| —, Purple-bellied | | | New Guinea, v. pl. 58. |
| —, Richards' | | | New Guinea, v. pl. 53. |
| , Rusty-banded | | | New Guinea, v. pl. 60. |
| , Solomon Island . | | | New Guinea, v. pl. 52. |
| , Superb | | | Australia, v. pl. 57; Handb. ii. p. 108. |
| —, Swainson's | | | Australia, v. pl. 55; Handb. ii. p. 106. |
| —, Tiny | | | New Guinea, v. pl. 51. |
| , Torres Straits | | | Australia, v. pl. 60. |
| —, Van Wyk's | | | New Guinea, v. pl. 64. |
| —, Wallace's | | | New Guinea, v. pl. 55. |
| —, White-headed | | | Australia, v. pl. 59; Handb. ii. p. 112. |
| , Yellow-tinted White | | | New Guinea, v. pl. 66. |
| | | | , I |

| fucata, Emberiza | | Asia, v. pl. 9. |
|----------------------------|--|---|
| fucosa, Aquila | | Synopsis, part iii.; Australia, i. pl. 1. |
| fulgens, Eugenes | | Humming B. ii. pl. 59. |
| fulgidigula, Bourcieria . | | Humming B. iv. pl. 252. |
| fulgidum, Dicæum | | New Guinea, iv. pl. 5. |
| fulgidus, Halcyon | | Asia, i. pl. 46. |
| —, Pharomacrus | | Trogons, (2) pl. 3. |
| —, Trogon | | Trogons, (1) pl. 24. |
| Fulica atra | | Europe, iv. pl. 338; Gt. Brit. iv. pl. 84. |
| — australis | | Australia, vi. pl. 74; Handb. ii. p. 329. |
| fulicarius, Phalaropus . | | Gt. Brit. iv. pls. 81, 82. |
| fuliginosa, Coronica | | Synopsis, part i. |
| —, Diomedea | | Australia, vii. pl. 44. |
| —, Onychoprion | | Australia, vii. pl. 32; Handb. ii. p. 408. |
| —, Phalangista | | Mamm. Austr. i. pl. 15. |
| —, Phœbetria | | Handb. ii. p. 441. |
| —, Sterna | | Synopsis, part ii. |
| ——, Strepera | | Australia, ii. pl. 43; Handb. i. p. 170. |
| fuliginosus, Antechinus . | | Mamm. Austr. i. pl. 41. |
| ——, Calamanthus | | Synopsis, part iv. App. p. 4; Australia, iii. pl. 70; Handb. i. p. 388. |
| , Hæmatopus | | Australia, vi. pl. 8; Handb. ii. p. 217. |
| —, Hydromys | | Mamm. Austr. iii. pl. 27. |
| —, Macropus | | Mamm. Austr. ii. pl. 5; Monogr. |
| | | Macrop. part ii. |
| Fuligula cristata | | Europe, v. pl. 370; Gt. Brit. v. pl. 23. |
| — dispar | | Europe, v. pl. 372. |
| — ferina | | Europe, v. pl. 367. |
| leucophthalma | | Europe, v. pl. 368. |
| | | Europe, v. pl. 371; Gt. Brit. v. pl. 24. |
| — marmorata | | Europe, v. pl. 373. |
| rufina | | Europe, v. pl. 369. |
| Fulmar Petrel | | Europe, v. pl. 446; Gt. Brit. v. pl. 82. |
| fulvifasciatus, Iyngipicus | | Asia, vi. pl. 31. |
| fulvifrons, Glyciphila . | | Australia, iv. pl. 28; Handb. i. p. 495. |
| —, Suthora | | Asia, iii. pl. 71. |
| fulvigula, Euthyrhynchus | | New Guinea, iii. pl. 54. |
| fulviventris, Myiagra | | New Guinea, ii. pl. 34. |

| fulvolavatus, Hydromys | Mamm. Austr. iii. pl. 25. |
|-----------------------------|--|
| Fulvous Beaver Rat | |
| Fulvous-fronted Honey-eater | Australia, iv. pl. 28; Handb. i. p. 495. |
| ~ . | |
| | Asia, iii. pl. 71. |
| fulvus, Vultur | Europe, i. pl. 1. |
| funerea, Surnia | Europe, i. pl. 45; Gt. Brit. i. pl. 35. |
| Funereal Cockatoo | Australia, v. pl. 11; Handb. ii. p. 20. |
| — Vampire | Mamm. Austr. iii. pl. 30. |
| funereus, Calyptorhynchus | Australia, v. pl. 11; Handb. ii. p. 20. |
| —, Pteropus | Mamm. Austr. iii. pl. 30. |
| furcata, Thalurania | Humming B. ii. pl. 101. |
| furcatoides, Thalurania | Humming B., Suppl. p. 39. |
| furcatus, Nauclerus | Europe, i. pl. 30. |
| Furze-Chat, Indian | Asia, iv. pl. 34. |
| fusca, Gerygone | Australia, ii. pl. 98; Handb. i. p. 267. |
| —, Halcyon | Asia, i. pl. 43. |
| —, Meliphaga | Synopsis, part ii. |
| —, Oidemia | Europe, v. pl. 377; Gt. Brit. v. pl. 29. |
| —, Pachycephala | Synopsis, part iii. |
| —, Petroica | Australia, iii. pl. 8; Handb. i. p. 286. |
| —, Ptilotis | Australia, iv. pl. 44; Handb. i. p. 520. |
| , Sula | Australia, vii. pl. 78. |
| fuscata, Eos | New Guinea, v. pl. 34. |
| fuscatus, Turdus | Asia, iii. pl. 1. |
| fuscifrons, Zosterops | New Guinea, iii. pl. 60. |
| fuscipes, Mus | Mamm. Austr. iii. pl. 11. |
| fuscoflava, Pachycephala | New Guinea, iii. pl. 18. |
| fuscorufa, Rhipidura | |
| Fuscous Honey-eater | |
| fuscus, Larus | 71 1 101 (0: 7) 1 70 |
| TD 11 | |
| m . | T 1 000 C D 1 1 7 7 |
| , Totanus | Europe, w. pr. 500; Gt. Din. w. pr. 55. |
| | |
| Gadwall | Europe, v. pl. 366; Gt. Brit. v. pl. 19. |
| galactodes, Aedon | 77 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 |
| —, Salicaria | |
| —, Sphenœacus | |
| , opinendada | Trastana, in. pr. 55, Tranco. i. p. 555. |

| galbanus, Garrulax | Asia, iii. pl. 52. |
|-----------------------------------|--|
| galbula, Oriolus | Europe, ii. pl. 71; Gt. Brit. ii. pl. 31. |
| galeatum, Callocephalon | Australia, v. pl. 14; Handb. ii. p. 29. |
| galericulata, Aix | Asia, vii. pl. 69. |
| Galerita cristata | Gt. Brit. iii. pl. 17. |
| galerita, Cacatua | Australia, v. pl. 1; Handb. ii. p. 2. |
| galeritus, Eustephanus | Humming B. iv. pl. 265. |
| —, Plyctolophus | Synopsis, part iv. |
| gallicus, Cursorius | Gt. Brit. iv. pl. 44. |
| gallinacea, Parra | Australia, vi. pl. 75; Handb. ii. p. 330. |
| Gallinaceous Parra | Australia, vi. pl. 75. |
| Gallinago australis | Handb. ii. p. 271. |
| — major | Gt. Brit. iv. pl. 78. |
| — scolopacina | Gt. Brit. iv. pl. 79. |
| gallinago, Scolopax | Europe, iv. pl. 321. fig. 2. |
| Gallinula chloropus | Europe, iv. pl. 342; Gt. Brit. iv. pl. 85. |
| crex | Europe, iv. pl. 341. |
| — phœnicura | Asia, vii. pl. 67. |
| — ruficrissa | Australia, Suppl. pl. 79. |
| — tenebrosa | Australia, vi. pl. 73; Handb. ii. p. 328. |
| gallinula, Limnocryptes | Gt. Brit. iv. pl. 80. |
| —, Scolopax | Europe, iv. pl. 322. |
| Gallinule, Azure-breasted Purple. | Australia, vi. pl. 70; Handb. ii. p. 322. |
| —, Black-backed Purple | Australia, vi. pl. 69; Handb. ii. p. 321. |
| —, Common | Europe, iv. pl. 342. |
| —, Rufous-vented | Australia, Suppl. pl. 79. |
| —, Sombre | Australia, vi. pl. 73; Handb. ii. p. 328. |
| ——, Spotless | Australia, vi. pl. 82. |
| Galloperdix lunulosa | Asia, vi. pl. 69. |
| — spadiceus | Asia, vi. pl. 68. |
| — zeylonicus | Asia, vi. pl. 67. |
| Gallus sonnerati | Asia, vii. pl. 56. |
| gambelli, Callipepla | Odontoph. pl. 17. |
| Gambel's Partridge | Odontoph. pl. 17. |
| Gambetta pulverulentus | Handb. ii. p. 268. |
| Gang-gang Cockatoo | Australia, v. pl. 14; Handb. ii. p. 29. |
| Gannet | Gt. Brit. v. pl. 54. |
| , Australian | Australia, vii. pl. 76; Handb. ii. p. 504. |

| Gannet, Black-tailed | Europe, v. pl. 413. |
|------------------------------------|--|
| —, Brown | Australia, vii. pl. 78; Handb. ii. p. 507. |
| —, Masked | Australia, vii. pl. 77; Handb. ii. p. 506. |
| —, Red-legged | Australia, vii. pl. 79; Handb. ii. p. 509. |
| —, Solan | Europe, v. pl. 412. |
| Garden Warbler | Europe, ii. pl. 121; Gt. Brit. ii. pl. 62. |
| Gardener Bower-bird | New Guinea, i. pl. 46. |
| Garganey | Gt. Brit. v. pl. 17. |
| — Teal | Europe, v. pl. 364. |
| Garnet, De Rham's | Humming B. ii. pl. 61. |
| 1 4 11 | Europe, iii. pl. 160; Gt. Brit. ii. pl. 21. |
| garrula, Ampelis | Europe, iii. pl. 160. |
| ΄ α | Gt. Brit. ii. pl. 11. |
| | - |
| —, Curruca | Europe, ii. pl. 125. fig. 2. |
| —, Myzantha | Australia, iv. pl. 76; Handb. i. p. 574. |
| —, Sylvia | Europe, ii. pl. 125. fig. 2. |
| Garrulax, Black-and-Yellow-billed. | Asia, iii. pl. 51. |
| —, Black-chinned | Asia, iii. pl. 52. |
| — chinensis | Asia, iii. pl. 54. |
| — delesserti | Asia, iii. pl. 48. |
| — galbanus | Asia, iii. pl. 52. |
| — gularis | Asia, iii. pl. 49. |
| — leucolophus | Cent. pl. 18. |
| — picticollis | Asia, iii. pl. 53. |
| pæcilorhynchus | Asia, iii. pl. 51. |
| —, Red-crowned | Asia, iii. pl. 50. |
| —— ruficeps | Asia, iii. pl. 50. |
| —, Yellow-throated | Asia, iii. pl. 49. |
| Garrulous Honey-eater | Australia, iv. pl. 76; Handb. i. p. 574. |
| Garrulus bispecularis | Cent. pl. 38. |
| — glandarius | Europe, iii. pl. 214; Gt. Brit. iii. pl. 64. |
| —— infaustus | Europe, iii. pl. 215. |
| — lanceolatus | Cent. pls. 39, 40. |
| — leucolophus | Cent. pl. 18. |
| striatus | Cent. pl. 37. |
| taivanus | Asia, v. pl. 58. |
| garrulus, Ampelis | |
| —, Coracias | Europe, ii. pl. 60; Gt. Brit. ii. pl. 11. |

Gartered Trogon

Trogons. (2) pl. 16.

| Gartered Trogon | Trogons, (2) pl. 16. |
|---------------------------|--|
| garzetta, Ardea | Europe, iv. pl. 277. |
| —, Herodias | Europe, iv. pl. 277; Gt. Brit. iv. pl. 23; |
| | Handb. ii. p. 305. |
| gaudichaudi, Sauromarptis | New Guinea, iv. pl. 52. |
| Gaudichaud's Kingfisher | New Guinea, iv. pl. 52. |
| gayi, Layfresnaya | Humming B. ii. pl. 86. |
| Gecinus occipitalis | Cent. pl. 47. |
| squamatus | Cent. pl. 48. |
| — tancolo | Asia, vi. pl. 35. |
| — viridis | Gt. Brit. iii. pls. 74, 75. |
| Geelvink-Bay Dicæum | New Guinea, iv. pl. 6. |
| geelvinkianum, Dicæum | New Guinea, iv. pl. 6. |
| Gelinotte | Europe, iv. pl. 251. |
| Gelochelidon anglica | Gt. Brit. v. pl. 74. |
| — macrotarsa | Australia, Suppl. pl. 81; Handb. ii. |
| | p. 403. |
| Gennæus nycthemerus | Asia, vii. pl. 17. |
| Gentian Kingfisher | New Guinea, iv. pl. 46. |
| gentiana, Ceyx | New Guinea, iv. pl. 46. |
| Geobasileus chrysorrhous | Handb. i. p. 374. |
| — reguloides | Handb. i. p. 376. |
| Geocichla schistacea | New Guinea, iii. pl. 1. |
| geoffroyi, Dasyurus | Mamm. Austr. i. pl. 51. |
| —, Ithaginis | Asia, vii. pl. 42. |
| —, Nyctophilus | Mamm. Austr. iii. pls. 36, 37. |
| —, Schistes | Humming B. iv. pl. 218. |
| Geoffroyius heteroclitus | New Guinea, v. pl. 28. |
| —— simplex | New Guinea, v. pl. 29. |
| — timorlaoensis | New Guinea, v. pl. 30. |
| Geoffroy's Dasyurus | Mamm. Austr. i. pl. 51. |
| — Francolin | Asia, vii. pl. 42. |
| Nyctophilus | Mamm. Austr. iii. pls. 36, 37. |
| — Wedge-bill | Humming B. iv. pl. 218. |
| Geopelia cuneata | Australia, v. pl. 74. |
| — humeralis | Australia, v. pl. 72. |
| — placida | Australia, i. Introd. p. lxxi; Handb. ii. |
| | p. 145. |
| — tranquilla | Australia, v. pl. 73; Handb. ii. p. 144. |
| | |

| Geophaps plumifera | | Australia, v. pl. 69. |
|---------------------------|--|--|
| - scripta | | Australia, v. pl. 67; Handb. ii. p. 130. |
| smithii | | Australia, v. pl. 68; Handb. ii. p. 133. |
| Geopsittacus occidentalis | | Australia, Suppl. pl.66; Handb.ii. p.88. |
| Georgian Black Grouse . | | Asia, vi. pl. 66. |
| germana, Petasophora . | | Humming B., Suppl. pl. 11. |
| Geronticus spinicollis . | | Australia, vi. pl. 45. |
| Gerygone albogularis . | | Australia, ii. pl. 97; Handb. i. p. 266. |
| —, Brown | | Handb. i. p. 267. |
| —, Buff-breasted | | Australia, ii. pl. 101; Handb. i. p. 270. |
| chloronotus | | Australia, ii. pl. 102; Handb. i. p. 271. |
| — culicivora | | Australia, ii. pl. 99; Handb. i. p. 268. |
| — dorsalis | | New Guinea, ii. pl. 11. |
| — fusca | | Australia, ii. pl. 98; Handb. i. p. 267. |
| —, Fuscous | | Australia, ii. pl. 98. |
| —, Great-billed | | Australia, ii. pl. 100; Handb. i. p. 270. |
| —, Green-backed | | Australia, ii. pl. 102; Handb. i. p. 271. |
| — lævigaster | | Australia, ii. pl. 101; Handb. i. p. 270. |
| magnirostris | | Australia, ii. pl. 100; Handb. i. p. 270. |
| —, Masked | | Australia, Suppl. pl. 14. |
| — personata | | Australia, Suppl. pl. 14. |
| —, Rufous-backed . | | New Guinea, ii. pl. 11. |
| —, Western | | Australia, ii. pl. 99; Handb. i. p. 268. |
| —, White-throated . | | Australia, ii. pl. 97; Handb. i. p. 266. |
| —, see also Warbler. | | |
| Giant Humming-bird . | | Humming B. iv. pl. 232. |
| — Petrel | | Australia, vii. pl. 45; Handb. ii. p. 443. |
| — Trogon | | Trogons, (1) pl. 28. |
| gigantea, Dacelo | | Australia, ii. pl. 18. |
| —, Ossifraga | | Handb. ii. p. 443. |
| —, Procellaria | | Australia, vii. pl. 45. |
| gigas, Dacelo | | Handb. i. p. 122. |
| —, Patagona | | Humming B. iv. pl. 232. |
| ——, Trogon | | Trogons, (1) pl. 28. |
| gilberti, Hypsiprymnus . | | Mamm. Austr. ii. pl. 69; Monogr. Macrop. i. pl. 14. |
| —, Pachycephala | | Australia, ii. pl. 71; Handb. i. p. 216. |
| Gilbert's Rat-Kangaroo . | | Mamm. Austr. ii. pl. 69; Monogr. |
| | | Macrop. i. pl. 14. |

| Gilbert's Thickhead | . Australia, ii. pl. 71; Handb. i. p. 216. |
|--|--|
| Gilt-crest | . Humming B. iv. pl. 207. |
| githaginea, Erythrospiza | . Europe, iii. pl. 208; Asia, v. pl. 31. |
| glacialis, Colymbus | . Europe, v. pl. 393; Gt. Brit. v. pl. 43. |
| —, Harelda | . Europe, v. pl. 382; Gt. Brit. v. pl. 33. |
| —, Mormon | . Europe, v. pl. 404. |
| , Procellaria | Europe, v. pl. 446; Gt. Brit. v. pl. 82. |
| 1 1 1 1 1 1 1 1 1 | . Australia, vii. pl. 48. |
| ——, Thalassoica | . Handb. ii. p. 467. |
| glandarius, Cuculus | Europe, iii. pl. 241. |
| ——, Garrulus | Europe, iii. pl. 214; Gt. Brit. iii. pl. 64. |
| —, Oxylophus | . Gt. Brit. iii. pl. 69. |
| Glareola grallaria | . Australia, vi. pl. 22; Handb. ii. p. 243. |
| lactea | . Asia, vii. pl. 64. |
| —— melanoptera | . Asia, vii. pl. 63. |
| — orientalis | . Australia, vi. pl. 23; Handb. ii. p. 245. |
| pratincola | . Gt. Brit. iv. pl. 46. |
| — torquata | . Europe, iv. pl. 265. |
| glareola, Totanus | . Europe, iv. pl. 315. fig. 2; Gt. Brit. iv. |
| | pl. 57. |
| 01 '1' 1 '1 | |
| Glaucidium cuculoides | . Cent. pl. 4. |
| glaucion, Clangula | . Cent. pl. 4. . Europe, v. pl. 379; Gt. Brit. v. pl. 31. |
| | |
| glaucion, Clangula | Europe, v. pl. 379; Gt. Brit. v. pl. 31. |
| glaucion, Clangula Glaucis affinis | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. |
| glaucion, Clangula | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa — melanura | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa — melanura — ruckeri | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. |
| glaucion, Clangula Glaucis affinis Glaucis | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. Humming B. i. pl. 11. |
| glaucion, Clangula Glaucis affinis Glaucis | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. Humming B. i. pl. 11. Asia, ii. pl. 69. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa — melanura — ruckeri glaucogularis, Mecistura glaucopis, Thalurania | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. Humming B. i. pl. 11. Asia, ii. pl. 69. Humming B. ii. pl. 99. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa — melanura — ruckeri glaucogularis, Mecistura glaucopis, Thalurania Glaucous Gull glaucura, Pachycephala | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. Humming B. i. pl. 11. Asia, ii. pl. 69. Humming B. ii. pl. 99. Europe, v. pl. 432; Gt. Brit. v. pl. 57. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa — melanura — ruckeri glaucogularis, Mecistura glaucopis, Thalurania Glaucous Gull glaucura, Pachycephala | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. Humming B. i. pl. 11. Asia, ii. pl. 69. Humming B. ii. pl. 99. Europe, v. pl. 432; Gt. Brit. v. pl. 57. Australia, ii. pl. 65; Handb. i. p. 209. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa — melanura — ruckeri glaucogularis, Mecistura glaucopis, Thalurania Glaucous Gull glaucura, Pachycephala glaucus, Larus Glede | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. Humming B. i. pl. 11. Asia, ii. pl. 69. Humming B. ii. pl. 99. Europe, v. pl. 432; Gt. Brit. v. pl. 57. Australia, ii. pl. 65; Handb. i. p. 209. Europe, v. pl. 432; Gt. Brit. v. pl. 57. |
| glaucion, Clangula Glaucis affinis — dohrni — fraseri — hirsuta — lanceolata — mazeppa — melanura — ruckeri glaucogularis, Mecistura glaucopis, Thalurania Glaucous Gull glaucura, Pachycephala glaucus, Larus Glede Glicychæra fallax | Europe, v. pl. 379; Gt. Brit. v. pl. 31. Humming B. i. pl. 7. Humming B. i. pl. 10. Humming B. i. pl. 12. Humming B. i. pl. 5. Humming B. i. pl. 8. Humming B. i. pl. 6. Humming B. i. pl. 9. Humming B. i. pl. 11. Asia, ii. pl. 69. Humming B. ii. pl. 99. Europe, v. pl. 432; Gt. Brit. v. pl. 57. Australia, ii. pl. 65; Handb. i. p. 209. Europe, v. pl. 432; Gt. Brit. v. pl. 57. Gt. Brit. i. pl. 22. |

| glocitans, Querquedula | Europe, v. pl. 363. |
|---------------------------|--|
| Glossopsitta australis | Handb. ii. p. 100. |
| porphyrocephalus | Handb. ii. p. 102. |
| — pusilla | Handb. ii. p. 103. |
| Glossy Ibis | Australia, vi. pl. 47; Handb. ii. p. 286; |
| | Europe, iv. pl. 301; Gt. Brit. iv. pl. 47. |
| Starling, Fead Island | New Guinea, iv. pl. 14. |
| , Long-tailed | New Guinea, iv. pl. 12. |
| , Purple-throated | New Guinea, iv. pl. 13. |
| , Shining | Handb. i. p. 477. |
| , Slaty-grey | New Guinea, iv. pl. 15. |
| Glottis canescens | Gt. Brit. iv. pl. 53. |
| glottoides | Australia, vi. pl. 36; Handb. ii. p. 265. |
| glottis, Totanus | Europe, iv. pl. 312. |
| glottoides, Glottis | Australia, vi. pl. 36; Handb. ii. p. 265. |
| —, Totanus | Cent. pl. 76. |
| Glowing Puff-leg | Humming B. iv. pl. 275. |
| glyceria, Cometes | Humming B. iii. pl. 176. |
| —, Sparganura | Humming B., Suppl. pl. 39. |
| Glyciphila albifrons | Australia, iv. pl. 29; Handb. ii. p. 497. |
| fasciata | Australia, iv. pl. 30; Handb. i. p. 499. |
| — fulvifrons | Australia, iv. pl. 28; Handb. i. p. 495. |
| ocularis | Synopsis, part iv. App. p. 6; Australia, |
| | iv. pl. 31. |
| — subfasciata | New Guinea, iii. pl. 46. |
| subocularis | Synopsis, part iv. App. p. 6. |
| Glycispina hortulana | Gt. Brit. iii. pl. 27. |
| Glycyspina huttoni | Asia, v. pl. 11. |
| Gnathodon strigirostris | Australia, v. pl. 76. |
| goalpariensis, Nectarinia | Asia, ii. pl. 29. |
| Goatsucker, European | Europe, ii. pl. 51; Gt. Brit. ii. pl. 1. |
| , Large-tailed | Australia, ii. pl. 9. |
| , Marbled | Australia, Suppl. pl. 4. |
| , Ocellated | New Guinea, iv. pl. 40. |
| —, Red-collared | Europe, ii. pl. 52. |
| —, Red-necked | |
| —, Spotted | |
| —, Wallace's | |

| Goatsucker, White-throated | Australia, ii. pl. 7. |
|---|--|
| godini, Eriocnemis | Humming B. iv. pl. 277. |
| Godin's Puff-leg | Humming B. iv. pl. 277. |
| Godwit, Bar-tailed | Europe, iv. pl. 306; Gt. Brit. iv. pl. 51. |
| —, Barred-rumped | Australia, vi. pl. 29; Handb. ii. p. 252. |
| —, Black-tailed | Australia, vi. pl. 28; Handb. ii. p. 251; |
| | Europe, iv. pl. 305; Gt. Brit. iv. pl. 50. |
| —, Terek | Australia, vi. pl. 34; Europe, iv. p. 307. |
| goensis, Vanellus | Cent. pl. 78. |
| Gold-crest, Himalayan | Asia, iv. pl. 60. |
| Golden-backed Parrakeet | Australia, Suppl. pl. 64. |
| Golden-bellied Beaver-Rat | Mamm. Austr. iii. pl. 24. |
| Golden Bird of Paradise | New Guinea, i. pl. 48. |
| Golden-crested Wren or Kinglet . | Europe, ii. pl. 148. fig. 2; Gt. Brit. ii. pl. 69. |
| Golden Eagle | Europe, i. pl. 6; Gt. Brit. i. pl. 2. |
| Golden-eared Honey-eater | New Guinea, iii. pl. 51. |
| Golden-eye | Europe, v. pl. 379; Gt. Brit. v. pl. 31. |
| —, Barrow's | Europe, v. pl. 380. |
| Golden-green Araçari | Toucans, (1) pl. 29. |
| — Groove-bill | Toucans, (2) pl. 47. |
| Golden-headed Train-bearer | Trogons, (2) pl. 4. |
| Golden Oriole | Europe, ii. pl. 71; Gt. Brit. ii. pl. 31. |
| —— Pheasant | Asia, vii. pl. 19. |
| —— Plover | Europe, iv. pl. 294; Gt. Brit. iv. |
| | pls. 38, 39. |
| —— Plover, Australian | Australia, vi. pl. 13; Handb. ii. p. 225. |
| Golden-shouldered Parrakeet | Handb. ii. p. 65. |
| Golden Star-frontlet | Humming B. iv. pl. 287. |
| Golden-tail, Elicia's | Humming B. v. pl. 328. |
| — Humming-bird | Humming B. v. pl. 329. |
| Golden-tailed Plumeleteer | Humming B. ii. pl. 90. |
| Golden-throat, White-vented | Humming B., Suppl. p. 86. |
| Golden-throated Humming-bird . | Humming B. iv. pl. 230. |
| Golden-winged Bird of Paradise . | New Guinea, i. pl. 23. |
| $ \qquad \qquad$ | Europe, iii. pl. 196; Gt. Brit. iii. pl. 36. |
| —, Eastern | Asia, v. pl. 17. |
| goldiei, Trichoglossus | New Guinea, v. pl. 41. |

| Goldie's Perroquet | New Guinea, v. pl. 41. |
|----------------------|---|
| goodenovii, Petræca | Synopsis, part i. |
| —, Petroica | Australia, iii. pl. 5; Handb. i. p. 280. |
| Goosander | Europe, v. pl. 384; Gt. Brit. v. pl. 34. |
| Goose, Bean | Europe, v. pl. 348; Gt. Brit. v. pl. 2. |
| —, Beautiful Pigmy | Australia, vii. pl. 4. |
| —, Bernicle | Europe, v. pl. 350; Gt. Brit. v. pl. 5. |
| —, Brent | Europe, v. pl. 352; Gt. Brit. v. pl. 7. |
| —, Cereopsis | Australia, vii. pl. 1; Handb. ii. p. 350. |
| —, Egyptian | Europe, v. pl. 353. |
| —, Green Pigmy | Handb. ii. p. 357. |
| —, Grey-Lag | Europe, v. pl. 347; Gt. Brit. v. pl. 1. |
| —, Grey-legged Wild | Europe, v. pl. 347. |
| —, Maned | Australia, vii. pl. 3; Handb. ii. p. 354. |
| —, Pigmy | Australia, vii. pl. 5. |
| —, Pink-footed | Gt. Brit. v. pl. 3. |
| —, Red-breasted | Europe, v. pl. 351; Gt. Brit. v. pl. 6. |
| —, Semipalmated | Australia, vii. pl. 2; Handb. ii. p. 352. |
| —, Snow | Europe, v. pl. 346. |
| —, Solan | Europe, v. pl. 412; Gt. Brit. v. pl. 54. |
| —, White-fronted | Europe, v. pl. 349; Gt. Brit. v. pl. 4. |
| Gorget Paradise-bird | New Guinea, i. pl. 17. |
| — Warbler | Europe, ii. pl. 118. |
| Gorgeted Partridge | Odontoph. pl. 31. |
| —— Sun Angel | Humming B. iv. pl. 243. |
| Goshawk | Europe, i. pl. 17; Gt. Brit. i. pl. 9. |
| —, Australian | Australia, i. pl. 17; Handb. i. p. 41. |
| —, Black-mantled | New Guinea, i. pl. 1. |
| —, Marquis Doria's | New Guinea, i. pl. 2. |
| —, New Holland | Australia, i. pl. 14; Handb. i. p. 37. |
| —, Radiated | Australia, i. pl. 16; Handb. i. p. 40. |
| —, West-Australian | Australia, i. pl. 18; Handb. i. p. 43. |
| —, White | Australia, i. pl. 15; Handb. i. p. 38. |
| goudoti, Sapphironia | Humming B. v. pl. 345. |
| gouldi, Bruchigavia | Handb. ii. p. 388. |
| —, Dendrocygna | Handb. ii. p. 374. |
| —, Lesbia | Humming B. iii. pl. 167. |
| —, Lophornis | Humming B. iii. pl. 118. |
| | |

| gouldi, Manucodia | Handb. i. p. 236. |
|------------------------|---|
| M | Mamm. Austr. iii. pl. 19. |
| NT | Australia, iv. pl. 19; Handb. ii. p. 530. |
| D4 1 | Icones Avium, pl. 7. |
| —, Scotophilus | Mamm. Austr. iii. pl. 40. |
| —, Selenidera | Toucans, (2) pl. 32. |
| —, Turdus | Asia, iii. pl. 3. |
| —, Zosterops | Handb. i. p. 588. |
| Gouldia æquatorialis | Humming B., Suppl. p. 51. |
| — conversi | Humming B. iii. pl. 129. |
| — lætitiæ | Humming B. iii. pl. 130. |
| —— langsdorffi | Humming B. iii. pl. 128. |
| — popelairi | Humming B. iii. pl. 127. |
| gouldiæ, Æthopyga | Cent. pl. 56. |
| —, Amadina | Australia, iii. pl. 88. |
| —, Cinnyris | Cent. pl. 56. |
| —, Nectarinia | Asia, ii. pl. 26. |
| —, Poephila | Handb. i. p. 420. |
| Gouldian Finch | Australia, iii. pl. 88. |
| — Grass-Finch | Handb. i. p. 420. |
| Gould's Bat | Mamm. Austr. iii. pl. 40. |
| — Coquette | Humming B. iii. pl. 118. |
| —— Manucode | Handb. i. p. 236. |
| —— Neomorpha | Australia, iv. pl. 19. |
| —— Short-wing | Asia, iii. pl. 61. |
| —— Silver Gull | Handb. ii. p. 388. |
| —— Sun-bird | Asia, ii. pl. 26. |
| —— Thrush | Asia, iii. pl. 3. |
| — Toucanet | Toucans, (2) pl. 32. |
| Goulpourah Sun-bird | Asia, ii. pl. 29. |
| Govinda Kite | Asia, i. pl. 11. |
| govinda, Milvus | Asia, i. pl. 11. |
| goyderi, Amytis | New Guinea, iii. pl. 8. |
| Goyder's Striated Wren | New Guinea, iii. pl. 8. |
| Graceful Ground-Dove | Australia, v. pl. 74. |
| — Honey-eater | Australia, iv. pl. 39. |
| | Handb. i. p. 515. |
| — Superb Warbler | Handb. i. p. 324. |

| Graceful Tern | Australia, vii. pl. 27; Handb. ii. p. 399. |
|----------------------------|--|
| — Train-bearer | Humming B. iii. pl. 168. |
| Trogon | Trogons, (1) pl. 3, (2) pls. 9, 15. |
| — Wren | Australia, iii. pl. 22. |
| gracilis, Lesbia | Humming B. iii. pl. 168. |
| , Sterna | Australia, vii. pl. 27; Handb. ii. p. 399. |
| graculina, Strepera | Australia, ii. pl. 42; Handb. i. p. 168. |
| graculus, Fregilus | Europe, iii. pl. 219; Gt. Brit. iii. pl. 62. |
| —, Phalacrocorax | Europe, iv. pl. 408; Gt. Brit. v. pl. 53. |
| Grakle, Tristram's | Asia, v. pl. 45. |
| grallaria, Fregetta | Handb. ii. p. 480. |
| —, Glareola | Australia, vi. pl. 22; Handb. ii. p. 243. |
| grallarius, Œdicuemus | Australia, vi. pl. 5; Handb. ii. p. 210. |
| Grallina australis | Australia, ii. pl. 54. |
| — bruijnii | New Guinea, iii. pl. 11. |
| —, Bruijn's | New Guinea, iii. pl. 11. |
| picata | Handb. i. p. 188. |
| —, Pied | Australia, ii. pl. 54; Handb. i. p. 188. |
| Gramatoptila striata | Cent. pl. 37. |
| gramineus, Lampornis | Humming B. ii. pl. 77. |
| —, Sphenœacus | Australia, iii. pl. 36; Handb. i. p. 400. |
| granatina, Pitta | Asia, v. pl. 67. |
| Grand Niltava | Asia, ii. pl. 20. |
| Grandala, Celestial | Asia, iv. pl. 35. |
| — cœlicolor | Asia, iv. pl. 35. |
| grandis, Alcedo | Asia, i. pl. 52. |
| —, Bucco | Cent. pl. 46. |
| —, Munia | New Guinea, iv. pl. 22. |
| —, Niltava | Asia, ii. pl. 20. |
| Grass-bird, Little | Handb. i. p. 400. |
| —, Tawny | Handb. i. p. 399. |
| Grass-Finch, Banded | Australia, iii. pl. 93; Handb. i. p. 425. |
| —, Beautiful | Australia, iii. pl. 89; Handb. i. p. 421. |
| —, Gouldian | Handb. i. p. 420. |
| —, Long-tailed | Australia, iii. pl. 90; Handb. i. p. 422. |
| —, Masked | Australia, iii. pl. 91; Handb. i. p. 423. |
| —, White-eared | Australia, iii. pl. 92; Handb. i. p. 424. |
| Grass-green-breasted Carib | Humming B. ii. pl. 84. |

| Grass-loving Warbler | Australia, iii. pl. 36. |
|------------------------------|--|
| Grass-Owl | Australia, Suppl. pl. 1; Asia, i. pl. 18. |
| Grass-Parrakeet, Blue-banded | Australia, v. pl. 37; Handb. ii. p. 71. |
| —, Bourke's | Australia, v. pl. 43; Handb. ii. p. 80. |
| —, Chestnut-shouldered | Australia, v. pl. 41; Handb. ii. p. 77. |
| —, Elegant | Australia, v. pl. 38; Handb. ii. p. 73. |
| —, Orange-bellied | Australia, v. pl. 39. |
| —, Rock | Australia, v. pl. 40. |
| —, Splendid | Australia, v. pl. 42; Handb. ii. p. 79. |
| —, Warbling | Australia, v. pl. 44; Handb. ii. p. 81. |
| Grass-Warbler, Exile | Handb. i. p. 350. |
| —, Great | Handb. i. p. 349. |
| —, Lineated | Handb. i. p. 351. |
| ——, Rufous-headed | Handb. i. p. 353. |
| —, Square-tailed | Handb. i. p. 352. |
| Graucalus axillaris | New Guinea, ii. pl. 5. |
| —, Black-faced | Australia, ii. pl. 55; Handb. i. p. 192. |
| —, Ground | Australia, ii. pl. 59; Handb. i. p. 199. |
| — hypoleucus | Australia, ii. pl. 57; Handb. i. p. 196. |
| — maforensis | New Guinea, ii. pl. 6. |
| — melanops | Synopsis, part iv.; Australia, ii. pl. 55; |
| | Handb. i. p. 192. |
| —— melanotis | Synopsis, part iv. |
| —— mentalis | Synopsis, part iv.; Australia, ii. pl. 56; |
| | Handb. i. p. 195. |
| — parvirostris | Synopsis, part iv.; Australia, i. Introd. |
| | p. xxxv; Handb.i. p. 194. |
| — pusillus | New Guinea, ii. pl. 4. |
| — swainsoni | Synopsis, part iv.; Australia, ii. pl. 58; |
| | Handb. i. p. 197. |
| —, Swainson's | Australia, ii. pl. 58; Handb. i. p. 197. |
| — tenuirostris | Synopsis, part iv. |
| —, Varied | Australia, ii. pl. 56; Handb. i. p. 195. |
| —, White-bellied | Australia, ii. pl. 57; Handb. i. p. 196. |
| , see also Cuckoo-Shrike. | |
| grayi, Bettongia | |
| —, Eucephala | Humming B. v. pl. 330. |
| | |

| grayi, Todopsis New Guinea, ii. pl. 24. Gray's Jerboa-Kangaroo |
|--|
| Todopsis New Guinea, ii. pl. 24. graysoni, Amazilia |
| graysoni, Amazilia Humming B., Suppl. p. 87. |
| |
| Grayson's Amazili Humming B., Suppl. p. 87. |
| Great Acanthiza Australia, Suppl. pl. 28; Handb.i.p. 373. |
| — Alcedo |
| |
| |
| |
| Blue Pie Asia, v. pl. 49. |
| Cockatoo Australia, v. pl. 8. |
| Eurylaime Asia, i. pl. 59. |
| Gerygone Handb. i. p. 270. |
| — Heron Australia, vi. pl. 54; Handb. ii. p. 296. |
| — Warbler Australia, ii. pl. 100. |
| Great Black-backed Gull Europe, v. pl. 430; Gt. Brit. v. pl. 55. |
| — Black Woodpecker Europe, iii. pl. 225; Gt. Brit. iii. pl. 73. |
| — Bower-bird Australia, iv. pl. 9; Handb. i. p. 448. |
| — Brown Kingfisher Australia, ii. pl. 18; Handb. i. p. 122. |
| Bustard Europe, iv. pl. 267; Gt. Brit. iv. pl. 17. |
| — Cinereous Owl Europe, i. pl. 42. |
| Great-crested Coquette Humming B. iii. pl. 120. |
| Great Crested Grebe Europe, v. pl. 388; Gt. Brit. v. pl. 38. |
| — Crow-Shrike Australia, ii. pl. 42. |
| — Egret Europe, iv. pl. 276. |
| — Eurylaime Asia, i. pl. 61. |
| — Flying Phalanger Mamm. Austr. i. pl. 22. |
| Great-footed Bat Mamm. Austr. iii. pl. 47. |
| — Tern Australia, Suppl. pl. 81. |
| Great Forked-tailed Humming-bird Humming B., Suppl. pl. 27. |
| — Frigate-bird Handb. ii. p. 499. |
| — Grass-Warbler Handb. i. p. 349. |
| — Grey Heron Australia, vi. pl. 55. |
| — Grey Kangaroo Mamm. Austr. ii. pls. 1, 2; Monogr. |
| Macrop. i. pl. 1. |
| Grey Petrel Australia, vii. pl. 47; Handb. ii. p. 446. |
| — Grey Shrike Europe, ii. pl. 67; Gt. Brit. ii. pl. 13. |

| Great Horned Owl | Europe, i. pl. 37. |
|-------------------------------|---|
| ——, Eastern | Europe, i. pl. 38. |
| — Jacobin | Humming B. ii. pl. 114. |
| Great-leaved Horse-shoe Bat | Mamm. Austr. iii. pl. 33. |
| Great Northern Diver | Gt. Brit. v. pl. 43. |
| — Owl of the Brushes | Handb. i. p. 68. |
| —— Palm-Cockatoo | Australia, Suppl. pl. 61; Handb. ii. p. 27. |
| — Pericrocotus | Asia, ii. pl. 7. |
| —— Pied Wagtail | Asia, iv. pl. 61. |
| —— Pitta | New Guinea, iv. pl. 27. |
| —— Promerops | New Guinea, i. pl. 9. |
| — Racket-tailed Parrot | Asia, vi. pl. 13. |
| —— Red Kangaroo | Mamm. Austr. ii. pls. 6, 7; Monogr. |
| | Macrop. i. pl. 2. |
| — Rock Wallaby | Monogr. Macrop. part ii. |
| — Sandpiper | Australia, vi. pl. 33; Handb. ii. p. 260. |
| — Sedge-Warbler | Europe, ii. pl. 106. |
| — Shearwater | Gt. Brit. v. pl. 83. |
| — Shrike | Europe, ii. pl. 66. |
| — Skua | Gt. Brit. v. pl. 78; Handb. ii. p. 389. |
| —— Snipe | Europe, iv. pl. 320; Gt. Brit. iv. pl. 78. |
| — Spotted Cuckoo | Europe, iii. pl. 241. |
| — Spotted Woodpecker | Gt. Brit. iii. pl. 70. |
| —— Sulphur-crested Cockatoo . | Handb. ii. p. 2. |
| Great-tailed Coucal | Handb. i. p. 636. |
| Great Tit | Europe, iii. pl. 150; Gt. Brit. ii. |
| | pl. 23. |
| — Warbler | Australia, iii. pl. 41; Suppl. pl. 28. |
| — Wattled Honey-eater | Australia, iv. pl. 54. |
| — White-capped Redstart | Asia, iv. pl. 36. |
| — White Egret | Europe, iv. pl. 276; Gt. Brit. iv. pl. 22. |
| Great-winged Flycatcher | Australia, ii. pl. 93. |
| —— Petrel | Handb. ii. p. 449. |
| Greater Bird of Paradise | New Guinea, i. pl. 30. |
| Grebe, Australian Tippet | Australia, vii. pl. 80; Handb. ii. p. 511. |
| —, Black-throated | Australia, vii. pl. 81; Handb. ii. p. 513. |
| —, Eared | Europe, v. pl. 391; Gt. Brit. v. pl. 41. |
| —, Great Crested | Europe, v. pl. 388; Gt. Brit. v. pl. 38. |

| Grebe, Hoary-headed | Australia, vii. pl. 82; Handb. ii. p. 512. |
|-------------------------|--|
| —, Horned | Europe, v. pl. 390; Gt. Brit. v. pl. 40. |
| , Little | Europe, v. pl. 392; Gt. Brit. v. pl. 42. |
| , Red-necked | Europe, v. pl. 389; Gt. Brit. v. pl. 39. |
| Greek Partridge | Europe, iv. pl. 261. fig. 2. |
| Green Araçari | Toucans, (1) pl. 21, (2) pl. 24. |
| Green-and-Blue Crest | Humming B. iv. pl. 206. |
| Sapphire | Humming B. v. pl. 331. |
| Green-backed Gerygone | Handb. i. p. 271. |
| — Lorikeet | New Guinea, v. pl. 17. |
| — Warbler | Australia, ii. pl. 102. |
| — White-eye | |
| Zosterops | TT 11 1 MOO |
| Green-bellied Amazili | · · · · · · · · · · |
| Green-billed Toucan | m (0) 1 1 (|
| Green-breasted Carib | TT ' T) '' 1 00 |
| — Puff-leg | Humming B., Suppl. p. 70. |
| — Sapphironia | Humming B. v. pl. 345. |
| Green Cochoa | Asia, ii. pl. 1. |
| — Cormorant | 3 43 0 |
| Green-crowned Brilliant | |
| - Wood-Nymph | |
| Greenfinch | TI 1 000 Ct D 1 00 |
| 0 0 11 | TT : TD () 1 1 40 |
| T 1 '11 | 0 . 11 1 |
| 0 0 1 1 | O 1 |
| Green-headed Emerald | Europe, iii. pl. 200. |
| | Humming B. v. pl. 295. |
| — Sapphire | Humming B. v. pl. 332. |
| Greenland Falcon | Gt. Brit. i. pls. 13, 14, 15. |
| | New Guinea, v. pl. 31. |
| | . New Guinea, i. pl. 34. |
| —— Pigeon, Little | . Handb. ii. p. 118. |
| , 0 | . Handb. ii. p. 119. |
| —— Pigmy Goose | . Handb. ii. p. 357. |
| —— Sandpiper | . Europe, iv. pl. 315. fig. 1; Gt. Brit. iv. pl. 56. |
| Greenshank | . Europe, iv. pl. 312; Gt. Brit. iv. pl. 53; |
| | Handb. ii. p. 265. |
| —, Australian | . Australia, vi. pl. 36. |

| Green-tailed Hermit Humming B. i. pl. 33. — Humming-bird Humming B. iv. pl. 231. — Sylph Humming B. iii. pl. 173. — Train-bearer Humming B., Suppl. p. 53. Green-throated Cacique Humming B. iv. pl. 215. — Fairy Humming B. iv. pl. 215. — Inca Humming B. iv. pl. 252. — Mango Humming B. ii. pl. 77. Green Woodpecker Europe, iii. pl. 226; Gt. Brit. iii. pls. 74, 75. — Asia, vi. pl. 35. Europe, iii. pl. 227. gregarius, Vanellus Europe, iii. pl. 227. gregarius, Vanellus Europe, iii. pl. 227. gregarius, Vanellus Europe, iv. pl. 292. Grey-backed Storm-Petrel Australia, vii. pl. 64; Handb. ii. p. 476. — White-eye Australia, vii. pl. 64; Handb. ii. p. 476. — White-eye Australia, iii. pl. 53. Grey-banded Laughing Thrush Asia, iii. pl. 53. Grey-bellied Rail New Guinea, v. pl. 71. — Train-bearer Humming B., Suppl. p. 56. Grey-breasted Araçari Toucans, (1) pl. 19. — Hill Toucan Toucans, (2) pl. 38. — White-eye <th>Green-spangled Humming-bird .</th> <th>Humming B., Suppl. p. 66.</th> | Green-spangled Humming-bird . | Humming B., Suppl. p. 66. |
|--|---------------------------------|--|
| —— Sylph | Green-tailed Hermit | Humming B. i. pl. 33. |
| — Train-bearer | Humming-bird | Humming B. iv. pl. 231. |
| — Train-bearer | — Sylph | Humming B. iii. pl. 173. |
| Green-throated Cacique Humming B. ii. pl. 63. — Fairy Humming B. iv. pl. 215. — Inca Humming B. iv. pl. 252. — Mango Humming B. ii. pl. 77. Green Woodpecker Europe, iii. pl. 226; Gt. Brit. iii. pls. 74, 75. — —, Formosan Asia, vi. pl. 35. — —, Grey-headed Europe, iii. pl. 227. gregarius, Vanellus Europe, iv. pl. 292. Grey-backed Storm-Petrel Australia, vii. pl. 64; Handb. ii. p. 476. — White-eye Australia, iv. pl. 81. — Zosterops Handb. i. p. 587. Grey-banded Laughing Thrush Asia, iii. pl. 53. Grey-bellied Rail New Guinea, v. pl. 71. — Train-bearer Humming B., Suppl. p. 56. Grey-breasted Araçari Toucans, (1) pl. 19. — Hill Toucan Toucans, (2) pl. 38. — Robin Australia, iii. pl. 12; Handb. i. p. 294. — White-eye Australia, iii. pl. 12; Handb. i. p. 147. — Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, iv. pl. 6. — Stone-Chat Asia, iv. pl. 28. — Wagtail Ch. See Grey-crowned | | Humming B., Suppl. p. 53. |
| — Fairy | | |
| —— Inca | | Humming B. iv. pl. 215. |
| Green Woodpecker Europe, iii. pl. 226; Gt. Brit. iii. ———, Formosan Asia, vi. pl. 35. ———, Grey-headed Europe, iii. pl. 227. gregarius, Vanellus Europe, iv. pl. 292. Grey-backed Storm-Petrel Australia, vii. pl. 64; Handb. ii. p. 476. —— White-eye Australia, iv. pl. 81. —— Zosterops Handb. i. p. 587. Grey-banded Laughing Thrush Asia, iii. pl. 53. Grey-bellied Rail New Guinea, v. pl. 71. —— Train-bearer Humming B., Suppl. p. 56. Grey-breasted Araçari Toucans, (1) pl. 19. —— Hill Toucan Toucans, (2) pl. 38. —— Robin Australia, iii. pl. 12; Handb. i. p. 294. —— White-eye Australia, iii. pl. 12; Handb. i. p. 294. —— Wood-Swallow Australia, ii. pl. 29; Handb. i. p. 147. —— Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, v. pl. 6. —— Stone-Chat Asia, iv. pl. 28. —— Wagtail Gt. Brit. iii. pl. 5. Grey-chested Bird of Paradise New Guinea, i. pl. 27. Grey-crowned Paradoxornis Australia, ii. pl. 45; Handb. i. p. 173. <td></td> <td>Humming B. iv. pl. 252.</td> | | Humming B. iv. pl. 252. |
| Green Woodpecker Europe, iii. pl. 226; Gt. Brit. iii. ———, Formosan Asia, vi. pl. 35. ———, Grey-headed Europe, iii. pl. 227. gregarius, Vanellus Europe, iv. pl. 292. Grey-backed Storm-Petrel Australia, vii. pl. 64; Handb. ii. p. 476. —— White-eye Australia, iv. pl. 81. —— Zosterops Handb. i. p. 587. Grey-banded Laughing Thrush Asia, iii. pl. 53. Grey-bellied Rail New Guinea, v. pl. 71. —— Train-bearer Humming B., Suppl. p. 56. Grey-breasted Araçari Toucans, (1) pl. 19. —— Hill Toucan Toucans, (2) pl. 38. —— Robin Australia, iii. pl. 12; Handb. i. p. 294. —— White-eye Australia, iii. pl. 12; Handb. i. p. 294. —— Wood-Swallow Australia, ii. pl. 29; Handb. i. p. 147. —— Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, v. pl. 6. —— Stone-Chat Asia, iv. pl. 28. —— Wagtail Gt. Brit. iii. pl. 5. Grey-chested Bird of Paradise New Guinea, i. pl. 27. Grey-crowned Paradoxornis Australia, ii. pl. 45; Handb. i. p. 173. <td>— Mango</td> <td>Humming B. ii. pl. 77.</td> | — Mango | Humming B. ii. pl. 77. |
| pls. 74, 75. | | |
| — — — Grey-headed Europe, iii. pl. 227. gregarius, Vanellus Europe, iv. pl. 292. Grey-backed Storm-Petrel | | |
| — — — Grey-headed Europe, iii. pl. 227. gregarius, Vanellus Europe, iv. pl. 292. Grey-backed Storm-Petrel | , Formosan | Asia, vi. pl. 35. |
| Grey-backed Storm-Petrel Australia, vii. pl. 64; Handb. ii. p. 476. White-eye Australia, iv. pl. 81. Zosterops | | Europe, iii. pl. 227. |
| — White-eye Australia, iv. pl. 81. — Zosterops | gregarius, Vanellus . , | Europe, iv. pl. 292. |
| — White-eye Australia, iv. pl. 81. — Zosterops | Grey-backed Storm-Petrel | Australia, vii. pl. 64; Handb. ii. p. 476. |
| Grey-banded Laughing Thrnsh Grey-bellied Rail | — White-eye | |
| Grey-bellied Rail | — Zosterops | Handb. i. p. 587. |
| — Train-bearer Humming B., Suppl. p. 56. Grey-breasted Araçari Toucans, (1) pl. 19. — Hill Toucan Toucans, (2) pl. 38. — Robin Australia, iii. pl. 12; Handb. i. p. 294. — White-eye Australia, Suppl. pl. 49. — Wood-Swallow Australia, ii. pl. 29; Handb. i. p. 147. — Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, v. pl. 6. — Stone-Chat Asia, iv. pl. 28. — Wagtail Gt. Brit. iii. pl. 5. Grey-chested Bird of Paradise New Guinea, i. pl. 27. Grey-crowned Paradoxornis Asia, iii. pl. 77. Grey Crow-Shrike Australia, iii. pl. 45; Handb. i. p. 173. | Grey-banded Laughing Thrush . | Asia, iii. pl. 53. |
| Grey-breasted Araçari Toucans, (1) pl. 19. — Hill Toucan Toucans, (2) pl. 38. — Robin Australia, iii. pl. 12; Handb. i. p. 294. — White-eye Australia, Suppl. pl. 49. — Wood-Swallow | Grey-bellied Rail | New Guinea, v. pl. 71. |
| Hill Toucan Robin Australia, iii. pl. 12; Handb. i. p. 294. White-eye Australia, Suppl. pl. 49. Wood-Swallow Australia, ii. pl. 29; Handb. i. p. 147. Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, v. pl. 6. Stone-Chat Asia, iv. pl. 28. Wagtail Gt. Brit. iii. pl. 5. Grey-chested Bird of Paradise Grey-crowned Paradoxornis Asia, iii. pl. 77. Grey Crow-Shrike Australia, ii. pl. 45; Handb. i. p. 173. | — Train-bearer | Humming B., Suppl. p. 56. |
| | Grey-breasted Araçari | Toucans, (1) pl. 19. |
| White-eye Wood-Swallow Australia, Suppl. pl. 49. Australia, ii. pl. 29; Handb. i. p. 147. Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, v. pl. 6. Stone-Chat Asia, iv. pl. 28. Wagtail Gt. Brit. iii. pl. 5. Grey-chested Bird of Paradise Grey-crowned Paradoxornis Asia, iii. pl. 77. Grey Crow-Shrike Australia, ii. pl. 45; Handb. i. p. 173. | — Hill Toucan | Toucans, (2) pl. 38. |
| Wood-Swallow Zosterops Handb. ii. p. 538. Grey-capped Bunting Stone-Chat Grey-chested Bird of Paradise Grey-chested Bird of Paradoxornis Grey-crowned Paradoxornis Asia, ii. pl. 28. We Guinea, i. pl. 27. Asia, iii. pl. 77. Grey Crow-Shrike Australia, ii. pl. 45; Handb. i. p. 173. | —— Robin | Australia, iii. pl. 12; Handb. i. p. 294. |
| Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, v. pl. 6. Stone-Chat Grey-chat Grey-chested Bird of Paradise Kew Guinea, i. pl. 27. Grey-crowned Paradoxornis Asia, iii. pl. 77. Grey Crow-Shrike Australia, ii. pl. 45; Handb. i. p. 173. | — White-eye | Australia, Suppl. pl. 49. |
| Zosterops Handb. ii. p. 538. Grey-capped Bunting Asia, v. pl. 6. Stone-Chat Grey-chat Grey-chested Bird of Paradise Kew Guinea, i. pl. 27. Grey-crowned Paradoxornis Asia, iii. pl. 77. Grey Crow-Shrike Australia, ii. pl. 45; Handb. i. p. 173. | Wood-Swallow | Australia, ii. pl. 29; Handb. i. p. 147. |
| Stone-Chat | — Zosterops | Handb. ii. p. 538. |
| — Wagtail Gt. Brit. iii. pl. 5. Grey-chested Bird of Paradise Grey-crowned Paradoxornis | Grey-capped Bunting | Asia, v. pl. 6. |
| Grey-crowned Paradoxornis . New Guinea, i. pl. 27. Grey-crowned Paradoxornis Asia, iii. pl. 77. Grey-Crow-Shrike | | Asia, iv. pl. 28. |
| Grey-crowned Paradoxornis Asia, iii. pl. 77. Grey Crow-Shrike Australia, ii. pl. 45; Handb. i. p. 173. | — Wagtail | Gt. Brit. iii. pl. 5. |
| Grey Crow-Shrike Australia, ii. pl. 45; Handb. i. p. 173. | Grey-chested Bird of Paradise . | New Guinea, i. pl. 27. |
| | Grey-crowned Paradoxornis | Asia, iii. pl. 77. |
| | Grey Crow-Shrike | Australia, ii. pl. 45; Handb. i. p. 173. |
| Grey-faced Cuckoo-Shrike New Guinea, ii. pl. 8. | Grey-faced Cuckoo-Shrike | New Guinea, ii. pl. 8. |
| Grey Falcon Australia, i. pl. 7; Handb. i. p. 24. | | Australia, i. pl. 7; Handb. i. p. 24. |
| Grey-headed Blackbird Australia, Suppl. pl. 30; Handb. ii. | Grey-headed Blackbird | Australia, Suppl. pl. 30; Handb. ii. |
| App. p. 528. | | |
| the state of the s | — Flycatcher | |
| | — Green Woodpecker | |
| — Green Woodpecker Europe, iii. pl. 227. | — Parrakeet | Asia, vi. pl. 5. |
| | | |
| — Green Woodpecker Europe, iii. pl. 227. | — rarrakeet | Asia, vi. pl. 5. |

| Grey-headed Pigmy Woodpecker. | Asia, vi. pl. 27. |
|-------------------------------|---|
| — Pteruthius | Asia, ii. pl. 13. |
| — Staphidia | Asia, iv. pl. 8. |
| — Vampire | Mamm. Austr. iii. pl. 28. |
| — Wagtail | Europe, ii. pl. 146; Gt. Brit. iii. pl. 4. |
| CI II CI : | Mamm. Austr. ii. pls. 1, 2. |
| . 1 0 | Gt. Brit. v. pl. 1. |
| 0 1 1 1 1 1 1 1 1 0 | Europe, v. pl. 347. |
| 0 1 0 1 1 1 | New Guinea, v. pl. 61. |
| | |
| Grey Noddy | Australia, vii. pl. 37; Handb. ii. p. 420. |
| Pericrocotus | As'a, ii. pl. 11. |
| —— Phalarope | Europe, iv. pl. 337; Gt. Brit. iv. pls. 81, 82. |
| —— Plover | Australia, vi. pl. 12; Handb. ii. p. 224; |
| | Europe, iv. pl. 290; Gt. Brit. iv. pls. 36, 37. |
| Grey-rumped Sandpiper | Australia, vi. pl. 38; Handb. ii. p. 268. |
| Grey Shike, Great | Europe, ii. pl. 67. |
| , Lesser | Europe, ii. pl. 68. |
| Grey-sided White-eye | New Guinea, iii. pl. 62. |
| Grey Snipe | Europe, iv. pl. 323. |
| — Stripe-tail | Humming B., Suppl. pl. 55. |
| — Struthidea | Australia, iv. pl. 17; Handb. i. p. 472. |
| Grey-tailed Humming-bird | Humming B., Suppl. pl. 7. |
| — Thickhead | Australia, ii. pl. 65; Handb. i. p. 209. |
| C (11) 1 1 2 | New Guinea, iii. pl. 26. |
| CL ALTERY | Humming B. i. pl. 36. |
| TO 1 | Asia, ii. pl. 3. |
| — Pericrocotus | New Guinea, iii. pl. 24. |
| | Asia, ii. pl. 58. |
| Grey Tit | - |
| 8 | Europe, ii. pl. 147; Gt. Brit. iii. pls. 6, 7. |
| Grey-winged Honey-eater | New Guinea, iii. pl. 56. |
| — Merula | Asia, iii. pl. 7. |
| greyi, Demiegretta | Handb. ii. p. 309. |
| —, Halmaturus | Mamm. Austr. ii. pls. 18, 19. |
| —, Herodias | Australia, vi. pl. 61. |
| —, Scotophilus | Mamm. Austr. iii. pl. 45. |
| Greyish-white Mouse | Mamm. Austr. iii. pl. 21. |
| Grey's Scotophilus | Mamm. Austr. iii. pl. 45. |

| Grey's Wallaby | N | Jamm. Austr. ii. pls. 18, 19. |
|---------------------------|--------------|--|
| Griffon Vulture | F | Europe, i. pl. 1. |
| griseigula, Euthyrhynchus | N | New Guinea, iii. pl. 55. |
| griseiventris, Cynanthus | I | Humming B., Suppl. p. 56. |
| griseogularis, Eopsaltria | S | Synopsis, part iv. App. p. 2; Australia, |
| | | iii. pl. 12; Handb. i. p. 294. |
| —, Pericrocotus | A | Asia, ii. pl. 3. |
| —, Phaethornis | I | Humming B. i. pl. 36. |
| griseopygius, Totanus | A | Australia, vi. pl. 38. |
| griseus, Macrorhamphus | F | Europe, iv. pl. 323; Gt. Brit. iv. pl. 76. |
| —, Nycticorax | (| Gt. Brit. iv. pl. 26. |
| grisola, Butalis | (| Gt. Brit. ii. pl. 19. |
| —, Muscicapa | 1 | Europe, ii. pl. 65. |
| Groove-bill | | Foucans, (2) pl. 42. |
| —, Black-throated | П | Γoucans, (2) pl. 50. |
| —, Blood-rumped | Ί | Toucans, (1) pl. 33. |
| , Blue-banded | Т | Foucans, (2) pl. 46. |
| —, Blue-throated | Ί | Toucans, (2) pl. 45. |
| —, Chestnut-billed | \mathbf{r} | Coucans, (2) pl. 44. |
| ——, Earl of Derby's | 1 | Γoucans, (2) pl. 43. |
| —, Golden-green | . 7 | Γoucans, (2) pl. 47. |
| —, Wagler's | Ί | Toucans, (2) pl. 48. |
| —, White-banded | Ί | Coucans, (2) pl. 49. |
| Groove-billed Cormorant | A | Australia, vii. pl. 67. |
| Grooved-bill Araçari | . 7 | Toucans, (1) pl. 31. |
| Grosbeak, Allied | | Asia, v. pl. 23. |
| ——, Black-and-Yellow | . 1 | Asia, v. pl. 20. |
| ——, Black-tailed | . 1 | Asia, v. pl. 19. |
| ——, Burton's | . 4 | Asia, v. pl. 16. |
| ——, Caucasian | | Asia, v. pl. 25. |
| —, Flesh-footed | Ā | Asia, v. pl. 21. |
| —, Green | 1 | Europe, iii. pl. 200. |
| —, Icterine | 1 | Asia, v. pl. 22. |
| | £ | Asia, v. pl. 18. |
| —-, Pine | I | Europe, iii. pl. 204; Gt. Brit. iii, pl. 44. |
| —, Red-mantled | A | Asia, v. pl. 26. |
| ——, Rosy | F | Europe, iii. p. 207; Asia, v. pl. 33. |
| —, Scarlet | I | Europe, iii. pl. 206. |
| ——, Siberian | F | Europe, iii. pl. 205; Asia, v. pl. 27. |
| | | |

| Grosbeak, Vinous | Europe, iii. pl. 208. |
|---------------------------------|---|
| Ground Cuckoo-Shrike | Australia, ii. pl. 59. |
| Ground-Dove, Barred-shouldered. | Australia, v. pl. 72. |
| —, Graceful | Australia, v. pl. 74. |
| , Mrs. Sclater's | New Guinea, v. pl. 49. |
| , Peaceful | Australia, v. pl. 73. |
| Ground Graucalus | Handb. i. p. 199. |
| —— Parrakeet | Australia, v. pl. 46; Handb. ii. p. 86. |
| , Nocturnal | Australia, Suppl. pl. 66. |
| , Western | Handb. ii. p. 88. |
| Ground-Pigeon, Grey-naped | New Guinea, v. pl. 61. |
| , Papuan | New Guinea, v. pl. 62. |
| Ground-Thrush, Black | New Guinea, iv. pl. 28. |
| —, Black-breasted | Handb. i. p. 395. |
| —, Brown | Handb. i. p. 394. |
| —, Chestnut-backed | Australia, iv. pl. 5; Handb. i. p. 435. |
| —, Chestnut-breasted | Australia, Suppl. pl. 32; Handb. i. p. 438. |
| , Cinnamon | Australia, iv. pl. 6; Handb. i. pl. 437. |
| , Meyer's | New Guinea, iii. pl. 1. |
| —, Orange-sided | New Guinea, iii. pl. 10. |
| —, Rufous-tinted | Handb. i. p. 397. |
| , Spotted | Australia, iv. pl. 4; Handb. i. p. 433. |
| Grouse, Black | Europe, iv. pl. 250. |
| —, Georgian Black | Asia, vi. pl. 66. |
| —, Hazel | Europe, iv. pl. 251. |
| —, Hybrid | Europe, iv. pl. 249. |
| —, Red | Europe, iv. pl. 252; Gt. Brit. iv. pl. 7. |
| , Rock | Europe, iv. pl. 254. |
| —, Sand, see Sand-Grouse. | • • |
| —, Short-toed | Europe, iv. pl. 256. |
| —, Willow | Europe, iv. pl. 255. |
| Grus australasianus | Australia, vi. pl. 48; Handb. ii. p. 290. |
| cinerea | Europe, iv. pl. 270; Gt. Brit. iv. pl. 19. |
| — leucogeranus | Europe, iv. pl. 271. |
| grylle, Uria | Europe, v. pl. 399; Gt. Brit. v. pl. 49. |
| Grypus nævius | Humming B. i. pl. 1. |
| — spixi | Humming B. i. pl. 2. |
| guerinii, Oxypogon | Humming B. iii. pl. 182. |
| Guerin's Helmet-crest | Humming B. iii. pl. 182. |
| | |

| Guiana Brilliant | Humming B., Suppl. pl. 15. |
|----------------------------|--|
| — Copper-tail | Humming B., Suppl. p. 63. |
| — Emerald | Humming B., Suppl. p. 77. |
| — Partridge | Odontoph. pl. 23. |
| — Violet-ear | Humming B., Suppl. pl. 11. |
| guianensis, Odontophorus | Odontoph. pl. 23. |
| Guillemot, Black | Europe, v. pl. 399; Gt. Brit. v. pl. 49. |
| —, Bridled | Europe, v. pl. 397. |
| —, Brünnich's | Europe, v. pl. 398. |
| —, Common | Gt. Brit. v. pl. 48. |
| —, Foolish | Europe, v. pl. 396. |
| —, Kurile | Asia, vii. pl. 71. |
| guimeti, Klais | Humming B. iv. pl. 210. |
| Guimet's Flutterer | Humming B. iv. pl. 210. |
| gularis, Aphantochroa | Humming B. ii. pl. 55. |
| —, Calornis | New Guinea, iv. pl. 13. |
| —, Garrulax | Asia, iii. pl. 49. |
| —, Hæmatopus | Synopsis, part i. |
| , Halcyon | Asia, i. pl. 44. |
| —, Melithreptus | Australia, iv. pl. 71; Handb. i. p. 566. |
| —, Paradoxornis | Asia, iii. pl. 77. |
| —, Podiceps | Synopsis, part i.; Australia, vii. pl. 81; |
| , rodicops | Handb. ii. p. 513. |
| —, Scæorhynchus | Asia, iii. pl. 77. |
| gulielmi iii., Diphyllodes | New Guinea, i. pl. 21. |
| Gull, Audouin's | Europe, v. pl. 438. |
| —, Black-headed | Europe, v. pl. 427; Gt. Brit. v. pl. 64. |
| —, Black-winged | Europe, v. pl. 426. |
| —, Bonaparte's | Gt. Brit. v. pl. 65. |
| —, Common | Europe, v. pl. 437; Gt. Brit. v. pl. 60. |
| —, Glaucous | Europe, v. pl. 432; Gt. Brit. v. pl. 57. |
| —, Gould's Silver | Handb. ii. p. 388. |
| —, Great Black-backed | Europe, v. pl. 430; Gt. Brit. v. pl. 55. |
| —, Herring | Europe, v. pl. 434; Gt. Brit. v. pl. 59. |
| , Iceland | Europe, v. pl. 433; Gt. Brit. v. pl. 58. |
| , Ivory | Europe, v. pl. 436; Gt. Brit. v. pl. 62. |
| —, Jameson's | Australia, vii. pl. 20. |
| , Kittiwake | Europe, v. pl. 435; Gt. Brit. v. pl. 67. |
| ——, Laughing | 1 105 |
| . 0 0 | * * * |

| Gull, Lesser Black-backed . | | | Europe, v. pl. 431; Gt. Brit. v. pl. 56. |
|-------------------------------|---|---|--|
| —, Little | | | Europe, v. pl. 428; Gt. Brit. v. pl. 66. |
| —, Pacific | | | Australia, vii. pl. 19; Handb. ii. p. 385. |
| —, Parasitic | | | Europe, v. pl. 442. |
| —, Pomarhine | | | |
| , Ross's | | | Europe, v. pl. 440. |
| | • | • | Gt. Brit. v. pl. 63. |
| —, Sabine's | • | | Europe, v. pl. 429; Gt. Brit. v. pl. 67. |
| —, Silver | | • | Handb. ii. p. 387. |
| —, Skua | ٠ | • | Australia, vii. pl. 21. |
| Gull-billed Tern | | ٠ | Europe, v. pl. 416; Gt. Brit. v. pl. 74. |
| gunnii, Perameles | | ٠ | Mamm. Austr. i. pl. 9. |
| Gunn's Perameles | | ٠ | Mamm. Austr. i. pl. 9. |
| gurneyi, Baza | | | New Guinea, i. pl. 4. |
| —, Pitta | | | Asia, v. pl. 73. |
| Gurney's Cuckoo-Falcon . | | | New Guinea, i. pl. 4. |
| —— Pitta | | ٠ | Asia, v. pl. 73. |
| guttata, Ceryle | | | Cent. pl. 5. |
| —, Chlamydera | | | Australia, Suppl. pl. 35. |
| , Chlamydodera | | | Handb. i. p. 452. |
| —, Steganopleura | | | Handb. i. p. 417. |
| Guttated Bower-bird | | | Australia, Suppl. pl. 35; Handb. i. |
| | | | p. 452. |
| — Partridge | | | Odontoph. pl. 28. |
| guttaticollis, Paradoxornis . | | | Asia, iii. pl. 73. |
| guttatus, Alcedo | | | Cent. pl. 5. |
| —, Enicurus | | | Asia, iv. pl. 69. |
| —, Eurostopodus | | | Synopsis, part iv.; Australia, ii. pl. 8; |
| • | | | Handb. i. p. 98. |
| —, Henicurus | | | Asia, iv. pl. 69. |
| —, Odontophorus | | | Odontoph. pl. 28. |
| —, Pterocles | | | Asia, vi. pl. 62. |
| Guttural Thickhead | | | Australia, ii. pl. 64. |
| gutturalis, Oreoica | | | Synopsis, part iv. p. 4; Australia, ii. |
| , | | | pl. 81. |
| —, Pachycephala | | | Synopsis, part iii.; Australia, ii. pl. 61; |
| , 1 4021) 00[1111111 1 | | | Handb. i. p. 207. |
| guyi, Phaethornis | | | Humming B. i. pl. 26. |
| Guy's Hermit | | | Humming B. i. pl. 26. |
| Gygis candida | • | • | Australia, vii. pl. 30; Handb. ii. p. 405. |
| 5,815 oundian | • | • | 2240000000, 111 p. 000, 1141140. 11. p. 100. |

| Gymnocrex plumbeiventris | New Guinea, v. pl. 71. |
|--------------------------------|--|
| Gymnophaps pæcilorrhoa | New Guinea, v. pl. 60. |
| gymnophthalmus, Iyngipicus | Asia, vi. pl. 32. |
| gymnops, Melipotes | New Guinea, iii. pl. 38. |
| gymnopsis, Cacatua | New Guinea, v. pl. 46. |
| Gymnorhina leuconota | Australia, ii. pl. 47; Handb. i. p. 176. |
| organicum | Australia, ii. pl. 48; Handb. i. p. 178. |
| — tibicen | Australia, ii. pl. 46; Handb. i. p. 175. |
| Gypaëtus barbatus | Europe, i. pl. 4. |
| Gypoictinia melanosternon | Handb. i. p. 47. |
| Gyps bengalensis | Asia, i. pl. 2. |
| gyrfalco, Falco | Gt. Brit, i. pl. 16. |
| Gyr Falcon | Gt. Brit. i. pl. 16. |
| -, | |
| habroptilus, Strigops | Australia, Suppl. pl. 57; Handb. ii. p. 539. |
| hæberlini, Chlorostilbon | Humming B., Suppl. p. 98. |
| hæmatogaster, Platycercus | Australia, pt. ii. (cancelled) pl. 7. |
| —, Psephotus | Australia, v. pl. 33. |
| hæmatonotus, Platycercus | Synopsis, part iv. p. 5. |
| —, Psephotus | Australia, v. pl. 36; Handb. ii. p. 69. |
| Hæmatopus australasianus | Synopsis, part iv. App. p. 6. |
| — fuliginosus | Australia, vi. pl. 8; Handb. ii. p. 217. |
| gularis | Synopsis, part i. |
| — longirostris | Australia, vi. pl. 7; Handb. ii. p. 215. |
| — lunulatus | Synopsis, part i. |
| — ostralegus | Europe, iv. pl. 300; Gt. Brit. iv. pl. 45. |
| —— validirostris | Synopsis, part i. |
| hæmatopygia, Leucosticte | Asia, v. pl. 3. |
| —, Montifringilla | Asia, v. pl. 3. |
| hæmatopygius, Aulacorhamphus . | Toucans, (2) pl. 45. |
| —, Pteroglossus | Toucans, (1) pl. 33. |
| Hæmatornis undulatus | Cent. pl. 1. |
| hæmatorrhous, Psephotus | Handb. ii. p. 62. |
| Hæmatortyx sanguiniceps | Asia, vi. pl. 70. |
| Hæmatospiza sipahi | Asia, v. pl. 24. |
| Hairy-browed Cuckoo | Asia, vi. pl. 44. |
| Hairy Echidna | |
| • | · |

| Hairy Hermit | | | | . Humming B. i. pl. 22. |
|--------------------------|---|---|---|---|
| Hairy-nosed Wombat | | | | . Mamm. Austr. i. pls. 59, 60. |
| Haladroma urinatrix | | | | Handb. ii. p. 483. |
| Haleyon atricapillus | | | | . Asia, i. pl. 45. |
| — cinnamominus | | | | ~ |
| collaris | | | | |
| flavirostris | | | | 1 1 0 1 1 7 |
| — fulgidus | | | | Asia, i. pl. 46. |
| — fusca | | | • | Asia, i. pl. 43. |
| gularis | • | • | • | Asia, i. pl. 44. |
| incinctus | | • | • | Synopsis, part iv. App. p. 1. |
| leucopygia | | | • | New Guinea, iv. pl. 55. |
| — macleayi | • | | • | Australia, ii. pl. 24. |
| — nigrocyanea | | | | New Guinea, iv. pl. 57. |
| omnicolor | | | | Asia, i. pl. 47. |
| — pyrrhopygia | | | | Asia, i. pl. 47. Australia, ii. pl. 22. |
| — quadricolor | | | | New Guinea, iv. pl. 56. |
| - quadricolor | | | | |
| sanctus | • | • | • | |
| 3: J | | | | pl. 21. |
| sordidus | | | | Australia, ii. pl. 23. |
| stictolæma | • | • | • | New Guinea, iv. pl. 58. |
| Haliaetus albicilla | | • | • | New Guinea, iv. pl. 54. |
| | | | • | Europe, i. pl. 10; Gt. Brit. i. pl. 4. |
| canorus | | | • | Synopsis, part iii. |
| leucocephalus | | | • | Europe, i. pl. 11. |
| leucogaster | | | • | Synopsis, part iii. |
| — leucosternus | | | • | Synopsis, part iii. |
| sphenurus | | | • | Synopsis, part iii. |
| haliaetus, Pandion | | | ٠ | Europe, i. pl. 12; Gt. Brit. i. pl. 5. |
| Haliastur leucosternus . | | | • | Australia, i. pl. 4; Handb. i. p. 17. |
| sphenurus | | | ٠ | Australia, i. pl. 5; Handb. i. p. 20. |
| hallucatus, Dasyurus | | ٠ | ٠ | Mamm. Austr. i. pl. 52. |
| Halmaturus agilis | ٠ | • | | Mamm. Austr. ii. pls. 24, 25; Monogr. |
| | | | | Macrop. part ii. |
| — bennettii | | ٠ | | Mamm. Austr. ii. pls. 16, 17; Monogr. |
| | | | | Macrop. part i. |
| — billardieri | • | ٠ | • | Mamm. Austr. ii. pls. 35, 36; Monogr. |
| | | | | Macrop. part i. |
| brachyurus | | | | Mamm. Austr. ii. pls. 37, 38. |

| Halmaturus derbianus | Mamm. Austr. ii. pls. 29, 30; Monogr Macrop. part i. |
|----------------------------|---|
| —— dorsalis | Mamm. Austr. ii. pls. 26, 27; Monogr Macrop. part i. |
| — greyi | Mamm. Austr. ii. pls. 18, 19. |
| — manicatus | Mamm. Austr. ii. pls. 20, 21; Monogr |
| | Macrop. part i. |
| — parma | Mamm. Austr. ii. pl. 28. |
| — parryi | Monogr. Macrop. part ii. |
| — ruficollis | Mamm. Austr. ii. pls. 14, 15; Monogr |
| | Macrop. part ii. |
| - stigmaticus | Mamm. Austr. ii. pls. 33, 34. |
| — thetidis | Mamm. Austr. ii. pls. 31, 32; Monogr |
| | Macrop, part ii. |
| — ualabatus | Mamm. Austr. ii. pls. 22, 23; Monogr |
| | Macrop. part ii. |
| Halobæna cærulea | Handb. ii. p. 457. |
| hamadryas, Rhipidura | New Guinea, ii. pl. 30. |
| Handsome-tailed Phascogale | Mamm. Austr. i. pl. 32. |
| Hanging-Parrakeet, Orange- | |
| crowned | New Guinea, v. pl. 43. |
| Hapalotis albipes | Mamm. Austr. iii. pl. 1. |
| — apicalis | Mamm. Austr. iii. pl. 2. |
| —, Building | Mamm. Austr. iii. pl. 6. |
| cervinus | Mamm. Austr. iii. pl. 10. |
| conditor | Mamm. Austr. iii. pl. 6. |
| , Elsey's | Mamm. Austr. iii. pl. 3. |
| —, Fawn-coloured | Mamm. Austr. iii. pl. 3. |
| 1 11 | Mamm. Austr. iii. pl. 3. |
| | - |
| ~ | Mamm. Austr. iii. pl. 4. |
| | Mamm. Austr. iii. pl. 4. |
| | Mamm. Austr. iii. pl. 8. |
| —, Long-tailed | Mamm, Austr. iii. pl. 8. |
| — mitchellii | Mamm. Austr. iii. pl. 9. |
| —, Mitchell's | Mamm. Austr. iii. pl. 9. |
| —, Murine | Mamm. Austr. iii. pl. 7. |
| — murinus | Mamm. Austr. iii. pl. 7. |
| —, Pencil-tailed | Mamm. Austr. iii. pl. 5. |
| — penicillata | Mamm. Austr. iii. pl. 5. |

| Hapalotis, White-footed | |
|--------------------------------|--|
| —, White-tipped | Mamm. Austr. iii. pl. 2. |
| Haploderma constantia | , Trogons, (2) pl. 35. |
| narina | Trogons, (2) pl. 34. |
| hardwickii, Collurio | Cent. pl. 12. |
| , Iyngipicus | Asia, vi. pl. 28. |
| —, Phyllornis | Asia, iii. pl. 14. |
| Hardwick's Phyllornis | Asia, iii. pl. 14. |
| Hardwicke's Pigmy Woodpecker . | Asia, vi. pl. 28. |
| Hare-Kangaroo | Mamm. Austr. ii. pl. 57; Monogr. |
| | Macrop. part i. |
| , Banded | Mamın. Austr. ii. pl. 56. |
| —, Leichardt's | Mamm. Austr. ii. pl. 60. |
| , Rufous | Mamm. Austr. ii. pl. 58. |
| , Spectacled | Mamm. Austr. ii. pl. 59. |
| Harelda glacialis | Europe, v. pl. 382; Gt. Brit. v. pl. 33. |
| Harlequin Bronze-wing | Australia, v. pl. 66; Handb. ii. p. 127 |
| — Duck | Europe, v. pl. 381; Gt. Brit. v. pl. 32. |
| harmonica, Colluriocincla | Australia, ii. pl. 74; Handb. i. p. 220. |
| Harmonious Shrike-Thrush | Australia, ii. pl. 74; Handb. i. p. 220. |
| Harpactes ardens | Asia, i. pl. 76; Trogons, (2) pl. 39. |
| | Asia, i. pl. 70; Trogons, (2) pl. 36. |
| | Asia, i. pl. 70, Trogons, (2) pl. 30. Asia, i. pl. 67; Trogons, (2) pl. 40. |
| — duvauceli | |
| — erythrocephalus | Trogons, (2) pl. 43. |
| fasciatus | Asia, i. pl. 75; Trogons, (2) pl. 38. |
| — hodgsoni | Asia, i. pl. 69; Trogons, (2) pl. 42. |
| — kasumba | Asia, i. pl. 74; Trogons, (2) pl. 37. |
| —— mackloti | Asia, i. pl. 73; Trogons, (2) pl. 45. |
| —— oreskios | Asia, i. pl. 71; Trogons, (2) pl. 46. |
| — reinwardti | Asia, i. pl. 72; Trogons, (2) pl. 44. |
| — rutilus | Asia, i. pl. 68; Trogons, (2) pl. 41. |
| Harpy-Eagle, New Guinea | New Guinea, i. pl. 3. |
| Harpyopsis novæ guineæ | New Guinea, i. pl. 3. |
| Harrier, Allied | Australia, i. pl. 26; Handb. i. p. 58. |
| —, Ash-coloured | Europe, i. pl. 35; Gt. Brit. i. pl. 27. |
| —, Hen | Europe, i. pl. 33; Gt. Brit. i. pl. 26. |
| , Jardine's | Australia, i. pl. 27; Handb. i. p. 60. |
| —, Marsh | Europe, i. pl. 32; Gt. Brit. i. pls. 24, 25. |
| —, Montagu's | Europe, i. pl. 35. |
| , - 10 | zarope, ii pii soi |

| Harrier, Pallid | Europe, i. pl. 34. |
|----------------------------------|---|
| hartlaubi, Hemicercus | Asia, vi. pl. 20. |
| Hartlaub's Spotted Woodpecker . | Asia, vi. pl. 20. |
| hasitata, Procellaria | Australia, vii. pl. 47. |
| hastingsii, Tragopan | Cent. pls. 63, 64, 65. |
| Hattam Thickhead | New Guinea, iii. pl. 25. |
| hattamensis, Pachycephalopsis . | New Guinea, iii. pl. 25. |
| Hawfinch | Europe, iii. pl. 199; Gt. Brit. iii |
| | pl. 40. |
| Hawk, Brown | Australia, i. pl. 11; Handb. i. p. 31. |
| —, Collared Sparrow | Handb. i. p. 43. |
| —, Crested | Australia, i. pl. 25; Handb. i. p. 56. |
| —, Sparrow | Europe, i. pl. 18; Gt. Brit. i. pl. 10. |
| , Western Brown | Handb. i. p. 33. |
| Hawk-Owl | Europe, i. pl. 45; Gt. Brit. i. pl. 35. |
| —, Forbes' | New Guinea, i. pl. 6. |
| —, New Britain | New Guinea, i. pl. 5. |
| —, Salvadori's | New Guinea, i. pl. 7. |
| Hazel-Grouse | Europe, iv. pl. 251. |
| Heart-spotted Woodpecker | Asia, vi. pl. 18. |
| Heath-Island White-eye | New Guinea, iii. pl. 61. |
| Hedge-Accentor or Hedge-Sparrow. | |
| Heine's Emerald | Humming B., Suppl. p. 75. |
| helenæ, Calypte | Humming B. iii. pl. 136. |
| —, Lophornis | Humming B. iii. pl. 123. |
| Helena's Calypte | Humming B. iii. pl. 136. |
| Heliactin cornuta | Humming B. iv. pl. 212. |
| Heliangelus amethysticollis | Humming B. iv. pl. 245. |
| —— clarissæ | Humming B. iv. pl. 242. |
| mavors | Humming B. iv. pl. 246. |
| — micrastur | Humming B., Suppl. pl. 23. |
| spencei | Humming B. iv. pl. 244. |
| strophianus | Humming B. iv. pl. 243. |
| Helianthea bonapartei | Humming B. iv. pl. 236. |
| — dichroura | Humming B., Suppl. pl. 19. |
| —— eos | Humming B. iv. pl. 237. |
| —— lutetiæ | Humming B. iv. pl. 238. |
| osculans | Humming B., Suppl. pl. 18. |
| typica | Humming B. iv. pl. 235. |

| Helianthea violifera | Humming B. iv. pl. 239. |
|-------------------------------|---|
| heliodora, Calothorax | Humming B. iii. pl. 147. |
| Heliodore's Wood-Star | Humming B. iii. pl. 147. |
| Heliodoxa jacula | Humming B. ii. pl. 94. |
| — jamesoni | Humming B. ii. pl. 95. |
| — leadbeateri | Humming B. ii. pl. 97. |
| — otero | Humming B. ii. pl. 96. |
| — xanthogonys | Humming B., Suppl. pl. 15. |
| Heliomaster albicrissa | Humming B., Suppl. p. 30. |
| angelæ | Humming B. iv. pl. 263. |
| — constanti | Humming B. iv. pl. 260. |
| — longirostris | Humming B. iv. pl. 259. |
| — mesoleucus | Humming B. iv. pl. 262. |
| — pinicola | Humming B. iv. pl. 261. |
| Heliopædica melanotis | Humming B. ii. pl. 64. |
| xantusi | Humming B. ii. pl. 65. |
| Heliothrix auriculatus | Humming B. iv. pl. 214. |
| auritus | Humming B. iv. pl. 213. |
| — barroti | Humming B. iv. pl. 217. |
| — phainolæma | Humming B. iv. pl. 215. |
| — purpureiceps | Humming B. iv. pl. 216. |
| Heliotrypha barrali | Humming B., Suppl. p. 32. |
| — parzudaki | Humming B. iv. pl. 240. |
| — viola | Humming B. iv. pl. 241. |
| Helmet-crest, Blue-throated . | Humming B., Suppl. pl. 41. |
| Guerin's | Humming B. iii. pl. 182. |
| —, Linden's | Humming B. iii. pl. 183. |
| —, Stübel's | Humming B., Suppl. p. 59. |
| Helmeted Friar Bird | Handb. i. p. 547. |
| — Honey-eater | Australia, Suppl. pls. 39, 44. |
| heloisæ, Selasphorus | Humming B. iii. pl. 141. |
| Heloisa's Flame-bearer | Humming B. iii, pl. 141. |
| helvetica, Squatarola | Australia, vi. pl. 12; Handb. ii. p. 224; |
| | Europe, iv. pl. 290; Gt. Brit. iv. |
| | pls. 36, 37. |
| Hemicercus concretus | Asia, vi. pl. 19. |
| cordatus | Asia, vi. pl. 18. |
| — hartlaubi | Asia, vi. pl. 20. |
| hemileuca, Cœligena | Humming B., Suppl. pl. 5. |
| _ | |

| hemileucura, Hapalotis | | Mamm. Austr. iii. pl. 3. |
|-----------------------------|---|--|
| hemileucurus, Phlogophilus | | Humming B. v. pl. 360. |
| Hemipode, Andalusian | | Europe, iv. pl. 264; Gt. Brit. iv. pl. 16. |
| , Black-backed | | Australia, v. pl. 84; Handb. ii. p. 182. |
| ——, Black-breasted | | Australia, v. pl. 81; Handb. ii. p. 178. |
| —, Chestnut-backed | | Australia, v. pl. 85; Handb. ii. p. 183. |
| —, Fasciated | | Asia, vii. pl. 11. |
| —, Little | | Asia, vii. pl. 10. |
| , Red-chested | | Australia, v. pl. 86; Handb. ii. p. 186. |
| —, Sparkling | | Australia, v. pl. 83. |
| —, Speckled | | Handb. ii. p. 181. |
| —, Swift-flying | | Australia, v. pl. 87; Handb. ii. p. 184. |
| —, Varied | | Australia, v. pl. 82; Handb. ii. p. 179. |
| Hemipodius castanotus | | Australia, v. pl. 85; Handb. ii. p. 183. |
| — melanogaster | | Synopsis, part ii.; Australia, pt. 1 |
| | | (cancelled), pl. 8; & v. pl. 81. |
| — melanotus | | Synopsis, part ii.; Australia, v. pl. 84. |
| — pyrrhothorax | | Australia, v. pl. 86. |
| scintillans | | Australia, v. pl. 83. |
| — tachydromus | | Europe, iv. pl. 264. |
| | | Synopsis, part ii.; Australia, v. pl. 82. |
| — velox | | Australia, v. pl. 87. |
| hemispila, Nucifraga | | Cent. pl. 36. |
| hendersoni, Podoces | | Asia, v. pl. 61. |
| | | Asia, v. pl. 61. |
| Hen-Harrier | | Europe, i. pl. 33; Gt. Brit. i. pl. 26. |
| Henicurus chinensis | | Asia, iv. pl. 70. |
| — guttatus | | Asia, iv. pl. 69. |
| — maculatus | ٠ | Asia, iv. pl. 68, |
| — scouleri | | Asia, iv. pl. 71. |
| henrica, Delattria | | Humming B., ii. pl. 62. |
| Henry de Lattre's Cacique . | | Humming B., ii. pl. 62. |
| henshawi, Selasphorus | | Humming B., Suppl. p. 41. |
| Henshaw's Flame-bearer . | | Humming B., Suppl. p. 41. |
| Hermit, Adolph's | | Humming B. i. pl. 35. |
| —, Allied | | Humming B. i. pls. 7, 18. |
| ——, Amaura | | Humming B. i. pl. 32. |
| —, Belted | | Humming B. i. pl. 39. fig. 1. |
| ——, Bishop | • | Humming B. i. pl. 39. fig. 2. |

| Hermit, Black-tailed | Humming B. i. pl. 9. |
|--------------------------|---|
| 110111111 | Humming B. i. pl. 25. |
| —, Bourcier's | Humming B. i. pl. 17. |
| , Cayenne | Humming B. i. pl. 21. |
| —, De Filippi's. · · · · | |
| , Dohrn's | Humming B. i. pl. 10. |
| , D'Osery's · · · · · · | Humming B. i. pl. 23. |
| , Eurynome · · · | |
| , Fraser's | |
| | . Humming B. i. pl. 33. |
| , Grey-throated | . Humming B. i. pl. 36. |
| | . Humming B. i. pl. 26. |
| • | . Humming B. i. pls. 5, 22. |
| , Lanceolate | |
| —, Little | rrumming B. 1. pr. |
| , Longuemare's | Humming B. i. pl. 40. |
| —, Mazeppa | Humming B. i. pl. 31. |
| | Humming B. i. pl. 6. |
| —, Mexicar | Humming B. i. pl. 19. |
| —, Middly de-sized | Humming B. i. pl. 30. |
| Scure | Humming B. i, pl. 38. |
| , P. scure | Humming B. i. pl. 24. |
| Pigmy | Humming B. i. pl. 41. |
| Pretre's | Humming B. i. pl. 28. |
| , Rucker's. | Humming B. i. pl. 11. |
| , Sallé's | Humming B. i. pl. 29. |
| | |
| | Humming B. i. pl. 34. |
| Stripe-throated | Humming B. i. pl. 37. |
| , Train-bearing | Humming B. i. pl. 20. |
| He Haruquian | Humming B. i. pl. 27. |
| rodias alba | Gt. Brit. iv. pl. 22; Handb. ii. p. 301. |
| asha | Handb. ii. p. 305. |
| egrettoides | Handb. ii. p. 303. |
| garzetta | Gt. Brit. iv. pl. 23; Handb. ii. p. 305. |
| greyi | Australia, vi. pl. 61. |
| — immaculata | Australia, vi. pl. 58. |
| jugularis | Australia, vi. pl. 60. |
| melanopus | Handb. ii. p. 304. |
| pannosus | . Australia, vi. pl. 59. |
| picata | . Australia, vi. pl. 62; Handb. ii. p. 306. |
| - plumiferus | Australia, vi. pl. 57. |
| | |

| Herodias syrmatophorus | | Australia, vi. pl. 56. |
|-----------------------------|---|--|
| Heron, Blue Reef | | Australia, vi. pl. 60; Handb. ii. p. 307. |
| —, Buff-backed | | Gt. Brit. iv. pl. 24. |
| , Common · · · · · | | Europe, iv. pl. 273; Handb. ii. p. 295; |
| , common | | Gt. Brit. iv. pl. 20. |
| —, Great-billed | | Australia, vi. pl. 54; Handb. ii. p. 296. |
| , Great Grey · | | Australia, vi. pl. 55. |
| , Great White | | Europe, iv. pl. 276; Gt. Brit. iv. pl. 22. |
| , Nankeen Night · · · | | Handb. ii. p. 311. |
| , Night | | Europe, iv. pl. 279; Gt. Brit. iv. pl. 26. |
| —, Pacific · · · · · | | Australia, vi. pl. 52; Handb. II. p. 291. |
| Purple | | Europe, iv. pl. 274; Gt. Brit. iv. pl. 21. |
| —, Squacco | - | Europe, iv. pl. 275; Gt. Brit. iv. pl. 25. |
| , 504 | · | vi. pl. 53; Handb. ii. p. 299. |
| , White-fronted | • | Australia, 199. |
| —, White Reef | | Handb. ii. p. 56. 1 187. |
| herrani, Ramphomicron | | Humming B. iii. pp. 87. |
| Herran's Thorn-bill | | Humming B. iii. pl. 18 Prit. v. pl. 59. |
| Herring-Gull | | Europe, v. pl. 434; Gt. B. |
| Hesperiphona affinis | | Asia, v. pl. 23. |
| — icteroides | | Asia, v. pl. 22. |
| hesperus, Diphlogena | | Humming B., Suppl. pl. 16. |
| Heteranax mundus | | New Guinea, ii. pl. 39. |
| heterocerca, Metallura | | Humming B., Suppl. pl. 45. |
| heteroclitus, Geoffroyius | | New Guinea, v. pl. 28. |
| Heteromyias cinereifrons | | New Guinea, ii. pl. 15. |
| heteropogon, Ramphomicron . | | Humming B. iii. pl. 184. |
| heterura, Eutoxeres | | Humming B., Suppl. p. 1. |
| Heude's Crow-Tit | | Asia, iii. pl. 74. |
| heudii, Paradoxornis | | Asia, iii. pl. 74. |
| heyi, Ammoperdix | | Asia, vii. pl. 2. |
| Hey's Sand-Partridge | | Asia, vii. pl. 2. |
| Hiaticula bicincta | | Australia, vi. pl. 16. |
| inornata | | Australia, vi. pl. 19. |
| monacha | | Australia, vi. pl. 18. |
| — nigrifrons | | Australia, vi. pl. 20. |
| ruficapilla | | Australia, vi. pl. 17. |
| hiaticula, Ægialitis | | Gt. Brit. iv. pl. 41; Handb. ii. p. |
| —, Charadrius | | |
| Hieracidea berigora | | |
| | | = |

| Hieracidea occidentalis | | Handb. i. p. 33. |
|-----------------------------|--|--|
| Hieracoglaux connivens | | Handb. i. p. 71. |
| — rufus | | Handb. i. p. 69. |
| strenuus | | Handb. i. p. 68. |
| Hieraëtus morphnoïdes | | Handb. i. p. 11. |
| * | | Cent. pl. 53. |
| Hill Crow-Shrike | | Australia, ii. pl. 44; Handb. i. p. 171. |
| Hill-Star, Adela's | | Humming B. ii. pl. 73. |
| —, Black-breasted | | Humming B. ii. pl. 72. |
| (3) 1 1 1 | | Humming B. ii. pl. 68. |
| , Estella's | | Humming B. ii. pl. 70. |
| —, Pichinchian | | Humming B. ii. pl. 69. |
| —, White-sided | | Humming B. ii. pl. 71. |
| Hill-Toucan, Black-billed . | | Toucans, (2) pl. 40. |
| —, Grey-breasted | | Toucans, (2) pl. 38. |
| —, Hooded | | Toucans, (2) pl. 39. |
| | | Toucans, (2) pl. 37. |
| , Saffron-coloured | | Toucans, (2) pl. 41. |
| Hill-Warbler, Little | | Asia, iv. pl. 4. |
| Hill-Wren, Long-tailed | | Asia, iv. pl. 53. |
| Himalayan Conostoma . | | Asia, iii. pl. 31. |
| — Creeper | | Asia, iv. pl. 58. |
| — Crossbill | | Asia, v. pl. 41. |
| G 11 | | Asia, iv. pl. 60. |
| 37 (1) 1 | | Asia, ii. pl. 47. |
| — Pteruthius | | Asia, ii. pl. 14. |
| —— Pucras Pheasant | | Asia, vii. pl. 26. |
| Ruby-throat | | Asia, iv. pl. 39. |
| — Snow-Partridge | | Asia, vii. pl. 30. |
| himalayana, Certhia | | Asia, iv. pl. 58. |
| —, Loxia | | Asia, v. pl. 41. |
| himalayanus, Cuculus | | Cent. pl. 54. |
| —, Otis | | Cent. pls. 73, 74, 75. |
| himalayensis, Dendrocitta . | | Cent. pl. 43. |
| —, Regulus | | Asia, iv. pl. 60. |
| —, Sitta | | Asia, ii. pl. 47. |
| —, Tetraogallus | | Asia, vii. pl. 30. |
| Himantopus candidus | | Gt. Brit. iv. pl. 34. |
| | | |

| Himantopus leucocephalus | Synopsis, part ii.; Australia, vi. pl. 24; Handb. ii. p. 246. |
|----------------------------|--|
| — melanopterus | Europe, iv. pl. 289. |
| —— novæ zealandiæ | Australia, vi. pl. 25; Handb. ii. App. |
| nove zeatanate . , | p. 574. |
| —— palmatus | Synopsis, part ii. |
| hippolais, Sylvia | Europe, ii. pl. 133. |
| hirsuta, Glaucis | Humming B. i. pl. 5. |
| hirsutus, Hapalotis | Mamm. Austr. iii. pl. 4. |
| ——, Lagorchestes | Mamm Austr. ii. pl. 58. |
| hirundinacea, Eupetomena | Humming B. ii. pl. 42. |
| hirundinaceum, Dicæum | Australia, ii. pl. 34; Handb. i. p. 581. |
| Hirundo filifera | Asia, i. pl. 26. |
| — fretensis | Handb. i. p. 110. |
| — frontalis | Handb. i. p. 107. |
| neoxena | Australia, ii. pl. 13. |
| | Europe, ii. pl. 58. |
| —— rufula | Europe, ii. pl. 55. |
| —— rupestris | Europe, ii. pl. 56. |
| rustica | Europe, ii. pl. 54; Gt. Brit. ii. pl. 5. |
| — urbica | Europe, ii. pl. 57. |
| hirundo, Eupetomena | Humming B., Suppl. pl. 2. |
| —, Sterna | Europe, v. pl. 417; Gt. Brit. v. pl. 70. |
| hispaniolensis, Passer | Europe, iii. pl. 185. fig. 1. |
| —, Pyrgita | Europe, iii. pl. 185. fig. 1. |
| hispidus, Phaethornis | Humming B. i. pl. 22. |
| histrionica, Clangula | Europe, v. pl. 381. |
| —, Peristera | Australia, v. pl. 66. |
| —, Phaps | Handb. ii. p. 127. |
| Histrionicus torquatus | Gt. Brit. v. pl. 32. |
| Hoary-headed Grebe | Australia, vii. pl. 82; Handb. ii. p. 512. |
| Hoary Puff-leg | Humming B. iv. pl. 282. |
| Hoary-throated Honey-eater | New Guinea, iii. pl. 41. |
| Hobby | Europe, i. pl. 22; Gt. Brit. i. pl. 18. |
| —, Orange-legged | Gt. Brit. i. pl. 20. |
| hodgsoni, Chalcites | Asia, vi. pl. 46. |
| —, Harpactes | Asia, i. pl. 69; Trogons, (2) pl. 42. |
| , Phyllornis | Asia, iii. pl. 15. |
| ,, • • • • • • • | |

| hodgsoni, Trogon Trogons, (1) pl. 34. | |
|--|----|
| hodgsoniæ, Perdix Asia, vi. pl. 74. | |
| Hodgson's Phyllornis Asia, iii. pl. 15. | |
| — Trogon Asia, i. pl. 69; Trogons, (1) pl. 34, | |
| (2) pl. 42. | |
| holosericeus, Eulampis Humming B. ii. pl. 83. | |
| —, Ptilonorhynchus Australia, iv. pl. 10; Handb. i. p. 442 | |
| hombroni, Actenoides Asia, i. pl. 40. | |
| Hombron's Kingfisher Asia, i. pl. 40. | |
| Honey-Buzzard Europe, i. pl. 16; Gt. Brit. i. pl. 8. | |
| Honey-eater, Ash-coloured New Guinea, iii. pl. 69. | |
| —, Banded Australia, iv. pl. 65; Handb. i. p. 557 | |
| —, Bates' New Guinea, iii. pl. 35. | |
| —, Beautiful New Guinea, iii. pl. 40. | |
| —, Black Australia, iv. pl. 66; Handb. i. p. 558 | ; |
| New Guinea, iii. pl. 72. | |
| , Black-headed Australia, iv. pl. 75; Handb. i. p. 573 | ١. |
| , Black-throated Australia, iv. pl. 71; Handb. i. p. 566 | j. |
| —, Blue-faced Handb. i. p. 560. | |
| —, Bridled New Guinea, iii. pl. 49. | |
| —, Broadbent's New Guinea, iii. pl. 45. | |
| —, Brown Australia, iv. pl. 31; Handb. i. p. 500 | ; |
| New Guinea, iii. pl. 55. | |
| —, Buff-throated New Guinea, iii. pl. 54. | |
| —, Cockerell's Australia, Suppl. pl. 43. | |
| —, Dusky New Guinea, iii. pl. 46. | |
| —, Fasciated Australia, iv. pl. 30; Suppl. pl. 40 | ; |
| Handb. i. pp. 499, 507. | |
| —, Fulvous-fronted Australia, iv. pl. 28; Handb. i. p. 495 |). |
| |). |
| —, Garrulous Australia, iv. pl. 76; Handb. i. p. 574 | ł. |
| , Golden-eared New Guinea, iii. pl. 51. | |
| —, Graceful Australia, iv. pl. 39; Handb. i. p. 515 |). |
| —, Great Wattled Australia, iv. pl. 54. | |
| —, Grey-winged New Guinea, iii. pl. 56. | |
| —, Helmeted Australia, Suppl. pl. 39, 44. | |
| —, Hoary-throated New Guinea, iii. pl. 41. | |
| —, Kebir Scaly-throated New Guinea, iii. pl. 43. | |
| | |

Honey-eater, Lake Wakolo . . . New Guinea, iii. pl. 64.

| rione, carer, Eane Transis | rien Gamea, in. pr. or. |
|----------------------------|---|
| —, Lanceolate | Australia, iv. pl. 47; Handb. i. p. 525. |
| —, Least | Handb. i. p. 501. |
| ——, Lewin's | Handb. i. p. 503. |
| —, Long-billed | Australia, iv. pl. 24; Handb. i. p. 488. |
| —, Long-plumed | New Guinea, iii. pl. 57. |
| —, Lunated | Australia, iv. pl. 72. |
| —, Lunulated | Australia, iv. pl. 72; Handb. i. p. 568. |
| —, Luteous | Australia, iv. pl. 78; Handb. i. p. 577. |
| —, Moustached | Australia, iv. pl. 26; Handb. i. p. 491. |
| —, Mysol | New Guinea, iii. pl. 42. |
| ——, Naked-faced | New Guinea, iii. pl. 38. |
| —, New Holland | Australia, iv. pl. 23; Handb. i. p. 486. |
| —, Obscure | Australia, iv. pl. 67; Handb. i. p. 559. |
| —, Ochraceous | New Guinea, iii. pl. 34. |
| ——, Painted | Australia, iv. pl. 50; Handb. i. p. 530. |
| —, Pectoral | New Guinea, iii. pl. 36. |
| —, Pied | Australia, iv. pl. 49; Handb. i. p. 529. |
| —, Plumed | Australia, iv. pl. 40; Handb. i. p. 516. |
| —, Pygmy | New Guinea, iv. pl. 8. |
| ——, Red-headed | Australia, iv. pl. 64; Handb. i. p. 556. |
| ——, Red-tinted | New Guinea, iii. pl. 71. |
| —, Red-throated | Australia, iv. pl. 52; Handb. i. p. 533. |
| —, Sanguineous | Australia, iv. pl. 63; Handb. i. p. 555. |
| —, Scaly-chested | New Guinea, iii. pl. 44. |
| —, Sclater's | New Guinea, iii. pl. 52, 68. |
| —, Silky-plumed | New Guinea, iii. pl. 39. |
| —, Singing | Australia, iv. pl. 33; Handb. i. p. 504. |
| —, Slender-billed | Australia, iv. pl. 61. |
| —, Sombre | Australia, iv. pl. 77; Handb. i. p. 576. |
| —, Spiny-cheeked | Australia, iv. pl. 53; Handb. ii. p. 534. |
| , Streaked | Australia, Suppl. pl. 42; Handb. i. |
| | p. 522. |
| —, Strong-billed | Australia, iv. pl. 70; Handb. i. p. 565. |
| , Swan-River | Australia, iv. pl. 73; Handb. i. p. 570. |
| —, Tasmanian | Australia, iv. pl. 27; Handb. i. p. 493. |
| —, Uniform | Australia, iv. pl. 46. |
| —, Uniform-coloured | Handb. i. p. 523. |
| —, Varied | Australia, iv. pl. 34; Handb. i. p. 506. |
| | • |

| Honey-eater, Von Rosenberg's . | New Guinea, iii. pl. 70. |
|--------------------------------|--|
| —, Warty-faced | Australia, iv. pl. 48; Handb. i. p. 527. |
| —, Wattled | Australia, iv. pl. 55; Handb. i. pp. 536, 538. |
| —, Wattled-cheeked | Australia, iv. pl. 38; Handb. i. p. 513. |
| —, White-cheeked | Australia, iv. pl. 25; Handb.i.pl. 490. |
| , White-eared | Australia, iv. pl. 36; Handb. i. p. 510. |
| —, White-eyebrowed | Australia, iv. pl. 62. |
| —, White-faced | New Guinea, iii. pl. 33. |
| —, White-fronted | Australia, iv. pl. 29; Handb. i. p. 497. |
| —, White-marked | New Guinea, iii. pl. 47. |
| —, White-pinioned | Australia, iv. pl. 69. |
| —, White-plumed | Australia, iv. pl. 43; Handb. i. p. 519. |
| —, White-quilled | Handb. i. p. 563. |
| —, White-throated | Australia, iv. pls. 51, 74; Handb. i. |
| | pp. 532, 571. |
| —, Yellow | Australia, iv. pl. 42; Handb. i. p. 518. |
| —, Yellow-eared | Australia, iv. pl. 32. |
| —, Yellow-faced | Australia, iv. pl. 45; Handb. i. p. 521. |
| —, Yellow-streaked | New Guinea, iii. pl. 50. |
| —, Yellow-spotted | Australia, Suppl. pl. 41. |
| —, Yellow-throated | Australia, iv. pls. 35, 79; Handb. i. p. 508. |
| —, Yellow-tinted | Australia, iv. pl. 41; Handb. i. p. 517. |
| —, Yellow-tinted Brown | New Guinea, iii. pl. 53. |
| —, Yellow-tufted | Australia, iv. pl. 37; Handb. i. p. 511. |
| Honey-Guide, Yellow-rumped | Asia, vi. pl. 48. |
| Honey-sucker, Black-headed | New Guinea, iii. pl. 66. |
| —, Count Turati's | New Guinea, iii. pl. 37. |
| —, Mottled-breasted | New Guinea, iii. pl. 48. |
| —, Mrs. Forbes' | New Guinca, iii. pl. 67. |
| —, New Ireland | New Guinea, iii. pl. 65. |
| Hooded Crow | Europe, iii. pl. 222; Gt. Brit. iii. p. 59. |
| — Crypsirhina | Asia, v. pl. 52. |
| — Dottrel | Australia, vi. pl. 18; Handb. ii. p. 231. |
| — Eurylaime | Asia, i. pl. 58. |
| — Hill Toucan | Toucans, (2) pl. 39. |
| — Merganser | Europe, v. pl. 386; Gt. Brit. v. pl. 36. |

| Hooded Pitta | Asia, v. pl. 82. |
|--|---|
| —— Robin | Handb. i. p. 283. |
| Tree-Swift | Asia, i. pl. 25. |
| — Vizor-bearer | Humming B. v. pl. 222. |
| Wood-Swallow | New Guinea, iv. pl. 21. |
| Hook-billed Kingfisher | New Guinea, iv. pl. 53. |
| Hooper | Europe, v. pl. 355. |
| Hoopoe | Europe, iii. pl. 238; Gt. Brit. ii. pl. 12. |
| —, Indian | Asia, i. pl. 66. |
| Horned Grebe | Europe, v. pl. 390; Gt. Brit. v. pl. 40. |
| —— Pheasant, Blyth's | Asia, vii. pl. 47. |
| ————, Cabot's | Asia, vii. pl. 48. |
| —————————————————————————————————————— | Asia, vii. pl. 49. |
| —————————————————————————————————————— | Asia, vii. pl. 46. |
| —————————————————————————————————————— | Asia, vii. pl. 45. |
| Horse-shoe Bat, Great-leaved | Mamm. Austr. iii. pl. 33. |
| ——, Orange | Mamm. Austr. iii. pl. 35. |
| horsfieldii, Mirafra | Australia, iii. pl. 77; Handb. i. p. 404. |
| —, Myophonus | Cent. pl. 20. |
| Horsfield's Bush-Lark | Handb. i. p. 404. |
| —— Lark | Australia, iii. pl. 77. |
| hortensis, Curruca | Europe, ii. pl. 121; Gt. Brit. ii. pl. 62. |
| , Sylvia | Europe, ii. pl. 121; Gt. Brit. ii. pl. 62. |
| hortulana, Emberiza | Europe, iii. pl. 176. |
| —, Glycispina | Gt. Brit. iii. pl. 27. |
| —, Serinus | Gt. Brit. iii. pl. 38. |
| houbara, Otis | Europe, iv. pl. 268. |
| House-Martin | Gt. Brit. ii. pl. 6. |
| Huia | Handb. ii. App. p. 530. |
| humboldti, Chrysuronia | Humming B. v. pl. 327. |
| —, Pteroglossus | Toucans, (1) pl. 22, (2) pl. 22. |
| Humboldt's Araçari | Toucans, (1) pl. 22, (2) pl. 22. |
| Humming-bird | Humming B. v. pl. 327. |
| humeralis, Campephaga | Australia, ii. pl. 63; Handb. i. p. 204. |
| —, Ceblepyris | Synopsis, part iv. App. p. 2. |
| —, Erythrauchæna | Handb. ii. p. 142. |
| —, Geopelia | Australia, v. pl. 72. |
| —, Podargus | Australia, ii. pl. 3. |

| Hume's Starling Asia, v. pl. 43. |
|---|
| — Wedge-tailed Wren Asia, iv. pl. 55. |
| humii, Sphenocichla Asia, iv. pl. 55. |
| —, Sturnus Asia, v. pl. 43. |
| humilis, Podoces Asia, v. pl. 63. |
| —, Sericornis Synopsis, part iv.; Australia, iii. pl. 47; |
| Handb. i. p. 356. |
| Humming-bird, Anna's Humming B. iii. pl. 135. |
| —, Black-bellied Humming B., Suppl. pl. 54. |
| —, Black-capped Humming B. ii. pl. 98. |
| —, Black-eared Humming B. ii. pl. 64, iii. pl. 198. |
| , Blossom-crown Humming B. iii. pl. 202. |
| —, Brassy-tail Humming B. iii. pl. 192. |
| —, Buckley's Mountain Humming B., Suppl. pl. 8. |
| —, Buff-breasted Humming B., Suppl. pl. 46. |
| —, Chestnut-bellied Humming B. iii. pl. 203. |
| —, Coppery-tail Humming B. iii. pl. 191. |
| —, Costa Rica Humming B., Suppl. pl. 13. |
| —, Costa Rican Humming B. v. pl. 336. |
| —, Costa's Humming B. iii. pl. 134. |
| —, Count Branicki's Humming B., Suppl. pl. 14. |
| —, Doubleday's Humming B. iv. pl. 339. |
| —, Dusky Humming B. v. pl. 340. |
| —, Emerald-fronted Humming B. iii. pl. 92. |
| —, Empress Humming B. iv. pl. 234. |
| —, Evening Humming B. iii. pl. 154. |
| —, Felicia's Humming B., Suppl. p. 95. |
| —, Giant Humming B. iv. pl. 232. |
| —, Golden-throated Humming B. iv. pl. 230. |
| —, Great Fork-tailed Humming B., Suppl. pl. 27. |
| —, Green-spangled Humming B., Suppl. p. 66. |
| —, Green-tailed Humming B. iv. pl. 231. |
| —, Grey-tailed Humming B., Suppl. pl. 7. |
| —, Helena's Humming B. iii. pl. 136. |
| —, Humboldt's Humming B. v. pl. 327. |
| —, Iridescent Humming B. v. pl. 359. |
| —, Jacobin Humming B. ii. pl. 113. |
| —, Josephine's Humming B. v. pl. 326. |
| |

| Humming-bird, Lilac-throat | Humming B. iv. pl. 268. |
|----------------------------|---------------------------------|
| —, Little | Humming B. iii. pl. 133. |
| —, Marvellous | Humming B. iii. pl. 161. |
| —, Maugé's | Humming B. v. pl. 349. |
| —, Mazatlan | Humming B., Suppl.p. 96. |
| —, Œnone | Humming B. v. pl. 325. |
| —, Olive-throated | Humming B., Suppl. p. 32. |
| —, Pied-tailed | Humming B. v. pl. 360. |
| —, Primoli's | Humming B. iii. pl. 194. |
| —, Puce-throated | Humming B. ii. pl. 55. |
| —, Purple-tail | Humming B. iii. pl. 193. |
| —, Purple-throated | Humming B. iii. pl. 132; Suppl. |
| | pl. 6. |
| —, Riccord's | . Humming B. v. pl. 348. |
| T) 1 1/12 | . Humming B. iv. pl. 204. |
| T) 1 (1) 1 | . Humming B. iii. pl. 131. |
| —, Saw-bill | . Humming B. i. pl. 1. |
| —, Schreiber's | . Humming B. ii. pl. 93. |
| —, Sickle-bill | . Humming B. i. pl. 3. |
| —, Snow-cap | . Humming B. ii. pl. 116. |
| —, Sombre | . Humming B. ii, pl. 54. |
| —, Sparkling-tail | . Humming B. iii. pl. 158. |
| —, Spotted | . Humming B. iii, pl. 199. |
| —, Spotted-breasted | . Humming B., Suppl. pl. 4. |
| —, St. Domingo | . Humming B. v. pl. 347. |
| —, Stokes' | . Humming B. iv. pl. 266. |
| —, Swallow-tail | . Humming B. ii. pl. 42. |
| —, Thorn-bill | . Humming B. iii. pl. 189. |
| —, Tyrian-tail | . Humming B. iii, pl. 195. |
| —, Violet-tail | . Humming B. iii, pl. 196. |
| , Whitely's | . Humming B., Suppl. pl. 12. |
| —, White-throated | . Humming B., Suppl. p. 10. |
| —, White-tip | . Humming B. iii. pl. 190. |
| —, Xantus's | . Humming B. ii. pl. 65. |
| hunsteini, Donacicola | . New Guinea, iv. pl. 26. |
| Hunstein's Weaver-Finch | . New Guinea, iv. pl. 26. |
| Hunting Cissa | . Asia, v. pl. 54. |
| Hurrial Bee-eater | Asia, i. pl. 35. |
| | • |

| huttoni, Emberiza | | Asia, v. pl. 11. |
|----------------------------|---|---|
| , Glycispina | | Asia, v. pl. 11. |
| Hutton's Bunting | | Asia, v. pl. 11. |
| Hyacinthine Porphyrio | | Europe, iv. pl. 340. |
| hyacinthinus, Porphyrio | | Europe, iv. pl. 340. |
| Hybrid Grouse | | Europe, iv. pl. 249. |
| hybridus, Tetrao | | Europe, iv. pl. 249. |
| Hydrochelidon fluviatilis | | Australia, vii. pl. 31. |
| leucopareia | | Gt. Brit. v. pl. 77; Handb. ii. p. 406. |
| leucoptera | | Gt. Brit. v. pl. 76. |
| nigra | | Gt. Brit. v. pl. 75. |
| Hydrocolæus minutus | | Gt. Brit. v. pl. 66. |
| Hydromys chrysogaster | | Mamm. Austr. iii. pl. 24. |
| — fuliginosus | | Mamm. Austr. iii. pl. 27. |
| — fulvolavatus | | Mamm. Austr. iii. pl. 25. |
| leucogaster | | Mamm. Austr. iii. pl. 26. |
| Hydrophasianus sinensis | | Asia, vii. pl. 68; Cent. pl. 76. |
| Hydroprogne caspia | | Gt. Brit. vi. pl. 68. |
| hyemalis, Fringilla | | Europe, iii. pl. 190. |
| , Junco | | Europe, iii. pl. 190. |
| Hylacola cauta | | Australia, iii. pl. 40; Handb. i. p. 347. |
| — pyrrhopygia | | Australia, iii. pl. 39; Handb. i. p. 346. |
| Hylocharis cyanea | | Humming B. v. pl. 344. |
| lactea | | Humming B. v. pl. 343. |
| sapphirina | | Humming B. v. pl. 342. |
| Hylochelidon nigricans | | Handb. i. p. 111. |
| Hylonympha macrocerca | | Humming B., Suppl. pl. 27. |
| Hyloterpe philippinensis | | Asia, ii. pl. 12. |
| hyperboreus, Anser | | Europe, v. pl. 346. |
| , Lobipes | | Gt. Brit. iv. pl. 83. |
| —, Phalaropus | | Europe, iv. pl. 336. |
| hyperythra, Bambusicola | | Asia, vi. pl. 71. |
| ——, Cecropis | | Asia, i. pl. 30. |
| —, Dumetia | | Asia, iv. pl. 6. |
| —, Hirundo | | Asia, i. pl. 30. |
| —, Pachycephala | | New Guinea, iii. pl. 21. |
| —, Rhipidura | | New Guinea, ii. pl. 33. |
| hyperythrus, Campylopterus | • | Humming B. ii. pl. 51. |

| hyperythrus, Cuculus | | | Asia, vi. pl. 43. |
|--------------------------|---|--|--|
| —, Picus | | | Cent. pl. 50. |
| hypochlora, Thalurania . | | | Humming B., Suppl. pl. 28. |
| hypocyanea, Eucephala . | | | Humming B. v. pl. 334. |
| hypoglaucus, Andigena . | | | Toucans, (2) pl. 38. |
| hypolais, Ficedula | | | Gt. Brit. ii. pl. 71. |
| hypoleucus, Actitis | | | Gt. Brit. iv. pl. 58. |
| —, Cracticus | | | Synopsis, part i. |
| —, Elanus | | | Asia, i. pl. 12. |
| —, Falco | | | Australia, i. pl. 7; Handb. i. p. 24. |
| —, Graucalus | | | Australia, ii. pl. 57; Handb. i. p. 196. |
| —, Malurus | | | Australia, Suppl. pl. 22. |
| , Phalacrocorax | | | Australia, vii. pl. 68. |
| —, Totanus | | | Europe, iv. pl. 316. |
| hypopolius, Nestor | | | Synopsis, part i.; Australia, pt. ii. (cancelled) pl. 6; Suppl. pl. 58; Handb. |
| 1 | | | ii. p. 548. |
| hyposticta, Aphantochroa | | | Humming B., Suppl. pl. 4. |
| Hypotænidia philippensis | | | Handb. ii. p. 334. |
| Hypothymis rowleyi | | | New Guinea, ii. pl. 20. |
| Hypsipetes nigerrima | | | Asia, iii. pl. 12. |
| — psaroides | | | Cent. pl. 10. |
| Hypsiprymnus apicalis . | | | Mamm. Austr. ii. pl. 68. |
| — gilberti | ٠ | | Mamm. Austr. ii. pl. 69; Monogr. Macrop. part i. |
| — murinus | | | Mamm. Austr. ii. pl. 67. |
| — platyops | | | Mamm. Austr. ii. pl. 70. |
| Hypurolepis domicola . | | | Asia, i. pl. 32. |
| Hypuroptila buffoni | | | Humming B. ii. pl. 89. |
| — cæruleigaster | | | Humming B. ii. pl. 91. |
| — melanorrhoa | | | Humming B., Suppl. pl. 10. |
| — urochrysia | | | Humming B. ii. pl. 90. |
| hystrix, Echidna | | | Mamm. Austr. i. pl. 2. |
| | | | |

| Iache magica | Humming B., Suppl. p. 96. |
|---|---|
| Ianthocincla artemisiæ | 1 45 |
| | Asia, iii. pl. 47. |
| — lunulata | . Asia, iii. pl. 46. |
| 11 . | Cent. pl. 15; Asia, iii. pl. 44. |
| | . Icones Avium, pl. 3. |
| Ianthœnas albigularis | New Guinea, v. pl. 67. |
| Ibidorhyncha struthersi | Cent. pl. 79; Asia, vii. pl. 61. |
| T1 ! C 1 ! 11 | Europe, iv. pl. 301. |
| —, Glossy | Europe, iv. pl. 301; Gt. Brit. iv. |
| , G1000y | pl. 47; Australia, vi. pl. 47; Handb. |
| | ii. p. 286. |
| —, Straw-necked | . Australia, vi. pl. 45; Handb. ii. p. 282. |
| strictipennis | . Synopsis, part iv. App. p. 7. |
| —, White | . Australia, vi. pl. 46; Handb. ii. |
| | p. 284. |
| Iceland Falcon | Gt. Brit. i. pls. 11, 12. |
| — Gull | Europe, v. pl. 433; Gt. Brit. v. pl. 58. |
| Ichthyaetus leucogaster | . Australia, i. pl. 3. |
| icterina, Hypolais | . Europe, ii. pl. 132. |
| , Sylvia | Europe, ii. pl. 132. |
| T | . Asia, v. pl. 22. |
| icteroides, Coccothraustes | |
| TT | Asia, v. pl. 22. |
| icterotis, Platycercus | . Synopsis, part ii.; Australia, v. pl. 29; |
| , | Handb. ii. p. 58. |
| Ieracidea berigora | . Synopsis, part iii.; Australia, i. pl. 11. |
| — occidentalis | . Australia, i. pl. 12. |
| igneus, Falcinellus | . Australia, vi. pl. 47; Handb. ii. p. 286; Gt. Brit. iv. pl. 47. |
| ignicapillus, Regulus | Europe, ii. pl. 148. fig. 1; Gt. Brit. ii. |
| 3 1 , -8, | pl. 70. |
| ignicauda, Nectarinia | . Asia, ii. pl. 28. |
| ignipectus, Myzanthe | . Asia, ii. pl. 40. |
| ignitus, Platycercus | . Synopsis, part ii. |
| iliacus, Turdus | . Europe, ii. pl. 78. fig. 2; Gt. Brit. ii. |
| | pl. 34. |
| iliolophus, Melilestes | |
| | y 2 |

| in manufact Houseline | | | Assetuation of all EQ |
|----------------------------|--|---|--|
| immaculata, Herodias . | | | Australia, vi. pl. 58. |
| —, Porzana | | | Australia, vi. pl. 82. |
| immaculatus, Accentor . | | | Asia, iv. pl. 45. |
| impennis, Alca | | | Europe, v. pl. 400; Gt. Brit. v. pl. 46. |
| imperatrix, Eugenia | | | Humming B. iv. pl. 23. |
| Imperial Eagle | | | Europe, i. pl. 5. |
| imperialis, Aquila | | | Europe, i. pl. 5. |
| impeyanus, Lophophorus | | | Asia, vii. pl. 53; Cent. pl. 60. |
| inauris, Acanthochæra . | | | Australia, iv. pl. 54; Handb. i. p. 536. |
| Inca | | • | Humming B. iv. pl. 254. |
| —, Bolivian | | • | Humming B., Suppl. p. 27. |
| —, Collared | | ٠ | Humming B. iv. pl. 251. |
| , Columbian | | | Humming B., Suppl. p. 27. |
| —, Conrad's | | | Humming B. iv. pl. 253. |
| —, Elliot's | | | Humming B., Suppl. p. 26. |
| ——, Green-throated | | | Humming B. iv. pl. 252. |
| , Travies's | | | Humming B., Suppl. pl. 21. |
| , Tschudi's | | | Humming B., Suppl. pl. 20. |
| Inca Toucan | | | Toucans, (2) pl. 7. |
| inca, Boucieria | | | Humming B. iv. pl. 254. |
| —, Rhamphastos | | | Toucans, (2) pl. 7. |
| incarnata, Erythrospiza . | | | Asia, v. pl. 30. |
| Ince's Paradise Flycatcher | | | Asia, ii. pl. 19. |
| incii, Muscicapa | | | Asia, ii. pl. 19. |
| incinctus, Halcyon | | | Synopsis, App. p. 1. |
| Indian Cliff-Swallow | | | Asia, i. pl. 33. |
| — Courser | | | Asia, vii. pl. 65. |
| — Fairy Blue-bird . | | | Asia, iii. pl. 21. |
| — Furze-Chat | | | Asia, iv. pl. 34. |
| — Ноорое | | | Asia, i. pl. 66. |
| — Kingfisher | | | Asia, i. pls. 43, 53. |
| Mosque-Swallow . | | | Asia, i. pl. 29. |
| Rock-Pigeon | | | Asia, vi. pl. 56. |
| — Roller | | | Asia, i. pl. 54. |
| Scops Owl | | | Asia, i. pl. 13. |
| Screech Owl | | | Asia, i. pl. 17. |
| — Tailor-bird | | | Asia, iv. pl. 7. |
| — Tern | | | Handb. ii. p. 397. |
| — Tree-Pipit | | | Asia, iv. pl. 65. |
| Z | | - | , r |

| Indian Wryneck | | | Asia, vi. pl. 38. |
|----------------------------|---|--|---|
| indica, Anser | | | Cent. pl. 80. |
| , Coracias | | | Asia, i. pl. 54. |
| —, Iynx | | | Asia, vi. pl. 38. |
| , Pratincola | | | Asia, iv. pl. 34. |
| —, Strix | | | Asia, i. pl. 17. |
| —, Yunx | | | Asia, vi. pl. 38. |
| Indicator xanthonotus . | | | Asia, vi. pl. 48. |
| indicus, Limonidromus . | | | Asia, iv. pl. 67. |
| inepta, Megacrex | | | New Guinea, v. pl. 69. |
| infaustus, Garrulus | | | Europe, iii. pl. 215. |
| —, Perisoreus | | | Europe, iii. pl. 215. |
| infumatus, Cypselus | | | Asia, i. pl. 20. |
| innominata, Vivia | | | Asia, vi. pl. 39. |
| inornata, Acanthiza | | | Australia, iii. pl. 59; Handb. i. p. 370. |
| —, Adelomyia | | | Humming B. iii. pl. 197. |
| , Amblyornis | | | New Guinea, i. pl. 46. |
| —, Hiaticula | | | Australia, vi. pl. 19. |
| —, Meliphaga | | | Synopsis, part iv. App. p. 5. |
| , Monarcha | | | Synopsis, part ii. |
| —, Petrogale | | | Mamm. Austr. ii. pls. 45, 46; Monogr. |
| | | | Macrop. part ii. |
| inornatus, Cuculus | | | Australia, v. pl. 85. |
| , Ochthodromus | | | Handb. ii. p. 237. |
| inquieta, Seisura | | | Australia, ii. pl. 87; Handb. i. p. 246. |
| inscriptus, Pteroglossus . | | | Toucans, (1) pl. 23, (2) pl. 23. |
| insectivora, Bourcieria . | | | Humming B., Suppl. pl. 20. |
| insignis, Artamus | | | New Guinea, iv. pl. 20. |
| —, Nectarinia | | | Asia, ii. pl. 25. |
| —, Panterpe | | | Humming B. v. pl. 336. |
| insignissimus, Aprosmictus | s | | New Guinea, v. pl. 10. |
| insolitus, Œdirhinus | | | New Guinea, v. pl. 50. |
| insperatus, Cacomantis . | | | Handb. i. p. 619. |
| —, Cuculus | | | Australia, iv. pl. 87. |
| insularis, Arses | | | New Guinea, ii. pl. 43. |
| —, Myophoneus | | | Asia, iii. pl. 28. |
| —, Picus | | | Asia, vi. pl. 16. |
| intermedia, Columba . | | | Asia, vi. pl. 56. |
| , Urosticte | | | Humming B., Suppl. p. 34. |
| | | | |

| intermedius, Phaethornis | Humming B. i. pl. 30. |
|-----------------------------|--|
| interpres, Strepsilas | Australia, vi. pl. 39; Handb. ii. p. 269; |
| | Europe, iv. pl. 318; Gt. Brit. iv. pl. 60. |
| inustus, Dendrolagus | Mamm. Austr. ii. pl. 50; Monogr. |
| | Macrop. part ii. |
| iodura, Amazilia | Humming B., Suppl. p. 88. |
| iolæma, Ptochoptera | Humming B., Suppl. p. 48. |
| iolata, Petasophora | Humming B. iv. pl. 225. |
| Ionolæma whitelyana | Humming B., Suppl. pl. 12. |
| Ionolaima frontalis | Humming B. iv. pl. 92. |
| — schreibersi | Humming B. ii. pl. 93. |
| Irena criniger | Asia, iii. pl. 20. |
| —— cyanea | Asia, iii. pl. 19. |
| —— cyanogastra | Asia, iii. pl. 22. |
| — melanochlamys | Asia, iii. pl. 23. |
| —— puella | Asia, iii. pl. 21. |
| iridescens, Smaragdochrysis | Humming B. v. pl. 359. |
| Iridescent Humming-bird | Humming B. v. pl. 359. |
| iris, Diphlogæna | Humming B. iv. pl. 247. |
| ——, Pitta | Australia, iv. pl. 3; Handb. i. p. 432. |
| irroratus, Dromaius | Handb. ii. p. 204. |
| isaacsoni, Eriocnemis | Humming B. iv. pl. 272. |
| isabellinus, Cursorius | Europe, iv. pl. 266. |
| isauræ, Chalybura | Humming B., Suppl. p. 13. |
| islandicus, Falco | Europe, i. pl. 19. |
| ——, Larus | Europe, v. pl. 433; Gt. Brit. v. pl. 58. |
| islandus, Falco | Gt. Brit. i. pls. 11, 12. |
| ispida, Alcedo | Europe, ii. pl. 61; Gt. Brit. ii. pl. 10. |
| isura, Cisticola | Australia, iii. pl. 44; Handb. i. p. 352. |
| —, Lophoictinia | Australia, i. pl. 22; Handb. i. p. 51. |
| , Rhipidura | Australia, ii. pl. 85; Handb. i. p. 242. |
| isurus, Milvus | Synopsis, part iii.; Australia, i. pl. 22; |
| | Handb. i. p. 51. |
| Ithaginis cruentus | Asia, vii. pl. 43. |
| — geoffroyii | Asia, vii. pl. 42. |
| Ivory Gull | Europe, v. pl. 436; Gt. Brit. v. pl. 62. |
| Ixulus castaneiceps | Asia, iv. pl. 11. |
| ——, Chestnut-backed | Asia, iv. pl. 12. |
| ——, Chestnut-headed | Asia, iv. pl. 11. |
| | |

| Ixulus, Crested | | Asia, iv. pl. 13. |
|----------------------------|--|--|
| — flavicollis | | Asia, iv. pl. 13. |
| — occipitalis | | Asia, iv. pl. 12. |
| —, Thick-billed | | Asia, iv. pl. 12. |
| —, Yellow-naped | | Asia, iv. pl. 13. |
| Ixus sinensis | | Asia, iii. pl. 11. |
| Iyngipicus aurantiiventris | | Asia, vi. pl. 23. |
| — auritus | | Asia, vi. pl. 29. |
| — canicapillus | | Asia, vi. pl. 27. |
| — doerriesi | | Asia, vi. pl. 22. |
| — fulvifasciatus | | Asia, vi. pl. 31. |
| — gymnophthalmus . | | Asia, vi. pl. 32. |
| — hardwickii | | Asia, vi. pl. 28. |
| — maculatus | | Asia, vi. pl. 30. |
| nanus | | Asia, vi. pl. 34. |
| — peninsularis | | Asia, vi. pl. 33. |
| —— ramsayi | | Asia, vi. pl. 24. |
| scintilliceps | | Asia, vi. pl. 21. |
| semicoronatus | | Asia, vi. pl. 26. |
| temmincki | | Asia, vi. pl. 25. |
| | | |
| | | |
| Jabiru, Australian | | Handb. ii. p. 293. |
| Jacana, Chinese | | Asia, vii. pl. 68. |
| —, Comb-crested | | Handb. ii. p. 330. |
| Jackdaw | | Europe, iii. pl. 223; Gt. Brit. iii. pl. 61. |
| Jack Snipe | | Europe, iv. pl. 322; Gt. Brit. iv. pl. 80. |
| Jacobin, Great | | Humming B. ii. pl. 114 |
| Humming-bird | | Humming B. ii. pl. 113. |
| —, Pied | | Humming B. ii. pl. 115. |
| jacula, Heliodoxa | | Humming B. ii. pl. 94. |
| jamesoni, Bruchigavia . | | Handb. ii. p. 387. |
| —, Heliodoxa | | Humming B. ii. pl. 95. |
| —, Xema | | Australia, vii. pl. 20. |
| Jameson's Brilliant | | Humming B. ii. pl. 95. |
| — Gull | | Australia, vii. pl. 20. |
| Japanese Pheasant | | Asia, vii. pl. 40. |
| Jardine's Campephaga . | | Handb. i. p. 200. |
| Cuckoo-Shrike | | Australia, ii. pl. 60. |
| | | |

| Jardine's Harrier | Australia, i. pl. 27; Handb. i. p. 60. |
|-------------------------------|--|
| —— Panoplites | Humming B. ii. pl. 110. |
| jardinii, Campephaga | Australia, ii. pl. 60; Handb. i. p. 200. |
| —, Circus | Synopsis, part iii.; Australia, i. pl. 27; |
| | Handb. i. p. 60. |
| , Edoliisoma, see Campephaga. | |
| —, Panoplites | Humming B. ii. pl. 110. |
| Javan Eurylaime | Asia, i. pl. 57. |
| —— Spotted Woodpecker | Asia, vi. pl. 19. |
| Javanese Phyllornis | Asia, iii. pl. 13. |
| javanica, Butorides | Handb. ii. p. 317. |
| javanicus, Eurylaimus | Asia, i. pl. 57. |
| javensis, Phyllornis | Asia, iii. pl. 13. |
| Jay | Europe, iii. pl. 214; Gt. Brit. iii. pl. 64. |
| —, Formosan | Asia, v. pl. 58. |
| —, Siberian | Europe, iii. pl. 215. |
| jelskii, Metallura | Humming B., Suppl. p. 63. |
| —, Thalurania | Humming B., Suppl. p. 414. |
| Jelski's Copper-tail | Humming B., Suppl. p. 63. |
| — Star-frontlet | Humming B., Suppl. pl. 19. |
| — Wood-Nymph | Humming B., Suppl. pl. 29. |
| Jerboa-Kangaroo | Mamm. ii. pl. 61; Monogr. Macrop |
| C | part i. pl. 14. |
| —, Gray's | Mamm. Austr. ii. pl. 64. |
| —, Ogilby's | Mamm. Austr. ii. pl. 62. |
| —, Plain-loving | |
| —, Rufous | Mamm. Austr. ii. pl. 65. |
| —, Tasmanian | Mamm. Austr. ii. pl. 63. |
| jerdoni, Parus | Asia, ii. pl. 54. |
| —, Phyllornis | Asia, iii. pl. 17. |
| Jerdon's Phyllornis | Asia, iii. pl. 17. |
| —— Tit | Asia, ii. pl. 54. |
| Jer-Falcon | Europe, i. pl. 19. |
| Jericho Sun-bird | |
| jobiensis, Phlogænas | New Guinea, v. pl. 48. |
| —, Rectes | - |
| Jobi-Island Wood-Shrike | |
| johannæ, Doryfera | . Humming B. ii. pl. 87. |
| | . New Guinea, v. pl. 49. |

| Josephina Parrakeet | New Guinea, v. pl. 12. |
|---|---------------------------------------|
| josephinæ, Charmosyna | New Guinea, v. pl. 12. |
| —, Chrysuronia | Humming B. v. pl. 326. |
| Josephine's Humming-bird | Humming B. v. pl. 326. |
| jourdani, Calothorax | Humming B. iii. pl. 150. |
| Jourdan's Wood-Star | Humming B. iii. pl. 150. |
| jouschistos, Acanthiparus | Asia, ii. pl. 68. |
| jubata, Bernicla | Australia, vii. pl. 3. |
| —, Chlamydochen | Handb. ii. p. 354. |
| juggur, Falco | Asia, i. pl. 7. |
| Juggur Falcon | Asia, i. pl. 7. |
| jugularis, Demiegretta | Handb. ii. p. 307. |
| —, Eulampis | |
| —, Herodias | |
| Juliamyia feliciana | TT . TO |
| — typica | TT 1 TO 1 000 |
| Jungle-fowl, Sonnerat's | Asia, vii. pl. 56. |
| , | |
| | |
| Kafiristan Pucras Pheasant | Asia, vii. pl. 27. |
| Ka-ka Parrot | Australia, Suppl. pl. 58; Handb. ii. |
| ika-ka i aiiot | App. p. 548. |
| Kalana | |
| Kakapo | Australia, Suppl. pl. 57; Handb. ii. |
| Kanasasa Pandad Haya | App. p. 539. |
| Kangaroo, Banded Hare | Mamm. Austr. ii. pl. 56. |
| | Monogr. Macrop. part ii. |
| —, Black Tree | Mamm. Austr. ii. pl. 49; Monogr. |
| D : 11 . 1 | Macrop. part ii. |
| —, Bridled | . Monogr. Macrop. part i. |
| <i>'</i> | . Mamm. Austr. ii. pl. 54. |
| —, Broad-faced Rat | Mamm. Austr. ii. pl. 70. |
| —, Brown Tree | . Mamm. Austr. ii. pl. 50; Monogr. |
| | Macrop. part ii. |
| —, Gilbert's Rat | . Mamm. Austr. ii. pl. 69; Monogr. |
| | Macrop. part i. pl. 15. |
| —, Great Grey | . Mamm. Austr. ii. pls. 1, 2; Monogr. |
| | Macrop. part i. pl. 1. |
| —, Great Red | . Mamm. Austr. ii. pls. 6, 7; Monogr. |
| | Macrop. part i. pl. 2. |
| | |

| • | Mamm. Austr. ii. pl. 64. Mamm. Austr. ii. pl. 57; Monogr. Macrop. part i. pl. 12. |
|-----------------------------------|---|
| , Jerboa | Mamm. Austr. ii. pl. 61; Monogr. Macrop. part i. pl. 14. |
| —, Leichardt's Hare | Mamm. Austr. ii. pl. 60. |
| | Mamm. Austr. ii. pl. 55. |
| ——, Nail-tailed | Mamm. Austr. ii. pls. 52, 53; Monogr. Macrop. part i. pl. 4. |
| —, New South Wales Rat | Mamm. Austr. ii. pl. 67. |
| —, Ogilby's Jerboa | Mamm. Austr. ii. pl. 62. |
| —, Plain-loving Jerboa | Mamm. Austr. ii. pl. 66. |
| —, Rufous Hare | Mamm. Austr. ii. pl. 58. |
| —, Rufous Jerboa | Mamm. Austr. ii. pl. 65; Monogr. Macrop. part i. pl. 13. |
| —, Sooty | Mamm. Austr. ii. pl. 5; Monogr. Macrop. part ii. pl. 16. |
| ——, Spectacled Hare | Mamm. Austr. ii. pl. 59; Monogr. Macrop. part ii. pl. 28. |
| —, Tasmanian Rat | Mamm. Austr. ii. pl. 68. |
| , Tasmanian Jerboa | Mamm. Austr. ii. pl. 63; Monogr. Macrop. part ii. pl. 29. |
| —, West Australian Great | Mamm. Austr. ii. pls. 3, 4. |
| Karu, Campephaga | Australia, ii. pl. 61; Handb. i. p. 202. |
| —, Lalage, see Campephaga. | • |
| kasumba, Harpactes | Asia, i. pl. 74; Trogons, (2) pl. 37. |
| Kasumba Trogon | Asia, i. pl. 74; Trogons, (2) pl. 37. |
| kaupi, Arses | Australia, Suppl. pl. 10; Handb. i. p. 251. |
| Kaup's Flycatcher | Australia, Suppl. pl. 10; Handb. i. p. 251. |
| Kea Parrot | Australia, Suppl. pl. 60; Handb. ii. App. p. 554. |
| Kebir Scaly-throated Honey-eater. | New Guinea, iii. pl. 43. |
| kebirensis, Stigmatops | New Guinea, iii. pl. 43. |
| Keel-billed Toucan | Toucans, (2) pl. 2. |
| Ké-Island Pigmy Parrot | New Guinea, v. pl. 27. |
| — White-eye | New Guinea, iii. pl. 58. |
| kciensis, Nasiterna | New Guinea, v. pl. 27. |

| Kentish Plover | Europe, iv. pl. 298; Gt. Brit. iv. pl. 40. |
|---------------------------|--|
| Keptuschka Lapwing | Europe, iv. pl. 292. |
| keptuschka, Vanellus | Europe, iv. pl. 292. |
| keraudreni, Manucodia | Australia, Suppl. pl. 9. |
| Keraudren's Crow-Shrike | Australia, Suppl. pl. 9. |
| Kestrel | Europe, i. pl. 26; Gt. Brit. i. pl. 21. |
| , Lesser | Europe, i. pl. 27. |
| , Nankeen | Australia, i. pl. 13; Handb. i. p. 35. |
| , White-winged Red-footed | Asia, i. pl. 8. |
| King Bird of Paradise | New Guinea, i. pl. 24. |
| — Duck | Europe, v. pl. 375; Gt. Brit. v. pl. 27. |
| Lory | Australia, v. pl. 17; Handb. ii. p. 35. |
| King-Parrot, Beautiful | NT (1 1 10 |
| , Yellow-winged | NT CL 1 0 |
| Kingfisher | Europe, ii. pl. 61; Gt. Brit. ii. pl. 10. |
| , Azure | Australia, ii. pl. 25; Handb. i. p. 139. |
| , Banded | Asia, i. pl. 48. |
| —, Black-and-White | Europe, ii. pl. 62; Asia, i. pl. 46. |
| —, Black-and-Blue | 37 O 1 1 3 MW |
| —, Black-capped | |
| —, Black-faced | Asia, i. pl. 49. |
| , Black-headed | 3T C : 1 MO |
| —, Blue-and-White | 1 10 |
| —, Blue-breasted | N C : 1 47 |
| —, Crimson-and-Brown | New Guinea, iv. pl. 49. |
| —, Fawn-breasted | Australia, ii. pl. 20; Handb. i. p. 125. |
| —, Four-coloured | New Guinea, iv. pl. 56. |
| , Gaudichaud's | N 0 1 1 1 10 |
| —, Gentian | New Guinea, iv. pl. 46. |
| , Great | 1 1 1 70 |
| —, Great Brown | 1 . 1' '' 1 10 TT 11 ' 100 |
| —, Hombron's | 4 * * 1 40 |
| —, Hook-billed | NT C : 1 TO |
| , Indian | Asia, i. pls. 43, 45. |
| , Leach's | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| —, Lindsay's | |
| , Little | |
| | Australia, ii. pl. 24; Handb. i. p. 133. |
| | , , , , , , , , , , , , , , , , , , , |

| TT: 01 35 IV | | | |
|--------------------------|--|--|--|
| Kingfisher, Manilla | | | Asia, i. pl. 44. |
| —, Mantled | | | Asia, i. pl. 51. |
| ——, Many-coloured | | | Asia, i. pl. 47. |
| , Port Moresby Rack | | | New Guinea, iv. pl. 51. |
| —, Red-backed | | | Australia, ii. pl. 22; Handb. i. p. 130. |
| —, Red-breasted | | | New Guinea, iv. pl. 48. |
| —, Sacred | | | Australia, ii. pl. 21; Handb. i. p. I28. |
| —, Solitary | | | New Guinea, iv. pl. 45. |
| ——, Sordid | | | Australia, ii. p. 23; Handb. i. p. 132. |
| —, Spoon-billed | | | New Guinea, iv. pl. 59. |
| , Spotted-throated . | | | New Guinea, iv. pl. 58. |
| —, Sumatra | | | Asia, i. pl. 42. |
| —, Tenasserim | | | Asia, i. pl. 50. |
| —, Tristram's | | | New Guinea, iv. pl. 54. |
| —, White-backed | | | New Guinea, iv. pl. 55; Handb. i. |
| , | | | p. 137. |
| —, White-tailed | | | Australia, Suppl. pl. 6. |
| —, Yellow-billed | | | Australia, Suppl. pl. 5; Handb. i. |
| | | | p. 135. |
| Kinglet | | | Gt. Brit. ii. pl. 69. |
| Kite, Allied | | | Australia, i. pl. 21; Handb. i. p. 49. |
| —, Black | | | Europe, i. pl. 29; Gt. Brit. i. pl. 23. |
| , Black-shouldered . | | | Australia, i. pl. 23; Handb. i. p. 53. |
| | | | Europe, i. pl. 31. |
| —, Common | | | Europe, i. pl. 28; Gt. Brit. i. pl. 22. |
| —, Govinda | | | Asia, i. pl. 11. |
| , Letter-winged | | | Australia, i. pl. 24; Handb. i. p. 55. |
| , Square-tailed | | | Australia, i. pl. 22; Handb. i. p. 51. |
| —, Swallow-tailed | | | Europe, i. pl. 30. |
| Kittiwake Gull | | | Europe, v. pl. 435; Gt. Brit. v. pl. 61. |
| Kiwi-Kiwi | | | Australia, pt. ii. (cancelled) pl. 9; & |
| | | | vol. vi. pl. 2; Handb. ii. App. p. 568. |
| Klais guimeti | | | Humming B. iv. pl. 210. |
| klecho, Dendrochelidon | | | Asia, i. pl. 22. |
| Klecho Tree-Swift | | | Asia, i. pl. 22. |
| Knob-billed Fruit-Pigeon | | | New Guinea, v. pl. 50. |
| Knot | | | Europe, iv. pl. 324; Gt. Brit. iv. pl. 65; |
| | | | Handb. ii. p. 259. |
| | | | * |

| Koala kochi, Pitta Koch's Pitta Koel, Australian —, Dwarf kordensis, Monarcha Koulik Araçari Kurile Guillemot | Mamm. Austr. i. pls. 13, 14. Asia, v. pl. 71. Asia, v. pl. 71. Handb. i. p. 632. New Guinea, iv. pl. 41. New Guinea, ii. pl. 53. Toucans, (1) pl. 27. Asia, vii. pl. 71. |
|---|--|
| lachrymans, Uria | Europe, v. pl. 397. |
| lactea, Glareola | Asia, vii. pl. 64. |
| —, Hylocharis | Humming B. v. pl. 343. |
| Lady Amherst's Pheasant | Asia, vii. pl. 20. |
| Laemmergeier | Europe, i. pl. 4. |
| lætitiæ, Gouldia | Humming B. iii. pl. 130. |
| lætior, Melithreptes | New Guinea, iii. pl. 40. |
| lævigaster, Gerygone | Australia, ii. pl. 101; Handb. i. p. 270. |
| —, Sericornis | Australia, iii. pl. 50; Handb. i. p. 360. |
| Lafresnaya flavicaudata | Humming B. ii. pl. 85. |
| —— gayi | Humming B. ii. pl. 86. |
| Lagenoplastes ariel | Handb. i. p. 113. |
| — fluvicola | Asia, i. pl. 33. |
| Lagopus brachydactylus | Europe, iv. pl. 256. |
| mutus | Europe, iv. pl. 253; Gt. Brit. iv. pls. 8, 9, 10. |
| — rupestris | Europe, iv. pl. 254. |
| — saliceti | Europe, iv. pl. 255. |
| — scoticus | Europe, iv. pl. 252; Gt. Brit. iv. pl. 7. |
| lagopus, Archibuteo | Gt. Brit. i. pl. 7. |
| —, Buteo | Europe, i. pl. 15. |
| Lagorchestes conspicillatus | Mamm. Austr. ii. pl. 59; Monogr. Macrop. part ii. |
| — fasciatus | Mamm. Austr. ii. pl. 56. |
| —— hirsutus | Mamm. Austr. ii. pl. 58. |
| — leichardti | Mamm. Austr. ii. pl. 60. |
| — leporoides | Mamm. Austr. ii, pl. 57; Monogr. Macrop. part i. |

| | . Mamm. Austr. i. pl. 7. |
|--------------------------|--|
| Lake Wakolo Honey-eater | New Guinea, iii. pl. 64. |
| Lalage mœsta | . New Guinea, ii. pl. 9. |
| lalandi, Cephalepis | Humming B. iv. pl. 208. |
| lamberti, Malurus | Synopsis, part i.; Australia, pt. i. (can- |
| | celled) pl. 1; & vol. iii. pl. 24; |
| | Handb. i. p. 327. |
| Lambert's Superb Warbler | Handb. i. p. 327. |
| — Wren | Australia, iii. pl. 24. |
| Laminated Hill Toucan | Toucans, (2) pl. 37. |
| laminirostris, Andigena | Toucans, (2) pl. 37. |
| Lampornis aurulentus | Humming B. ii. pl. 79. |
| calosoma | 0 - 2 11 1 |
| gramineus | Humming B. ii. pl. 77. |
| — mango | Humming B. ii. pl. 74. |
| — porphyrurus | Humming B. ii. pl. 81. |
| — prevosti | Humming B. ii. pl. 75. |
| veraguensis | Humming B. ii. pl. 76. |
| — virginalis | Humming B. ii. pl. 80. |
| — viridis | Humming B. ii. pl. 78. |
| Lampraster branickii | Humming B., Suppl. pl. 14. |
| Lamprococcyx basalis | Handb. i. p. 626. |
| — minutillus | Handb. i. p. 625. |
| — plagosus | Handb. i. p. 623. |
| Lamprocorax minor | New Guinea, iv. pl. 18. |
| Lamprolaima rhami | Humming B. ii. pl. 61. |
| Lamprotornis spilopterus | Cent. pl. 34. |
| Lamprotreron superbus | Handb. ii. p. 108. |
| lanarius, Falco | Europe, i. pl. 20; Asia, i. pl. 6. |
| Lance-bill, Blue-fronted | Humming B. ii. pl. 87. |
| —, Ecuadorian | Humming B., Suppl. p. 28. |
| —, Green-fronted | Humming B. ii. pl. 88. |
| —, Mulsant's | Humming B., Suppl. p. 28. |
| , Veraguan | Humming B., Suppl. p. 22. |
| lanceolata, Glaucis | Humming B. i. pl. 8. |
| —, Plectorhyncha | Synopsis, part iv.; Australia, iv. pl. 47; |
| | Handb. i. p. 525. |
| Lanceolate Hermit | Humming B. i. pl. 8. |

| Land-Rail Europe, iv. pl. 341; Gt. Brit. iv. pl. 87. langsdorffi, Gouldia Humming B. iii. pl. 128. —, Pteroglossus Toucans, (1) pl. 28. —, Selenidera Toucans, (2) pl. 33. Langsdorff's Araçari Toucans, (1) pl. 28. — Thorn-tail Humming B. iii. pl. 128. |
|---|
| langsdorffi, Gouldia Humming B. iii. pl. 128. —, Pteroglossus Toucans, (1) pl. 28. —, Selenidera Toucans, (2) pl. 33. Langsdorff's Araçari Toucans, (1) pl. 28. |
| —, Selenidera Toucans, (2) pl. 33. Langsdorff's Araçari Toucans, (1) pl. 28. |
| Langsdorff's Araçari Toucans, (1) pl. 28. |
| Langsdorff's Araçari Toucans, (1) pl. 28. |
| Thomas to: 1 Humming D ::: pl 199 |
| — Thorn-tail Humming B. iii, pl. 128. |
| — Toucanet Toucans, (2) pl. 33. |
| laniger, Macropus Monogr. Macrop. pt. i. |
| lanigera, Phascogale Mamm. Austr. i. pl. 33. |
| Lanius collurio Europe, ii. pl. 69. |
| — erythropterus Cent. pl. 11. |
| — excubitor Gt. Brit. ii. pl. 13. |
| — hardwickii Cent. pl. 12. fig. 1. |
| — minor Gt. Brit. ii. pl. 14. |
| — rufus Europe, ii. pl. 70. |
| Lanner Falcon Europe, i. pl. 20; Asia, i. pl. 6. |
| lanoides, Pachycephala Australia, ii. pl. 69; Handb. i. p. 214. |
| lanuginosa, Phalangista Mamm. Austr. i. pl. 20. |
| Lapland Bunting Gt. Brit. iii, pl. 30. |
| lapponica, Centrophanes Gt. Brit. iii. pl. 30. |
| —, Plectrophanes Europe, iii. pl. 169. |
| Lapwing Europe, iv. pl. 291; Gt. Brit. iv. pl. 33. |
| —, Keptuschka Europe, iv. pl. 292. |
| Larat Fantail Flycatcher New Guinea, ii. pl. 29. |
| Large-billed Pitta Asia, v. pl. 70. |
| Plover Australia, vi. pl. 6. |
| — Sericornis Handb. i. p. 362. |
| — Shore-Plover Handb. ii. p. 213. |
| — Warbler Australia, iii. pl. 52. |
| Large-frilled Bower-bird New Guinea, i. pl. 45. |
| Large Frilled-necked Flycatcher . New Guinea, ii. pl. 41. |
| Large-headed Robin Australia, Suppl. pl. 17; Haudb. i. p. 297. |
| Large Rufous-and-Black Finch . New Guinea, iv. pl. 22. |
| Large-tailed Goatsucker Australia, ii. pl. 9. |

| Large-tailed Nightjar | Handb. i. p. 100. |
|---------------------------|--|
| —— Partridge | Odontoph. pl. 20. |
| —— Pigeon | Handb. ii. p. 148. |
| — Podabrus | Mamm. Austr. i. pl. 46. |
| — Trogon | Trogons, (1) pl. 17. |
| — Wren | Australia, iii. pl. 30; Handb. i. p. 338. |
| Lark, Bifasciated | Europe, iii. pl. 168. |
| —, Black | Europe, iii. pl. 161. |
| ——, Calandra | Europe, iii. pl. 162; Gt. Brit. iii. pl. 19. |
| ——, Crested | Europe, iii. pl. 165; Gt. Brit. iii. pl. 17. |
| —, Horsfield's Bush | Handb. i. p. 404. |
| —, Long-billed Calendra | Asia, iv. pl. 72. |
| —, Shore | Europe, iii. pl. 164; Gt. Brit. iii. pl. 18. |
| , Short-toed | Europe, ii. pl. 163; Gt. Brit. iii. pl. 21. |
| ——, Sky | Europe, iii. pl. 166; Gt. Brit. iii. pl. 15. |
| —, White-winged | Gt. Brit. iii. pl. 20. |
| —, Wood | Europe, iii. pl. 167; Gt. Brit. iii. pl. 16. |
| Lark-heeled Bunting | Europe, iii. pl. 169. |
| Larus argentatus | Europe, v. pl. 434; Gt. Brit. v. pl. 59. |
| audouinii | Europe, v. pl. 438. |
| —— canus | Europe, v. pl. 437; Gt. Brit. v. pl. 60. |
| —— eburneus | Europe, v. pl. 436. |
| — fuscus | Europe, v. pl. 431; Gt. Brit. v. pl. 56. |
| —— glaucus | Europe, v. pl. 432; Gt. Brit. v. pl. 57. |
| — islandicus | Europe, v. pl. 433; Gt. Brit. v. pl. 58. |
| — marinus | Europe, v. pl. 430; Gt. Brit. v. pl. 55. |
| —— pacificus | Australia, vii. pl. 19; Handb. ii. p. 385. |
| — risea | Europe, v. pl. 435. |
| lasiorhinus, Phascolomys | Mamm. Austr. i. pls. 59, 60. |
| lateralis, Petrogale | Mamm. Austr. ii. pls. 41, 42; Monogr. |
| | Macrop. part ii. |
| lathami, Amadina | Synopsis, part ii.; Australia, iii. pl. 86. |
| ——, Calliope | Europe, ii. pl. 118. |
| —, Talegallus | Australia, v. pl. 77; Handb. ii. p. 150. |
| Lathamus discolor | Australia, v. pl. 47; Handb. ii. p. 90. |
| latifrons, Phascolomys | Mamm. Austr. i. pls. 57, 58. |
| latipennis, Campylopterus | Humming B. ii. pl. 48. |
| latirostris, Circe | Humming B. v. pl. 338. |

| latirostris, Myiagra | Australia, ii. pl. 92; Handb. i. p. 256. |
|---------------------------|--|
| Lattice-tailed Trogon | Trogons, (2) pl. 28. |
| Laughing Gull | Europe, v. pl. 425. |
| Laughing-Thrush, Allied | Asia, iii. pls. 37, 45. |
| , Austen's | Asia, iii. pl. 47. |
| —, Beautiful | Asia, iii. pl. 36. |
| , Black-and-Yellow-billed | Asia, iii. pl. 51. |
| —, Black-chinned | Asia, iii. pl. 52. |
| , Blyth's | Asia, iii. pl. 41. |
| —, Chinese | Asia, iii. pl. 54. |
| —, Cinereous | Asia, iii. pl. 39. |
| —, Crimson-winged | Asia, iii. pl. 35. |
| —, Delessert's | Asia, iii. pl. 48. |
| , Elliot's | Asia, iii. pl. 42. |
| —, Grey-banded | Asia, iii. pl. 53. |
| —, Lunulated | Asia, iii. pl. 46. |
| —, Ocellated | Asia, iii. pl. 44. |
| —, Red-crowned | Asia, iii. pl. 50. |
| —, Tickell's | Asia, iii. pl. 43. |
| ——, Variegated | Asia, iii. pl. 38. |
| —, White-eyebrowed | Asia, iii. pl. 40. |
| —, Yellow-throated | Asia, iii. pl. 49. |
| laurinæ, Liothrix | Asia, iv. pl. 17. |
| lawesi, Parotia | New Guinea, i. pl. 26. |
| Lawes's Bird of Paradise | New Guinea, i. pl. 26. |
| Lawrence's Sapphironia | Humming B., Suppl. p. 97. |
| Lazuline Sabre-wing | Humming B. ii. pl. 44. |
| lazulus, Campylopterus | Humming B. ii. pl. 44. |
| leachii, Calyptorhynchus | Australia, v. pl. 10; Handb. ii. p. 18. |
| —, Dacelo | Australia, ii. pl. 19; Handb. i. p. 124. |
| —, Thalassidroma | Europe, v. pl. 447; Gt. Brit. v. pl. 85. |
| Leach's Cockatoo | Australia, v. pl. 10; Handb. ii. p. 18. |
| — Kingfisher | Australia, ii. pl. 19; Handb. i. p. 124. |
| leadbeateri, Cacatua | Australia, v. pl. 2; Handb. ii. p. 5. |
| —, Heliodoxa | Humming B. ii. pl. 97. |
| —, Plyctolophus | Synopsis, part iv. |
| Leadbeater's Brilliant | Humming B. ii. pl. 97. |
| — Cockatoo | Australia, v. pl. 2; Handb. ii. p. 5. |
| Lead-coloured Falcon | Europe, i. pl. 25. |
| | 9. |

| Leaden-coloured Flycatcher . | Handb. i. p. 252. |
|------------------------------|--|
| Least Honey-eater | Handb. i. p. 501. |
| — Swamp-Quail | Handb. ii. p. 197. |
| Legge's Flower-picker | Asia, ii. pl. 41. |
| leichardti, Lagorchestes | Mamm. Austr. ii. pl. 60. |
| Leichardt's Hare-Kangaroo . | Mamm. Austr. ii. pl. 60. |
| Leioptila, see Lioptila. | |
| Leiothrix, see Liothrix. | |
| Leipoa ocellata | Australia, v. pl. 78; Handb. ii. p. 155. |
| —, Ocellated | Australia, v. pl. 78. |
| Lemon-breasted Trogon | Trogons, (1) pl. 13, (2) pl. 26. |
| Lemon-rumped Toucan | Toucans, (1) pl. 4. |
| lentiginosus, Botaurus | Europe, iv. pl. 281; Gt. Brit. iv. pl. 28. |
| Leopard, Sea | Mamm. Austr. iii. pl. 50. |
| lepida, Suya | Asia, iv. pl. 4. |
| Lepidogenys subcristatus | Synopsis, part iii.; Australia, i. pl. 25. |
| Lepidogrammus cumingi | Asia, vi. pl. 45. |
| leporoides, Lagorchestes | Mamm. Austr. ii. pl. 57; Monogr. |
| | Macrop. part i. |
| leptonyx, Stenorhynchus | Mamm. Austr. iii. pl. 50. |
| Leptopæcile sophiæ | Asia, ii. pl. 62. |
| Leptorhynchus pectoralis | Australia, pt. i. (cancelled) pl. 9. |
| Leptotarsis eytoni | Australia, vii. pl. 15. |
| lerchi, Timolia | Humming B., Suppl. pl. 57. |
| Lerch's Sapphire | Humming B., Suppl. pl. 57. |
| Lerwa nivicola | Asia, vi. pl. 75. |
| —— Partridge | Asia, vi. pl. 75. |
| Lesbia amaryllis | Humming B. iii. pl. 170. |
| —— chlorura | Humming B., Suppl. p. 53. |
| —— eucharis | Humming B. iii. pl. 171. |
| — gouldi | Humming B. iii. pl. 167. |
| | Humming B. iii. pl. 168. |
| nuna | Humming B. iii. pl. 169. |
| lesbia, Emberiza | Europe, iii. pl. 178. |
| Lesbian Bunting | Europe, iii. pl. 178. |
| Lesser Black-backed Gull | Europe, v. pl. 431; Gt. Brit. v. pl. 56. |
| —— Brown-winged Starling . | New Guinea, iv. pl. 18. |
| — Florikin | Asia, vii. pl. 57. |
| Grey Shrike | Europe, ii. pl. 68. |
| | |

| Lesser Kestrel | . Europe, i. pl. 27. |
|-------------------------------------|---|
| Noddy | . Australia, vii. pl. 35; Handb. ii. p. 417. |
| — Redpole | Europe, iii. pl. 194; Gt. Brit. iii. pl. 52. |
| — Spotted Woodpecker | Europe, iii. pl. 231; Gt. Brit. iii. pl. 72. |
| | New Guinea, i. pl. 19. |
| — Whitethroat | Europe, ii. pl. 125. fig. 2; Gt. Brit. ii. pl. 58. |
| lessoni, Procellaria | Australia, vii. pl. 49. |
| Lesson's Flame-bearer | Humming B., Suppl. p. 43. |
| Lestris catarractes | Europe, v. pl. 439; Australia, vii. pl. 21. |
| — parasiticus | * 440 |
| — pomarinus | 73 |
| richardsonii | Europe, v. pl. 441. |
| Letitia | Humming B. iii. pl. 130. |
| Letter-winged Kite | Australia, i. pl. 24; Handb. i. p. 55. |
| Lettered Araçari | Toucans, (1) pl. 23, (2) pl. 23. |
| leucaspis, Oreopyra | TT . TO . TO |
| Leucippus, Buff-breasted | Humming B. ii. pl. 56. |
| chionogaster | Humming B. v. pl. 290. |
| chlorocercus | Humming B., Suppl. p. 73. |
| fallax | Humming B. ii. pl. 56. |
| — viridicauda | Humming B., Suppl. p. 73. |
| —, White-breasted | Humming B. v. pl. 290. |
| leucocapillus, Anous | Australia, vii. pl. 36; Handb. ii. p. 419. |
| leucocephala, Æstrelata | Handb. ii. p. 451. |
| —, Chimarrhornis | . Cent. pl. 26. fig. 2. |
| —, Phœnicura | Cent. pl. 26. fig. 2. |
| , Sitella | Synopsis, part iv.; Australia, iv. |
| | pl. 102; Handb. i. p. 610. |
| , Undina | Europe, v. pl. 383. |
| leucocephalus, Haliaetus | Europe, i. pl. 11. |
| —, Himantopus | Synopsis, part ii.; Australia, vi. p. 24; Handb. ii. p. 246. |
| , Pandion | 0 1 1 1 1 1 1 1 |
| Tontolus | 4 ' '' 1 70 |
| —, Tantalus Leucochloris albicollis | Humming B. v. pl. 291. |
| | Gt. Brit. ii. pl. 50. |
| leucocyanea, Cyanecula | Australia, ii. pl. 2; Handb. i. p. 81. |
| leucogaster, Ægotheles | 2 x 2 |
| | △ A △ |

| leucogaster, Antechinus | Mamm. Austr. i. pl. 38. |
|-----------------------------|--|
| —, Cinclus | Asia, iv. pl. 24. |
| —, Eopsaltria | Australia, iii. pl. 13; Handb. i. p. 296. |
| —, Falcunculus | Synopsis, part iv. App. p. 2; Australia, ii. pl. 80; Handb. i. p. 229. |
| —, Haliaetus | Synopsis, part iii.; Australia, i. pl. 3; Handb. i. p. 13. |
| —, Hydromys | Mamm. Austr. iii. pl. 26. |
| —, Ichthyaetus | Australia, i. pl. 3. |
| —, Lophophaps | Australia, Suppl. pl. 69. |
| —, Phalacrocorax | Synopsis, part iv. App. p. 7; Australia, |
| | vii. pl. 69; Handb. ii. p. 492. |
| —, Polioaetus | Handb. i. p. 13. |
| —, Thalassidroma | Australia, vii. pl. 63. |
| —, Thaumatias | Humming B. v. pl. 294. |
| leucogenys, Psaltria | Asia, ii. pl. 66. |
| leucogeranus, Grus | Europe, iv. pl. 271. |
| leucolophus, Calliechthrus | New Guinea, iv. pl. 42. |
| ——, Garrulax | Cent. pl. 18. |
| , Garrulus | Cent. pl. 18. |
| leucomela, Campephaga | Australia, ii. pl. 62; Handb. i. p. 203. |
| ——, Carpophaga | Australia, v. pl. 59. |
| ——, Lalage, see Campephaga. | |
| —, Saxicola | Asia, iv. pl. 29. |
| Leucomelæna norfolciensis | Handb. ii. p. 112. |
| leuconota, Columba | Cent. pl. 59; Asia, vi. pl. 55. |
| —, Gymnorhina | Australia, ii. pl. 47; Handb. i. p. 176. |
| leuconotus, Malurus | Australia, Suppl. pl. 24; Handb. i. p. 332. |
| —, Picus | Europe, iii. pl. 229; Gt. Brit. iii. pl. 71. |
| leucopareia, Hydrochelidon | Gt. Brit. v. pl. 77; Handb. ii. p. 406. |
| —, Viralva | Europe, v. pl. 424. |
| leucophæa, Amazilia | Humming B. v. pl. 306. |
| —, Ardea | Australia, vi. pl. 55. |
| —, Climacteris | Handb. i. p. 605. |
| leucophrys, Dendrortyx | Odontoph. pl. 21. |
| ——, Porzana | Australia, vi. pl. 81. |

| leucophthalma, Fuligula | Europe, v. pl. 368, |
|--------------------------------|--|
| | Gt. Brit. v. pl. 21. |
| | Humming B. ii. pl. 71. |
| | Europe, ii. pl. 124. |
| —, Eupsychortyx | Odontoph. pl. 13. |
| leucopsis, Anser | Europe, v. pl. 350. |
| —, Bernicla | Gt. Brit. v. pl. 5. |
| , Sitta | Asia, ii. pl. 46. |
| —, Xerophila | Australia, iii. pl. 67; Handb. i. p. 382. |
| leucoptera, Æstrelata | Handb. ii. p. 454. |
| —, Hydrochelidon | Gt. Brit. v. pl. 76. |
| —, Loxia | Europe, iii. pl. 203; Gt. Brit. iii. pl. 48. |
| —, Melanocorypha | Gt. Brit. iii. pl. 20. |
| —, Pica | Asia, v. pl. 55. |
| , Sitella | Australia, iv. pl. 103; Handb. i. p. 611. |
| —, Viralva | Europe, v. pl.423. |
| leucopterus, Corcorax | Australia, iv. pl. 16. |
| —, Cracticus. | Australia, i. Introd. p. xxxv; Handb. |
| | i. p. 187. |
| —, Malurus | Australia, iii. pl. 25; Handb. i. p. 330. |
| leucopus, Antechinus | Mamm. Austr. i. pl. 35. |
| leucopygia, Halcyon | New Guinea, iv. pl. 55. |
| leucopygialis, Artamus | Australia, ii. pl. 33; Handb. i. p. 154. |
| leucopygus, Symmorphus | Synopsis, part. iv. App. p. 3. |
| leucorhynchus, Rectes | New Guinea, i. pl. 52. |
| leucorodia, Platalea | Europe, iv. pl. 286; Gt. Brit. iv. pl. 32. |
| leucorrhous, Polytmus | Humming B., Suppl. p. 86. |
| Leucosarcia picata | Australia, v. pl. 63; Handb. ii. p. 120. |
| Leucospiza novæ-hollandiæ | Handb. i. p. 38. |
| — raii | Handb. i. p. 37. |
| leucostephes, Melirrhophetes . | New Guinea, iii. pl. 33. |
| leucosterna, Cheramœca | Handb. i. p. 115. |
| leucosternon, Atticora | Australia, ii. pl. 12. |
| leucosternus, Haliaetus | Synopsis, part iii. |
| —, Haliastur | Australia, i. pl. 4; Handb. i. p. 17. |
| leucothorax, Rhipidura | New Guinea, ii. pl. 27. |
| leucotis, Eupsychortyx | Odontoph. pl. 10. |
| —, Meliphaga | Synopsis, part i. |

| leucotis, Monarcha | ٠ | ٠ | Australia, Suppl. pl. 12; Handb. i. p. 264. |
|----------------------------|---|---|---|
| , Poephila | | | Australia, iii. pl. 92; Handb. i. p. 424 |
| , Ptilotis | | | Australia, iv. pl. 36; Handb. i. p. 510 |
| leucura, Eopsaltria | | | Australia, Suppl. pl. 18. |
| , Pratincola | | | Asia, iv. pl. 33. |
| leucurus, Threnetes | | | Humming B. i. pl. 13. |
| lewinii, Anthochæra | | | Synopsis, part i. |
| —, Ptilotis | | | Handb. i. p. 503. |
| , Rallus | | | Australia, vi. pl. 77. |
| Lewin's Honey-eater | | | Handb. i. p. 503. |
| — Water-Rail | | | Australia, vi. pl. 77; Handb. ii. |
| | | | р. 336. |
| lewisi, Ptilopus | | | New Guinea, v. pl. 54. |
| Lewis's Fruit-Pigeon | | | New Guinea, v. pl. 54. |
| leyboldi, Eustephanus . | | | Humming B., Suppl. pl. 25. |
| Leybold's Fire-crown | | | Humming B., Suppl. pl. 25. |
| l'huysi, Lophophorus | | | Asia, vii. pl. 54. |
| Lichmera australasiana . | | | Handb. i. p. 493. |
| Lichnotentha picata | | | Handb. i. p. 529. |
| Licmetis nasicus | | | Australia, v. pl. 5. |
| — pastinator | | | Handb. ii. p. 12. |
| tenuirostris | | | Handb. ii. p. 11. |
| Ligurinus chloris | | | Gt. Brit. iii. pl. 39. |
| Lilac-bellied Fruit-Pigeon | | | New Guinea, v. pl. 57. |
| Lilac-throat | | | Humming B. iv. pl. 268. |
| —, Equatorial | | | Humming B. iv. pl. 269. |
| Limicola pygmæa | | | Gt. Brit. iv. pl. 75. |
| Limnocinclus acuminatus | | | Handb. ii. p. 254. |
| — pectoralis | | | Gt. Brit. iv. pl. 67. |
| Limnocryptes gallinula . | | | Gt. Brit. iv. pl. 80. |
| Limonidromus indicus . | | | Asia, iv. pl. 67. |
| Limonites temmincki | | | Gt. Brit. iv. pl. 73. |
| Limosa melanura | | | Europe, iv. pl. 305; Gt. Brit. iv. pl. 50. |
| —— melanuroides | | | Australia, vi. pl. 28; Handb. ii. p. 251. |
| rufa | | | Europe, iv. pl. 306; Gt. Brit. iv. pl. 51. |
| — terek | | ٠ | Europe, iv. pl. 307. |
| — uropygialis | | | Australia, vi. pl. 29; Handb. ii. |
| | | | p. 252. |

| Linaria canescens | Europe, iii. pl. 193. |
|-------------------------|--|
| cannabina | Europe, iii. pl. 191. |
| minor | Europe, iii. pl. 194. |
| — montana | Europe, iii. pl. 192. |
| linaria, Ægiothus | Gt. Brit. iii. pl. 51. |
| lindenii, Oxypogon | Humming B. iii. pl. 183. |
| Linden's Helmet-crest | Humming B. iii. pl. 183. |
| lindsayi, Actenoides | Asia, i. pl. 41. |
| Lindsay's Kingfisher | Asia, i. pl. 41. |
| lineata, Acanthiza | Synopsis, part iv.; Australia, iii. pl. 61; |
| | Handb. i. p. 372. |
| Lineated Grass-Warbler | Handb. i. p. 351. |
| —— Pheasant | Asia, vii. pl. 14. |
| — Warbler | Australia, iii. pl. 43. |
| lineatus, Euplocamus | 4 |
| lineocapilla, Cisticola | Australia, iii. pl. 43; Handb. i. p. 351. |
| lineolatus, Mus | Mamm. Austr. iii. pl. 18. |
| —, Odontophorus | Odontoph. pl. 32. |
| linnæi, Thaumatias | Humming B. v. pl. 302. |
| Linnæus' Emerald | Humming B. v. pl. 302. |
| Linnet, Brown | Europe, iii. pl. 191; Gt. Brit. iii. pl. 49. |
| , Common | Europe, iii. pl. 191. |
| , Mountain | Europe, iii. pl. 192. |
| Linota cannabina | Gt. Brit. iii. pl. 49. |
| — montana | Gt. Brit. iii. pl. 50. |
| Lioptila annectens | Asia, iii. pl. 30. |
| Liothrix argentauris | Asia, iv. pl. 16. |
| —, Forked-tailed | Asia, iv. pl. 15. |
| laurinæ | Asia, iv. pl. 17. |
| luteus | Asia, iv. pl. 15. |
| , Red-billed | Asia, iv. pl. 15. |
| , Silver-eared | Asia, iv. pl. 16. |
| Little Acanthiza | Australia, iii. pl. 60; Handb. i. p. 371. |
| — Auk | Europe, v. pl. 402; Gt. Brit. v. pl. 50. |
| — Australian Eagle | Australia, i. pl. 2. |
| — Bat | Mamm. Austr. i. pl. 46. |
| Bittern | Europe, iv. pl. 282; Gt. Brit. iv. pl. 29. |
| — Black Cormorant | Handb. ii. p. 495. |
| — Bronze Cuckoo | Handb. i. p. 625. |
| | |

| Little Brown Acanthiza | Handb. i. p. 364. |
|-----------------------------|--|
| —— Brown Warbler | Australia, iii. pl. 53. |
| — Bustard | Europe, iv. pl. 269; Gt. Brit. iv. pl. 18. |
| — Chthonicola | Australia, iii. pl. 72; Handb. i. p. 390. |
| — Cormorant | Europe, v. pl. 409; Handb. ii. p. 493. |
| —— Crake | Europe, iv. pl. 345; Gt. Brit. iv. pl. 90. |
| Cuckoo | Australia, Suppl. pl. 56. |
| —— Eagle | Handb. i. p. 11. |
| — Egret | Europe, iv. pl. 277; Gt. Brit. iv. pl. 23; |
| | Handb. ii. p. 305. |
| — Flame-bearer | Humming B. iii. pl. 138. |
| Frilled-necked Flycatcher . | New Guinea, ii. pl. 42. |
| —— Grass-bird | Handb. i. p. 400. |
| — Grebe | Europe, v. pl. 392; Gt. Brit. v. pl. 42. |
| — Green Pigeon | Australia, v. pl. 62; Handb. ii. p. 118. |
| — Grey Bittern | Australia, vi. pl. 67. |
| — Gull | Europe, v. pl. 428; Gt. Brit. v. pl. 66. |
| —— Hemipode | Asia, vii. pl. 10. |
| — Hermit | Humming B. i. pl. 40. |
| — Humming-bird | Humming B. iii. pl. 133. |
| — Kingfisher | Australia, ii. pl. 26; Handb. i. p. 142. |
| —— Lorikeet | Australia, v. pl. 54; Handb. ii. p. 103. |
| —— Mangrove-Bittern | Handb. ii. p. 317. |
| —— Owl | Europe, i. pl. 48; Gt. Brit. i. pl. 37. |
| —— Penguin | Australia, vii. pl. 84; Handb. ii. p. 518. |
| —— Pericrocotus | Asia, ii. pl. 9. |
| —— Racket-tailed Parrot | Asia, vi. pl. 15. |
| —— Rat | Mamm. Austr. iii. pl. 20. |
| Red-billed Partridge | Asia, vii. pl. 3. |
| —— Ring-Dottrel | Europe, iv. pl. 297. |
| —— Ring-Plover | Gt. Brit. iv. pl. 42. |
| — Rock-Wallaby | Mamm. Austr. ii. pl. 48. |
| — Sandpiper | Australia, vi. pl. 31; Handb. ii. p. 257; |
| | Europe, iv. pl. 332. |
| Sericornis | New Guinea, iii. pl. 7. |
| — Shrike-Thrush | Handb. i. p. 225. |
| Stint | Europe, iv. pl. 332; Gt. Brit. iv. pl. 72. |
| — Suya | Asia, iv. pl. 4. |

| Little Tern | Europe, v. pl. 420; Gt. Brit. v. pl. 73. |
|----------------------------------|--|
| — Trogon | Trogons, (1) pl. 9, (2) pl. 17. |
| — Turtle-Dove | Handb. ii. p. 146. |
| — Violet-ear | Humming B. iv. pl. 228. |
| — Warbler | Australia, iii. pls. 60, 72. |
| — Water-Crake | Handb. ii. p. 340. |
| — Whimbrel | Australia, vi. pl. 44; Handb. ii. p. 280. |
| — Wood-Shrike | Australia, ii. pl. 78. |
| — Wood-Star | Humming B., Suppl. pl. 32. |
| — Wood-Swallow | Australia, ii. pl. 28; Handb. i. p. 146. |
| livia, Columba | Europe, iv. pl. 245; Gt. Brit. iv. pl. 3. |
| lobata, Biziura | Australia, vii. pl. 18; Handb. ii. p. 381. |
| lobatus, Arctocephalus | Mamm. Austr. iii. pl. 49. |
| —, Lobivanellus | Australia, vi. pl. 9; Handb. ii. p. 218. |
| Lobed Pheasant, Chestnut-tailed. | Asia, vii. pl. 12. |
| Lobiophasis bulweri | Asia, vii. pl. 13. |
| castaneicaudatus | Asia, vii. pl. 12. |
| Lobipes hyperboreus | Gt. Brit. iv. pl. 83. |
| Lobivanellus lobatus | Australia, vi. pl. 9; Handb. ii. p. 218. |
| — personatus | Australia, vi. pl. 10; Handb. ii. p. 220. |
| Locustella avicula | Europe, ii. pl. 103; Gt. Brit. ii. pl. 78. |
| — certhiola | Europe, ii. pl. 105. |
| — fluviatilis | Europe, ii. pl. 102. |
| — luscinioides | Europe, ii. pl. 104. |
| Locustelle, Brake | Europe, ii. pl. 103. |
| , Creeping | Europe, ii. pl. 105. |
| —, Reed | Europe, ii. pl. 102. |
| —, Willow | Europe, ii. pl. 104. |
| Loddiges' Plover-crest | Humming B. iv. pl. 209. |
| loddigesi, Cephalepis | Humming B. iv. pl. 209. |
| Loddigesia mirabilis | Humming B. iii. pl. 161. |
| Long-billed Babbler | Asia, iii. pl. 60. |
| — Bristle-bird | Australia, iii. pl. 33; Handb. i. p. 343. |
| —— Calandre | Asia, iv. pl. 72. |
| — Cockatoo | Australia, v. pl. 5; Handb. ii. p. 11. |
| — Green Pigeon | Handb. ii. p. 119. |
| — Honey-eater | Australia, iv. pl. 24; Handb. i. p. 488. |
| —— Parrot | Australia, pt. i. (cancelled) pl. 7. |
| | 2 в |
| | |

| Long-billed Puff-leg | Humming B. iv. pl. 272. |
|----------------------------|--|
| —— Reed-Warbler | Australia, iii. pl. 38; Handb. i. p. 403. |
| — Star-throat | Humming B. iv. pl. 259. |
| | Asia, iii. pl. 60. |
| — Zosterops | Handb. ii. App. p. 536. |
| Long-eared Owl | Europe, i. pl. 39; Gt. Brit. i. pl. 31. |
| Peragalea | Mamm. Austr. i. pl. 7. |
| Long-haired Hapalotis | Mamm. Austr. iii. pl. 4. |
| Rat | Mamm. Austr. iii. pl. 13. |
| longicauda, Corythus | Europe, iii. pl. 205. |
| —, Discura | Humming B. iii. pl. 126. |
| —, Urocharis | New Guinea, iv. pl. 11. |
| —, Urocichla | Asia, iv. pl. 53. |
| longicaudata, Hapalotis | Mamm. Austr. iii. pl. 8. |
| longicaudatus, Orthotomus | Asia, iv. pl. 7. |
| longicaudus, Malurus | Synopsis, part iv. App. p. 4; Australia, |
| | iii. pl. 19; Handb. i. p. 320. |
| —, Stercorarius | Gt. Brit. v. pl. 81. |
| longipilis, Mus | Mamın. Austr. iii. pl. 13. |
| longirostra, Pachycephala | Synopsis, part iii. |
| longirostris, Acrocephalus | Australia, iii. pl. 38. |
| ——, Calamoherpe | Handb. i. p. 403. |
| —, Chalcophaps | Handb. ii. p. 119. |
| —, Dasyornis | Australia, iii. pl. 33. |
| —, Hæmatopus | Australia, vi. pl. 7; Handb. ii. p. 215. |
| —, Heliomaster | Humming B. iv. pl. 259. |
| —, Meliornis | Handb. i. p. 488. |
| , Meliphaga | Australia, iv. pl. 24. |
| ——, Sphenura | Handb. i. p. 343. |
| —, Zosterops | New Guinea, iii. pl. 61. |
| Long-legged Plover | Europe, iv. pl. 289; Gt. Brit. iv. pl. 34. |
| —— Tern | Handb. ii. p. 403. |
| Long-nosed Perameles | Mamm. Austr. i. pl. 11. |
| —— Tarsipes | Mamm. Austr. i. pl. 5. |
| Long-plumed Honey-eater | New Guinea, iii. pl. 57. |
| Long-tailed Belideus | Mamm. Austr. i. pl. 23. |
| —— Duck | Europe, v. pl. 382; Gt. Brit. v. pl. 33. |
| —— Emerald | Humming B. v. pl. 350. |

| Long-tailed Flower-pecker | New Guinea, iv. pl. 11. |
|---------------------------|---|
| — Glossy Starling | New Guinea, iv. pl. 12. |
| — Grass-Finch | Australia, iii. pl. 90; Handb. i. p. 422. |
| — Hapalotis | Mamm. Austr. iii. pl. 8. |
| — Hill-Wren | Asia, iv. pl. 53. |
| — Paradoxornis | Asia, iii. pl. 76. |
| Skua | Gt. Brit. v. pl. 81. |
| — Superb Warbler | Handb. i. p. 320. |
| — Tit | Europe, iii. pl. 157; Gt. Brit. ii. |
| | pls. 28, 29. |
| —— Trogon | Trogons, (2) pl. 30. |
| — Wren | Australia, iii. pl. 19. |
| Longuemare's Hermit | Humming B. i. pl. 31. |
| longuemareus, Phaethornis | Humming B. i. pl. 31. |
| Long-winged Swift | Australia, pt. ii. (cancelled) pl. 1. |
| Lophoictinia isura | Australia, i. pl. 22; Handb. i. p. 51. |
| Lopholaimus antarcticus | Australia, v. pl. 61; Handb. ii. p. 116. |
| Lophophaps ferruginea | Australia, Suppl. pl. 68; Handb. ii. |
| | p. 137. |
| —— leucogaster | Australia, Suppl. pl. 69. |
| — plumifera | Handb. ii. p. 135. |
| Lophophorus impeyanus | Asia, vii. pl. 53; Cent. pl. 60. |
| —— l'huysi | Asia, vii. pl. 54. |
| Lophorhina minor | New Guinea, i. pl. 19. |
| superba | New Guinea, i. pl. 18. |
| Lophornis adorabilis | Humming B., Suppl. pl. 35. |
| — chalybeus | Humming B. iii. pl. 124. |
| — delattrei | Humming B. iii. pl. 121. |
| — gouldi | Humming B. iii. pl. 118. |
| — helenæ | Humming B. iii. pl. 123. |
| — magnificus | Humming B. iii. pl. 119. |
| — ornatus | Humming B. iii. pl. 117. |
| — pavoninus | Humming B., Suppl. pl. 36. |
| reginæ | Humming B. iii. pl. 122. |
| regulus | Humming B. iii. pl. 120. |
| — verreauxi | Humming B. iii. pl. 125. |
| lophotes, Ocyphaps | Australia, v. pl. 70; Handb. ii. p. 139. |
| Loriculus aurantiifrons | New Guinea, v. pl. 43. |

| Lorikeet, Arfak | New Guinea, v. pl. 18. |
|------------------------|--|
| —, Beautiful | New Guinea, v. pl. 20. |
| ——, Blue-bellied | Handb. ii. p. 93. |
| , Green-backed | New Guinea, v. pl. 17. |
| —, Little | Australia, v. pl. 54; Handb. ii. p. 103. |
| | Handb. ii. p. 100. |
| ——, Musky | Australia, v. pl. 52. |
| —, Papuan | New Guinea, v. pl. 14. |
| —, Pectoral | New Guinea, v. pl. 13. |
| —, Porphyry-crowned | Australia, v. pl. 53; Handb. ii. p. 102. |
| ——, Red-backed | New Guinea, v. pl. 16. |
| —, Red-collared | Australia, v. pl. 49; Handb. ii. p. 95. |
| —, Scaly-breasted | Australia, v. pl. 50; Handb. ii. p. 96. |
| —, Swainson's | Australia, v. pl. 48. |
| , Swift | 1 . 11 1 1 TT 11 11 00 |
| —, Van Musschenbroek's | |
| —, Varied | |
| —, Wilhelmina | New Guinea, v. pl. 19. |
| Lorius flavo-palliatus | New Guinea, v. pl. 36. |
| — tibialis | New Guinea, v. pl. 37. |
| Lory, Banded | New Guinea, v. pl. 34. |
| , Blue-streaked | New Guinea, v. pl. 35. |
| —, Blue-thighed | New Guinea, v. pl. 37. |
| —, Crimson-winged | Handb. ii. p. 39. |
| —, Green | New Guinea, v. pl. 31. |
| —, King | Australia, v. pl. 17; Handb. ii. p. 35. |
| —, Red-fronted | New Guinea, v. pl. 38. |
| —, Red-winged | Australia, v. pl. 18; Handb. ii. p. 37. |
| —, Yellow-mantled | New Guinea, v. pl. 36. |
| lotenia, Nectarinia | Asia, ii. pl. 33. |
| Loten's Sun-bird | Asia, ii. pl. 33. |
| Lovely Superb Warbler | Handb. i. p. 328. |
| — Wren | Australia, Suppl. pl. 21. |
| Loxia bifasciata | Gt. Brit. iii. pl. 47. |
| — curvirostra | Europe, iii. pl. 202; Gt. Brit. iii. pl. 45. |
| — himalayana | |
| —— leucoptera | Europe, iii. pl. 203; Gt. Brit. iii. pl. 48. |
| pityopsittacus | Europe, iii. pl. 201; Gt. Brit. iii. pl. 46. |

| luciæ, Agyrtria | Humming B., Suppl. p. 78. |
|--------------------------|--|
| luciani, Eriocnemis | Humming B. iv. pl. 273. |
| —, Palæornis | Asia, vi. pl. 4. |
| lucida, Amazilia | Humming B., Suppl. p. 89. |
| lucidus, Chrysococcyx | Australia, iv. pl. 89. |
| luctuosa, Carpophaga | Australia, v. pl. 60. |
| —, Muscicapa | Europe, ii. pl. 63. fig. 1. |
| Lucy's Emerald | Humming B., Suppl. p. 78. |
| ludoviciæ, Doryfera | Humming B. ii. pl. 88. |
| lugens, Eriocnemis | Humming B. iv. pl. 282. |
| lugubris, Melampitta | New Guinea, iv. pl. 28. |
| —, Motacilla | Europe, ii. pl. 142. |
| —, Parus | Europe, iii. pl. 151. fig. 1. |
| lumachellus, Augastes | Humming B. iv. pl. 222. |
| luminosa, Sapphironia | Humming B., Suppl. p. 97. |
| lunata, Onychogalea | Mamm. Austr. ii. pl. 55. |
| Lunated Eurylaime | Asia, i. pl. 62. |
| — Honey-eater | Australia, iv. pl. 72. |
| — Nail-tailed Kangaroo | Mamm. Austr. ii. pl. 55. |
| — Thickhead | Australia, ii. pl. 68; Handb. i. |
| | p. 213. |
| — Wattle-bird | Australia, iv. pl. 57. |
| lunatus, Serilophus | Asia, i. pl. 62. |
| lunulata, Acanthochæra | Australia, iv. pl. 57. |
| —, Anellobia | Handb. i. p. 543. |
| —, Anthochera | Synopsis, part iv. |
| , Ianthocincla | Asia, iii. pl. 46. |
| Oreocincla | Australia, iv. pl. 7; Handb. i. p. 439. |
| Lunulated Forktail | Asia, iv. pl. 68. |
| — Honey-eater | Handb. i. p. 568. |
| — Wattle-bird | Handb. i. p. 543. |
| lunulatus, Falco | Handb. i. p. 29. |
| —, Hæmatops | Synopsis, part i. |
| —, Melithreptus | Australia, iv. pl. 72; Handb. i. p. 568. |
| lunulosa, Galloperdix | Asia, vi. pl. 69. |
| Luscinia philomela | Gt. Brit. ii. pl. 56. |
| luscinia, Philomela | Europe, ii. pl. 116. |
| luscinioides, Locustella | Europe, ii. pl. 104. |
| , | Багоре, н. р.: 101. |

| luscinioides, Lusciniopsis | Gt. Brit. ii. pl. 77. |
|--|--|
| | Gt. Brit. ii. pl. 77. |
| | Australia, iv. pl. 78; Handb. i. p. 577. |
| luteola, Emberiza | Asia, v. pl. 14. |
| —, Euspiza | Asia, v. pl. 14. |
| Luteous Honey-eater | Australia, iv. pl. 78; Handb. i. p. 577. |
| lutetiæ, Helianthea | Humming B. iv. pl. 238. |
| luteus, Liothrix | Asia, iv. pl. 15. |
| —, Zosterops | Australia, iv. pl. 83; Handb. i. p. 590. |
| Lycocorax obiensis | New Guinea, i. pl. 36. |
| Lyncornis cerviniceps | Icones Avium, pl. 14. |
| — macrotis | Icones Avium, pl. 15. |
| temminckii | Icones Avium, pl. 16. |
| Lyre-bird | Australia, iii. pl. 14; Handb. i. p. 298. |
| —, Prince Albert's | Australia, Suppl. pl. 19; Handb. i. p. 307. |
| —, Queen Victoria's | Handb. i. p. 302. |
| Lyre-shaped Wood-Star | Humming B., Suppl. pl. 34. |
| lyrura, Doricha | Humming B., Suppl. pl. 34. |
| | |
| | |
| maccoyi, Cyclopsitta | New Guinea, v. pl. 7. |
| McCoy's Perroquet | New Guinea, v. pl. 7. |
| McCoy's Perroquet macgregoriæ, Niltava | New Guinea, v. pl. 7. Asia, ii. pl. 22. |
| McCoy's Perroquet macgregoriæ, Niltava MacGregor's Niltava | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. |
| McCoy's Perroquet macgregoriæ, Niltava MacGregor's Niltava Machærirhynchus albifrons . | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. |
| McCoy's Perroquet macgregoriæ, Niltava MacGregor's Niltava | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. |
| McCoy's Perroquet macgregoriæ, Niltava MacGregor's Niltava Machærirhynchus albifrons . | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. |
| McCoy's Perroquet | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. |
| McCoy's Perroquet | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. New Guinea, ii. pl. 38. Europe, iv. pl. 325; Gt. Brit. iv. pls. 61, |
| McCoy's Perroquet | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. New Guinea, ii. pl. 38. Europe, iv. pl. 325; Gt. Brit. iv. pls. 61, 62. |
| McCoy's Perroquet | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. New Guinea, ii. pl. 38. Europe, iv. pl. 325; Gt. Brit. iv. pls. 61, 62. Asia, i. pl. 73; Trogons, (2) pl. 45. |
| McCoy's Perroquet | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. New Guinea, ii. pl. 38. Europe, iv. pl. 325; Gt. Brit. iv. pls. 61, 62. Asia, i. pl. 73; Trogons, (2) pl. 45. Australia, Suppl. pl. 29. |
| McCoy's Perroquet | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. New Guinea, ii. pl. 38. Europe, iv. pl. 325; Gt. Brit. iv. pls. 61, 62. Asia, i. pl. 73; Trogons, (2) pl. 45. Australia, Suppl. pl. 29. Australia, Suppl. pl. 29. |
| McCoy's Perroquet macgregoriæ, Niltava MacGregor's Niltava Machærirhynchus albifrons — flaviventer — nigripectus Machetes pugnax mackloti, Harpactes —, Pitta Macklot's Pitta — Trogon macleayi, Cyanalcyon —, Halcyon | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. New Guinea, ii. pl. 38. Europe, iv. pl. 325; Gt. Brit. iv. pls. 61, 62. Asia, i. pl. 73; Trogons, (2) pl. 45. Australia, Suppl. pl. 29. Australia, Suppl. pl. 29. Asia, i. pl. 73; Trogons, (2) pl. 45. |
| McCoy's Perroquet macgregoriæ, Niltava MacGregor's Niltava Machærirhynchus albifrons — flaviventer — nigripectus Machetes pugnax mackloti, Harpactes —, Pitta Macklot's Pitta — Trogon macleayi, Cyanalcyon | New Guinea, v. pl. 7. Asia, ii. pl. 22. Asia, ii. pl. 22. New Guinea, ii. pl. 37. Australia, Suppl. pl. 11; Handb. i. p. 257. New Guinea, ii. pl. 38. Europe, iv. pl. 325; Gt. Brit. iv. pls. 61, 62. Asia, i. pl. 73; Trogons, (2) pl. 45. Australia, Suppl. pl. 29. Australia, Suppl. pl. 29. Asia, i. pl. 73; Trogons, (2) pl. 45. Handb. i. p. 133. |

| macqueeni, Houbara | . Asia, vii. pl. 58. |
|--------------------------------|---|
| , Otis | |
| Macqueen's Bustard | |
| macrocerca, Hylonympha | TT 1 D 0 2 2 2 2 |
| macrolopha, Pucrasia | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| macroptera, Chætura | 4 4 71 4 11 / 71 11 7 4 |
| —, Micrœca | Australia, ii. pl. 93; Handb. i. p. 258. |
| —, Pterodroma | Handb. ii. p. 449. |
| Macropus frænatus | 3.5 |
| — fuliginosus | . Mamm. Austr. ii. pl. 5; Monogr. |
| | Macrop. part ii. |
| laniger | Monogr. Macrop. part i. |
| major | Mamm. Austr. ii. pls. 1, 2; Monogr. |
| 3 | Macrop. part i. |
| ocydromus | . Mamm. Austr. ii. pls. 3, 4. |
| — unguifer | Monogr. Macrop. part i. |
| macropus, Vespertilio | Mamm. Austr. iii. pl. 47. |
| Macropygia phasianella | Australia, v. pl. 75; Handb. ii. p. 148. |
| Macrorhamphus griseus | Europe, iv. pl. 323; Gt. Brit. iv. pl. 76. |
| macrorhina, Melidora | New Guinea, iv. pl. 53. |
| macrorhyncha, Ardetta | |
| —, Butorides | |
| —, Oreocincla | |
| macrorhynchus, Calyptorhynchus | |
| —, Cymbirhynchus | |
| macrotarsa, Gelochelidon | Australia, Suppl. pl. 81; Handb. ii. |
| | p. 403. |
| , Sterna | Synopsis, part ii. |
| macrotis, Lyncornis | Icones Avium, pl. 15. |
| macroura, Trogon | Trogons, (1) pl. 17. |
| macrourus, Dendrortyx | Odontoph. pl. 20. |
| —, Podabrus | Mamm. Austr. i. pl. 46. |
| macrura, Sterna | Gt. Brit. v. pl. 72. |
| Macruropsar magnus | New Guinea, iv. pl. 12. |
| macrurus, Amytis | Australia, iii. pl. 30; Handb. i. p. 338. |
| —, Caprimulgus | Australia, ii. pl. 9; Handb. i. p. 100. |
| —, Centropus | Australia, i. Introd. p. lxi, & iv, text to |
| · | pl. 92; Handb. i. p. 636. |
| | |

| macularius, Actitis |
|---|
| maculata, Adelomyia . Humming B. iii. pl. 199. —, Athene . Synopsis, part ii.; Australia, i. pl. 3. —, Calodera . Synopsis, part ii.; Australia, pt. (cancelled) pl. 3. —, Chlamydodera . Australia, iv. pl. 8. —, Chlamydodera . Handb. i. p. 450. maculatus, Antechinus . Mamm. Austr. i. pl. 44. —, Dasyurus . Mamm. Austr. i. pl. 49. —, Enicurus . Asia, iv. pl. 68; Cent. pl. 27. —, Henicurus . Asia, iv. pl. 68. —, Iyngipicus . Asia, vi. pl. 30. —, Sericornis . Australia, iii. pl. 51; Handb. i. p. 30. —, Spiloglaux . Handb. i. p. 76. maculicauda, Agyrtria . Humming B., Suppl. p. 77. maculirostris, Pteroglossus . Toucans, (1) pl. 24. —, Selenidera . Toucans, (2) pl. 31. maculosus, Ailurœdus . New Guinea, i. pl. 38. Madame de Lafresnaye's Plume- leteer |
| —, Athene |
| —, Athene |
| (cancelled) pl. 3. —, Chlamydera . Australia, iv. pl. 8. —, Chlamydodera . Handb. i. p. 450. maculatus, Antechinus . Mamm. Austr. i. pl. 44. —, Dasyurus . Mamm. Austr. i. pl. 49. —, Enicurus . Asia, iv. pl. 68; Cent. pl. 27. —, Henicurus . Asia, iv. pl. 68. —, Iyngipicus . Asia, vi. pl. 30. —, Sericornis . Australia, iii. pl. 51; Handb. i. p. 30. —, Spiloglaux . Handb. i. p. 76. maculicauda, Agyrtria . Humming B., Suppl. p. 77. maculirostris, Pteroglossus . Toucans, (1) pl. 24. —, Selenidera . Toucans, (2) pl. 31. maculosus, Ailurœdus . New Guinea, i. pl. 38. Madame de Lafresnaye's Plume- leteer |
| |
| —, Chlamydodera . Handb. i. p. 450. maculatus, Antechinus . Mamm. Austr. i. pl. 44. —, Dasyurus . Mamm. Austr. i. pl. 49. —, Enicurus . Asia, iv. pl. 68; Cent. pl. 27. —, Henicurus . Asia, iv. pl. 68. —, Iyngipicus . Asia, vi. pl. 30. —, Sericornis . Australia, iii. pl. 51; Handb. i. p. 30. —, Spiloglaux . Handb. i. p. 76. maculicauda, Agyrtria . Humming B., Suppl. p. 77. maculirostris, Pteroglossus . Toucans, (1) pl. 24. —, Selenidera . Toucans, (2) pl. 31. maculosus, Ailurœdus . New Guinea, i. pl. 38. Madame de Lafresnaye's Plume- leteer |
| maculatus, Antechinus Mamm. Austr. i. pl. 44. —, Dasyurus Mamm. Austr. i. pl. 49. —, Enicurus Asia, iv. pl. 68; Cent. pl. 27. —, Henicurus Asia, iv. pl. 68. —, Iyngipicus Asia, vi. pl. 30. —, Sericornis Australia, iii. pl. 51; Handb. i. p. 30. —, Spiloglaux Handb. i. p. 76. maculicauda, Agyrtria Humming B., Suppl. p. 77. maculirostris, Pteroglossus Toucans, (1) pl. 24. —, Selenidera Toucans, (2) pl. 31. maculosus, Ailurœdus New Guinea, i. pl. 38. Madame de Lafresnaye's Plumeleteer Humming B., Suppl. p. 13. |
| |
| |
| |
| , Iyngipicus |
| —, Sericornis |
| —, Spiloglaux |
| maculicauda, Agyrtria |
| maculirostris, Pteroglossus Toucans, (1) pl. 24. —, Selenidera Toucans, (2) pl. 31. maculosus, Ailurœdus New Guinea, i. pl. 38. Madame de Lafresnaye's Plume- leteer |
| —, Selenidera Toucans, (2) pl. 31. maculosus, Ailurœdus New Guinea, i. pl. 38. Madame de Lafresnaye's Plume- leteer |
| maculosus, Ailurœdus New Guinea, i. pl. 38. Madame de Lafresnaye's Plume- leteer |
| Madame de Lafresnaye's Plume- leteer |
| leteer Humming B., Suppl. p. 13. |
| |
| madaraszi, Psittacella New Guinea, v. pl. 40. |
| |
| Madarász's Parrakeet New Guinea, v. pl. 40. |
| maderaspatensis, Motacilla Asia, iv. pl. 61. |
| Mafoor-Island Black Sun-bird . New Guinea, iii. pl. 30. |
| — Cuckoo-Shrike New Guinea, ii. pl. 6. |
| —— Pitta New Guinea, iv. pl. 33. |
| Mafoor Pygmy Parrot New Guinea, v. pl. 22. |
| maforensis, Cinnyris New Guinea, iii. pl. 30. |
| —, Graucalus New Guinea, ii. pl. 6. |
| —, Nasiterna New Guinea, v. pl. 22. |
| —, Pitta New Guinea, iv. pl. 33. |
| magica, Iache Humming B., Suppl. p. 96. |
| |
| magna, Acanthiza Australia, Suppl. pl. 28; Handb. i. p. 3 |
| magna, Acanthiza Australia, Suppl. pl. 28; Handb. i. p. 3—, Cisticola Australia, iii. pl. 41; Handb. p. 349. |

| magnifica, Craspedophora | New Guinea, i. pl. 13; Handb. i. p. 595. |
|---------------------------|--|
| —, Megaloprepia | . Handb. ii. p. 110. |
| TO 11 | . Australia, Suppl. pl. 51. |
| 3.5 10 DI 3 4.7 31 | . New Guinea, i. pl. 22. |
| — Fruit-Pigeon | 4 . 1: 1 FO TT 11 !! 110 |
| Rifle-bird | A . 1. G 1 1 51 TT 11 . FOF |
| magnificus, Lophornis | Humming B. iii. pl. 119. |
| magnirostra, Acanthiza | g |
| magnirostris, Esacus | . Australia, vi. pl. 6; Handb. ii. p. 213. |
| —, Gerygone | Australia, ii. pl. 100; Handb. i. p. 270. |
| —, Sericornis | Australia, iii. pl. 52; Handb. i. p. 362. |
| —, Urocissa | Asia, v. pl. 49. |
| magnus, Macruropsar | New Guinea, iv. pl. 12. |
| —, Schæniclus | Australia, vi. pl. 33. |
| Magpie | Europe, iii. pl. 216; Gt. Brit. iii. |
| | pl. 63. |
| —, Afghan | Asia, v. pl. 56. |
| —, Azure-winged | Europe, iii. pl. 217. |
| —, Black-rumped | Asia, v. pl. 57. |
| , Bootan | Asia, v. pl. 57. |
| —, Ceylonese | Asia, v. pl. 53. |
| —, Chinese Blue | Asia, v. pl. 48. |
| —, Formosan Blue | |
| —, Great-billed Blue | |
| 0 | Asia, v. pl. 54. |
| , Hooded Racket-tailed | Asia, v. pl. 52. |
| | Asia, v. pl. 53. |
| —, Red-billed Blue | |
| —, White-capped Blue | |
| —, White-winged | Asia, v. pl. 55. |
| , Yellow-billed Blue | |
| maguari, Ciconia | Europe, iv. pl. 285. |
| Maguari Stork | Europe, iv. pl. 285. |
| Mahratta Nightjar | Asia, i. pl. 19. |
| mahrattensis, Caprimulgus | Asia, i. pl. 19. |
| , Picus | |
| Majaqueus conspicillatus | Handb. ii. p. 445. |

| major, Gallinago | Gt. Brit. iv. pl. 78. |
|-------------------------------|---|
| —, Macropus | Mamm. ii. pls. 1, 2; Monogr. Macrop. |
| | part i. |
| ——, Parus | Europe, iii. pl. 150; Gt. Brit. ii. |
| | pl. 23. |
| —, Picus | Europe, iii. pl. 229; Gt. Brit. iii. pl. 70. |
| , Puffinus | Gt. Brit. v. pl. 83. |
| , Pyrrhula | Asia, v. pl. 38. |
| , Scolopax | Europe, iv. pl. 320. |
| Malabar Phyllornis | Asia, iii. pl. 16. |
| Trogon | Trogons, (1) pl. 31. |
| malabaricus, Phyllornis | Asia, iii. pl. 16. |
| —, Trogon | Trogons, (1) pl. 31. |
| Malacca Trogon | Asia, i. pl. 68; Trogons, (2) pl. 41. |
| Malaccan Dial-bird | Asia, iii. pl. 25. |
| —— Parrakeet | Asia, vi. pl. 10. |
| —— Pitta | Asia, v. pl. 68. |
| malaccensis, Palæornis | Asia, vi. pl. 10. |
| malachurus, Stipiturus | Australia, iii. pl. 31; Handb. i. p. 339. |
| malacoptilus, Rimator | Asia, iii. pl. 60. |
| Malacorhynchus membranaceus . | Australia, vii. pl. 13; Handb. ii. p. 372. |
| Malacoturnix superciliosus | Asia, vii. pl. 8. |
| Malayan Fairy Blue-bird | Asia, iii. pl. 19. |
| — Peacock Pheasant | Asia, vii. pl. 51. |
| —— Piculet | Asia, vi. pl. 41. |
| —— Pigmy Woodpecker | Asia, vi. pl. 29. |
| Mallard Duck | Gt. Brit. v. pl. 15. |
| Malurus alboscapulatus | New Guinea, ii. pl. 25. |
| —— amabilis | Australia, Suppl. pl. 21; Handb. i. p. 328. |
| — brownii | Australia, iii. pl. 27. |
| callainus | Australia, Suppl. pl. 23. |
| coronatus | Australia, Suppl. pl. 20; Handb. i. p. 329. |
| cruentatus | Handb. i. p. 334. |
| — cyaneus | Synopsis, part i.; Australia, iii. pl. 18; Haudb. i. p. 317. |
| — elegans | Australia, pt. i. (cancelled), & vol. iii. |
| Cicgano | pl. 22; Handb. i. p. 324. |
| | p. == , madao. n. p. 021. |

| Malurus hypoleucus | Australia, Suppl. pl. 22. Synopsis, part i.; Australia, pt. i. (cancelled), & vol. iii. pl. 24; Handb. i. p. 327. |
|--------------------------|--|
| — leuconotus | Australia, Suppl. pl. 24; Handb. i. p. 332. |
| —— leucopterus | Australia, iii. pl. 25 ; Handb. i. p. 330. |
| —— longicaudus | Synopsis, part iv. App. p. 4; Australia, iii. pl. 19; Handb. i. p. 320. |
| melanocephalus | Australia, iii. pl. 26; Handb. ii. p. 333. |
| — melanotus | Australia, iii. pl. 20; Handb. i. p. 322. |
| — pectoralis | Synopsis, part i. |
| —, Pied | New Guinea, ii. pl. 25. |
| —— pulcherrimus | Australia, iii. pl. 23; Handb. i. p. 326. |
| — splendens | Australia, iii. pl. 21; Handb. i. p. 323. |
| Mandarin Duck | Asia, vii. pl. 69. |
| Maned Goose | Australia, vii. pl. 3; Handb. ii. p. 354. |
| Mango, Blue-tailed | Humming B. ii. pl. 78. |
| —, Green-throated | Humming B. ii. pl. 77. |
| Humming-bird | Humming B. ii. pl. 74. |
| —, Porphyry-tailed | Humming B. ii. pl. 81. |
| —, Prevost's | Humming B. ii. pl. 75. |
| —, St. Domingo | Humming B. ii. pl. 79. |
| —, St. Thomas's | Humming B. ii. pl. 80. |
| , Veraguan | Humming B. ii. pl. 76. |
| mango, Lampornis | Humming B. ii. pl. 74. |
| Mangrove-Bittern, Little | Handb. ii. p. 317. |
| —, Thick-billed | Handb. ii. p. 316. |
| —, Yellow-necked | Handb. ii. p. 315. |
| manicatus, Halmaturus | Mamm. Austr. ii. pls. 20, 21; Monogr. |
| | Macrop. part i. |
| —, Mus | Mamm. Austr. iii. pl. 16. |
| Manilla Kingfisher | Asia, i. pl. 44. |
| Manks Shearwater | Europe, v. pl. 443. |
| Manorhina melanophrys | Handb. i. p. 579. |
| mansuetus, Cygnus | Europe, v. pl. 354. |
| mantelli, Notornis | Australia, Suppl. pl. 76; Handb. ii. p. 576 |
| Mantled Kingfisher | Asia, i. pl. 51. |
| | 9 0 |

| Manucode, Curl-crested | New Guinea, i. pl. 33. |
|-------------------------------------|---|
| —, Gould's | Handb. i. p. 236. |
| —, Green | New Guinea, i. pl. 34. |
| , Purple-and-Violet | New Guinea, i. pl. 35. |
| Manucodia chalybea | New Guinea, i. pl. 34. |
| comrii | New Guinea, i. pl. 33. |
| —— gouldii | Handb. i. p. 236. |
| keraudreni | Australia, Suppl. pl. 9. |
| Many-banded Araçari | Toucans, (1) pl. 15, (2) pl. 17. |
| Many-coloured Kingfisher | Asia, i. pl. 47. |
| —— Parrakeet | Australia, v. pl. 35. |
| Many-spotted Nutcracker | Asia, v. pl. 59. |
| Manx Shearwater | Europe, v. pl. 443; Gt. Brit. v. pl. 84. |
| Marbled Duck | Europe, v. pl. 373. |
| —— Podargus | Australia, Suppl. pl. 4; Handb. i. p. 94. |
| Mareca penelope | Europe, v. pl. 359; Gt. Brit. v. pl. 13. |
| margaritæ, Charmosyna | New Guinea, v. pl. 11. |
| mariæ, Pteroglossus | Toucans, (2) pl. 30. |
| marila, Fuligula | Europe, v. pl. 371; Gt. Brit. v. pl. 24. |
| marina, Thalassidroma | Australia, vii. pl. 61. |
| marinus, Larus | Europe, v. pl. 430; Gt. Brit. v. pl. 55. |
| maritima, Arquatella | Gt. Brit. iv. pl. 74. |
| —, Tringa | Europe, iv. pl. 334. |
| Marmora's Warbler | Europe, ii. pl. 127. |
| marmorata, Fuligula | Europe, v. pl. 373. |
| —, Ptilotis | New Guinea, iii. pl. 48. |
| marmoratus, Podargus | Australia, Suppl. pl. 4; Handb. i. p. 94. |
| —, Spiloglaux | Handb. i. p. 73. |
| Maroon-breasted Pigeon | Asia, vi. pl. 52. |
| Maroon Oriole | Asia, ii. pl. 74. |
| Marquis de Raggi's Bird of Paradise | |
| —— Doria's Goshawk | New Guinea, i. pl. 2. |
| Mars Humming-bird | Humming B. iv. pl. 246. |
| Marsh Bunting | Europe, iii. pl. 182. |
| — Harrier | Europe, i. pl. 32; Gt. Brit. i. pls. 24,25. |
| — Pellorneum | Asia, iii. pl. 65. |
| — Sandpiper | Europe, iv. pl. 314; Australia, vi. pl. 37; |
| | Haudb, ii. p. 267. |

| Marsh Tern | Australia, vii. pl. 31; Handb. ii. p. 406. |
|-------------------------|--|
| — Tit | Europe, iii. pl. 155. fig. 2; Gt. Brit. |
| | ii. pl. 27. |
| —— Tringa | Handb. ii. p. 254. |
| — Warbler | Europe, ii. pl. 109; Gt. Brit. ii. pl. 74. |
| marshallorum, Megalæma | Cent. pl. 46. |
| Martin, Fairy | Australia, ii. pl. 15; Handb. i. p. 113. |
| —, House | Europe, ii. pl. 57; Gt. Brit. ii. pl. 6. |
| —, Rock | Europe, ii. pl. 56. |
| —, Sand | Europe, ii. pl. 58; Gt. Brit. ii. pls. 7, 8. |
| —, Tree | Australia, ii. pl. 14. |
| Martin-Swallow, Nepal | Asia, i. pl. 31. |
| martius, Dryocopus | Gt. Brit. iii. pl. 73. |
| —, Picus | Europe, iii. pl. 225. |
| maruetta, Porzana | Gt. Brit. iv. pl. 88. |
| Marvellous Humming-bird | Humming B. iii. pl. 161. |
| Masked Barn-Owl | Australia, i. pl. 29. |
| Gannet | Australia, vii. pl. 77; Handb. ii. p. 506. |
| — Grass-Finch | Australia, iii. pl. 91; Handb. i. p. 423. |
| —— Grosbeak | Asia, v. pl. 18. |
| — Owl | Handb. i. p. 64. |
| —— Pewit | Australia, vi. pl. 10. |
| — Plover | Handb. ii. p. 220. |
| Wagtail | Asia, iv. pl. 63. |
| —— Warbler | Australia, Suppl. pl. 14 |
| — Wedge-bill | Humming B. iv. pl. 219. |
| — Wood-Swallow | Handb. i. p. 150. |
| Massena Fruit-Pigeon | New Guinea, v. pl. 59. |
| massena, Cyrtonyx | Odontoph. pl. 7. |
| , Troctes | Trogons, (2) pl. 31. |
| —, Trogon | Trogons, (1) pl. 16. |
| Massena's Partridge | Odontoph. pl. 7. |
| —— Trogon | Trogons, (2) pl. 31. |
| Matthews' Panoplites | Humming B. ii. pl. 112. |
| matthewsi, Panoplites | Humming B. ii, pl. 112. |
| maugæi, Sporodinus | Humming B. v. pl. 349. |
| Maugé's Humming-bird | Humming B. v. pl. 349. |
| mavors, Heliangelus | Humming B. iv. pl. 246. |
| | |

| maxillaris, Sphecotheres | Handb. i. p. 467. |
|---------------------------------|--|
| maxima, Melanocorypha | Asia, iv. pl. 72. |
| —, Pitta | New Guinea, iv. pl. 27. |
| maximus, Artamus | New Guinea, iv. pl. 19. |
| —, Bubo | Europe, i. pl. 37; Gt. Brit. i. pl. 30. |
| Mazatlan Humming-bird | Humming B., Suppl. p. 96. |
| Mazeppa Hermit | Humming B. i. pl. 6. |
| mazeppa, Glaucis | Humming B. i. pl. 6. |
| Meadow Bunting | Europe, iii. pl. 179. |
| —— Pipit | Europe, ii. pl. 136; Gt. Brit. iii. pl. 13. |
| Mealy Redpole | Europe, iii. pl. 193; Gt. Brit. iii. pl. 51. |
| Mecistura caudata | Gt. Brit. ii. pls. 28, 29. |
| — glaucogularis | Asia, ii. pl. 69. |
| medius, Picus | Europe, iii. pl. 230. |
| , Piezorhynchus | New Guinea, ii. pl. 50. |
| megacephalus, Podargus | Australia, i. Intr. p. xxviii; Handb. i. |
| | p. 89. |
| Megacrex inepta | New Guinea, v. pl. 69. |
| Megalæma franklini | Asia, vi. pl. 50. |
| — marshallorum | Cent. pl. 46. |
| nuchalis | Asia, vi. pl. 49. |
| Megaloprepia assimilis | Handb. ii. p. 111. |
| — magnifica | Handb. ii. p. 110. |
| Megalurus albolimbatus | New Guinea, iii. pl. 12. |
| megaphyllus, Rhinolophus | Mamm, Austr. iii. pl. 33. |
| Megapode, Australian | Handb. ii. p. 167. |
| —, Brenchley's | New Guinea, v. pl. 68. |
| —, Mound-raising | Australia, v. pl. 79. |
| Megapodius brenchleyi | New Guinea, v. pl. 68. |
| tumulus | Australia, v. pl. 79; Handb. ii. p. 167. |
| megarhyncha, Pitta | Asia, v. pl. 70. |
| megarhynchus, Dicranostreptus . | New Guinea, i. pl. 51. |
| Melampitta lugubris | New Guinea, iv. pl. 28. |
| melananthera, Spathura | Humming B. iii. pl. 163. |
| melanauchen, Sterna | Australia, vii. pl. 28; Handb. ii. p. 400. |
| melanocephala, Ceriornis | Cent. pls. 63, 64, 65; Asia, vii. |
| - | pl. 45. |
| —, Curruca | Europe, ii. pl. 123. |
| | |

| melanocephala, Emberiza | Europe, iii. pl. 172. |
|-----------------------------|---|
| —, Euspiza | Asia, v. pl. 13; Gt. Brit. iii. pl. 28. |
| —, Myzomela | New Guinea, iii. pl. 66. |
| , Sitella | Synopsis, part iv. |
| —, Sylvia | Europe, ii. pl. 123. |
| , Trogon | Trogons, (1) pl. 12. |
| , Xema | Europe, v. pl. 427. |
| melanocephalus, Ailurædus | New Guinea, i. pl. 42. |
| , Larus | Europe, v. pl. 427. |
| ——, Malurus | Australia, iii. pl. 26; Handb. i. p. 333. |
| —, Melithreptus | Australia, iv. pl. 75; Handb. i. p. 573. |
| —, Pardalotus | Synopsis, part iv.; Australia, ii. pl. 40; |
| | Handb. i. p. 165. |
| , Trogon | Trogons, (2) pl. 27. |
| melanochlamys, Astur | New Guinea, i. pl. 1. |
| —, Irena | Asia, iii. pl. 23. |
| Melanochlora sultanea | Asia, ii. pl. 51. |
| Melanocorypha calandra | Gt. Brit. iii. pl. 19. |
| — leucoptera | Gt. Brit. iii. pl. 20. |
| —— maxima | Asia, iv. pl. 72. |
| Melanodryas cucullata | Australia, iii. pl. 7; Handb. i. p. 283. |
| —— picata | Handb. i. p. 285. |
| melanogaster, Cinclus | Europe, ii. pl. 84; Gt. Brit. ii. pl. 42. |
| , Fregetta | Handb. ii. p. 479. |
| —, Hemipodius | Synopsis, part ii.; Australia, pt. i. (can- |
| | celled), & vol. v. pl. 81. |
| —, Oreotrochilus | Humming B. ii. pl. 72. |
| —, Turnix | Handb. ii. p. 178. |
| —, Sterna | Asia, vii. pl. 70. |
| melanogenys, Adelomyia | Humming B. iii. pl. 198. |
| —, Cyclopsitta | New Guinea, v. pl. 6. |
| —, Falco | Synopsis, part iii.; Australia, i. pl. 8; Handb. i. p. 26. |
| melanoleuca, Anseranas | Australia, vii. pl. 2; Handb. ii. p. 352. |
| | Asia, iv. pl. 32. |
| —, Sibia | Asia, iii. pl. 32. |
| melanoleucus, Phalacrocorax | Australia, vii. pl. 70; Handb. ii. p. 493. |
| melanolophus, Parus | Cent. pl. 30. fig. 2; Asia, ii. pl. 61. |

| melanonota, Climacteris | Handb. i. p. 603. |
|------------------------------|--|
| —, Monarcha | New Guinea, ii. pl. 54. |
| melanophrys, Diomedea | Australia, vii. pl. 43; Handb. ii. |
| | p. 438. |
| —, Manorhina | Handb. i. p. 579. |
| —, Myzantha | Australia, iv. pl. 80. |
| melanopogon, Acrocephalus | Europe, ii. pl. 111. fig. 1. |
| —, Salicaria | Europe, ii. pl. 111. fig. 1. |
| melanops, Anous | Australia, vii. pl. 35; Handb. ii.p.417. |
| —, Artamus | Australia, Suppl. pl. 7; Handb. i. p. 149. |
| —, Carcineutes | Asia, i. pl. 49. |
| —, Eumyias | Cent. pl. 6. |
| ——, Graucalus | Synopsis, part iv.; Australia, ii. pl. 55; |
| | Handb. i. p. 192. |
| —, Muscicapa | Cent. pl. 6. |
| —, Stoparola | Cent. pl. 6. |
| melanoptera, Glareola | Asia, vii. pl. 63. |
| melanopterus, Elanus | Europe, i. pl. 31. |
| —, Himantopus | Europe, iv. pl. 289. |
| —, Trogon | Trogons, (1) pls. 10, 11. |
| melanopus, Herodias | Handb. ii. p. 304. |
| Melanopyrrhus anais | New Guinea, iv. pl. 16. |
| orientalis | New Guinea, iv. pl. 17. |
| melanorhamphus, Corcorax | Handb. i. p. 470. |
| melanorhyncha, Sterna | Australia, vii. pl. 26; Handb. ii. p. 398. |
| melanorrhoa, Hypuroptila | Humming B., Suppl. pl. 10. |
| melanosternon, Buteo | Australia, i. pl. 20. |
| —, Gypoictinia | Handb. i. p. 47. |
| melanostigma, Trochalopteron | Asia, iii. pl. 43. |
| melanotis, Ailurædus | New Guinea, i. pl. 39. |
| ——, Allotrius | Asia, ii. pl. 16. |
| —, Graucalus | Synopsis, part iv. |
| —, Heliopædica | Humming B. ii. pl. 64. |
| melanotus, Climacteris | Australia, iv. pl. 96. |
| , Hemipodius | Synopsis, part ii.; Australia, v. pl. 84. |
| ——, Malurus | Australia, iii. pl. 20; Handb. i. p. 322. |
| , Porphyrio | Australia, vi. pl. 69; Handb. ii. p. 321. |
| —, Turnix | Handb. ii. p. 182. |

| melanoxanthus, Mycerobas | | | Asia, v. pl. 20. |
|--------------------------|---|----|---|
| melanura, Climacteris . | | | Australia, iv. pl. 97; Handb. i. p. 604. |
| —, Eophona | | | Asia, v. pl. 19. |
| —, Glaucis | | | Humming B. i. pl. 9. |
| —, Limosa | | | Europe, iv. pl. 305; Gt. Brit. iv. |
| | | | pl. 50. |
| —, Pachycephala | | | Australia, ii. pl. 66; Handb. i. p. 211. |
| —, Polytelis | | | Synopsis, part iv.; Australia, v. pl. 16; Handb. ii. p. 33. |
| —, Sterna | | | Synopsis, part iv. App. p. 7. |
| , Sula | | | Europe, v. pl. 413. |
| , Trogon | | | Trogons, (1) pl. 18. |
| melanuroides, Limosa . | | | Australia, vi. pl. 28; Handb. ii. p. 251. |
| melanurus, Centropus . | | | Australia, i. Introd. p. lxi, & vol. iv. |
| | • | | text to pl. 92; Handb. i. p. 636. |
| —, Trogon | | | Trogons, (2) pl. 29. |
| melba, Cypselus | | | Gt. Brit. ii. pl. 4. |
| Meliarchus sclateri | | | New Guinea, iii. pl. 52. |
| Melicophila picata | | | Australia, iv. pl. 49. |
| Melidectes emilii | | | New Guinea, iii. pl. 37. |
| torquatus | | | New Guinea, iii. pl. 36. |
| Melidora macrorhina | | | New Guinea, iv. pl. 53. |
| Melilestes iliolophus | | | New Guinea, iii. pl. 57. |
| | | | New Guinea, iii. pl. 56. |
| melinus, Sericulus | | | Handb. i. p. 456. |
| Meliornis longirostris . | | | Handb. i. p. 488. |
| — mystacalis | | | Handb. i. p. 491. |
| | | | Handb. i. p. 486. |
| — sericea | | Ĭ. | Handb. i. p. 490. |
| Meliphaga auricomis | | | Synopsis, part ii. |
| — australasiana | | | Synopsis, part i.; Australia, iv. pl. 27. |
| — chrysops | | | Synopsis, part ii. |
| chrysotis | | | Synopsis, part i. |
| — fusca | | | Synopsis, part ii. |
| inornata | | | Synopsis, part iv. App. p. 5. |
| leucotis | | | Synopsis, part i. |
| longirostris | | | Australia, iv. pl. 24. |
| mystacalis | | | Australia, iv. pl. 26. |
| 3 | | | .) p |

| Meliphaga novæ hollaudiæ . . | Synopsis, part i.; Australia, iv. pl. 23 |
|--------------------------------|--|
| — penicillata | Synopsis, part i. |
| — phrygia | Handb. i. p. 527. |
| — sericea | Synopsis, part i.; Australia, iv. pl. 25. |
| — sericeola | Synopsis, part iv. App. p. 5. |
| Melipotes gymnops | New Guinea, iii. pl. 38. |
| Melirrhophetes batesi | New Guinea, iii. pl. 35. |
| — leucostephes | New Guinea, iii. pl. 33. |
| — ochromelas | New Guinea, iii. pl. 34. |
| Melithreptus albogularis | Australia, iv. pl. 74; Handb. i. p. 571. |
| — chloropsis | Australia, iv. pl. 73; Handb. i. p. 570. |
| — gularis | Australia, iv. pl. 71; Handb. i. p. 566. |
| —— lætior | New Guinea, iii. pl. 40. |
| —— lunulatus | Australia, iv. pl. 72; Handb. i. p. 568. |
| —— melauocephalus | Australia, iv. pl. 75; Handb. i. p. 573. |
| — validirostris | Australia, iv. pl. 70; Handb. i. p. 565. |
| Melizophilus provincialis | Europe, ii. pl. 129; Gt. Brit. ii. pl. 59. |
| Mellisuga minima | Humming B. iii. pl. 133. |
| mellivora, Acanthochæra | Australia, iv. pl. 56. |
| —, Anellobia | Handb. i. p. 541. |
| —, Anthochæra | Synopsis, part i. |
| —, Florisuga | Humming B. ii. pl. 113. |
| Melodious Warbler | Gt. Brit. ii. pl. 71. |
| — Willow-Wren | Europe, ii. pl. 133. |
| Melopsittacus undulatus | Australia, v. pl. 44; Handb. ii. p. 81. |
| Membranaceous Duck | Australia, vii. pl. 13. |
| membranaceus, Malacorhynchus | Australia, vii. pl. 13; Handb. ii. p. 372. |
| mentalis, Graucalus | Synopsis, part iv.; Australia, ii. pl. 56; |
| | Handb. i. p. 195. |
| Menura alberti | Australia, Suppl. pl. 19; Handb. i. |
| | р. 307. |
| | Australia, iii. pl. 14; Handb. i. p. 298. |
| — victoriæ | Handb. i. p. 302. |
| Merganser | Gt. Brit. v. pl. 35. |
| —, Hooded | Europe, v. pl. 386; Gt. Brit. v. pl. 36. |
| —, Red-breasted | Europe, v. pl. 385. |
| merganser, Mergus | Europe, v. pl. 384. |
| | Europe, v. pl. 402; Gt. Brit. v. pl. 50. |
| | Europe, v. pl. 387; Gt. Brit. v. pl. 37. |
| | |

| Mergus castor | |
|-------------------------|---|
| — cucullatus | 1 ' 1 ' 1 |
| — merganser | . Europe, v. pl. 384. |
| serrator | . Europe, v. pl. 385; Gt. Brit. v. pl. 35. |
| meridionalis, Collurio | . Europe, ii. pl. 67. |
| —, Trogon | Trogons, (1) pl. 9, (2) pl. 17. |
| Merlin | . Europe, i. pl. 24; Gt. Brit. i. pl. 19. |
| Meropogon forsteni | . Asia, i. pl. 39. |
| Merops apiaster | . Europe, ii. pl. 59; Gt. Brit. ii. pl. 9. |
| — ornatus | . Australia, ii. pl. 16; Handb. i. p. 117. |
| philippinus | . Asia, i. pl. 36. |
| — quinticolor | . Asia, i. pl. 34. |
| viridis | . Asia, i. pl. 35. |
| Merula albocincta | . Asia, iii. pl. 6. |
| — boulboul | . Asia, iii. pl. 7; Cent. pl. 14. |
| castanea | . Asia, iii. pl. 5. |
| — migratoria | . Europe, ii. pl. 74. |
| — poliocephala | . Australia, Suppl. pl. 30; Handb. ii. |
| | App. p. 528. |
| — torquata | . Europe, ii. pl. 73; Gt. Brit. ii. pl. 38. |
| unicolor | . Asia, iii. pl. 4. |
| — vinitincta | . Australia, Suppl. pl. 31; Handb. ii. |
| | App. p. 529. |
| — vulgaris | . Europe, ii. pl. 72; Gt. Brit. ii. pl. 37. |
| Mesia, Silver-eared | . Asia, iv. pl. 16. |
| Mesocalius osculans | . Handb. i. p. 621. |
| mesoleucus, Heliomaster | . Humming B. iv. pl. 262. |
| | . Humming B. iv. pl. 280. |
| | . Australia, Suppl. pl. 33. |
| | . Handb. i. p. 477. |
| Metallura æneicauda | TT 1 TO 111 1 100 |
| — chloropogon | Humming B., Suppl. p. 64. |
| cupreicauda | 77 1 75 111 3 101 |
| — eupogon | 77 I TO G 1 04 |
| — heterocerca | 17 1 70 (0 1 1 1 4 7 |
| — jelskii | 7.5 |
| | Humming B., Suppl. p. 63. |
| | . Humming B. iii. pl. 194. |
| | TT ' D ''' 1 100 |
| smaragarmeoms | Trumming D. M. pr. 150. |

| Metallura tyrianthina | Humming B. iii. pl. 195. |
|------------------------------|--|
| - williami | Humming B. iii, pl. 193. |
| Mexican Hermit | Humming B. i. pl. 19. |
| — Sabre-wing | Humming B., Suppl. p. 5. |
| — Satellite | Humming B. iii. pl. 142. |
| — Shear-tail | Humming B. iii. pl. 155. |
| Star | Humming B. iii. pl. 143. |
| — Trogon | Trogons, (1) pls. 1, 2, (2) pl. 7. |
| — Violet-ear | Humming B. iv. pl. 227. |
| mexicanus, Trogon | Trogons, (1) pls. 1, 2, (2) pl. 7. |
| meyeri, Chalcites | New Guinea, iv. pl. 43. |
| Meyer's Golden Cuckoo | New Guinea, iv. pl. 43. |
| — Ground-Thrush | New Guinea, iii. pl. 1. |
| — Wood-Swallow | New Guinea, iv. pl. 19. |
| micrastur, Heliangelus | Humming B., Suppl. pl. 23. |
| Microchera albocoronata | Humming B. ii. pl. 116. |
| — parvirostris | Humming B., Suppl. pl. 30. |
| microdon, Scotophilus | Mamm. Austr. iii. pl. 42. |
| Microdynamis parva | New Guinea, iv. pl. 41. |
| Micrœca, see also Flycatcher | |
| —— assimilis | Australia, Introd. p. xi; Handb. i. |
| | p. 260 ; New Guinea, ii. pl. 10. |
| — fascinans | Handb. i. p. 258. |
| — flavigaster | Australia, ii. pl. 94; Handb. i. p. 261. |
| —, Great-winged | Australia, ii. pl. 93. |
| — macroptera | Australia, ii. pl. 93. |
| —, Western | New Guinea, ii. pl. 10. |
| —, Yellow-bellied | Australia, ii. pl. 94. |
| Microglossus aterrimus | Australia, Suppl. pl. 61; Handb. ii. |
| | p. 27. |
| Microperdix erythrorhyncha | Asia, vii. pl. 3. |
| microrhyncha, Ramphomicron . | Humming B. iii. pl. 189. |
| —, Tanysiptera | New Guinea, iv. pl. 51. |
| —, Uranomitra | Humming B., Suppl. p. 72. |
| Microura squamata | Icones Avium, pl. 5. |
| micrurus, Calothorax | Humming B. iii. pl. 148. |
| Middle-sized Hermit | Humming B. i. pl. 30. |
| Middle-spotted Woodpecker | Europe, iii. pl. 230. |
| migrans, Milvus | Gt. Brit. i. pl. 23. |

| migratoria, Merula | Europe, ii. pl. 74. |
|------------------------|--|
| Migratory Ouzel | Europe, ii. pl. 74. |
| miliaria, Crithophaga | Gt. Brit. iii, pl. 26. |
| —, Emberiza | Europe, iii. pl. 171. |
| militaris, Vinago | Cent. pl. 58. |
| milleri, Thaumatias | Humming B. v. pl. 296. |
| Miller's Emerald | Humming B. v. pl. 296. |
| milo, Nesocentor | New Guinea, iv. pl. 44. |
| Milvus affinis | Synopsis, part iii.; Australia, i. pl. 21; |
| | Handb. i. p. 49. |
| — ater | Europe, i. pl. 29. |
| —— govinda | Asia, i. pl. 11. |
| isurus | Synopsis, part iii.; Australia, i. pl. 22; |
| | Handb. i. p. 51. |
| — migrans | Gt. Brit. i. pl. 23. |
| — regalis | Gt. Brit. i, pl. 22. |
| — vulgaris | Europe, i. pl. 28. |
| Mimeta affinis | Handb i. p. 465. |
| — flavocincta | Handb. i. p. 466. |
| — viridis | Handb. i. p. 462. |
| mindanensis, Copsychus | Asia, iii. pl. 25. |
| Miner, Yellow-throated | Australia, iv. pl. 79; Handb. i. p. 578. |
| minima, Chthonicola | Australia, iii. pl. 72. |
| —, Excalfactoria | Asia, vii. pl. 7. |
| —, Mellisuga | Humming B. iii. pl. 133. |
| minimus, Sericornis | New Guinea, iii. pl. 7. |
| Minivet, Canton | Asia, ii. pl. 4. |
| —, Cawnpore | Asia, ii. pl. 6. |
| —, Great | Asia, ii. pl. 7. |
| —, Grey | Asia, ii. pl. 11. |
| ——, Grey-throated | Asia, ii. pl. 3. |
| —, Little | Asia, ii. pl. 9. |
| —, Orange | Asia, ii. pl. 8. |
| —, Rosy | Asia, ii. pl. 10. |
| —, Yellow-throated | Asia, ii. pl. 5. |
| minor, Ægialitis | Gt. Brit, iv. pl. 42. |
| —, Artamus | Australia, ii. pl. 28; Handb. i. p. 146. |
| ——, Charadrius | Europe, iv. pl. 297. |
| , Collurio | Europe, ii. pl. 68. |

| minor, Cygnus | | Gt. Brit. v. pl. 10. |
|--------------------------|--|--|
| , Eudyptula | | Handb. ii. p. 518. |
| —, Lamprocorax | | New Guinea, iv. pl. 18. |
| —, Lanius | | Gt. Brit. ii. pl. 14. |
| —, Linaria | | Europe, iii. pl. 194. |
| —, Lophorhina | | New Guinea, i. pl. 19. |
| —, Numenius | | Handb. ii. p. 280. |
| , Ocypterus | | Synopsis, part i. |
| , Parus | | Gt. Brit. ii. pl. 56. |
| —, Picus | | Europe, iii. pl. 231; Gt. Brit. iii. pl. 72. |
| —, Podiceps | | Europe, v. pl. 392; Gt. Brit. v. pl. 42. |
| —, Spheniscus | | Australia, vii. pl. 84. |
| —. Tachypetes | | Handb. ii. p. 499. |
| minuta, Actodromas | | Gt. Brit. iv. pl. 72. |
| —, Ardetta | | Europe, iv. pl. 282; Gt. Brit. iv. pl. 29. |
| ——, Porzana | | Gt. Brit. iv. pl. 90. |
| —, Tringa | | Europe, iv. pl. 332. |
| —, Sterna | | Europe, v. pl. 420. |
| , Xema | | Europe, v. pl. 428. |
| Minute Antechinus | | Mamm, Austr. i. pl. 45. |
| — Bittern | | Australia, vi. pl. 68; Handb. ii. p. 319. |
| —— Quail | | Asia, vii. pl. 7. |
| minutillus, Chrysococcyx | | Australia, Suppl. pl. 56. |
| —, Lamprococcyx | | Handb. i. p. 625. |
| minutissimus, Antechinus | | Mamm. Austr. i. pl. 45. |
| minutus, Botaurus | | Europe, iv. pl. 282. |
| —, Hydrocolæus | | Gt. Brit. v. pl. 66. |
| —, Larus | | Europe, v. pl. 428. |
| —, Numenius | | Australia, vi. pl. 44. |
| mirabilis, Loddigesia | | Humming B. iii. pl. 161. |
| ——, Poephila | | Australia, iii. pl. 89; Handb. i. p. 421. |
| Mirafra horsfieldii | | Australia, iii. pl. 77; Handb. i. p. 404. |
| —, Horsfield's | | Australia, iii. pl. 77. |
| Misori Pygmy Parrot . | | New Guinea, v. pl. 23. |
| misoriensis, Nasiterna . | | New Guinea, v. pl. 23. |
| Missel-Thrush | | Europe, ii. pl. 77; Gt. Brit. ii. pl. 33. |
| mitchelli, Calliphlox | | Humming B. iii. pl. 160. |
| —, Hapalotis | | Mamm. Austr. iii. pl. 9. |
| | | |

| Mitchell's Amethyst | . Humming B. iii. pl. 160. |
|------------------------|---|
| — Hapalotis | |
| mlokosiewiczi, Tetrao | |
| mocinno, Pharomacrus | |
| modesta, Aidemosyne | |
| —, Amadina | |
| —, Petroica | . Synopsis, part iv. App. p. 3. |
| —, Regulus | . Europe, ii. pl. 149. |
| modularis, Accentor | . Europe, ii. pl. 100; Gt. Brit. ii. pl. 55. |
| mœsta, Lalage | |
| Moho | |
| mollis, Æstrelata | . Handb. ii. p. 453. |
| —, Procellaria | . Australia, vii. pl. 50. |
| mollissima, Somateria | . Europe, v. pl. 374; Gt. Brit. v. pl. 26. |
| Molossus, Australian | . Mamm. Austr. iii. pl. 31. |
| — australis | . Mamm. Austr. iii. pl. 31. |
| Moluccan Bulbul | . New Guinea, iii. pl. 2. |
| monacha, Ægialites | . Handb. ii. p. 231. |
| —, Hiaticula | . Australia, vi. pl. 18. |
| Monachella muelleriana | . New Guinea, ii. pl. 16. |
| monachus, Ægialitis | |
| ,g | (cancelled) pl. 10. |
| , Artamus | . New Guinea, iv. pl. 21. |
| Monarcha albiventris | |
| | . Synopsis, part ii.; Australia, ii. pl. 95; |
| | Handb. i. p. 262. |
| — inornata | . Synopsis, part ii. |
| 1 1 ' | . New Guinea, ii. pl. 53. |
| —— leucotis | . Australia, Suppl. pl. 12; Handb. i. p. 264. |
| — melanonota | New Guinea, ii. pl. 54. |
| — periophthalmicus | . New Guinea, ii. pl. 52. |
| — trivirgata | 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| | Handb. i. p. 263. |
| Monaul | Asia, vii. pl. 53. |
| —, De l'Huys' | |
| —, Sclater's | |
| monedula, Corvus | |
| Mongolian Pheasant | Asia, vii. pl. 41. |
| | |

| Mongolian Rock-Pigeon | Asia, vi. pl. 54. |
|---------------------------|---|
| — Ruby-throat | Asia, iv. pl. 40. |
| mongolicus, Phasianus | Asia, vii. pl. 41. |
| Montagu's Harrier | Europe, i. pl. 35. |
| montana, Linaria | Europe, iii. pl. 192. |
| , Pyrgita | Europe, iii. pl. 184. fig. 2. |
| ——, Saxicola | Asia, iv. pl. 30. |
| montanellus, Accentor | Europe, ii. pl. 101; Asia, iv. pl. 41. |
| montanum, Edoliisoma | New Guinea, ii. pl. 7. |
| montanus, Passer | Europe, iii. pl. 184. fig. 2; Gt. Brit. iii. |
| | pl. 33. |
| Monticola erythrogaster | Cent. pl. 13. |
| monticola, Zoothera | Cent. pl. 22. |
| monticolus, Parus | Cent. pl. 29. fig. 2; Asia, ii. pl. 57. |
| Montifringilla adamsi | Asia, v. pl. 1. |
| arctoa | Asia, v. pl. 2. |
| — brunneinucha | Asia, v. pl. 4. |
| — hæmatopygia | Asia, v. pl. 3. |
| — ruficollis | Asia, v. pl. 5. |
| montifringilla, Fringilla | Europe, iii. pl. 188; Gt. Brit. iii. pl. 35. |
| montium, Linota | Gt. Brit. iii. pl. 50. |
| | |
| | Europe, iv. pl. 342; Gt. Brit. iv. pl. 85. Handb. ii. App. p. 561. |
| Mooruk | |
| morinellus, Charadrius | Europe, iv. pl. 295. |
| ——, Eudromias | Gt. Brit. iv. pl. 43. |
| morio, Scotophilus | Mamm. Austr. iii. pl. 41. |
| Mormon fratercula | Europe, v. pl. 403. |
| — glacialis | Europe, v. pl. 404. |
| morphnoides, Aquila | Australia, i. pl. 2. |
| —, Hieraëtus | Handb. i. pl. 11. |
| —, Nisaëtus | Australia, i. pl. 2. |
| mortieri, Tribonyx | Australia, vi. pl. 71; Handb. ii. p. 324. |
| Mortier's Tribonyx | Australia, vi. pl. 71; Handb. ii. p. 324. |
| moschitus, Chrysolampis | Humming B. iv. pl. 204. |
| Mosque-Swallow, Ceylonese | Asia, i. pl. 30. |
| , Daurian | Asia, i. pl. 28. |
| , Indian | Asia, i. pl. 29. |

| mosquera, Eriocnemis | Humming B. iv. pl. 274. |
|---------------------------------|--|
| Mosquera's Puff-leg | Humming B. iv. pl. 274. |
| Motacilla alba | Europe, iii. pl. 143; Gt. Brit. iii. pl. 2. |
| — boarula | Europe, ii. pl. 147. |
| — citreola | Europe, ii. pl. 144. |
| — dukhunensis | Asia, iv. pl. 62. |
| — flava | Europe, ii. pl. 145. |
| lugubris | Europe, ii. pl. 142. |
| — maderaspatensis | Asia, iv. pl. 61. |
| — neglecta | Europe, ii. pl. 146. |
| personata | Asia, iv. pl. 63. |
| yarrelli | Europe, ii. pl. 141; Gt. Brit. iii. pl. 1. |
| motacilloides, Rhipidura | Australia, ii. pl. 86. |
| , Sauloprocta | Handb. i. p. 244. |
| Moth-plumaged Podargus | Handb. i. p. 90. |
| Mottled-breasted Honey-sucker . | New Guinea, iii. pl. 48. |
| Mound-raising Megapode | Australia, v. pl. 79. |
| Mount Arfak Cuckoo-Shrike | New Guinea, ii. pl. 7. |
| Mountain Accentor | Europe, ii. pl. 101; Asia, iv. pl. 41. |
| Amazili | Humming B. v. pl. 304. |
| Finch | Europe, iii. pl. 188. |
| , Adams' | Asia, v. pl. 1. |
| , Brown-naped | Asia, v. pl. 4. |
| , Northern | Asia, v. pl. 2. |
| , Red-necked | Asia, v. pl. 5. |
| , Red-rumped | Asia, v. pl. 3. |
| — Humming-bird, Buckley's . | Humming B., Suppl. pl. 8. |
| Linnet | Europe, iii. pl. 192; Gt. Brit. iii. pl. 50. |
| — Stone-Chat | Asia, iv. pl. 30. |
| — Thrush | Australia, iv. pl. 7. |
| — Tit | Asia, ii. pl. 57. |
| — Trogon | Asia, i. pl. 71; Trogons, (1) pl. 36, |
| | (2) pl. 46. |
| Mountaineer, Bearded | Humming B., Suppl. pl. 42. |
| Mou-pin Snow-Patridge | Asia, vii. pl. 44. |
| Mouse, Delicate-coloured | Mamm. Austr. iii. pl. 23. |
| —, Greyish-white | Mamm. Austr. iii. pl. 21. |
| —, New-Holland Field | Mamm. Austr. iii. pl. 22. |

| Mouse, White-footed |
|--|
| Moustached Honey-eater |
| Warbler Europe, ii. pl. 111. fig. 1. Mrs. Forbes's Honey-sucker New Guinea, iii. pl. 67. Mrs. Layard's Parrakeet Asia, vi. pl. 1. Mrs. Sclater's Ground-Dove New Guinea, v. pl. 49. |
| Mrs. Forbes's Honey-sucker New Guinea, iii. pl. 67. Mrs. Layard's Parrakeet Asia, vi. pl. 1. Mrs. Sclater's Ground-Dove New Guinea, v. pl. 49. |
| Mrs. Layard's Parrakeet Asia, vi. pl. 1. Mrs. Sclater's Ground-Dove New Guinea, v. pl. 49. |
| , , , |
| |
| |
| Müller's Flower-pecker New Guinea, iv. pl. 2. |
| mulsanti, Calothorax Humming B. iii. pl. 145. |
| Mulsant's Lance-bill Humming B., Suppl. p. 28. |
| — Wood-Star Humming B. iii. pl. 145. |
| multicolor, Petroica Synopsis, part i.; Australia, iii. pl. 3; |
| Handb. i. p. 279. |
| —, Psephotus Australia, v. pl. 35; Handb. ii. p. 68. |
| —, Todus Icones Avium, pl. 2. |
| —, Trichoglossus Handb. ii. p. 93. |
| multipunctata, Nucifraga Asia, v. pl. 59. |
| mundus, Heteranax New Guinea, ii. pl. 39. |
| Munia flaviprymna Handb. i. p. 428. |
| — forbesi New Guinea, iv. pl. 23. |
| grandis New Guinea, iv. pl. 22. |
| Munipur Suthora Asia, iii. pl. 69. |
| munipurensis, Suthora Asia, iii. pl. 69. |
| murarius, Cypselus Europe, ii. pl. 53. fig. 1. |
| Murine Antechinus Mamm. Austr. i. pl. 43. |
| —— Hapalotis Mamm. Austr. iii. pl. 7. |
| murinus, Antechinus Mamm. Austr. i. pl. 43. |
| —, Hapalotis Mamm. Austr. iii. pl. 7. |
| —, Hypsiprymnus Mamın. Austr. ii. pl. 67. |
| Mus albocinereus Mamm. Austr. iii. pl. 21. |
| —— assimilis Mamm. Austr. iii. pl. 15. |
| — cervinipes Mamm. Austr. iii. pl. 14. |
| — delicatulus Mamm. Austr. iii. pl. 23. |
| — fuscipes Mamm. Austr. iii. pl. 11. |
| — gouldi Mamm. Austr. iii. pl. 19. |
| —— lineolatus Mamm. Austr. iii. pl. 18. |
| —— lougipilis Mamm. Austr. iii. pl. 13. |

| Mus manicatus | . Mamm. Austr. iii. pl. 16. |
|--------------------------------|--|
| nanus | . Mamm. Austr. iii. pl. 20. |
| — novæ-hollandiæ | . Mamm. Austr. iii. pl. 22. |
| — sordidus | . Mamm. Austr. iii. pl. 17. |
| — vellerosus | . Mamm. Austr. iii. pl. 12. |
| Muscicapa albicollis | . Europe, ii. pl. 63. fig. 2. |
| — atricapilla | . Gt. Brit. ii. pl. 17. |
| — collaris | . Gt. Brit. ii. pl. 18. |
| —— grisola | . Europe, ii. pl. 65. |
| — luctuosa | . Europe, ii. pl. 63. fig. 1. |
| — melanops | . Cent. pl. 6. |
| — parva | . Europe, ii. pl. 64. |
| Muscipeta brevirostris | . Cent. pl. 8. |
| incei | . Asia, ii. pl. 19. |
| paradisi | . Asia, ii. pl. 18. |
| — peregrina | . Cent. pl. 9. |
| — princeps | . Cent. pl. 7. |
| musicus, Turdus | Europe, ii. pl. 78. fig. 1; Gt. Brit. ii. |
| , | pl. 32. |
| Musk Duck | . Australia, vii. pl. 18; Handb. ii. |
| | p. 381. |
| Lorikeet | . Handb. ii. p. 100. |
| Musky Lorikeet | . Australia, v. pl. 52. |
| musschenbroecki, Trichoglossus | . New Guinea, v. pl. 42. |
| Mute Swan | |
| mutus, Lagopus | Europe, iv. pl. 253; Gt. Brit. iv. pls. 8, |
| | 9, 10. |
| Mycerobas carneipes | . Asia, v. pl. 21. |
| — melanoxanthus | . Asia, v. pl. 20. |
| Mycteria, Australian | . Australia, vi. pl. 51. |
| australis | . Australia, vi. pl. 51. |
| Myiabeillia typica | . Humming B. iv. pl. 211. |
| Myiagra cervinicauda | New Guinea, ii. pl. 35. |
| — concinna | . Australia, ii. pl. 90; Handb. i. p. 254. |
| ferrocyanea | . New Guinea, ii. pl. 36. |
| — fulviventris | . New Guinea, ii. pl. 34. |
| — latirostris | . Australia, ii. pl. 92; Handb. i. |
| | р. 256. |

| Myiagra nitida | Synopsis, part iv.; Australia, ii. pl. 91; Handb. i. p. 255. |
|------------------------------|--|
| —— plumbea | Australia, ii. pl. 89; Handb. i. p. 252. |
| Myiophoneus blighi | Asia, iii. pl. 27. |
| insularis | Asia, iii. pl. 28. |
| Myophonus horsfieldii | Cent. pl. 20. |
| temmincki | Cent. pl. 21. |
| myosurus, Perameles | Mamm. Austr. i. pl. 10. |
| Myristicivora spilorrhoa | Handb. ii. p. 114. |
| Myrmecobius, Banded | Mamm. Austr. i. pl. 4. |
| — fasciatus | Mamm. Austr. i. pl. 4. |
| Mysol Honey-eater | New Guinea, iii. pl. 42. |
| Mysore Island Black Sun-bird | New Guinea, iii. pl. 31. |
| — Yellow Flycatcher | New Guinea, ii. pl. 53. |
| mysorensis, Cinnyris | New Guinea, iii. pl. 31. |
| mystacalis, Meliornis | Handb. i. p. 491. |
| —, Meliphaga | Australia, iv. pl. 26. |
| mystaceus, Dendrochelidon | Asia, i. pl. 24. |
| Myzantha flavigula | Australia, iv. pl. 79; Handb. i. p. 578. |
| garrula | Australia, iv. pl. 76; Handb. i. p. 574. |
| —— lutea | Australia, iv. pl. 78; Handb. i. p. 577. |
| — melanophrys | Australia, iv. pl. 80. |
| obscura | Australia, iv. pl. 77; Handb. i. p. 576. |
| Myzanthe ignipectus | Asia, ii. pl. 40. |
| Myzomela annabellæ | New Guinea, iii. pl. 67. |
| — cineracea | New Guinea, iii. pl. 69. |
| — cruentata | New Guinea, iii. pl. 71. |
| erythrina | New Guinea, iii. pl. 65. |
| — erythrocephala | Australia, iv. pl. 64; Handb. i. p. 556. |
| — melanocephala | New Guinea, iii. pl. 66. |
| — nigra | Australia, pt. ii. (cancelled), & vol. iv. |
| - | pl. 66; Handb. i. p. 558. |
| nigrita | New Guinea, iii. pl. 72. |
| — obscura | Australia, iv. pl. 67; Handb. i. p. 559. |
| —— pectoralis | Australia, iv. pl. 65; Handb. i. p. 557. |
| — rosenbergi | New Guinea, iii. pl. 70. |
| sanguinolenta | Australia, iv. pl. 63; Handb. i. p. 555. |
| — sclateri | New Guinea, iii. pl. 68. |
| | |

| | . Asia, iv. pl. 20. . Asia, iv. pl. 20. |
|------------------------------|--|
| | T 1.0 (4 D 1.2 |
| , 1 | Europe, i. pl. 8; Gt. Brit. i. pl. 3. |
| nævius, Grypus | Humming B. i. pl. 1. |
| nævosa, Anas | . Australia, vii. pl. 10. |
| —, Stictonetta | . Handb. ii. p. 367. |
| Nágá Nuthatch | . Asia, ii. pl. 42. |
| nagaensis, Sitta | . Asia, ii. pl. 42. |
| Naked-eyed Cockatoo | New Guinea, v. pl. 46. |
| Naked-faced Honey-eater | |
| Nail-tailed Kangaroo | . Mamm. Austr. ii. pls. 52, 53; Monogr. |
| D : 11 1 | Macrop. part i. pl. 4. |
| ——, Bridled | . Mamm. Austr. ii. pl. 51; Monogr. Macrop. part i. |
| , Lunated | |
| nana, Acanthiza | * |
| · | Handb. i. p. 371. |
| , Sylvia | * |
| Nankeen Kestrel | . Australia, i. pl. 13; Handb. i. p. 35. |
| Night-Heron | . Australia, vi. pl. 63; Handb. ii. p. 311. |
| Nanodes elegans | . Synopsis, part ii. |
| — pulchellus | . Synopsis, part ii. |
| — undulatus | . Australia, pt. i. (cancelled). |
| venustus | . Synopsis, part ii. |
| nanus, Iyngipicus | . Asia, vi. pl. 34. |
| , Mus | . Mamm. Austr. iii. pl. 20. |
| —, Ptilopus | . New Guinea, v. pl. 51. |
| Narina Trogon | . Trogons, (1) pl. 26, (2) pl. 34. |
| narina, Hapaloderma | . Trogons, (2) pl. 34. |
| —, Trogon | . Trogons, (1) pl. 26. |
| Narrow-billed Bronze Cuckoo. | . Handb. i. p. 626. |
| 37 31 3 771 4 1 1 3 | . New Guinea, iii. pl. 19. |
| nasicus, Licmetis | |

| Nasiterna beccarii | New Guinea, v. pl. 25. |
|-------------------------|--|
| | New Guinea, v. pl. 24. |
| — keiensis | New Guinea, v. pl. 27. |
| — maforensis | New Guinea, v. pl. 22. |
| — misoriensis | New Guinea, v. pl. 23. |
| —— pusio | New Guinea, v. pl. 26. |
| — pygmæa | New Guinea, v. pl. 21. |
| naso, Calyptorhynchus | Australia, v. pl. 9; Handb. ii. p. 17. |
| nasuta, Perameles | Mamm. Austr. i. pl. 11. |
| nattereri, Pteroglossus | Toucans, (1) pl. 25. |
| —, Selenidera | Toucans, (2) pl. 34. |
| —, Sylvia | Europe, ii. pl. 134. |
| Natterer's Araçari | Toucans, (1) pl. 25. |
| —— Toucanet | Toucans, (2) pl. 34. |
| — Vizor-bearer | Humming B. iv. pl. 221. |
| — Warbler | Europe, ii. pl. 134. |
| — Wood-Nymph | Humming B., Suppl. p. 48. |
| Nauclerus furcatus | Europe, i. pl. 30. |
| naumanni, Turdus | Europe, ii. pl. 79. |
| Naumann's Thrush | Europe, ii. pl. 79. |
| nebulosa, Ulula | Europe, i. pl. 46. |
| Necklaced Pitta | Asia, v. pl. 69. |
| Nectarinia asiatica | Asia, ii. pl. 32. |
| australis | Australia, Suppl. pl. 45; Handb. i. |
| | p. 584. |
| — goalpariensis | Asia, ii. pl. 29. |
| — gouldiæ | Asia, ii. pl. 26. |
| —— ignicauda | Asia, ii. pl. 28. |
| —— insignis | Asia, ii. pl. 25. |
| — lotenia | Asia, ii. pl. 33. |
| — nipalensis | Asia, ii. pl. 31. |
| — osea | Asia, ii. pl. 23. |
| saturata | Asia, ii. pl. 27. |
| — vigorsi | Asia, ii. pl. 30. |
| —— zelonica | Asia, ii. pl. 24. |
| Nectris brevicaudus | Handb. ii. p. 459. |
| — carneipes | Handb. ii. p. 465. |
| neglecta, Agyrtria | Humming B., Suppl. p. 75. |

| neglecta, Motacilla | | | | | Europe, ii. pl. 146. |
|------------------------|----|----|-----|----|---|
| Negros Yellow-faced Wo | od | pe | cke | r. | Asia, vi. pl. 37. |
| Neochmia phaeton | | | | | Handb. i. p. 415. |
| Neomorpha acutirostris | | | | | Synopsis, part i. |
| — crassirostris | | | | | Synopsis, part i. |
| — gouldii | | | | | Australia, iv. pl. 19; Handb. ii. App. p. 530. |
| —, Gould's | | | | | Australia, iv. pl. 19. |
| Neophron, Egyptian | | | | | Europe, i. pl. 3. |
| — percnopterus | | | | | Europe, i. pl. 3; Gt. Brit. i. pl. 1. |
| *** | | | | | Australia, ii. pl. 13. |
| *** ** * | | | | | Trogons, (2) pl. 6. |
| en . | | | | | Trogons, (1) pl. 25. |
| | | | | | Asia, i. pl. 31. |
| 37 1 1 1 1 | | | | | Asia, iii. pl. 57. |
| | | | | | Asia, iii. pl. 57. |
| Nepaul Accentor | | | | | Asia, iv. pl. 44. |
| - | | | | | Asia, iii. pl. 67. |
| Pitta | | | | | Asia, v. pl. 79. |
| Pucras Pheasant . | | | | | Asia, vii. pl. 28. |
| Nepaulese Blue Pie | | | | | Asia, v. pl. 47. |
| Bullfinch | | | | | Asia, v. pl. 37. |
| — Creeper | | | | | Asia, iv. pl. 57. |
| Horned Pheasant . | | | | | Asia, vii. pl. 49. |
| — Sun-bird | | | | | Asia, ii. pl. 31. |
| — Wren | | | | | Asia, iv. pl. 51. |
| | | | | | Handb. ii. p. 476. |
| —, Sternula | | | | | Australia, vii. pl. 29; Handb. ii. p. 402. |
| —, Thalassidroma | | | | | Australia, vii. pl. 64. |
| Nesocentor milo | | | | | New Guinea, iv. pl. 44. |
| Nestor esslingii | | | | | Australia, Suppl. pl. 59; Handb. ii. App. p. 552. |
| —— hypopolius | | | | | Synopsis, part i.; Australia, pt. ii. (cancelled); Suppl. pl. 58; Handb. ii. App. p. 548. |
| — notabilis | | | | | Australia, Suppl. pl. 60; Handb. ii. App. p. 554. |

| Nestor productus | Synopsis, part i.; Australia, pt. i. (cancelled), & vol. v. pl. 6; Handb. ii. App. p. 550. |
|----------------------------|--|
| nestor, Podiceps | Synopsis, part i.; Handb. ii. p. 512. |
| Nettapus albipennis | Handb. ii. p. 359. |
| coromandelianus | Australia, vii. pl. 5. |
| — pulchellus | Australia, vii. pl. 4; Handb. ii. p. 357. |
| New-Britain Hawk-Owl | New Guinea, i. pl. 5. |
| New-Guinea Flightless Rail | New Guinea, v. pl. 69. |
| — Harpy-Eagle | New Guinea, i. pl. 3. |
| — Pitta | New Guinea, iv. pl. 36. |
| Rifle-bird | New Guinea, i. pl. 13. |
| —— Tit | New Guinea, iv. pl. 1. |
| — Todopsis | New Guinea, ii. pl. 21. |
| — Tree-creeper | New Guinea, iii. pl. 29. |
| New-Holland Darter | Australia, vii. pl. 75; Handb. ii. p. 496. |
| Field-Mouse | Mamm. Austr. iii. pl. 22. |
| — Goshawk | Australia, i. pl. 14; Handb. i. p. 37. |
| — Honey-eater | Australia, iv. pl. 23; Handb. i. p. 486. |
| —— Snipe | Australia, vi. pl. 40; Handb. ii. p. 271. |
| New-Ireland Drongo | New Guinea, i. pl. 51. |
| — Fruit-Pigeon | New Guinea, v. pl. 63. |
| — Honey-sucker | New Guinea, iii. pl. 65. |
| Wood-Swallow | New Guinea, iv. pl. 20. |
| New South Wales Oriole | Australia, iv. pl. 13; Handb. i. p. 462. |
| —— —— Rat-Kangaroo . | Mamm. Austr. ii. pl. 67. |
| New-Zealand Stilt | Australia, vi. pl. 25; Handb. ii. App. p. 574. |
| Nicobar Parakeet | Asia, vi. pl. 6. |
| nicobaricus, Palæornis | Asia, vi. pl. 6. |
| niger, Accipiter | Synopsis, part iii. |
| nigerrima, Hyp-ipetes | Asia, iii. pl. 12. |
| Night-Heron, Common | Europe, iv. pl. 279; Gt. Brit. iv. pl. 26. |
| —, Nankeen | Australia, vi. pl. 63; Handb. ii. p. 311. |
| Nightingale | Europe, ii. pl. 116; Gt. Brit. ii. pl. 56. |
| ——, Thrush | Europe, ii. pl. 117. |
| Nightjar, or Goatsucker | Gt. Brit. ii. pl. 1. |
| ——, Large-tailed | Australia, ii. pl. 9; Handb. i. p. 100. |

| Nightjar, Mahratta | Asia, i. pl. 19. Australia, ii. pl. 1; Handb. i. p. 79. |
|--------------------------------|--|
| , Spotted | Australia, ii. pl. 8; Handb. i. p. 98. |
| , White-bellied Owlet | Australia, ii. pl. 2; Handb. i. p. 81. |
| —, White-throated | Australia, ii. pl. 7; Handb. i. p. 96. |
| nigra, Astrapia | New Guinea, i. pl. 17. |
| —, Ciconia | Europe, iv. pl. 284; Gt. Brit. iv. pl. 31. |
| —, Hydrochelidon | Gt. Brit. v. pl. 75. |
| —, Myzomela | Australia, pt. ii. (cancelled) pl. 8, & vol. iv. pl. 66; Handb. i. p. 558. |
| —, Oidemia | Europe, v. pl. 378; Gt. Brit. v. pl. 28. |
| —, Sterna | Europe, v. pl. 422. |
| —, Viralva | Europe, v. pl. 422. |
| nigricans, Hylochelidon | Handb. i. p. 111. |
| —, Seleucides | New Guinea, i. pls. 14, 15. |
| nigricauda, Agyrtria | Humming B., Suppl. p. 80. |
| nigricaudata, Trogon | Trogons, (1) pl. 18. |
| nigriceps, Donacicola | New Guinea, iv. pl. 25. |
| —, Otis | Cent. pl. 72. |
| —, Tanysiptera | New Guinea, iv. pl. 50. |
| nigricinctus, Phaethornis | Humming B. i. pl. 39, fig. 1. |
| nigricollis, Podiceps | Gt. Brit. v. pl. 41. |
| nigrifrons, Ægialitis | Synopsis, part ii.; Handb. ii. p. 232. |
| —, Hiaticula | Australia, vi. pl. 20. |
| nigripectus, Machærirhynchus . | New Guinea, ii. pl. 38. |
| nigripennis, Upupa | Asia, i. pl. 66. |
| nigrirostris, Andigena | Toucans, (2) pl. 40. |
| nigrita, Myzomela | New Guinea, iii. pl. 72. |
| nigriventris, Callipharus | Humming B., Suppl. pl. 54. |
| nigrivestis, Eriocnemis | Humming B. iv. pl. 276. |
| nigrocyanea, Halcyon | New Guinea, iv. pl. 57. |
| nigrofasciata, Thalurania | Humming B. ii. pl. 104. |
| nigrogriseus, Scotophilus | Mamm. Austr. iii. pl. 44. |
| nigrogularis, Cracticus | Australia, ii. pl. 49; Handb. i. p. 180. |
| —, Ortyx | Odontoph. pl. 4. |
| —, Psophodes | Australia, iii. pl. 16; Handb. i. p. 314. |
| —, Vanga | Synopsis, part i. |

| Niltava grandis | Asia, ii. pl. 20. |
|----------------------------|--|
| — macgregoriæ | Asia, ii. pl. 22. |
| — sundara | Asia, ii. pl. 21. |
| Ninox dimorpha | New Guinea, i. pl. 7. |
| — forbesi | New Guinea, i. pl. 6. |
| — odiosa | New Guinea, i. pl. 5. |
| nipalensis, Accentor | Asia, iv. pl. 44. |
| —, Actinodura | Asia, iii. pl. 57. |
| —, Anorthura | Asia, iv. pl. 51. |
| —, Certhia | Asia, iv. pl. 57. |
| —, Cutia | Asia, iii. pl. 67. |
| —, Delichon | Asia, i. pl. 31. |
| —, Nectarinia | Asia, ii. pl. 31. |
| —, Pitta | Asia, v. pl. 79. |
| , Pucrasia | Asia, vii. pl. 28. |
| —, Pyrrhula | Asia, v. pl. 37. |
| —, Suthora | Asia, iii. pl. 70. |
| , Troglodytes | Asia, iv. pl. 51. |
| nisoria, Curruca | Europe, ii. pl. 128. |
| —, Sylvia | Europe, ii. pl. 128. |
| nisus, Accipiter | Gt. Brit. i. pl. 10. |
| nitida, Myiagra | Synopsis, part iv. App. p. 1; Australia, |
| | ii. p. 91; Handb. i. p. 255. |
| nitidicauda, Agyrtria | Humming B., Suppl. p. 80. |
| nitidifrons, Thaumatias | Humming B. v. pl. 297. |
| nitidus, Piezorhynchus | Australia, ii. pl. 88; Handb. i. p. 249. |
| nivalis, Fringilla | Europe, iii. pl. 189. |
| —, Montifringilla | Europe, iii. pl. 189. |
| , Plectrophanes | Europe, iii. pl. 170; Gt. Brit. iii. pl. 31. |
| nivea, Nyctea | Gt. Brit. i. pl. 34. |
| niveiventris, Erythronota | Humming B. v. pl. 319. |
| niveogularis, Acanthiparus | Asia, ii. pl. 67. |
| nivicola, Lerwa | Asia, vi. pl. 75. |
| nobilis, Oreonympha | Humming B., Suppl. pl. 42. |
| —, Otidiphaps | Asia, vi. pl. 53. |
| noctua, Athene | Gt. Brit. i. pl. 37. |
| Noctua cuculoides | Cent. pl. 4. |
| — nudipes | Europe, i. pl. 48. |
| | |

| Noctua passerina | Europe, i. pl. 50. |
|----------------------------|---|
| — tengmalmi | Europe, i. pl. 49. |
| Nocturnal Ground-Parrakeet | Australia, Suppl. pl. 66. |
| Noddy, Grey | Australia, vii. pl. 37; Handb. ii. p. 420. |
| , Lesser | Australia, vii. pl. 35; Handb. ii. p. 417. |
| — Tern | Europe, v. pl. 421; Australia, vii. pl. 34; |
| | Handb. ii. p. 413. |
| —, White-capped | Handb. ii. p. 419. |
| Noisy Brush-bird | Australia, iii. pl. 34. |
| —— Pitta | Australia, iv. pl. 1; Handb. i. p. 430. |
| — Scrub-bird | Handb. i. p. 344. |
| norfolciensis, Leucomelæna | Handb. ii. p. 112. |
| Norfolk Island Robin | Australia, iii. pl. 4; Handb. ii. App. |
| | р. 526. |
| —— Plover | Europe, iv. pl. 288; Gt. Brit. iv. |
| | pl. 35. |
| North Australian Dasyurus | Mamm. Austr. i. pl. 52. |
| Northern Bullfinch | Asia, v. pl. 38. |
| — Campephaga | Handb. i. p. 202. |
| — Cuckoo-Shrike | Australia, ii. pl. 61. |
| — Diver | Europe, v. pl. 394. |
| — Fantail | Handb. i. p. 242. |
| — Flycatcher | Australia, ii. pl. 85. |
| — Mountain Finch | Asia, v. pl. 2. |
| —— Puffin | Europe, v. pl. 404. |
| — Sphecotheres | Handb. i. p. 468. |
| — Swamp-Quail | Handb. ii. p. 195. |
| Norwegian or Gyr Falcou | Gt. Brit. i. pl. 16. |
| notabilis, Nestor | Australia, Suppl. pl. 60; Handb. ii. App. p. 554. |
| notata, Pseudogerygone | New Guinea, ii. pl. 12. |
| —, Ptilotis | Australia, Suppl. pl. 41. |
| notatus, Belidens | Mamm. Austr. i. pl. 26. |
| —, Elanus | Synopsis, part iv. App. p. 1. |
| Notornis mantelli | Australia, Suppl. pl. 76; Handb. ii. |
| | App. p. 576. |
| Nouna-Koali | Humming B. iii. pl. 169. |
| novæ-guineæ, Harpyopsis | New Guinea, i. pl. 3. |
| | 2 F 2 |

| novæ-guineæ, Orthonyx | New Guinea, iii. pl. 9. |
|---------------------------|---|
| —, Pitta | New Guinea, iv. pl. 36. |
| novæ-hollandiæ, Ægotheles | Australia, ii. pl. 1; Handb. i. p. 79. |
| , Ardea | Australia, vi. pl. 53; Handb. ii. p. 299. |
| ——, Astur | Synopsis, part iii.; Australia, i. pls. 14, 15. |
| —, Calopsitta | Handb. ii. p. 84. |
| , Cereopsis | Australia, vii. pl. 1; Handb. ii. pl. 350. |
| —, Dromaius | Australia, vi. pl. 1; Handb. ii. p. 200. |
| —, Leucospiza | Handb. i. p. 38. |
| —, Meliornis | Handb. i. p. 486. |
| ——, Meliphaga | Synopsis, part i.; Australia, iv. pl. 23. |
| —, Mus | Mamm. Austr. iii. pl. 22. |
| , Nymphicus | Australia, pt. i. (cancelled) pl. 6, |
| | & vol. v. pl. 45. |
| —, Phalacrocorax | Handb. ii. p. 488. |
| —, Plotus | Australia, vii. pl. 75; Handb. ii. p. 496. |
| —, Scythrops | Australia, iv. pl. 90; Handb. i. p. 628. |
| —, Strix | Handb. i. p. 64. |
| novæ-zealandiæ, Coturnix | Synopsis, part ii. |
| —, Himantopus | Australia, vi. pl. 25; Handb. ii. App. p. 574. |
| nuchalis, Calodera | Synopsis, part i. |
| , Chlamydera | Australia, iv. pl. 9. |
| ——, Chlamydodera | Handb. i. p. 448. |
| ——, Megalæma | Asia, vi. pl. 49. |
| Nucifraga caryocatactes | Europe, iii. pl. 213; Gt. Brit. iii. pls. 65, 66. |
| —— hemispila | Cent. pl. 36. |
| — multipunctata | Asia, v. pl. 59. |
| nudipes, Noctua | Europe, i. pl. 48. |
| nugax, Puffinus | Handb. ii. p. 458. |
| Numenius arquata | Europe, iv. pl. 302; Gt. Brit. iv. pl. 48. |
| australasianus | Synopsis, part iv. App. p. 6. |
| — australis | Australia, vi. pl. 42. |
| — cyanopus | Handb. ii. p. 277. |
| — minor | Handb. ii. p. 280. |
| | Australia, vi. pl. 44. |

| Numenius phæopus | Europe, iv. pl. 303; Gt. Brit. iv. pl. 49. |
|------------------------|---|
| — rufescens | Asia, vii. pl. 60. |
| — tenuirostris | Europe, iv. pl. 304. |
| — uropygialis | Australia, vi. pl. 43; Handb. ii. p. 279. |
| Numida vulturina | Icones Avium, pl. 8. |
| Numidian Demoiselle | Europe, iv. pl. 272. |
| Nun | Gt. Brit. v. pl. 37. |
| nuna, Lesbia | Humming B. iii. pl. 169. |
| Nutcracker | Europe, iii, pl. 213; Gt. Brit. iii. |
| | pls. 65, 66. |
| —, Many-spotted | Asia, v. pl. 59. |
| Nuthatch, Asiatic | Europe, iii. pl. 236. |
| —, Beautiful | Asia, ii. pl. 43. |
| —, Black-capped | Handb. i. p. 612. |
| —, Chestnut-bellied | Asia, ii. pl. 45. |
| —, Cinnamon-bellied | Asia, ii. pl. 44. |
| —, Common | Europe, iii. pl. 234; Gt. Brit. ii. pl. 22. |
| —, Dalmatian | Europe, iii. pl. 235. |
| —, Himalayan | Asia, ii. pl. 47. |
| —, Naga | Asia, ii. pl. 42. |
| —, Orange-winged | Handb. i. p. 609. |
| —, White-faced | Asia, ii. pl. 46. |
| —, White-headed | Handb. i. p. 610. |
| —, White-winged | Handb. i. p. 611. |
| Nutmeg-Pigeon, White | Handb. ii. p. 114. |
| Nyctale tengmalmi | Gt. Brit. i. pl. 36. |
| Nyctea nivea | Gt. Brit. i. pl. 34. |
| nyctea, Surnia | Europe, i. pl. 43. |
| nycthemerus, Gennæus | Asia, vii. pl. 17. |
| Nyctibius pectoralis | Icones Avium, pl. 18. |
| Nycticorax caledonicus | Australia, vi. pl. 63; Handb. ii. p. 311. |
| — europæus | Europe, iv. pl. 279. |
| griseus | Gt. Brit. iv. pl. 26. |
| Nyctidromus derbyanus | Icones Avium, pl. 12. |
| Nyctiornis amictus | Asia, i. pl. 38. |
| — athertoni | Asia, i. pl. 37. |
| —, Blue-throated | Asia, i. pl. 37. |
| , Red-throated | Asia, i. pl. 38. |
| | - |

| Nyctophilus geoffroyi | | Mamm. Austr. iii. pls. 36, 37. Mamm. Austr. iii. pl. 36, 37. Mamm. Austr. iii. pl. 38. Mamm. Austr. iii. pl. 39. Mamm. Austr. iii. pl. 39. Mamm. Austr. iii. pl. 39. New Guinea, iv. pl. 48. Australia, pt. i. (cancelled) pl. 6, & vol. v. pl. 45. Australia, vii. pl. 16; Handb. ii. p. 377. Gt. Brit. v. pl. 20. Gt. Brit. v. pl. 21. |
|-----------------------|------|--|
| —, Myzomela | | Mamm. Austr. i. pl. 12. New Guinea, i. pl. 36. New Guinea, i. pl. 36. Australia, iv. pl. 77; Handb. i. p. 576. Australia, iv. pl. 67; Handb. i. p. 559. Humming B. i. pl. 38. Humming B. i. pl. 38. Australia, iv. pl. 67; Handb. i. p. 559. Gt. Brit. iii. pl. 10. Humming B. ii. pl. 49. Europe, v. pl. 444. Asia, vii. pl. 44. Asia, vii. pl. 44. Asia, v. pl. 29. Humming B. v. pl. 289. New Guinea, v. pl. 1. Australia, Suppl. pl. 66; Handb. ii. p. 88. Handb. i. p. 33. Australia, i. pl. 12. New Guinea, i. pl. 45. Cent. pl. 47. Asia, iv. pl. 12. Cent. pl. 47. |

| i-italia Vahima | | Asia in pl 14 |
|-------------------------|---|--|
| occipitalis, Yuhina | | Asia, iv. pl. 14. |
| | ٠ | Handb. ii. p. 478. |
| Oceanites oceanica | | Handb. ii. p. 478. |
| ocellata, Ianthocincla | | Cent. pl. 15; Asia, iii. pl. 44. |
| —, Leipoa | • | Australia, v. pl. 78; Handb. ii. p. 155. |
| Ocellated Goatsucker | • | New Guinea, iv. pl. 40. |
| — Ianthocincla | | Asia, iii. pl. 44. |
| — Laughing Thrush | • | Asia, iii. pl. 44. |
| — Leipoa | | Australia, v. pl. 78; Handb. ii. p. 155. |
| —— Partridge | | Odontoph. pl. 8. |
| , | | Cent. pl. 15. |
| ——, Syrnium | | Asia, i. pl. 16. |
| ocellatus, Cyrtonyx | | Odontoph. pl. 8. |
| —, Podargus | | New Guinea, iv. pl. 40. |
| ochracea, Sasia | | Asia, vi. pl. 40. |
| Ochraceous Honey-eater | | New Guinea, iii. pl. 34. |
| ochromelas, Eurylæmus | | Asia, i. pl. 58. |
| —, Melirrhophetes | | New Guinea, iii. pl. 34. |
| ochropus, Totanus | | Europe, iv. pl. 315. fig. 1; Gt. Brit. iv. pl. 56. |
| Ochthodromus bicinctus | | Handb. ii. p. 238. |
| | | - |
| inornatus | | Handb. ii. p. 237. |
| ocularis, Glyciphila | | Synopsis, part iv. App. p. 6; Australia, iv. pl. 31. |
| —, Stigmatops | | Handb. i. p. 500. |
| oculea, Estrelda | | Australia, iii. pl. 79. |
| oculeus, Zonæginthus | | Handb. i. p. 407. |
| ocydromus, Macropus | | Mamm. Austr. ii. pls. 3, 4. |
| Ocyphaps lophotes | | Australia, v. pl. 70; Handb. ii. p. 139. |
| Ocypterus albovittatus | | Synopsis, part i. |
| minor | | Synopsis, part i. |
| superciliosus | | Synopsis, part i. |
| odiosa, Ninox | | New Guinea, i. pl. 5. |
| Odontophorus balliviani | | Odontoph. pl. 29. |
| dentatus | | Odontoph. pl. 26. |
| columbianus | | Odontoph. pl. 30. |
| — guianensis | | Odontoph, pl. 23. |
| guttatus | | Odontoph. pl. 28. |
| 0 | | |

| Odontophorus lineolatus | Odontoph. pl. 32. |
|-----------------------------|---|
| — pachyrhynchus | Odontoph. pl. 24. |
| —— speciosus | Odontoph, pl. 25. |
| stellatus | Odontoph. pl. 27. |
| strophium | Odontoph. pl. 31. |
| Œdemia, see Oidemia, infrà. | |
| Œdicnemus crepitans | Europe, iv. pl. 288; Gt. Brit. iv. pl. 35. |
| — grallarius | Australia, vi. pl. 5; Handb. ii. p. 210. |
| Œdirhinus insolitus | New Guinea, v. pl. 50. |
| Œdistoma pygmæum | New Guinea, iv. pl. 8. |
| æmodium, Conostoma | Asia, iii. pl. 31. |
| cenanthe, Saxicola | Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. |
| œnas, Columba | Europe, iv. pl. 244; Gt. Brit. iv. pl. 2. |
| œnone, Chrysuronia | Humming B. v. pl. 325. |
| Œnone Humming-bird | Humming B. v. pl. 325. |
| ogilbyi, Bettongia | Mamm. Austr. ii. pl. 62. |
| Ogilby's Jerboa-Kangaroo | Mamm. Austr. ii. pl. 62. |
| Oidemia fusca | Europe, v. pl. 377; Gt. Brit. v. pl. 29. |
| — nigra | Europe, v. pl. 378; Gt. Brit. v. pl. 28. |
| — perspicillata | Europe, v. pl. 376; Gt. Brit. v. pl. 30. |
| olivacea, Pachycephala | Synopsis, part iii.; Australia, ii. pl. 73; |
| | Handb. i. p. 218. |
| Olivaceous Crake | Gt. Brit. iv. pl. 90. |
| —— Thickhead | Australia, ii. pl. 73; Handb. i. p. 218. |
| —— Thornbill | Humming B., Suppl. pl. 44. |
| olivaceum, Rhamphomicrou | Humming B., Suppl. pl. 44. |
| olivaceus, Psilopus | Synopsis, part iv. |
| Olive-coloured Puff-leg | Humming B. iv. pl. 271. |
| Olive-throated Humming-bird | Humming B., Suppl. p. 32. |
| Olive-tree Salicaria | Europe, ii. pl. 107. |
| olivetorum, Hypolais | Europe, ii. pl. 107. |
| , Salicaria | Europe, ii. pl. 107. |
| olor, Cygnus | Gt. Brit. v. pl. 8. |
| omnicolor, Halcyon | Asia, i. pl. 47. |
| One-carunculated Cassowary | Australia, Suppl. pls. 74, 75. |
| onocrotalus, Pelecanus | Europe, v. pl. 405. |
| Onychogalca frænata | Mamm. Austr. ii. pl. 54. |
| lunata | Mamm. Austr. ii. pl. 55. |

| Onychogalea unguifer | Mamm. Austr. ii. pls. 52, 53. Australia, vii. pl. 32; Handb. ii. p. 408. Australia, vii. pl. 33. Handb. ii. p. 411. New Guinea, v. pl. 45. New Guinea, ii. pl. 29. Asia, iv. pl. 27. Asia, iv. pl. 27. Australia, iv. pl. 84. |
|----------------------------------|---|
| Orange-bellied Grass-Parrakeet . | Australia, v. pl. 39; Handb. ii. p. 75. |
| Orange-breasted Pygmy Wood- | |
| pecker | Asia, vi. pl. 23. |
| Trogon | Trogons, (1) pl. 14, (2) pls. 12, 24. |
| Orange-chested Starling | New Guinea, iv. pl. 16. |
| Orange-collared Flycatcher | New Guinea, ii. pl. 43. |
| Orange-coloured Bullfinch | Asia, v. pl. 34. |
| Orange-crested Bower-bird | New Guinea, i. pl. 47. |
| Orange-crowned Loriculus | New Guinea, v. pl. 43. |
| Orange-fronted Ephthianura | Australia, iii. pl. 65; Handb. i. p. 380. |
| Orange Horse-shoe Bat | Mamm. Austr. iii. pl. 35. |
| Orange-legged Hobby | Gt. Brit. i. pl. 20. |
| Orange Pericrocotus | Asia, ii. pl. 8. |
| Orange-rumped Finch | New Guinea, iv. pl. 24. |
| Orange-sided Ground-Thrush | New Guinea, iii. pl. 10. |
| Orange-winged Sittella | Australia, iv. pl. 101; Handb. i. p. 609. |
| oreas, Pitta | Asia, v. pl. 65. |
| Oreocincla aurea | Gt. Brit. ii. pl. 39. |
| — lunulata | Australia, iv. pl. 7; Handb. i. p. 439. |
| — macrorhyncha | Synopsis, part iv. App. p. 3. |
| Oreoica, Crested | Australia, ii. pl. 81; Handb. ii. p. 231. |
| — cristata | Handb. i. p. 231. |
| — gutturalis | Synopsis, part iv. App. p. 4; Australia, ii. pl. 81. |
| , see Shrike-Tit. | |
| , see Wood-Shrike. | |
| Oreonympha nobilis | Humming B., Suppl. pl. 42. |
| Oreopyra calolæma | Humming B., Suppl. pl. 6. |
| — cinereicauda | Humming B., Suppl. pl. 7. |

| Oreopyra leucaspis | Humming B. iv. pl. 264; Suppl. p. 10. |
|-----------------------|---|
| —, White-throated | Humming B. iv. pl. 264. |
| Oreotrochilus adela | Humming B. ii. pl. 73. |
| — chimborazo | Humming B. ii. pl. 68. |
| estella | Humming B. ii. pl. 70. |
| —— leucopleurus | Humming B. ii. pl. 71. |
| — melanogaster | Humming B. ii. pl. 72. |
| — pichincha | Humming B. ii. pl. 69. |
| oreskios, Harpactes | Trogons, (2) pl. 46; Asia, i. pl. 71. |
| —, Trogon | Trogons, (1) pl. 36. |
| organicum, Gymnorhina | Australia, ii. pl. 48; Handb. i. p. 178. |
| Oriental Bullfinch | Asia, v. pl. 35. |
| Pratincole | Australia, vi. pl. 23; Handb. ii. p. 245. |
| orientalis, Carduelis | Asia, v. pl. 17. |
| —, Charadrius | Handb. ii. p. 225. |
| —, Chlamydodera | New Guinea, i. pl. 44. |
| —, Glareola | Australia, vi. pl. 23; Handb. ii. p. 245. |
| —, Melanopyrrhus | New Guinea, iv. pl. 17. |
| —, Pyrrhula | Asia, v. pl. 35. |
| Origma rubricata | Australia, iii. pl. 69; Handb. i. p. 385. |
| — solitaria | Synopsis, part iv. App. p. 3. |
| Oriole, Broderip's | Asia, ii. pl. 73. |
| —, Crescent-marked | Australia, iv. pl. 14; Handb. i. p. 466. |
| —, Deceptive | New Guinea, i. pl. 49. |
| —, Golden | Europe, ii. pl. 71; Gt. Brit. ii. pl. 31. |
| —, Maroon | Asia, ii. pl. 74. |
| —, New South Wales | Australia, iv. pl. 13; Handb. i. p. 462. |
| —, Northern | Handb. i. p. 468. |
| —, Philippine | Asia, ii. pl. 72. |
| —, Red | Asia, ii. pl. 75. |
| —, Southern | Handb. i. p. 467. |
| Oriolus affinis | Australia, i. Introd. p. liii. |
| — broderipi | Asia, ii. pl. 73. |
| — chinensis | Asia, ii. pl. 72. |
| —— decipiens | New Guinea, i. pl. 49. |
| —— flavocinctus | Australia, iv. pl. 14. |
| —— galbula | Europe, ii. pl. 71; Gt. Brit. ii. pl. 31. |
| — traillii | Cent. pl. 35. |

| Oriolus viridis | . Australia, iv. pl. 13. |
|-------------------------|--|
| ornata, Cissa | |
| —, Ptilotis | TT 11 1 6 7 7 |
| ornatus, Lophornis | . Humming B. iii. pl. 117. |
| —, Merops | . Australia, ii. pl. 16; Handb. i. p. 117. |
| , Orthorhynchus | . Humming B. iv. pl. 206. |
| TO 11 . 1 | Synopsis, part iv.; Australia, iv. pl. 39. |
| | Mamm. Austr. i. pl. 1. |
| Orocætes cinclorhynchus | |
| , 0 | . Europe, ii. pl. 119; Gt. Brit. ii. pl. 61. |
| , Sylvia | 77 |
| O 1 TTT 11 | . Europe, ii. pl. 119; Gt. Brit. ii. pl. 61. |
| Orthonyx novæ-guineæ | New Guinea, iii. pl. 9. |
| —, Papuan | 3T G : 1.0 |
| spaldingi | . Australia, Suppl. pl. 53. |
| —, Spalding's | |
| —, Spine-tailed | |
| spinicaudus | |
| Orthorhynchus cristatus | Humming B. iv. pl. 205. |
| *11* | . Humming B. iv. pl. 207. |
| — ornatus | Humming B. iv. pl. 206. |
| Orthotomus longicaudus | . Asia, iv. pl. 7. |
| orthura, Catharma | Humming B., Suppl. p. 43. |
| Ortolan Bunting | Europe, iii. pl. 176; Gt. Brit. iii. pl. 27. |
| ortoni, Zodalia | Humming B., Suppl. pl. 54. |
| Ortyx castaneus | Odontoph. pl. 3. |
| —— coyolcos | Odontoph. pl. 6. |
| — cubanensis | Odontoph. pl. 2. |
| nigrogularis | Odontoph. pl. 4. |
| — pectoralis | Odontoph. pl. 5. |
| 1 | . Icones Avium, pl. 9. |
| — virginianus | Odontoph. pl. 1. |
| osberti, Chlorostilbon | Humming B. v. pl. 352. |
| Osbert's Emerald | Humming B. v. pl. 352. |
| osculans, Chalcites | 4 . 1 . 1 . 00 |
| —, Helianthea | Humming B., Suppl. pl. 18. |
| —, Mesocalius | Handb. i. p. 621. |
| —, Rhamphastos | Toucans, (1) pl. 5, (2) pl. 10. |
| | 2 G 2 |
| | |

| osculans, Sericornis . | | | Australia, iii. pl. 48; Handb. i. p. 358. |
|------------------------|---|--|--|
| Osculant Toucan | | | 1 |
| | | | Toucans, (1) pl. 5, (2) pl. 10. |
| osea, Nectarinia | | | Asia, ii. pl. 23. |
| oseryi, Phaethornis . | | | Humming B. i. pl. 23. |
| Osphranter antilopinus | | | Mamm. Austr. ii. pls. 8, 9; Monogr. |
| | | | Macrop. part ii. |
| — brachyotis | | | Monogr. Macrop. part i. |
| — parryi | | | Mamm. Austr. ii. pls. 12, 13. |
| — robustus | | | Mamm. Austr. ii. pls. 10, 11; Monogr. |
| | | | Macrop. part i. |
| — rufus | | | Mamm. Austr. ii. pls. 6, 7. |
| Osprey | | | Europe, i. pl. 12; Gt. Brit. i. pl. 5. |
| —, White-headed . | | | Australia, i. pl. 6; Handb. i. p. 22. |
| Ossifraga gigantea . | | | Handb. ii. p. 443. |
| ostralegus, Hæmatopus | | | Europe, iv. pl. 300; Gt. Brit. iv. pl. 45. |
| Otero Brilliant | | | Humming B. ii. pl. 96. |
| otero, Heliodoxa | | | Humming B. ii. pl. 96. |
| Otidiphaps | | | Asia, vi. pl. 53. |
| — cervicalis | | | New Guinea, v. pl. 61. |
| —, Grey-naped. | | | New Guinea, v. pl. 61. |
| — nobilis | | | Asia, vi. pl. 53. |
| Otis australasianus . | | | Australia, vi. pl. 4. |
| — bengalensis | | | Cent. pl. 3. |
| — edwardsii | | | Cent. pl. 72. |
| himalayanus . | | | Cent. pls. 73, 74, 75. |
| — houbara | | | Europe, iv. pl. 268. |
| — macqueeni | | | Asia, vii. pl. 58. |
| — nigriceps | | | Cent. pl. 72. |
| — tarda | | | Europe, iv. pl. 267; Gt. Brit. iv. pl. 17. |
| — tetrax | | | Europe, iv. pl. 269; Gt. Brit. iv. pl. 18. |
| Otocoris alpestris | | | Gt. Brit. iii. pl. 18. |
| _ | Ċ | | Asia, i. pl. 1. |
| Otus brachyotus | | | Europe, i. pl. 40. |
| — vulgaris | | | Europe, i. pl. 39; Gt. Brit. i. pl. 31. |
| otus, Asio | | | Europe, i. pl. 39. |
| Ouzel, Asiatic Water | | | Asia, iv. pl. 21. |
| —, Black | | | Europe, ii. pl. 72. |
| , Black | | | Gt. Brit. iii. pl. 42. |
| , Migratory | | | Europe, ii. pl. 74. |

| Ouzel, Pallas' Water | Europe, ii. pl. 85; Asia, iv. pl. 21. |
|-------------------------|---|
| —, Ring | Europe, ii. pl. 73; Gt. Brit. ii. pl. 38. |
| , Sombre-coloured Water | Asia, iv. pl. 23. |
| —, Water | Europe, ii. pl. 83; Gt. Brit. ii. pl. 41. |
| —, White-bellied Water | Asia, iv. pl. 24. |
| owenii, Apteryx | Australia, vi. pl. 3; Handb. ii. App. |
| | p. 573. |
| Owen's Sabre-wing | Humming B. ii. pl. 53. |
| Owl, Barn | Europe, i. pl. 36; Gt. Brit. i. pl. 28. |
| —, Barred | Europe, i. pl. 46. |
| —, Bay | Asia, i. pl. 14. |
| —, Boobook | Australia, i. pl. 32; Handb. i. p. 74. |
| —, Brown | Gt. Brit. i. pl. 29. |
| —, Chestnut-faced | Australia, i. pl. 28; Handb. i. p. 62. |
| —, Cinereous | Europe, i. pl. 42. |
| , Delicate | Australia, i. pl. 31; Handb. i. p. 66. |
| —, Eagle | Europe, i. pl. 37; Gt. Brit. i. pl. 30. |
| —, Grass | Asia, i. pl. 18. |
| —, Great Cinereous | Europe, i. pl. 42. |
| —, Great Horned | Europe, i. pl. 37. |
| —, Hawk | Europe, i. pl. 45; Gt. Brit. i. pl. 35. |
| —, Indian Scops | Asia, i. pl. 13. |
| —, Indian Screech | Asia, i. pl. 17. |
| , Little | Europe, i. pl. 48; Gt. Brit. i. pl. 37. |
| —, Long-eared | Europe, i. pl. 39; Gt. Brit. i. pl. 31. |
| , Masked | Australia, i. pl. 29; Handb. i. p. 64. |
| — of the Brushes, Great | Handb. i. p. 68. |
| —, Powerful | Australia, i. pl. 35; Handb. i. p. 68. |
| —, Rufous | Australia, i. pl. 36; Handb. i. p. 69. |
| —, Scops | Europe, i. pl. 41; Gt. Brit. i. pl. 33. |
| ——, Short-eared | Europe, i. pl. 40; Gt. Brit. i. pl. 32. |
| —, Snowy | Europe, i. pl. 43; Gt. Brit. i. pl. 34. |
| —, Sooty | Australia, i. pl. 30; Handb. i. p. 65. |
| —, Sparrow | Europe, i. pl. 50. |
| —, Speckled Wood | Asia, i. pl. 16. |
| —, Spotted | Australia, i. pl. 33; Handb. i. p. 76. |
| —, Tawny | Europe, i. pl. 47; Gt. Brit. i. pl. 29. |
| —, Tengmalm's | Europe, i. pl. 49; Gt. Brit. i. pl. 36. |
| —, Ural | Europe, i. pl. 44. |
| | |

| Owl, Winking | | Australia, i. pl. 34; Handb. i. p. 71. |
|--|--|---|
| —, Wood | | Europe, i. pl. 47. |
| Owlet, Brodie's | | Asia, i. pl. 15. |
| —— Nightjar | | Handb. i. p. 79. |
| , White-bellied . | | Australia, ii. pl. 2; Handb. i. p. 81. |
| Oxus Pheasant | | Asia, vii. pl. 36. |
| Oxylophus glandarius | | Gt. Brit. iii. pl. 69. |
| Oxypogon cyanolæmus | | Humming B., Suppl. pl. 41. |
| — guerinii | | Humming B. iii. pl. 182. |
| —— lindenii | | Humming B. iii. pl. 183. |
| — stuebeli | | Humming B., Suppl. p. 59. |
| Oxyura australis | | Synopsis, part ii. |
| Oyster-catcher | | Europe, iv. pl. 300; Gt. Brit. iv. pl. 45. |
| —, Sooty | | Australia, vi. pl. 8; Handb. ii. p. 217. |
| —, White-breasted | | Australia, vi. pl. 7; Handb. ii. p. 215. |
| | | |
| Pachycare flavogrisea | | New Guinea, iii. pl. 15. |
| Pachycephala arctitorquis . | | New Guinea, iii. pl. 19. |
| —, Black-tailed | | Australia, ii. pl. 66. |
| — brunnea | | New Guinea, iii. pl. 20. |
| — christophori | | New Guinea, iii. pl. 23. |
| — collaris | | New Guinea, iii. pl. 17. |
| — falcata | | Australia, ii. pl. 68; Handb. i. p. 213. |
| — fusca | | Synopsis, part iii. |
| — fusco-flava | | New Guinea, iii. pl. 18. |
| — gilberti | | Australia, ii. pl. 71; Handb. i. p. 216. |
| —, Gilbert's | | Australia, ii. pl. 71. |
| — glaucura | | Australia, ii. pl. 65; Handb. i. p. 209. |
| —, Grey-tailed | | Australia, ii. pl. 65. |
| —, Guttural | | Australia, ii. pl. 64. |
| — gutturalis | | Synopsis, part iii.; Australia, ii. pl. 64; |
| 8 | | Handb. i. 207. |
| — hyperythra | | New Guinea, iii. pl. 21. |
| —————————————————————————————————————— | | Australia, ii. pl. 69; Handb. i. p. 214. |
| — longirostra | | Synopsis, part iii. |
| —, Lunated | | Australia, ii. pl. 68. |
| melanura | | Australia, ii. pl. 66; Handb. i. p. 211. |
| | | |

| Pachycephala olivacea Synopsis part iii.; Austr Handb. i. p. 218. | alia, ii. pl. 73; |
|--|-------------------|
| —, Olivaceous Australia, ii. pl. 73. | |
| pectoralis Synopsis, part iii.; Aus | stralia, pt. ii. |
| (cancelled) pl. 3, & vol | |
| —, Plain-coloured Australia, ii. pl. 72. | • |
| —, Red-throated Australia, ii. pl. 70. | |
| — rufiventris Handb. i. p. 212. | |
| rufogularis Australia, ii. pl. 70; Han | adb. i. p. 215. |
| | 1 |
| , Shrike-like Australia, ii. pl. 69. | |
| simplex Australia, ii. pl. 72; Ha | ndb. i. p. 217. |
| xanthoprocta Synopsis, part iii. | • |
| , see also Thickhead. | |
| Pachycephalopsis fortis New Guinea, iii. pl. 24. | |
| — hattamensis New Guinea, iii. pl. 25. | |
| — poliosoma New Guinea, iii. pl. 26. | |
| pachyrhynchus, Odontophorus . Odontoph. pl. 24. | |
| Pacific Gull Australia, vii. pl. 19; Har | ndb. ii. p. 385. |
| — Heron Australia, vi. pl. 52; Har | |
| pacifica, Ardea Australia, vi. pl. 52; Har | |
| pacificus, Cypselus Handb. i. p. 105. | • |
| —, Eurystomus Australia, ii. pl. 17; Har | ndb. i. p. 119. |
| —, Larus Australia, vii. pl. 19; Har | |
| Pademelon Wallaby Mamm. Austr. ii. pls. 31, | - |
| Macrop. part ii. pl. 21. | _ |
| Pagophila eburnea Gt. Brit. v. pl. 62. | |
| Painted Bunting Asia, v. pl. 9. | |
| — Finch Australia, iii. pl. 97; Ha | ndb. i. p. 429. |
| — Honey-eater Australia, iv. pl. 50; Har | |
| — Snipe, Australian Australia, vi. pl. 41; Har | |
| Spur-fowl Asia, vi. pl. 69. | • |
| Painted-throated Cassowary New Guinea, v. pl. 74. | |
| Palæornis affinis Asia, vi. pl. 11. | |
| — calthropæ Asia, vi. pl. 1. | |
| — caniceps Asia, vi. pl. 5. | |
| — columboïdes Asia, vi. pl. 7. | |
| cyanocephala Asia, vi. pl. 3. | |

| Palæornis derbianus | | | | Asia, vi. pl. 9. |
|------------------------------|-----|-----|---|---|
| | | | | Asia, vi. pl. 4. |
| | | | | Asia, vi. pl. 10. |
| — nicobaricus | | | , | Asia, vi. pl. 6. |
| rosa | | | | Asia, vi. pl. 2. |
| schisticeps | | | | Asia, vi. pl. 8. |
| Pale-headed Parrakeet . | | | | Australia, v. pl. 26; Handb. ii. p. 51. |
| pallasi, Cinclus | | | | Europe, ii. pl. 85; Asia, iv. pl. 22. |
| pallasii, Cinclus [= C. asia | tic | us] | | Cent. pl. 24. |
| Pallas's Sand-Grouse | | | | Asia, vi. pl. 60; Gt. Brit. iv. pl. 11. |
| — Water-Ouzel | | | | Europe, ii. pl. 85; Asia, iv. pl. 22. |
| palliceps, Platycercus . | | | | Synopsis, part ii.; Australia, v. pl. 26; |
| | | | | Handb. ii. p. 51. |
| Pallid Cuckoo | | | | Handb. i. p. 615. |
| Harrier | | | | Europe, i. pl. 34. |
| —— Hermit | | | | Humming B. i. pl. 24. |
| —— Thrush | | | | Europe, ii. pl. 80. |
| pallidus, Cacomantis | | | | Handb. i. p. 615. |
| , Circus | | | | Europe, i. pl. 34. |
| , Turdus | | | | Europe, ii. pl. 80. |
| Palm-Cockatoo, Great . | | | | Australia, Suppl. pl. 61; Handb. ii. |
| | | | | p. 27. |
| Palm Roof-Swift | | | | Asia, i. pl. 20. |
| palmatus, Himantopus . | | | | Synopsis, part ii. |
| palumbarius, Astur | | | | Europe, i. pl. 17; Gt. Brit. i. pl. 9. |
| palumbus, Columba | | | | Europe, iv. pl. 243; Gt. Brit. iv. pl. 1. |
| Palumbus elphinstonei . | | | | Asia, vi. pl. 57. |
| —— pulchricollis | | | | Asia, vi. pl. 58. |
| torquatus | | | | Gt. Brit. iv. pl. 1. |
| palustre, Pellorneum | | | | Asia, iii. pl. 65. |
| palustris, Acrocephalus . | | | | Gt. Brit. ii. pl. 74. |
| Brachyotus | | | | Gt. Brit. i. pl. 32. |
| —, Calamoherpe | | | | Gt. Brit. ii. pl. 74. |
| —, Emberiza | | | | Europe, iv. pl. 182. |
| , Parus | | | | Europe, iii. pl. 155. fig. 2. |
| , Pœcile | | | | Gt. Brit. ii. pl. 27. |
| , Porzana | | | | Australia, vi. pl. 80; Handb. ii. p. 340. |
| —, Salicaria | | | | Europe, ii. pl. 109. |
| pamela, Aglæactis | | | | Humming B. iii. pl. 181. |

| Pamela's Sunbeam | | Humming B. iii. pl. 181. |
|--------------------------------|----|--|
| pampa, Campylopterus | | Humming B. ii. pl. 43. |
| Panama Stripe-tail | | Humming B., Suppl. p. 85. |
| panaya, Onychoprion | | Australia, vii. pl. 33. |
| Panayan Tern | | Australia, vii. pl. 33; Handb. ii. p. 411. |
| panayensis, Onychoprion . | | Handb. ii. p. 411. |
| panderi, Podoces | | Asia, v. pl. 62. |
| Pander's Podoces | | Asia, v. pl. 62. |
| Pandion haliaëtus | | Europe, i. pl. 12; Gt. Brit. i. pl. 5. |
| — leucocephalus | | Synopsis, part iii.; Australia, i. pl. 6; |
| | | Handb. i. p. 22. |
| pannosus, Herodias | | Australia, vi. pl. 59. |
| Panoplites flavescens | | Humming B. ii. pl. 111. |
| — jardini | | Humming B. ii. pl. 110. |
| , Jardine's | ٠. | Humming B. ii. pl. 110. |
| — matthewsi | | Humming B. ii. pl. 112. |
| , Matthews' | | Humming B. ii. pl. 112. |
| —, Yellow-fronted | | Humming B. ii. pl. 111. |
| Panterpe insignis | | Humming B. v. pl. 336. |
| Panychlora russata | | Humming B., Suppl. p. 101. |
| stenura | | Humming B., Suppl. p. 100. |
| Papuan Bird of Paradise . | | New Guinea, i. pls. 28, 29. |
| Ground-Pigeon | | New Guinea, v. pl. 62. |
| —— Lorikeet | | New Guinea, v. pl. 14. |
| — Orthonyx | | New Guinea, iii. pl. 9. |
| — Podargus | | Handb. i. p. 91. |
| — Yellow Flycatcher . | | New Guinea, ii. pl. 54. |
| papuana, Paradisea | | New Guinea, i. pls. 28, 29. |
| papuensis, Charmosyna | | New Guinea, v. pl. 14. |
| —, Chætorhynchus | | New Guinea, i. pl. 50. |
| —, Podargus | | Australia, Suppl. pl. 3; Handb. i. |
| , | | p. 91. |
| Para Wood-Nymph | | Humming B., Suppl. p. 39. |
| Paradigalla carunculata | | New Guinea, i. pl. 16. |
| Paradise-bird, see Bird of Par | | |
| Paradise Crow, Obi | | New Guinea, i. pl. 36. |
| — Flycatcher | | Asia, ii. pl. 18. |
| Paradisea apoda | | New Guinea, i. pl. 30. |
| decora | | New Guinea, i. pl. 27. |
| | | , , |

| Paradisea papuaua | | New Guinea, i. pls. 28, 29. |
|---------------------------|---|---|
| | | New Guinea, i. pl. 32. |
| sanguinea | | New Guinea, i. pl. 31. |
| paradisea, Ptilorhis | | Australia, iv. pl. 100; Handb. i. p. 591. |
| , Sterna | | Gt. Brit. v. pl. 71. |
| paradisi, Muscipeta | | Asia, ii. pl. 18. |
| Paradoxornis austeni | | Asia, iii. pl. 73. |
| —, Austen's | | Asia, iii. pl. 73. |
| — flavirostris | | Asia, iii. pl. 75; Icones Avium, pl. 6. |
| — gularis | | Asia, iii. pl. 77. |
| —— heudei | | Asia, iii. pl. 74. |
| —, Long-tailed | | Asia, iii. pl. 76. |
| —, Père Heude's | | Asia, iii. pl. 74. |
| —, Red-headed | | Asia, iii. pl. 78. |
| —— ruficeps | | Asia, iii. pl. 78. |
| — unicolor | | Asia, iii. pl. 76. |
| —, Yellow-billed | | Asia, iii. pl. 75. |
| paradoxus, Syrrhaptes | | Asia, vi. pl. 60; Gt. Brit. iv. pl. 11. |
| Parasitic Gull | | Europe, v. pl. 442. |
| parasiticus, Lestris | | Europe, v. pl. 442. |
| —, Stercorarius | | Gt. Brit. v. pl. 80. |
| Pardalote, Allied | | Australia, v. pl. 39. |
| ——, Black-headed | | Australia, ii. pl. 40. |
| —, Forty-spotted | | Australia, ii. pl. 37. |
| —, Red-lored | | Australia, ii. pl. 36. |
| —, Spotted | | Australia, ii. pl. 35. |
| —, Striated | | Australia, ii. pl. 38. |
| —, Yellow-rumped | | Australia, ii. pl. 41; Suppl. pl. 8. |
| —, see also Diamond-bird. | | |
| Pardalotus affinis | | Synopsis, part ii.; Australia, ii. pl. 39; Handb. i. p. 163. |
| — melanocephalus | | Synopsis, part iv.; Australia, ii. pl. 40; Handb. i. p. 165. |
| — punctatus | | Synopsis, part ii.; Australia, ii. pl. 35; |
| — quadragintus | | Handb. i. p. 157. Synopsis, part iv.; Australia, ii. pl. 37; |
| quadraganous | • | Handb. i. p. 160. |
| rubricatus | | Synopsis, part iv.; Australia, ii. pl. 36; |
| | | Handb. i. p. 158. |

| Pardalotus striatus | Synopsis, part ii.; Australia, ii. pl. 38; Handb. i. p. 161. |
|--------------------------------------|---|
| — uropygialis | Australia, ii. pl. 41; Handb. i. p. 166. |
| xanthopygius | Australia, Suppl. pl. 8. |
| parma, Halmaturus | Mamm. Austr. ii. pl. 28. |
| Parma Wallaby | Mamm. Austr. ii. pl. 28. |
| Parotia lawesi | New Guinea, i. pl. 26. |
| — sexpennis | New Guinea, i. pl. 25. |
| Parra, Comb-crested | Handb. ii. p. 330. |
| — gallinacea | Australia, vi. pl. 75; Handb. ii. p. 330. |
| , Gallinaceous | Australia, vi. pl. 75. |
| sinensis | Cent. pl. 77. |
| Parrakeet, see also Grass-Parrakeet. | Cent. pr. 11. |
| —, Adelaide | Australia, v. pl. 22; Handb. ii. p. 46. |
| , Allied | Asia, vi. pl. 11. |
| , Banded | Handb. ii. p. 43. |
| —, Barnard's | Australia, v. pl. 21; Handb. ii. p. 40. |
| —, Barraband's | Australia, v. pl. 21, Handb. ii. p. 40. |
| Bauer's | Australia, v. pl. 20. |
| —, Beautiful | Australia, v. pl. 34; Handb. ii. pp. 53, 67. |
| —, Black-tailed | Australia, v. pl. 34; Handb. ii. pp. 33, 67. |
| 701 1 1 1 | Asia, vi. pl. 2. |
| —, Blossom-headed | = |
| | Handb. ii. p. 71. |
| , Blue-cheeked | Australia, Suppl. pl. 63; Handb. ii.p. 52. |
| ——, Blue-winged | Asia, vi. pl. 7. |
| Boundarie Const | Asia, vi. pl. 4. |
| ——, Bourke's Grass | Handb. ii. p. 80. |
| ——, Brown's | Australia, v. pl. 31. |
| Burmese | Asia, vi. pl. 3. |
| , Chestnut-shouldered Grass . | Handb. ii. p. 77. |
| —, Cockatoo | Australia, v. pl. 45; Handb. ii. p. 84. |
| —, Coxen's | Australia, Suppl. pl. 65. |
| —, Crimson-bellied | Australia, v. pl. 33. |
| —, Duchess of Connaught's. | New Guinea, v. pl. 11. |
| —, Earl of Derby's | Australia, v. pl. 29; Asia, vi. pl. 9. |
| —, Elegant Grass | Handb. ii. p. 73. |
| —, Fiery | Australia, v. pl. 30. |
| —, Golden-backed | Australia, Suppl. pl. 64. |
| —, Golden-shouldered | Handb. ii. p. 65. |

| Parrakeet, Grey-headed | Asia, vi. pl. 5. |
|----------------------------|--|
| —, Ground | Australia, v. pl. 46; Handb. ii. p. 86. |
| —, Josephina | New Guinea, v. pl. 12. |
| —, Madarász's | New Guinea, v. pl. 40. |
| | Asia, vi. pl. 10. |
| , Many-coloured | Australia, v. pl. 35. |
| —, Mrs. Layard's | Asia, vi. pl. 1. |
| , Nicobar | Asia, vi. pl. 6. |
| —, Nocturnal Ground | Australia, Suppl. pl. 66. |
| —, Orange-bellied Grass | Handb. ii. p. 75. |
| , Orange-crowned Hanging . | New Guinea, v. pl. 43. |
| —, Pale-headed | Australia, v. pl. 26; Handb. ii. p. 51. |
| —, Pennant's | Australia, v. pl. 23; Handb. ii. p. 44. |
| —, Princess of Wales' | Australia, Suppl. pl. 62; Handb. ii. p. 32. |
| —, Red-backed | Australia, v. pl. 36. |
| ——, Red-capped | Australia, v. pl. 32; Handb. ii. p. 60. |
| —, Red-rumped | Handb. ii. p. 69. |
| —, Red-vented | Handb. ii. p. 62. |
| —, Rock | Handb, ii. p. 76. |
| —, Rose-hill | Australia, v. pl. 27; Handb. ii. p. 55. |
| —, Slaty-headed | Asia, vi. pl. 8. |
| —, Splendid | Australia, v. pl. 28; Handb. ii. p. 57. |
| —, Stella | New Guinea, v. pl. 15. |
| —, Varied | Handb. ii. p. 68. |
| —, Warbling Grass | Handb. ii. p. 81. |
| —, Western Ground . | Handb. ii. p. 88. |
| —, Yellow-bellied | Australia, v. pl. 24; Handb. ii. p. 48. |
| —, Yellow-cheeked | Handb. ii. p. 58. |
| —, Yellow-collared | Australia, v. pl. 19; Handb. ii. p. 42. |
| —, Yellow-rumped | Australia, v. pl. 25; Handb. ii. p. 50. |
| —, Yellow-vented | Handb. ii. p. 63. |
| Parrot, Beautiful King | New Guinea, v. pl. 10. |
| —, Beccari's Pigmy | New Guinea, v. pl. 25. |
| —, Blue-collared | New Guinea, v. pl. 29. |
| —, Brehm's | New Guinea, v. pl. 39. |
| —, Bruijn's Pigmy | New Guinea, v. pl. 24. |
| Crossbill | Europe, iii. pl. 201; Gt. Brit. iii. pl. 46. |
| -, Great Racket-tailed | Asia, vi. pl. 13. |
| | • |

| Parrot, Ka-Ka | Australia, Suppl. pl. 58; Handb. ii. p. 548. |
|-------------------------------|--|
| —, Ké Islands Pigmy | New Guinea, v. pl. 27. |
| ——, Kea | Australia, Suppl. pl. 60; Handb. ii. p. 554. |
| , Little Racket-tailed | Asia, vi. pl. 15. |
| —, Long-billed | Australia, pt. i. (cancelled) pl. 7. |
| —, Mafoor Pigmy | New Guinea, v. pl. 22. |
| —, Misori Pigmy | New Guinea, v. pl. 23. |
| —, Pesquet's | New Guinea, v. pl. 33. |
| —, Philip Island | Australia, v. pl. 6; Handb. ii. p. 550. |
| —, Philippine Racket-tailed . | Asia, vi. pl. 14. |
| —, Pigmy | New Guinea, v. pl. 21. |
| —, Prince of Essling's | Australia, Suppl. pl. 59; Handb. ii. p. 552. |
| —, Racket-tailed | Asia, vi. pl. 12. |
| —, Riedel's | New Guinea, v. pl. 32. |
| —, Solomon Islands Pigmy | New Guinea, v. pl. 26. |
| —, Tenimber | New Guinea, v. pl. 30. |
| —, Yellow-headed | New Guinea, v. pl. 28. |
| —, Yellow-winged King | New Guinea, v. pl. 9. |
| parryi, Halmaturus | Monogr. Macrop. part ii. |
| —, Osphranter | Mamm. Austr. ii. pls. 12, 13. |
| Parry's Wallaby | Monogr. Macrop. part ii. |
| — Wallaroo | Mamm. Austr. ii. pls. 12, 13. |
| Partridge | Gt. Brit. iv. pl. 13. |
| —, Altaic Snow | Asia, vii. pl. 31. |
| —, Australian | Australia, v. pl. 89. |
| —, Ballivian's | Odontoph. pl. 29. |
| —, Barbary | Europe, iv. pl. 261. fig. 1. |
| —, Bearded | Asia, vi. pl. 73; Odontoph. pl. 22. |
| —, Black-breasted | Odontoph. pl. 5. |
| —, Black-throated | Odontoph. pl. 4. |
| —, Bonham's Sand | Asia, vii. pl. 1. |
| —, Bronze-wing | Australia, v. pl. 67; Handb. ii. p. 130. |
| —, Californian | Odontoph. pl. 16. |
| , Capueira | Odontoph. pl. 26. |
| —, Caraccas | Odontoph. pl. 30. |
| , | 1 1 |

| Partridge, Caspian Snow | Asia, vii. pl. 29. |
|---------------------------|--|
| —, Chestnut-coloured | Odontoph. pl. 3. |
| —, Common | Europe, iv. pl. 262; Gt. Brit. iv. pl. 13. |
| —, Coyolcos | Odontoph. pl. 6. |
| —, Crested | Odontoph. pl. 9. |
| —, Crimson-breasted | Asia, vi. pl. 70. |
| —, Cuban | Odontoph. pl. 2. |
| —, Elegant | Odontoph. pl. 18. |
| —, Fasciated | Odontoph. pl. 14. |
| —, Formosan Bamboo | Asia, vi. pl. 72. |
| —, Gambel's | Odontoph. pl. 17. |
| —, Gorgeted | Odontoph. pl. 31. |
| —, Greek | Europe, iv. pl. 261. fig. 2. |
| , Guiana | Odontoph. pl. 23. |
| —, Guttated | Odontoph. pl. 28. |
| —, Hey's Sand | Asia, vii. pl. 2. |
| —, Himalayan Snow | Asia, vii. pl. 30. |
| —, Large-tailed | Odontoph. pl. 20. |
| —, Lerwa | Asia, vi. pl. 75. |
| —, Little Red-billed | Asia, vii. pl. 3. |
| , Massena | Odontoph. pl. 7. |
| , Moupin Snow | Asia, vii. pl. 44. |
| , Ocellated | Odontoph. pl. 8. |
| —, Plumed | Odontoph. pl. 15. |
| , Red-legged | Europe, iv. pl. 260; Gt. Brit. iv. pl. 14. |
| , Rufous-breasted | Odontoph. pl. 25. |
| —, Rufous-breasted Bamboo | Asia, vi. pl. 71. |
| , Scaly | Odontoph. pl. 19. |
| —, Short-crested | Odontoph. pl. 12. |
| —, Slate-coloured | Asia, vii. pl. 8. |
| , Sombre | Australia, v. pl. 91. |
| , Sonnini's | Odontoph. pl. 11. |
| , Starred | Odontoph. pl. 27. |
| —, Striped-breasted | Odontoph. pl. 32. |
| —, Thibet | Asia, vi. pl. 74. |
| —, Thick-billed | Odontoph. pl. 24. |
| —, Tibetan Snow | Asia, vii. pl. 32. |
| , Van Diemen's Land | Australia, v. pl. 90. |
| —, Virginian | Odontoph. pl. 1. |
| ě . | - * |

| Partridge, White-eared | Odontoph. pl. 10. |
|----------------------------|---|
| —, White-eyebrowed | Odontoph. pl. 21. |
| —, White-faced | Odontoph. pl. 13. |
| Parus arfaki | New Guinea, iv. pl. 1. |
| ater | Europe, iii. pl. 155. fig. 1; Gt. Brit. ii. |
| | pl. 25. |
| — bicolor , | Europe, iii. pl. 152. |
| — cæruleus | Europe, iii. pl. 154; Gt. Brit. ii. |
| | pl. 24. |
| castaneoventris | Asia, ii. pl. 49. |
| caudatus | Europe, iii. pl. 157. |
| cinereus | Asia, ii. pl. 55. |
| — cristatus | Europe, iii. pl. 156; Gt. Brit. ii. pl. 26. |
| cyanus | Europe, iii. pl. 153. |
| dichrous | Asia, ii. pl. 58. |
| —— elegans | Asia, ii. pl. 50. |
| erythrocephalus | Cent. pl. 30. fig. 1. |
| jerdoni | Asia, ii. pl. 54. |
| — lugubris | Europe, iii. pl. 151. fig. 1. |
| — major | Europe, iii. pl. 150; Gt. Brit. ii. pl. 23. |
| — melanolophus | Asia, ii. pl. 61; Cent. pl. 30, fig. 2. |
| minor | Asia, ii. pl. 56. |
| — monticolus | Asia, ii. pl. 57; Cent. pl. 29. fig. 2. |
| — palustris | Europe, iii. pl. 155. fig. 2. |
| rubidiventris | Asia, ii. pl. 59. |
| rufonuchalis · | Asia, ii. pl. 60. |
| — sibiricus | Europe, iii. pl. 151. fig. 2. |
| spilonotus | Asia, ii. pl. 53. |
| venustulus | Asia, ii. pl. 48. |
| xanthogenys | Asia, ii. pl. 52; Cent. pl. 29. fig. L |
| parva, Erythrosterna | Gt. Brit. ii. pl. 20. |
| —, Microdynamis | New Guinea, iv. pl. 41. |
| —, Muscicapa | Europe, ii. pl. 64; Gt. Brit. ii. pl. 20. |
| parvirostris, Eupsychortyx | Odontoph. pl. 12. |
| —, Graucalus | |
| | p. xxxv; Handb. i. p. 194. |
| —, Microchera | Humming B., Suppl. pl. 30. |
| parvula, Colluriocincla | . Australia, ii. pl. 78; Handb. i. |
| | p. 225. |
| | |

| parvulus, Eopsaltria | Synopsis, part iv. |
|-------------------------------|--|
| —, Sericornis | Synopsis, part iv. |
| parzudaki, Heliotrypha | Humming B. iv. pl. 240. |
| Parzudaki's Star-frontlet | Humming B. iv. pl. 240. |
| Passer ammodendri | Asia, v. pl. 15. |
| — domesticus | Gt. Brit. iii. pl. 32. |
| montanus | Gt. Brit. iii. pl. 33. |
| passerina, Noctua | Europe, i. pl. 50. |
| pastinator, Licmetis | Handb. ii. p. 12. |
| Pastor, Rose-coloured | Europe, iii. pl. 212; Gt. Brit. iii. |
| | pls. 55, 56. |
| roseus | Europe, iii. pl. 212; Gt. Brit. iii. |
| | pls. 55, 56. |
| | Cent. pl. 35. |
| Patagona gigas | Humming B. iv. pl. 232. |
| Pavonine Trogon | Trogons, (1) pl. 23. |
| pavoninus, Lophornis | Humming B., Suppl. p. 50. |
| —, Pharomacrus | m (9) 1 " |
| —, Pteroglossus | Toucans, (1) pl. 30. |
| —, Trogon | Trogons, (1) pl. 23. |
| Peaceful Dove | Handb. ii. p. 144. |
| — Ground-Dove | Australia, v. pl. 73. |
| Peacock Groove-bill Araçari . | Toucans, (1) pl. 30. |
| Peacock-Pheasant, Assam | Asia, vii. pl. 50. |
| ——, Malayan | Asia, vii. pl. 51. |
| Pectoral Honey-eater | New Guinea, iii. pl. 36. |
| — Lorikeet | New Guinea, v. pl. 13. |
| | Australia, v. pl. 88; Handb. ii. p. 190. |
| —— Rail | Australia, vi. pl. 76; Handb. ii. p. 334. |
| —— Sandpiper | Europe, iv. pl. 327; Gt. Brit. iv. pl. 67. |
| pectorale, Dicæum | New Guinea, iv. pl. 2. |
| pectoralis, Calliope | , 1 |
| | Australia, vi. pl. 26; Handb. ii. p. 248. |
| —, Coturnix | Synopsis, part ii.; Australia, v. pl. 88; |
| | Handb. ii. p. 190. |
| —, Donacola | • |
| ——, Leptorhynchus | |
| —, Limnocinclus | Gt. Brit. iv. pl. 67. |
| | |

| pectoralis, Malurus | Synopsis, part i. |
|--------------------------------|--|
| , Myzomela | Australia, iv. pl. 65; Handb. i. p. 557. |
| —, Nyctibius | Icones Avium, pl. 18. |
| , Ortyx | Odontoph. pl. 5. |
| , Pachycephala | Synopsis, part iii.; Australia, pt. ii. |
| , I won you promise the second | (cancelled) pl. 3, & vol. ii. pl. 67. |
| , Rallus | Australia, vi. pl. 76. |
| , Sarciophorus | Australia, vi. pl. 11; Handb. ii. p. 222. |
| —, Tringa | Europe, iv. pl. 327. |
| —, Xerophila | New Guinea, iii. pl. 27. |
| Pedionomus torquatus | Australia, v. pl. 80; Handb. ii. p. 187. |
| Peewit | Europe, iv. pl. 291; Gt. Brit. iv. pl. 33. |
| , Black-breasted | Australia, vi. pl. 11. |
| , Masked | Australia, vi. pl. 10. |
| , Wattled | Australia, vi. pl. 9. |
| pekinensis, Rhopophilus | Asia, iv. pl. 3. |
| pelagica, Thalassidroma. | Europe, v. pl. 448; Gt. Brit. v. pl. 86. |
| Pelagodroma fregata | Handb. ii. p. 482. |
| pelecanoides, Thalasseus | Australia, vii. pl. 23. |
| Pelecanus conspicillatus | Australia, vii. pl. 74; Handb. ii. p. 486. |
| crispus | Europe, v. pl. 406. |
| — onocrotalus | Europe, v. pl. 405. |
| Pelican | Europe, v. pl. 405. |
| —, Australian | Australia, vii. pl. 74; Handb. ii. p. 486. |
| —, Dalmatian | Europe, v. pl. 406. |
| Pelidna bonapartii | Gt. Brit. iv. pl. 71. |
| — cinclus | Gt. Brit. iv. pls. 69, 70. |
| pella, Topaza | Humming B. ii. pl. 66. |
| Pellorneum palustre | Asia, iii. pl. 65. |
| Peltops blainvilli | New Guinea, ii. pl. 55. |
| Penang Sun-bird | Asia, ii. pl. 25. |
| Pencil-tailed Hapalotis | Mamm. Austr. iii. pl. 5 |
| Pencilled Pheasant | Asia, vii. pl. 17. |
| Penduline Tit | Europe, iii. pl. 159. |
| ————, Chinese | Asia, ii. pl. 70. |
| pendulinus, Ægithalus | Europe, iii. pl. 159. |
| penelope, Mareca | Europe, v. pl. 359; Gt. Brit. v. pl. 13. |
| Penguin, Crested | Australia, vii. pl. 83; Handb. ii. p. 517. |
| —, Fairy | Australia, vii. pl. 85; Handb. ii. p. 521. |
| | 21 |

| Penguin, Little | Australia, vii. pl. 84; Handb. ii. p. 518. |
|--------------------------|--|
| penicillata, Bettongia | Mamm. Austr. ii. pl. 61; Monogr. |
| | Macrop. part i. |
| —, Hapalotis | Mamm. Austr. iii. pl. 5. |
| —, Meliphaga | Synopsis, part i. |
| —, Petrogale | Mamm. Austr. ii. pls. 39, 40; Monogr. |
| | Macrop. part ii. |
| —, Phascogale | Mamm. Austr. i. p. 31. |
| —, Ptilotis | Australia, iv. pl. 43; Handb. i. p. 519. |
| peninsularis, Iyngipicus | Asia, vi. pl. 33. |
| pennata, Aquila | Europe, i. pl. 9. |
| pennanti, Platycercus | Australia, v. pl. 23; Handb. ii. p. 44. |
| Pennant's Parrakeet | Australia, v. pl. 23; Handb. ii. p. 44. |
| pennatus, Scops | Asia, i. pl. 13. |
| Peragalea lagotis | Mamm. Austr. i. pl. 7. |
| —, Long-eared | Mamm. Austr. i. pl. 7. |
| Perameles, Banded | Mamm. Austr. i. pl. 8. |
| —— fasciata | Mamm. Austr. i. pl. 8. |
| gunnii | Mamm. Austr. i. pl. 9. |
| —, Gunn's | Mamm. Austr. i. pl. 9. |
| —, Long-nosed | Mamm. Austr. i. pl. 11. |
| — myosurus | Mamm. Austr. i. pl. 10. |
| nasuta | Mamm. Austr. i. pl. 11. |
| —— obesula | Mamm. Austr. i. pl. 12. |
| ——, Saddle-backed | Mamm. Austr. i. pl. 10. |
| —, Short-nosed | Mamm. Austr. i. pl. 12. |
| percnopterus, Neophron | Europe, i. pl. 3; Gt. Brit. i. pl. 1. |
| Perdicula argoondah | Asia, vii. pl. 5. |
| —— asiatica | Asia, vii. pl. 4. |
| Perdix barbata | Asia, vi. pl. 73. |
| cinerea | Europe, iv. pl. 262; Gt. Brit. iv. |
| | pl. 13. |
| —— hodgsoniæ | Asia, vi. pl. 74. |
| —— petrosa | Europe, iv. pl. 261. fig. 1. |
| — rubra | Europe, iv. pl. 260. |
| — saxatilis | Europe, iv. pl. 261. fig. 2. |
| Père David's Pterorhinus | Asia, iii. pl. 55. |
| —— Heude's Paradoxornis | Asia, iii. pl. 74. |
| 1 0 , 1 | Cent. pl. 9. |
| peregrinator, Falco | Asia, i. pl. 3. |
| | |

| Peregrine Falcon | Europe, i. pl. 21; Gt. Brit. i. pl. 17. |
|----------------------------|---|
| peregrinus, Falco | Europe, i. pl. 21; Gt. Brit. i. pl. 17. |
| , Pericrocotus | . Cent. pl. 9; Asia, ii. pl. 9. |
| Pericrocotus brevirostris | Cent. pl. 8. |
| — cantonensis | . Asia, ii. pl. 4. |
| —, Cawnpore | Asia, ii. pl. 5. |
| cinereus | Asia, ii. pl. 11. |
| erythropygius | Asia, ii. pl. 6. |
| flammeus | Asia, ii. pl. 8. |
| —, Great | Asia, ii. pl. 7. |
| , Grey | Asia, ii. pl. 11. |
| —, Grey-throated | Asia, ii. pl. 34. |
| — griseogularis | Asia, ii. pl. 3. |
| , Little | Asia, ii. pl. 9. |
| —, Orange | Asia, ii. pl. 6. |
| — peregrinus | Cent. pl. 9; Asia, ii. pl. 9. |
| roseus | Asia, ii. pl. 10. |
| —, Rosy | Asia, ii. pl. 10. |
| — solaris | 4 1 . |
| speciosus | Cent. pl. 7; Asia, ii. pl. 7. |
| —, Yellow-throated | Asia, ii. pl. 5. |
| —, see Minivet. | 113m, m pn 0. |
| periophthalmicus, Monarcha | New Guinea, ii. pl. 52. |
| Peristera chalcoptera | Australia, v. pl. 64. |
| — elegans | 1 0 7 |
| — histrionica | Australia, v. pl. 66. |
| Pern, Honey | Europe, i. pl. 16; Gt. Brit. i. pl. 8. |
| Pernis apivorus | Europe, i. pl. 16; Gt. Brit. i. pl. 8. |
| Perroquet, Aru | New Guinea, v. pl. 4. |
| —, Astrolabe Mountain | New Guinea, v. pl. 4. |
| —, Black-cheeked | New Guinea, v. pl. 6. |
| 751.132 | New Guinea, v. pl. 5. |
| • | , 1 |
| —, Double-eyed | New Guinea, v. pl. 3. |
| —, Goldie's | New Guinea, v. pl. 41. |
| —, McCoy's | New Guinea, v. pl. 7. |
| —, Southern Ringed | New Guinea, v. pl. 2. |
| —, Western | New Guinca, v. pl. 1. |
| Persian Starling | |
| personata, Eophona | · · · · · |
| —, Gerygone | Australia, Suppl. pl. 14. |

| personata, Motacilla . . | | Asia, iv. pl. 63. |
|------------------------------|--|--|
| , Poephila | | Australia, iii. pl. 91; Handb.i. p. 423. |
| —, Strix | | Synopsis, part iii.; Australia, i. pl. 29. |
| —, Sula | | Australia, vii. pl. 77. |
| personatus, Artamus | | Australia, ii. pl. 31; Handb. i. p. 150. |
| —, Lobivanellus | | Australia, vi. pl. 10; Handb. ii. p. 220. |
| —, Schistes | | Humming B. iv. pl. 219. |
| —, Trogon | | Trogons, (2) pl. 10. |
| perspicillata, Oidemia . | | Europe, v. pl. 376; Gt. Brit. v. pl. 30. |
| peruana, Spathura | | Humming B. iii. pl. 164. |
| Peruvian Coquette | | Humming B. iii. pl. 125. |
| Racket-tail | | Humming B. iii. pl. 164. |
| — White-tip | | Humming B., Suppl. p. 34. |
| pesqueti, Dasyptilus | | New Guinea, v. pl. 33. |
| Pesquet's Parrot | | New Guinea, v. pl. 33. |
| Petasophora anais | | Humming B. iv. pl. 224. |
| — cyanotis | | Humming B. iv. pl. 228. |
| coruscans | | Humming B. iv. pl. 226. |
| — delphinæ | | Humming B. iv. pl. 229. |
| — germana | | Humming B., Suppl. pl. 11. |
| — iolata | | Humming B. iv. pl. 225. |
| — serrirostris | | Humming B. iv. pl. 223. |
| — thalassina | | Humming B. iv. pl. 227. |
| Petaurista taguanoides . | | Mamm. Austr. i. pl. 22. |
| Petrel, Allied | | Australia, vii. pl. 59; Handb. ii. p. 458. |
| —, Atlantic | | Handb. ii. p. 449. |
| —, Banks' | | Handb. ii. p. 474. |
| —, Blue | | Australia, vii. pl. 52; Handb. ii. p. 457. |
| —, Broad-billed | | Handb. ii. p. 474. |
| —, Bulwer's | | Europe, v. pl. 449; Gt. Brit. v. pl. 449. |
| —, Cape | | Australia, vii. pl. 53; Handb. ii. p. 469. |
| —, Common Storm . | | Europe, v. pl. 448; Gt. Brit. v. pl. 86. |
| ——, Cook's | | Australia, vii. pl. 51; Handb. ii. p. 456. |
| —, Diving | | Australia, vii. pl. 60; Handb. ii. p. 483. |
| —, Dove-like . | | Handb. ii. p. 472. |
| —, Fairy | | Handb. ii. p. 473. |
| —, Fleshy-footed | | Australia, vii. pl. 57; Handb. ii. p. 465. |
| , Fork-tailed Storm | | Europe, v. pl. 447; Gt. Brit. v. pl. 85. |
| —, Fulmar | | Europe, v. pl. 446. |

| Petrel, Giant | Australia, vii. pl. 45; Handb. ii. p. 443. |
|------------------------|---|
| —, Great Grey | Australia, vii. pl. 47; Handb. ii. p. 446. |
| —, Great-winged | Handb. ii. p. 449. |
| , Leach's | Europe, v. pl. 447; Gt. Brit. v. pl. 85. |
| —, Short-tailed | Australia, vii. pl. 56; Handb. ii. p. 459. |
| —, Silvery-grey | Australia, vii. pl. 48; Handb. ii. p. 467. |
| , Soft-plumaged | Australia, vii. pl. 50; Handb. ii. p. 453. |
| , Solander's | Handb. ii. p. 450. |
| —, Spectacled | Australia, vii. pl. 46; Handb. ii. p. 445. |
| , Storm | Gt. Brit. v. pl. 86. |
| —, Wedge-tailed | Australia, vii. pl. 58; Handb. ii. p. 466. |
| —, White-headed | Australia, vii. pl. 49; Handb. ii. p. 451. |
| , White-winged | Handb. ii. p. 454. |
| Petrocincla cyanea | Europe, ii. pl. 87. |
| erythrogastra | Asia, iii. pl. 8. |
| — saxatilis | Europe, ii. pl. 86; Gt. Brit. ii. pl. 44. |
| Petrocossyphus cyaneus | Gt. Brit. ii. pl. 43. |
| Petrogale brachyotis | Mamm. Austr. ii. pl. 47. |
| — concinna | Mamm. Austr. ii. pl. 48. |
| — inornata | Mamm. Austr. ii. pls. 45, 46; Monogr. |
| | Macrop. part ii. |
| — lateralis | Mamm. Austr. ii. pls. 41, 42; Monogr. |
| | Macrop. part ii. |
| — penicillata | Mamm. Austr. ii. pls. 39, 40; Monogr. |
| 1 | Macrop. part ii. |
| xanthopus | Mamm. Austr. ii. pls. 43, 44. |
| Petroica bicolor | Australia, iii. pl. 7; Handb. i. p. 283. |
| ? cerviniventris | Australia, Suppl. pl. 15; Handb. i. p. 288. |
| — erythrogastra | Australia, iii. pl. 4; Handb. ii. App. |
| . 0 | p. 526. |
| fusca | Australia, iii. pl. 8; Handb. i. p. 286. |
| — goodenovii | Synopsis, part i.; Australia, iii. pl. 5; |
| 3 | Handb. i. p. 280. |
| modesta | Synopsis, part iv. App. p. 3. |
| —— multicolor | Synopsis, part i.; Australia, iii. pl. 3; |
| | Handb. i. p. 279. |
| — phœnicea | Synopsis, part i.; Australia, iii. pl. 6; |
| 1 | Handb. i. p. 282. |
| superciliosa | Australia, iii. pl. 9. |
| | • |

| petronia, Pyrgita | | Europe, iii. pl. 186. |
|--------------------------|--|--|
| Petrophassa albipennis . | | Australia, v. pl. 71; Handb. ii. p. 141. |
| petrophila, Euphema . | | Australia, v. pl. 40; Handb. ii. p. 76. |
| petrosa, Caccabis | | Europe, iv. pl. 261. fig. 1. |
| —, Perdix | | Europe, iv. pl. 261. fig. 1. |
| Pezoporus formosus | | Australia, v. pl. 46; Handb. ii. p. 86. |
| Phænicornis brevirostris | | Cent. pl. 8. |
| — peregrina | | Cent. pl. 9. |
| — princeps | | Cent. pl. 7. |
| Phæolæma æquatorialis . | | Humming B. iv. pl. 269. |
| rubinoides | | Humming B. iv. pl. 268. |
| Phæoptila sordida | | Humming B. iv. pl. 340. |
| phæopus, Numenius | | Europe, iv. pl. 303; Gt. Brit. iv. pl. 49. |
| phaethon, Chlorostilbon | | Humming B. v. pl. 354. |
| • | | Humming B. i. pl. 35. |
| — amaura | | Humming B. i. pl. 32. |
| anthophilus | | Humming B. i. pl. 24. |
| — augusti | | Humming B. i. pl. 29. |
| — bourcieri | | Humming B. i. pl. 25. |
| —— cephalus | | Humming B. i. pl. 19. |
| — episcopus | | Humming B. i. pl. 39, fig. 2. |
| — eremita | | Humming B. i. pl. 40. |
| — eurynome | | Humming B. i. pl. 16. |
| — fraterculus | | Humming B. i. pl. 18. |
| — griseogularis | | Humming B. i. pl. 36. |
| — guyi | | Humming B. i. pl. 26. |
| — hispidus | | Humming B. i. pl. 22. |
| — intermedius | | Humming B. i. pl. 30. |
| longuemareus | | Humming B. i. pl. 31. |
| - nigricinetus | | Humming B. i. pl. 39. fig. 1. |
| — obscura | | Humming B. i. pl. 38. |
| oseryi | | Humming B. i. pl. 23. |
| — philippi | | Humming B. i. pl. 21. |
| pretrei | | Humming B. i. pl. 28. |
| — pygmæus | | Humming B. i. pl. 41. |
| — striigularis | | Humming B. i. pl. 37. |
| — superciliosus | | Humming B. i. pl. 17. |
| syrmatophorus | | Humming B. i. pl. 20. |
| — viridicaudata | | Humming B. i. pl. 33. |
| yaruqui | | Humming B. i. pl. 27. |
| | | · . |

| Phaethornis zonura | Humming B. i. pl. 34. |
|-------------------------|---|
| | Australia, vii. pl. 73; Handb. ii. p. 501. |
| | Australia, iii. pl. 83. |
| | Handb. i. p. 415. |
| • | Humming B. iv. pl. 215. |
| | Humming B., Suppl. pl. 3. |
| | Europe, v. pl. 407; Gt. Brit. v. pl. 52. |
| | Synopsis, part iv.; Australia, vii. pl. 66. |
| | Europe, v. pl. 410. |
| | Europe, v. pl. 411. |
| | Synopsis, part iv. App. p. 8. |
| | Europe, v. pl. 408; Gt. Brit. v. pl. 53. |
| | |
| | Australia, vii. pl. 68. |
| —— leucogaster | Synopsis, part iv. App. p. 7; Australia, |
| 1 3 | vii. pl. 69; Handb. ii. p. 492. |
| | Australia, vii. pl. 70; Handb. ii. p. 493. |
| | Handb. ii. p. 488. |
| — punctatus | Australia, pt. i. (cancelled) pl. 10, & |
| | vol. vii. pl. 71; Handb. ii. App. p. 582. |
| | Europe, v. pl. 409. |
| | Handb. ii. p. 495. |
| | Australia, vii. pl. 67. |
| | Handb. ii. p. 4 90. |
| | Australia, ii. pl. 5; Handb. i. p. 90. |
| Phalanger, Great Flying | Mamm. Austr. i. pl. 22. |
| —, Woolly | Mamm. Austr. i. pl. 20. |
| Phalangista canina | Mamm. Austr. i. pl. 17. |
| cookii | Mamm. Austr. i. pl. 18. |
| — fuliginosa | Mamm. Austr. i. pl. 15. |
| —— lanuginosa | Mamm. Austr. i. pl. 20. |
| | Mamm. Austr. i. pl. 17. |
| ——, Sooty | Mamm. Austr. i. pl. 15. |
| — viverrina | Mamm. Austr. i. pl. 19. |
| | Mamm. Austr. i. pl. 19. |
| | Mamm. Austr. i. pl. 16. |
| | Mamm. Austr. iii. pl. 16. |
| | Europe, iv. pl. 337; Gt. Brit. iv. pls. 81, |
| 1, , , | 82. |
| , Red-necked | Europe, iv. pl. 336; Gt. Brit. iv. pl. 83. |
| • | Gt. Brit. iv. pls. 81, 82. |
| ı | . 1 . , |

| Phalaropus hyperboreus | Europe, iv. pl. 336. |
|--------------------------|--|
| — platyrhynchus | Europe, iv. pl. 337. |
| Phaon Comet | Humming B. iii. pl. 175. |
| phaon, Cometes | Humming B. iii. pl. 175. |
| Phaps chalcoptera | Handb. ii. p. 122. |
| —— elegans | Handb. ii. p. 125. |
| — histrionica | Handb. ii. p. 127. |
| Pharomacrus antisianus | Trogons, (2) pl. 2. |
| — auriceps | Trogons, (2) pls. 4, 4 a. |
| —— fulgidus | Trogons, (2) pl. 3. |
| mocinno | Trogons, (2) pl. 1. |
| pavoninus | Trogons, (2) pl. 5. |
| Phascogale, Brush-tailed | Mamm. Austr. i. pl. 31. |
| — calura | Mamm. Austr. i. pl. 32. |
| —, Handsome-tailed | Mamm. Austr. i. pl. 32. |
| lanigera | Mamm. Austr. i. pl. 33. |
| — penicillata | Mamm. Austr. i. pl. 31. |
| —, Woolly | Mamm. Austr. i. pl. 33. |
| Phascolarctos cinereus | Mamm. Austr. i. pls. 13, 14. |
| Phascolomys lasiorhinus | Mamm. Austr. i. pls. 59, 60. |
| — latifrons | Mamm. Austr. i. pls. 57, 58. |
| wombat | Mamm. Austr. i. pls. 55, 56. |
| phasianella, Macropygia | Australia, v. pl. 75; Handb. ii. p. 148. |
| —, Pteropodocys | Australia, ii. pl. 59; Handb. i. p. 199. |
| Phasianus albocristatus | Cent. pls. 66, 67. |
| chrysomelas | Asia, vii. pl. 36. |
| colchicus | Europe, iv. pl. 247; Gt. Brit. iv. |
| | pl. 12; Asia, vii. pl. 34. |
| mongolicus | Asia, vii. pl. 41. |
| — pucrasia | Cent. pls. 69, 70. |
| reevesii | Asia, vii. pl. 33. |
| — scintillans | Asia, vii. pl. 38. |
| — shawi | Asia, vii. pl. 35. |
| — sæmmeringii | Asia, vii. pl. 37. |
| stacii | Cent. pl. 68. |
| — torquatus | Asia, vii. pl. 39, |
| versicolor | Asia, vii. pl. 40. |
| phasianus, Centropus | |
| Pheasant, Argus | Asia, vii. pl. 52. |

| Pheasant, Assam Peacock | Asia, vii. pl. 50. |
|----------------------------|--|
| —, Blyth's Horned | Asia, vii. pl. 47. |
| —, Bulwer's | Asia, vii. pl. 13. |
| , Cheer | Asia, vii. pl. 18. |
| , Chestnut-tailed Lobed . | Asia, vii. pl. 12. |
| —, Chinese Eared | Asia, vii. pl. 22. |
| —, Chinese Pucras | Asia, vii. pl. 24. |
| , Chinese Ring-necked . | Asia, vii. pl. 39. |
| 4- | Europe, iv. pl. 247; Gt. Brit. iv. pl. 12; |
| | Asia, vii. pl. 34. |
| —, Coucal | Handb. i. p. 634. |
| —, Cuckoo | Australia, iv. pl. 92. |
| —, Darwin's Pucras | Asia, vii. pl. 25. |
| —, De l'Huy's Monaul | Asia, vii. pl. 54. |
| —, Dr. Cabot's Horned | Asia, vii. pl. 48. |
| —, Elliot's | Asia, vii. pl. 23. |
| —, Geoffroy's Blood | Asia, vii. pl. 42. |
| —, Golden | Asia, vii. pl. 19. |
| , Himalayan Blood | Asia, vii. pl. 43. |
| —, Himalayan Pucras | Asia, vii. pl. 26. |
| —, Impeyan | Asia, vii. pl. 53. |
| —, Japanese | Asia, vii. pl. 40. |
| —, Kafiristan Pucras | Asia, vii. pl. 27. |
| —, Lady Amherst's | Asia, vii. pl. 20. |
| —, Lineated | Asia, vii. pl. 14. |
| —, Malayan Peacock | Asia, vii. pl. 51. |
| , Mongolian | Asia, vii. pl. 41. |
| —, Nepal Pucras | Asia, vii. pl. 28. |
| , Nepaulese Horned | Asia, vii. pl. 49. |
| —, Oxus | Asia, vii. pl. 36. |
| —, Pencilled | Asia, vii. pl. 17. |
| , Reeves' | Asia, vii. pl. 33. |
| —, Sclater's Monaul | Asia, vii. pl. 55. |
| —, Shaw's | Asia, vii. pl. 35. |
| —, Siamese Fire-backed | Asia, vii. pl. 21. |
| —, Silver | |
| —, Sömmering's | |
| —, Sparkling | |
| —, Swinhoe's Fire-backed . | Asia, vii. pl. 16. |

| Pheasant, Temminck's Horned . | Asia, vii. pl. 46. |
|-------------------------------|--|
| —, Vieillot's Fire-backed | Asia, vii. pl. 15. |
| —, Western Horned | Asia, vii. pl. 45. |
| Pheasant-tailed Pigeon | Australia, v. pl. 75. |
| philadelphia, Chroicocephalus | Gt. Brit. v. pl. 65. |
| Philemon plumigenis | New Guinea, iii. pl. 41. |
| Philip Island Parrot | Australia, v. pl. 6; Handb. ii. App. |
| | p. 550. |
| philippensis, Hypotænidia | Handb. ii. p. 334. |
| philippi, Phaethornis | Humming B. i. pl. 21. |
| Philippine Bee-eater | Asia, i. pl. 36. |
| — Oriole | Asia, ii. pl. 72. |
| — Racket-tailed Parrot | Asia, vi. pl. 14. |
| —— Island Thickhead | Asia, ii. pl. 12. |
| philippinensis, Hyloterpe | Asia, ii. pl. 12. |
| philippinus, Merops | Asia, i. pl. 36. |
| Philomela luscinia | Europe, ii. pl. 116. |
| — turdoïdes | Europe, ii. pl. 117. |
| philomela, Luscinia | Gt. Brit. ii. pl. 56. |
| Philortyx fasciatus | Odontoph. pl. 14. |
| Phlogænas crinigera | Asia, vi. pl. 52. |
| — cruenta | Asia, vi. pl. 51. |
| — jobiensis | New Guinea, v. pl. 48. |
| — johannæ | New Guinea, v. pl. 49. |
| — tristigmata | Asia, vi. pl. 59. |
| Phlogophilus hemileucurus | Humming B. v. pl. 360. |
| Phodilus badius | Asia, i. pl. 14. |
| Phœbetria fuliginosa | Handb. ii. p. 441. |
| phœnicea, Ianthocincla | Icones Avium, pl. 3. |
| ——, Petroica | Australia, iii. pl. 6; Handb. i. p. 282. |
| phœniceum, Trochalopteron | Icones Avium, pl. 3; Asia, iii. pl. 35. |
| phœnicoptera, Treron | Cent. pl. 58. |
| ——, Trichodroma | Europe, iii. pl. 239. |
| Phænicopterus ruber | Europe, iv. pl. 287. |
| Phœnicura cæruleocephala | Cent. pl. 25. fig. 2. |
| — cinclorhyncha | Ceut. pl. 19. |
| — frontalis | Cent. pl. 26. fig. 1. |
| —— leucocephala | Cent. pl. 26. fig. 2. |

| Phænicura rubeculoides | Cent. pl. 25. fig. 1. |
|----------------------------|--|
| — ruticilla | Europe, ii. pl. 95. |
| — suecica | Europe, ii. pl. 97. |
| — tithys | Europe, ii. pl. 96. |
| phœnicura, Gallinula | Asia, vii. pl. 67. |
| —, Petrœca | Synopsis, part i. |
| , Ruticilla | Gt. Brit. ii. pl. 51. |
| phœnicurus, Phaëton | Australia, vii. pl. 73; Handb. ii. p. 501. |
| Phonygama purpureoviolacea | New Guinea, i. pl. 35. |
| phragmitis, Acrocephalus | Europe, ii. pl. 110; Gt. Brit. ii. pl. 75. |
| —, Calamodyta | Gt. Brit. ii. pl. 75. |
| —, Salicaria | Europe, ii. pl. 110. |
| phrygia, Meliphaga | Handb. i. p. 527. |
| , Zanthomyza | Australia, iv. text to pl. 48. |
| Phyllopneuste rufa | Gt. Brit. ii. pl. 66. |
| — sibilatrix | Gt. Brit. ii. pl. 67. |
| | Asia, iv. pl. 59. |
| trochilus | Gt. Brit. ii. pl. 65. |
| Phyllornis, All-green | Asia, iii. pl. 18. |
| | Asia, iii. pl. 18. |
| , , , , , , | Asia, iii. pl. 14. |
| 1 1 . | , 1 |
| _ | Asia, iii. pl. 15. |
| — javensis | Asia, iii. pl. 13. |
| — jerdoni | Asia, iii. pl. 17. |
| —— malabaricus | Asia, iii. pl. 16. |
| —, see also Green Bulbul. | |
| Pica bactriana | Asia, v. pl. 56. |
| bottanensis | , ··· I ··· |
| caudata | Europe, iii. pl. 216; Gt. Brit. iii. pl. 63. |
| —— cyanea | Europe, iii. pl. 217. |
| erythrorhyncha | Cent. pl. 41. |
| — leucoptera | Asia, v. pl. 55. |
| | Cent. pl. 43. |
| — vagabunda | Cent. pl. 42. |
| picata, Dromolæa | Asia, iv. pl. 26. |
| —, Grallina | Handb. i. p. 188. |
| —, Herodias | |
| , | 2 κ 2 |
| | ~ n ~ |

| picata, Leucosarcia | Australia, v. pl. 63; Handb. ii. p. 120. |
|--------------------------|--|
| , Lichnotentha | Handb. i. p. 529. |
| —, Melanodryas | Handb. i. p. 285. |
| , Melicophila | Australia, iv. pl. 49. |
| —, Rhipidura | Australia, i. Intr. p. xxxix. |
| —, Sauloprocta | Handb. i. p. 246. |
| picatus, Cracticus | Australia, ii. pl. 50; Handb. i. p. 181. |
| , Scotophilus | Mamm. Austr. iii. pl. 43. |
| pichincha, Oreotrochilus | Humming B. ii. pl. 69. |
| Pichinchian Hill-Star | Humming B. ii. pl. 69. |
| picta, Callipepla | Odontoph. pl. 15. |
| , Emblema | Australia, iii. pl. 97; Handb. i. p. 429. |
| —, Entomophila | Synopsis, part iv.; Australia, iv. pl. 50; |
| • | Handb. i. p. 530. |
| —, Thaumalea | Asia, vii. pl. 19. |
| picticollis, Casuarius | New Guinea, v. pl. 74. |
| —, Garrulax | Asia, iii. pl. 53. |
| Piculet, Malayan | Asia, vi. pl. 41. |
| —, Rufous | Asia, vi. pl. 40. |
| , Speckled | Asia, vi. pl. 39. |
| picumnus, Climacteris | Australia, iv. pl. 98. |
| Picus brunneifrons | Cent. pl. 52. |
| —— cabanisi | Asia, vi. pl. 17. |
| — hyperythrus | Cent. pl. 50. |
| —— insularis | Asia, vi. pl. 16. |
| —— leuconotus | Gt. Brit. iii. pl. 71. |
| mahrattensis | Cent. pl. 51. |
| —— major | Europe, iii. pl. 229; Gt. Brit. iii. pl. 70. |
| | Europe, iii. pl. 225. |
| | Europe, iii. pl. 230. |
| —— minor | Europe, iii. pl. 231; Gt. Brit. iii. pl. 72. |
| — occipitalis | Cent. pl. 47. |
| shorii | Cent. pl. 49. |
| squamatus | Cent. pl. 18. |
| Pie, Chinese Blue | Asia, v. pl. 48. |
| —, Formosan Blue | Asia, v. pl. 46. |
| —, Great-billed Blue | Asia, v. pl. 49. |
| , Nepaulese Blue | Asia, v. pl. 47. |
| = | |

| Pie, White-capped Blue | |
|--------------------------|---|
| —–-, Yellow-billed | Asia, v. pl. 50. |
| Pied Cormorant | Australia, vii. pls. 68, 70; Handb. ii. |
| | p. 490. |
| — Crow-Shrike | Australia, ii.pl.50; Handb. i.pp.168,181. |
| —— Egret | Australia, vi. pl. 62; Handb. ii. p. 306. |
| — Fantail | Handb. i. p. 246. |
| —— Flycatcher | Europe, ii. pl. 63. fig. 1; Gt. Brit. ii. pl. 17. |
| — Grallina | Australia, ii. pl. 54; Handb. i. p. 188. |
| — Honey-eater | Australia, iv. pl. 49; Handb. i. p. 529. |
| Jacobin | Humming B. ii. pl. 115. |
| — Malurus | New Guinea, ii. pl. 25. |
| Robin | Australia, iii. pl. 7; Handb. i. p. 285. |
| Scotophilus | Mamm. Austr. iii. pl. 43. |
| — Stone-Chat | Asia, iv. pl. 26. |
| —— Tail | Humming B. ii. pl. 57. |
| — Wagtail | Europe, ii. pl. 141; Gt. Brit. iii. pl. 1. |
| , Deccan | Asia, iv. pl. 62. |
| ——, Great | Asia, iv. pl. 61. |
| , Masked | Asia, iv. pl. 63. |
| — Wheatear | Europe, ii. pl. 89. |
| Pied-tailed Humming-bird | Humming B. v. pl. 360. |
| Piezorhynchus axillaris | New Guinea, ii. pl. 51. |
| — brodiei | New Guinea, ii. pl. 44. |
| — browni | New Guinea, ii. pl. 45. |
| —— castus | New Guinea, ii. pl. 47. |
| — medius | New Guinea, ii. pl. 50. |
| nitidus | Australia, ii. pl. 88; Handb. i. p. 249. |
| —— richardsi | New Guinea, ii. pl. 46. |
| | New Guinea, ii. pl. 49. |
| — vidua | New Guinea, ii. pl. 48. |
| Pigeon, Branded | Asia, vi. pl. 59. |
| Bronze-winged | Australia, v. pl. 64. |
| —, Brush Bronze-winged | Australia, v. pl. 65. |
| —, Collared Wood | Asia, vi. pl. 58. |
| ——, Crested | Australia, v. pl. 70. |
| —, Elphinstone's Wood | _ |
| —, Grey-naped Ground | |
| —, Indian Rock | |
| | , i |

| Pigeon, Large-tailed | Handb. ii. p. 148. |
|--|---|
| —, Little Green | Australia, v. pl. 62; Handb. ii. p. 118. |
| —, Long-billed Green | Handb. ii. p. 119. |
| —, Maroon-breasted | Asia, vi. pl. 52. |
| —, Mongolian Rock | Asia, vi. pl. 54. |
| —, Papuan Ground | New Guinea, v. pl. 62. |
| —, Pheasant-tailed | Australia, v. pl. 75. |
| —, Red-breasted | Asia, vi. pl. 51. |
| | Gt. Brit. iv. pl. 3. |
| —, Tooth-billed | Handb. ii. p. 556. |
| —, Top-knot | Australia, v. pl. 61; Handb. ii. p. 116. |
| —, White-bellied | Asia, vi. pl. 55. |
| —, White-chested | New Guinea, v. pl. 48. |
| —, White-throated | New Guinea, v. pl. 67. |
| —, Wonga-wonga | Australia, v. pl. 63; Handb. ii. p. 120. |
| —, Wood | Europe, iv. pl. 243; Gt. Brit. iv. pl. 1. |
| , see also Bronze-wing. | |
| —, see also Fruit-Pigeon. | |
| —, see also Green Pigeon. | |
| Pigmy Acrobates | Mamm. Austr. i. pl. 28. |
| — Curlew | Europe, iv. pl. 328. |
| — Goose | Australia, vii. pl. 5. |
| —————————————————————————————————————— | Handb. ii. p. 357. |
| ——, White-quilled | Handb. ii. p. 359. |
| — Hermit | Humming B. i. pl. 41. |
| — Honey-eater | New Guinea, iv. pl. 8. |
| —— Parrot | New Guinea, v. pl. 21. |
| ——, Beccari's | New Guinea, v. pl. 25. |
| , Bruijn's | New Guinea, v. pl. 24. |
| | New Guinea, v. pl. 27. |
| —————————————————————————————————————— | New Guinea, v. pl. 22. |
| —— , Misori | New Guinea, v. pl. 23. |
| , Solomon Islands | New Guinea, v. pl. 26. |
| — Woodpecker, Banded | Asia, vi. pl. 31. |
| — , Ceylonese | Asia, vi. pl. 32. |
| ———, Darjiling | Asia, vi. pl. 26. |
| ————, Doerries' | Asia, vi. pl. 22. |
| | Asia, vi. pl. 27. |
| —————————————————————————————————————— | |

| Pigmy Woodpecker, Malayan . | | Asia, vi. pl. 29. |
|--|---|--|
| , Orange-breasted . | | Asia, vi. pl. 23. |
| ————, Ramsay's | | Asia, vi. pl. 24. |
| ————, Sonnerat's | | Asia, vi. pl. 30. |
| ———, Swinhoe's | | Asia, vi. pl. 21. |
| —————————————————————————————————————— | | Asia, vi. pl. 25. |
| ———, Travancore | | Asia, vi. pl. 33. |
| ————, Vigors' | | Asia, vi. pl. 34. |
| pilaris, Turdus | | Europe, ii. pl. 76; Gt. Brit. ii. pl. 35. |
| pileata, Sitella | | Synopsis, part iv.; Australia, iv. pl. 104; |
| • | | Handb. i. p. 612. |
| pileatus, Platycercus | | Australia, v. pl. 32. |
| —, Purpureicephalus | | Handb. ii. p. 60. |
| Pinarolæma buckleyi | | Humming B., Suppl. pl. 8. |
| Pine Bunting | | Europe, iii. pl. 180. |
| — Grosbeak | | Europe, iii. pl. 204; Gt. Brit. iii. pl. 44. |
| — Star-throat | | Humming B. iv. pl. 261. |
| Pinicola enucleator | | Gt. Brit. iii. pl. 44. |
| pinicola, Heliomaster | | Humming B. iv. pl. 261. |
| Pink-breasted Wood-Robin | | Australia, iii. pl. 1; Handb. i. p. 276. |
| Pink-eyed Duck | | Handb. ii. p. 372. |
| Pink-footed Goose | | Gt. Brit. v. pl. 3. |
| Pintail Duck | | Europe, v. pl. 365. |
| Pin-tailed Duck | | Gt. Brit. v. pl. 18. |
| — Sand-Grouse | | Europe, iv. pl. 258. |
| Pipastes agilis | | Asia, iv. pl. 65. |
| piperivora, Selenidera | | Toucans, (2) pl. 36. |
| Piping Crow-Shrike | | Australia, ii. pl. 46; Handb. i. p. 175. |
| Pipit, Australian | | Australia, iii. pl. 73; Handb. i. p. 392. |
| —, Indian Tree | | Asia, iv. pl. 65. |
| —, Meadow | | Europe, ii. pl. 136. |
| —, Meadow, or Titlark | | Gt. Brit. iii. pl. 13. |
| —, Red-throated | | Europe, ii. pl. 140; Asia, iv. pl. 66; |
| , | | Gt. Brit. iii. pl. 12. |
| —, Richard's | | Europe, ii. pl. 135; Gt. Brit. iii. pl. 8. |
| —, Rock | | Europe, ii. pl. 138; Gt. Brit. iii. pl. 10. |
| | | Europe, ii. pl. 137; Gt. Brit. iii. pl. 9. |
| , Tree | | Europe, ii. pl. 139; Gt. Brit. iii. pl. 14. |
| , Vinous | • | Gt. Brit. iii. pl. 11. |
| , | • | Frank Par |

| D: 21 D | | | | | 4 1 94 |
|----------------------|---|---|---|---|--|
| Pirik Bee-eater | | | | | Asia, i. pl. 34. |
| piscator, Sula | | | | | Australia, vii. pl. 79; Handb. ii. p. 509. |
| pithyornus, Emberiza | | | | | Europe, iii. pl. 180. |
| Pitta arquata | | | | | Asia, v. pl. 69. |
| — atricapilla | | | | ٠ | Asia, v. pl. 76. |
| baudii | | | ٠ | ٠ | Asia, v. pl. 72. |
| — bengalensis | | | | | Cent. pl. 23; Asia, v. pl. 64. |
| ——, Black-headed . | | | • | ٠ | Asia, v. pl. 76. |
| —, Blue | | | | | Asia, v. pl. 80. |
| , Blue-backed . | | | | | New Guinea, iv. pl. 29. |
| —, Blue-tailed | | | | | Asia, v. pl. 77. |
| , Bornean | | | | | Asia, v. pl. 67. |
| boschii | | | | | Asia, v. pl. 83. |
| — brachyura | | | | | Cent. pl. 23. |
| — cærulea | | | | | Asia, v. pl. 81. |
| ——— cæruleitorques . | | | | | New Guinea, iv. pl. 32. |
| —— celebensis | | | | | New Guinea, iv. pl. 34. |
| —— coccinea | | | | | Asia, v. pl. 68. |
| concinna | | | | | New Guinea, iv. pl. 31. |
| —— cucullata | | | | | Asia, v. pl. 82. |
| —— cyanea | | | | | Asia, v. pl. 80. |
| | | | | | New Guinea, iv. pl. 29. |
| — cyanura | | | | | Asia, v. pl. 77. |
| —, Elegant | | | | | New Guinea, iv. pl. 3. |
| ellioti | | | | | Asia, v. pl. 66. |
| —, Formosan | | | | | Asia, v. pl. 65. |
| forsteni | | | | | New Guinea, iv. pl. 30. |
| — granatina | | | | | Asia, v. pl. 67. |
| ——–, Great | | | | | New Guinea, iv. pl. 27. |
| — gurneyi | | | | | Asia, v. pl. 73. |
| | | | | | Asia, v. pl. 82. |
| — iris | | | | | Australia, iv. pl. 3; Handb. i. p. 432. |
| | | | | | Asia, v. pl. 71. |
| | | | | | Asia, v. pl. 70. |
| - mackloti | | | | | Australia, Suppl. pl. 29. |
| —, Macklot's | | | | | Australia, Suppl. pl. 29. |
| — maforensis | | | | | New Guinea, iv. pl. 33. |
| —, Malaccan | | | | | Asia, v. pl. 68. |
| | | | | | New Guinea, iv. pl. 27. |
| maxima | • | • | • | • | zion damen, in più zi. |

| Pitta megarhyncha | Asia, v. pl. 70. |
|------------------------------|--|
| —, Necklaced | Asia, v. pl. 69. |
| — nipalensis | Asia, v. pl. 79. |
| —, New Guinea | New Guinea, iv. pl. 36. |
| —, Noisy | Australia, iv. pl. 1; Handb. i. p. 430. |
| — novæ-guineæ | New Guinea, iv. pl. 36. |
| —— oreas | Asia, v. pl. 65. |
| , Rainbow | Australia, iv. pl. 3; Handb. i. p. 432. |
| , Red-backed | Asia, v. pl. 72. |
| —, Red-headed | New Guinea, iv. pl. 32. |
| —, Red-naped | New Guinea, iv. pl. 35. |
| rosenbergii | New Guinea, iv. pl. 37. |
| — rubrinucha | New Guinea, iv. pl. 35. |
| schwaneri | Asia, v. pl. 78. |
| — steerii | Asia, v. pl. 74. |
| - strepitans | Australia, iv. pl. 1; Handb. i. p. 430. |
| — ussheri | Asia, v. pl. 75. |
| —, Van der Bosch's | Asia, v. pl. 83. |
| vigorsi | Australia, pt. ii. (cancelled) pl. 4, & vol. |
| 1150131 | iv. pl. 2; Handb. ii. App. p. 527. |
| , Vigors' | Australia, iv. pl. 2; Handb. ii. p. 527. |
| pityopsittacus, Loxia | Europe, iii. pl. 201; Gt. Brit. iii. |
| prtyopsittacus, Hoxia | pl. 46. |
| placens, Climacteris | New Guinea, iii. pl. 29. |
| —, Pœcilodryas | New Guinea, ii. pl. 19. |
| Psitteuteles | New Guinea, v. pl. 20. |
| —, Sternula | New Guinea, v. pl. 72. |
| Placid Dove | Handb. ii. p. 145. |
| placida, Geopelia | Australia, i. Introd. p. lxxi; Handb. ii. |
| placian, Geopeiia | p. 145. |
| plagosus, Lamprococcyx | Handb. i. p. 623. |
| Plain-coloured Acanthiza | Handb. i. p. 370; Australia, iii. pl. 59. |
| — Finch | Australia, iii. pl. 85; Handb. i. p. 414. |
| —— Thickhead | Australia, ii. pl. 72; Handb. i. p. 217. |
| — Warbler | Australia, iii. pl. 59. |
| Plain-loving Jerboa-Kangaroo | Mamm. Austr. ii. pl. 66. |
| Plain Rat | Mamm. Austr. iii. pl. 18. |
| Plain-wanderer, Collared | Handb. ii. p. 187. |
| Plain Zosterops | Asia, ii. pl. 34. |
| | |

| Platalea flavipes | Synopsis, part iv. App. p. 7; Australia, vi. pl. 49. |
|---------------------------|--|
| — leucorodia | Europe, iv. pl. 286; Gt. Brit. iv. pl. 32. |
| — regia | Synopsis, part iv. App. p. 7: Australia, |
| | vi. pl. 50; Handb. ii. p. 287. |
| Platibis flavipes | Handb. ii. p. 288. |
| Platycercus adelaidæ | Australia, v. pl. 22. |
| —— adelaidensis | Handb. ii. p. 46. |
| barnardi | Synopsis, part iv.; Australia, v. pl. 21; |
| | Handb. ii. p. 40. |
| —— baueri | Australia, v. pl. 20. |
| — brownii | Australia, v. pl. 31. |
| —— cyanogenys | Australia, Suppl. pl. 63; Handb. ii. p. 52. |
| —— eximius | Synopsis, part ii.; Australia, v. pl. 27; |
| | Handb. ii. p. 55. |
| —— flaveolus | Synopsis, part ii.; Australia, v. pl. 25; |
| | Handb. ii. p. 50. |
| —— flaviventris | Synopsis, part ii.; Australia, v. pl. 24; |
| | Handb. ii. p. 48. |
| hæmatogaster | Australia, pt. ii. (cancelled) pl. 7. |
| —— hæmatonotus | Synopsis, part iv. App. p. 5. |
| — icterotis | Synopsis, part ii.; Australia, v. pl. 29; |
| | Handb. ii. p. 58. |
| —— ignitus | Synopsis, part ii. |
| palliceps | Synopsis, part ii.; Australia, v. pl. 26; |
| | Handb. ii. p. 51. |
| — pennantii | Australia, v. pl. 23; Handb. ii. p. 44. |
| ——— pileatus | Australia, v. pl. 32. |
| — semitorquatus | Australia, v. pl. 19; Handb. ii. p. 42. |
| splendidus | Australia, v. pl. 28; Handb. ii. p. 57. |
| —— tabuensis | Synopsis, part iv. |
| — venustus | Handb, ii. p. 53. |
| zonarius | Synopsis, part iv.; Handb. ii. p. 43. |
| platycercus, Selasphorus | Humming B. iii. pl. 140. |
| platyops, Hypsiprymnus | Mamm. Austr. ii. pl. 70. |
| platyrhyncha, Tringa | Europe, iv. pl. 331. |
| platyrhynchus, Phalaropus | Europe, iv. pl. 337. |
| Plectorhyncha lanceolata | Synopsis, part iv.; Australia, iv. pl. 47; |
| | Handb. i. p. 525. |
| | • |

| Plectrophanes lapponica | |
|-----------------------------|--|
| — nivalis | . Europe, iii. pl. 170; Gt. Brit. iii. pl. 31. |
| Plotus novæ-hollandiæ | , |
| Plover, Australian Golden | . Australia, vi. pl. 13 ; Handb. ii. p. 225. |
| —, Black-breasted | . Handb. ii. p. 222. |
| ——, Brown | . Australia, vi. pl. 14. |
| —, Egyptian | Asia, vii. pl. 62. |
| —, Golden | Europe, iv. pl. 294; Gt. Brit. iv. |
| | pls. 38, 39. |
| —, Grey | Europe, iv. pl. 290; Australia, vi. pl. 12; |
| , , | Gt. Brit. iv. pls. 36, 37; Handb. ii. |
| | p. 224. |
| —, Kentish | Europe, iv. pl. 298; Gt. Brit. iv. pl. 40. |
| , Large-billed Shore | 1 1 1 1 2 77 11 11 270 |
| —, Little Ringed | T I DOW CO THE TAIL |
| , Long-legged | T 1 1 000 Ct D 1 1 1 1 1 |
| —, Masked | TT 11 " 000 |
| , Masket | Europe, iv. pl. 288. |
| , Ringed | Gt. Brit. iv. pl. 41. |
| | |
| —, Spur-winged | Europe, iv. pl. 293. |
| —, Wattled | |
| —, Zic-zac | , 1 |
| Plover-crest, De Lalande's | Humming B. iv. pl. 208. |
| —, Loddiges' | 0 1 |
| plumbea, Myiagra | , , |
| plumbeiventris, Gymnocrex | New Guinea, v. pl. 71. |
| Plumbeous Flycatcher | Australia, ii. pl. 89. |
| Plumed Bronze-wing | Handb. ii. p. 135. |
| — Egret | Australia, vi. pl. 57; Handb. ii. p. 303. |
| — Honey-eater | Australia, iv. pl. 40; Handb. i. p. 516. |
| —— Partridge | Odontoph. pl. 15. |
| —— Bronze-wing | Australia, v. pl. 69. |
| —— Podargus | Handb. i. p. 93. |
| Plumeleteer, Black-vented | Humming B., Suppl. pl. 13. |
| —, Blue-breasted | Humming B. ii. pl. 91. |
| —, Buffon's | Humming B. ii. pl. 89. |
| , Golden-tailed | Humming B. ii. pl. 90. |
| —, Madame de Lafresnaye's . | Humming B., Suppl. pl. 13. |
| plumifera, Geophaps | Australia, v. pl. 69. |

| plumifera, Lophophaps . | | | Handb. ii. p. 135. |
|----------------------------|---|---|---|
| —, Ortyx | | | Icones Avium, pl. 9. |
| plumiferus, Herodias . | | | Australia, vi. pl. 57. |
| —, Podargus | | | Australia, ii. pl. 6; Handb. i. p. 93. |
| plumigenis, Philemon . | | | New Guinea, iii. pl. 41. |
| plumulus, Ptilotis | | | Australia, iv. pl. 40; Handb. i. p. 516. |
| pluricinctus, Pteroglossus | | | Toucans, (1) pl. 15, (2) pl. 17. |
| pluvialis, Charadrius | | | Europe, iv. pl. 294; Gt. Brit. iv. pls. 38, 39. |
| Pluvianus ægyptius | | | Asia, vii. pl. 62. |
| spinosus | | | Europe, iv. pl. 293. |
| Plyctolophus galeritus . | | | Synopsis, part iv. |
| — leadbeateri | | | Synopsis, part iv. |
| Pnoepyga squamata | | | Icones Avium, pl. 5. |
| Pochard | | | Gt. Brit. v. pl. 20. |
| —, Red-headed | | | Europe, v. pl. 367. |
| —, Scaup | | | Europe, v. pl. 371. |
| Podabrus crassicaudatus. | | | Mamm. Austr. i. pl. 47. |
| —, Large-tailed | | | Mamm. Austr. i. pl. 46. |
| macrourus | | | Mamm. Austr. i. pl. 46. |
| —, Thick-tailed | | | Mamm. Austr. i. pl. 47. |
| Podargus brachypterus . | | | Australia, Introd. p. xxviii; Handb. i. p. 89. |
| cuvieri | | | Australia, ii. pl. 4; Handb. i. p. 87. |
| —, Cuvier's | | | Australia, ii. pl. 4; Handb. i. p. 87. |
| — humeralis | | | Australia, ii. pl. 3. |
| —, Marbled | | | Australia, Suppl. pl. 4; Handb. i. p. 94. |
| — marmoratus | | | Australia, Suppl. pl. 4; Handb. i. p. 94. |
| megacephalus | , | ٠ | Australia, i. Introd. p. xxviii; Handb. i. p. 89. |
| , Moth-plumaged . | | | Australia, ii. pl. 5; Handb. i. p. 90. |
| — ocellatus | | | New Guinea, iv. pl. 40. |
| , Papuan | - | | Australia, Suppl. pl. 3; Handb. i. p. 91. |
| — papuensis | | | Australia, Suppl. pl. 3; Handb. i. p. 91. |
| phalænoides | | | Australia, ii. pl. 5; Handb. i. p. 90. |
| —, Plumed | | | Australia, ii. pl. 6; Handb. i. p. 93. |
| — plumiferus | | | Australia, ii. pl. 6; Handb. i. p. 93. |
| —, Short-winged | | | Handb. i. p. 89. |
| — strigoides | | | Handb. i. p. 84. |

| Podargus, Tawny-shouldered | Australia, ii. pl. 3; Handb. i. p. 84. |
|--|--|
| Podiceps auritus | Europe, v. pl. 391; Gt. Brit. v. pl. 40. |
| — australis | Australia, vii. pl. 80; Handb. ii. p. 511. |
| cornutus | Europe, v. pl. 390. |
| — cristatus | Europe, v. pl. 388; Gt. Brit. v. pl. 38. |
| — gularis | Synopsis, part i.; Australia, vii. pl. 81; |
| o de la companya de l | Handb. ii. p. 513. |
| minor | Europe, v. pl. 392; Gt. Brit. v. pl. 42. |
| nestor | Synopsis, part i.; Handb. ii. p. 512. |
| — nigricollis | Gt. Brit. v. pl. 41. |
| — poliocephalus | Australia, vii. pl. 82. |
| rubricollis | Europe, v. pl. 389; Gt. Brit. v. pl. 39. |
| Podoces biddulphi | Asia, v. pl. 60. |
| —— hendersoni | Asia, v. pl. 61. |
| — humilis | Asia, v. pl. 63. |
| — panderi | Asia, v. pl. 62. |
| Pœcile palustris | Gt. Brit. ii. pl. 27. |
| Pecilodryas albifacies | New Guinea, ii. pl. 18. |
| bimaculata | New Guinea, ii. pl. 17. |
| cerviniventris | Handb. i. p. 288. |
| — placens | New Guinea, ii. pl. 19. |
| — superciliosa | Handb. i. p. 289. |
| pœcilopterus, Turdus | Cent. pl. 14. |
| pœcilorhyncha, Garrulax | Asia, iii. pl. 51. |
| pœcilorrhoa, Gymnophaps | New Guinea, v. pl. 60. |
| pæcilosternus, Pteroglossus | Toucans, (2) pl. 18. |
| Poephila acuticauda | Australia, iii. pl. 90; Handb. i. p. 422. |
| — cincta | Australia, iii. pl. 93; Handb. i. p. 425. |
| gouldiæ | Handb. i. p. 420. |
| —— leucotis | Australia, iii. pl. 92; Handb. i. p. 424. |
| — mirabilis | Australia, iii. pl. 89; Handb. i. p. 421. |
| — personata | Australia, iii. pl. 91; Handb. i. p. 423. |
| poiciloptilus, Botaurus | Handb. ii. p. 313. |
| Polioaetus leucogaster | Handb. i. p. 13. |
| policcephala, Merula | Australia, Suppl. pl. 30; Handb. ii. |
| | p. 528. |
| poliocephalus, Podiceps | Australia, vii. pl. 82. |
| ——, Pteropus | Mamm. Austr. iii. pl. 28. |
| poliocerca, Eupherusa | Humming B., Suppl. pl. 55. |

| poliocerca, Sterna | . Synopsis, part ii. |
|--|--|
| poliocercus, Thalasseus | . Australia, vii. pl. 24; Handb. ii. |
| | p. 396. |
| poliopse, Edoliisoma | . New Guinea, ii. pl. 8. |
| poliopterus, Melilestes | . New Guinea, iii. pl. 56. |
| poliosoma, Pachycephalopsis . | . New Guinea, iii. pl. 26. |
| polychlorus, Eclectus | . New Guinea, v. pl. 31. |
| Polyplectron bicalcaratum | . Asia, vii. pl. 51. |
| —— chinquis | . Asia, vii. pl. 50. |
| Polytelis alexandræ | . Australia, Suppl. pl. 62; Handb. ii. p. 32. |
| — barrabandi | Synopsis, part iv.; Australia, v. pl. 15; Handb. ii. p. 31. |
| — melanura | . Synopsis, part iv.; Australia, v. pl. 16; Handb. ii. p. 33. |
| Polytmus leucorrhous | . Humming B., Suppl. p. 86. |
| polytmus, Trochilus | . Humming B. ii. pl. 98. |
| Pomarea castaneiventris | . New Guinea, ii. pl. 57. |
| — rufocastanea | . New Guinea, ii. pl. 56. |
| — ugiensis | New Guinea, ii. pl. 58. |
| Pomarhine Gull | Europe, v. pl. 440. |
| pomarhinus, Lestris | Europe, v. pl. 440. |
| Pomatorhine Skua | Gt. Brit. v. pl. 79. |
| Pomatorhinus, Chestnut-crowned | |
| , omitted mines, one of the original of the or | р. 484. |
| erythrocnemis | Asia, iii. pl. 33. |
| erythrogenys | Cent. pl. 55. |
| —, Red-breasted | Australia, iv. pl. 21; Handb. i. p. 481. |
| , Red-kneed | Asia, iii. pl. 33. |
| rubeculus | Australia, iv. pl. 21. |
| ruficeps | Australia, Suppl. pl. 38. |
| superciliosus | A / 1' ' 1 00 |
| —, Temporal | 4 4 11 1 1 00 TI |
| — temporalis | A 11 - 11 - 11 - 11 - 10 0 |
| , White-eyebrowed | Australia, iv. pl. 22; Handb. i. p. 482. |
| pomatorhinus, Stercorarius | Gt. Brit. v. pl. 79. |
| Pomatostomus rubeculus | Handb. i. p. 481. |
| ruficeps | Handb. i. p. 484. |
| superciliosus | |
| supercinosus , | rando, i, p. 10m, |

| Pomatostomus temporalis | Handb. i. p. 479. |
|----------------------------------|---|
| poortmanni, Chlorostilbon | Humming B. v. pl. 358. |
| Poortman's Emerald | Humming B. v. pl. 358. |
| Popelaire's Thorn-tail | Humming B. iii. pl. 127. |
| popelairi, Gouldia | Humming B. iii. pl. 127. |
| Porphyrio, Azure-breasted | Australia, vi. pl. 70; Handb. ii. p. 332. |
| — bellus | Australia, vi. pl. 70; Handb. ii. p. 322. |
| , Black-backed | Australia, vi. pl. 69; Handb. ii. p. 321. |
| —, Hyacinthine | Europe, iv. pl. 340. |
| — hyacinthinus | Europe, iv. pl. 340. |
| — melanotus | Australia, vi. pl. 69; Handb. ii. p. 321. |
| porphyrocephalus, Glossopsitta . | Handb. ii. p. 102. |
| —, Trichoglossus | Australia, v. pl. 53. |
| porphyrurus, Lampornis | Humming B. ii. pl. 81. |
| Porphyry-crowned Lorikeet | Australia, v. pl. 53; Handb. ii. p. 102. |
| Porphyry-tailed Mango | Humming B. ii. pl. 81. |
| Port Moresby Racket-tailed King- | |
| fisher | New Guinea, iv. pl. 51. |
| Porzana fluminea | Australia, vi. pl. 79; Handb. ii. p. 339. |
| — immaculata | Australia, vi. pl. 82. |
| — leucophrys | Australia, vi. pl. 81. |
| maruetta | Gt. Brit. iv. pl. 88. |
| minuta | Gt. Brit. iv. pl. 90. |
| — palustris | Australia, vi. pl. 80; Handb. ii. pl. 340. |
| pygmæa | Gt. Brit. iv. pl. 89. |
| — tabuensis | Handb. ii. p. 341. |
| porzana, Crex | Europe, iv. pl. 343. |
| —, Ortygometra | Europe, iv. pl. 343. |
| , Zapornia | Europe, iv. pl. 343. |
| Powerful Cuckoo | Asia, vi. pl. 42. |
| —— Owl | Australia, i. pl. 35. |
| —— Term | Australia, vii. pl. 22. |
| prælatus, Diardigallus | Asia, vii. pl. 21. |
| —, Euplocomus | Asia, vii. pl. 21. |
| prasinus, Aulacorhamphus | Toucans, (2) pl. 47. |
| —, Chlorostilbon | Humming B. v. pl. 355. |
| —, Pteroglossus | Toucans, (1) pl. 49. |
| pratensis, Anthus | Europe, ii. pl. 136; Gt. Brit. iii. pl. 13. |
| , Crex | Gt. Brit. iv. pl. 87. |

| Pratincola indica | | | Asia, iv. pl. 34. |
|------------------------------|---|---|---|
| leucura | | | Asia, iv. pl. 33. |
| rubicola | | | Gt. Brit. ii. pl. 47. |
| pratincola, Glareola | | | Gt. Brit. iv. pl. 46. |
| Pratincole, Australian | | | Australia, vi. pl. 22; Handb. ii. p. 243. |
| —, Black-winged | | | Asia, vii. pl. 63. |
| —, Cinereous | | | Asia, vii. pl. 64. |
| ——, Collared | | | Europe, iv. pl. 265. |
| —, Common | | | Gt. Brit. iv. pl. 46. |
| —, Oriental | | | Australia, vi. pl. 23; Handb. ii. p. 245. |
| preissi, Rhipidura | | | Handb. i. p. 240. |
| Preiss's Fantail | | | Handb. i. p. 240. |
| pretrei, Phaethornis | | | Humming B. i. pl. 28. |
| Pretre's Hermit | | | Humming B. i. pl. 28. |
| Pretty Flycatcher | | | Australia, ii. pl. 90; Handb. i. p. 254. |
| prevosti, Lampornis | | | Humming B. ii. pl. 75. |
| Prevost's Mango | | | Humming B. ii. pl. 75. |
| Primoli's Humming-bird . | | | Humming B. iii. pl. 194. |
| primolina, Metallura | | | Humming B., Suppl. p. 63. |
| primolinus, Metallura | | | Humming B. iii. pl. 194. |
| Prince Albert's Lyre-bird . | | | Handb. i. p. 307. |
| — of Essling's Parrot . | | | Australia, Suppl. pl. 59; Handb. ii. |
| | | | App. p. 552. |
| — Massena's Trogon | | | Trogons, (1) pl. 16. |
| —— Maximilian's Araçari . | | | Toucans, (2) pl. 16. |
| princeps, Muscipeta | | | Cent. pl. 7. |
| Princess Helena's Coquette . | | | Humming B. iii. pl. 123. |
| — of Wales's Parrakeet. | | | Australia, Suppl. pl. 62; Handb. ii. p. 32. |
| Prion ariel | | | P. 32. Handb. ii. p. 473. |
| — banksii | | ٠ | Handb. ii. p. 474. |
| —, Broad-billed | • | | Australia, vii. pl. 55; Handb. ii. p. 474. |
| —, Dove-like | • | | Australia, vii. pl. 55; Handb. ii. p. 472. |
| —, Fairy | • | | Handb. ii. p. 73. |
| | | | Australia, vii. pl. 54; Handb. ii. p. 472. |
| vittatus | | | Australia, vii. pl. 55; Handb. ii. p. 474. |
| Prioniturus flavicans | | • | Asia, vi. pl. 13. |
| discurus | | ٠ | Asia, vi. pl. 15. Asia, vi. pl. 15. |
| , . | | • | Asia, vi. pl. 13. Asia, vi. pl. 12. |
| setarius | | • | 4101a, vi. pi. 14. |

| Prioniturus spatuliger | . Asia, vi. pl. 14. | |
|----------------------------|--|--|
| Prionochilus vincens | . Asia, ii. pl. 41. | |
| Prionoteles temnurus | . Trogons, (2) pl. 33. | |
| pristina, Amazilia | . Humming B. v. pl. 303. | |
| Pristorhamphus versteri | . New Guinea, iv. pl. 10. | |
| Procellaria cærulea | . Australia, vii. pl. 52. | |
| — conspicillata | . Australia, vii. pl. 46. | |
| cookii | . Australia, vii. pl. 51. | |
| —— gigantea | . Australia, vii. pl. 45. | |
| — glacialis | . Europe, v. pl. 446; Gt. Brit. v. pl. 82. | |
| — glacialoides | . Australia, vii. pl. 48. | |
| —— hasitata | . Australia, vii. pl. 47. | |
| — lessoni | . Australia, vii. pl. 49. | |
| mollis | . Australia, vii. pl. 50. | |
| — nereis | . Handb. ii. p. 476. | |
| Procelsterna albivitta | . Handb. ii. p. 420. | |
| productus, Nestor | . Synopsis, part i.; Australia, pt. i. (can- | |
| , | celled) pl. 7, & vol. v. pl. 6; Handb. | |
| | ii. p. 550. | |
| Promerops, Elliot's | . New Guinea, i. pl. 8. | |
| —, Great | . New Guinea, i. pl. 9. | |
| provincialis, Melizophilus | . Europe, ii. pl. 129; Gt. Brit. ii. pl. 59. | |
| Prunelle's Cœligene | . Humming B. iv. pl. 257. | |
| prunelli, Cœligena | . Humming B. iv. pl. 257. | |
| pryeri, Dicæum | . Asia, ii. pl. 39. | |
| Pryer's Dicæum | . Asia, ii. pl. 39. | |
| Psaltria concinna | . Asia, ii. pl. 65. | |
| — erythrocephala | . Asia, ii. pl. 64. | |
| — exilis | . Asia, ii. pl. 63. | |
| — leucogenys | . Asia, ii. pl. 66. | |
| Psarisomus dalhousiæ | . Asia, i. pl. 64; Icones Avium, pl. 1. | |
| Psaroglossa spiloptera | . Cent. pl. 34. | |
| psaroides, Hypsipetes | . Cent. pl. 10. | |
| Psaropholus ardens | . Asia, ii. pl. 75. | |
| — trailli | Asia, ii. pl. 74. | |
| Psephotus chrysopterygius | . Australia, Suppl. pl. 64; Handb. ii. | |
| | | |
| 1 | p. 65. | |
| | - | |

| Psephotus hæmatorrhous | Handb. ii. p. 62. |
|-----------------------------|---|
| — multicolor | Australia, v. pl. 35; Handb. ii. p. 68. |
| — pulcherrimus | Australia, v. pl. 34; Handb. ii. p. 67. |
| — xanthorrhous | Handb. ii. p. 63. |
| Pseudogerygone chrysogastra | New Guinea, ii. pl. 13. |
| —— cinereiceps | New Guinea, ii. pl. 14. |
| notata | New Guinea, ii. pl. 12. |
| Psilopus albogularis | Synopsis, part iv. |
| — brevirostris | Synopsis, part iv. |
| — fuscus | Synopsis, part iv. |
| —— olivaceus | Synopsis, part iv. |
| Psittacella brehmi | New Guinea, v. pl. 39. |
| madaraszi | New Guinea, v. pl. 40. |
| Psitteuteles arfaki | New Guinea, v. pl. 18. |
| —— placens | New Guinea, v. pl. 20. |
| rubronotatus | New Guinea, v. pl. 16. |
| — subplacens | New Guinea, v. pl. 17. |
| — wilhelminæ | New Guinea, v. pl. 19. |
| Psophodes, Black-throated | Australia, iii. pl. 16; Handb. i. p. 314. |
| crepitans | Australia, iii. pl. 15; Handb. i. p. 312. |
| — nigrogularis | Australia, iii. pl. 16; Handb. i. p. 314. |
| Ptarmigan | Gt. Brit. iv. pls. 8, 9, 10. |
| —, Common | Europe, iv. pl. 253. |
| , Rock | Europe, iv. pl. 254. |
| , Short-toed | Europe, iv. pl. 256. |
| —, Willow | Europe, iv. pl. 255. |
| Ptenoedus rufescens | Handb. i. p. 397. |
| Pterocles arenarius | Europe, iv. pl. 257. |
| —— coronatus | Asia, vi. pl. 63. |
| exustus | Asia, vi. pl. 64. |
| —— fasciatus | Asia, vi. pl. 65. |
| —— guttatus | Asia, vi. pl. 62. |
| — setarius | Europe, iv. pl. 258. |
| Pterodroma atlantica | Handb. ii. p. 449. |
| — macroptera | Handb. ii. p. 449. |
| —— solandri | Handb. ii. p. 450. |
| Pteroglossus araçari | Toucans, (1) pl. 12, (2) pl. 15. |
| azaræ | Toucans, (2) pl. 28. |
| — bailloni | Toucans, (1) pl. 20. |

| Pteroglossus beauharnaisii Toucans, (2) pl. 25. — bitorquatus Toucans, (1) pl. 16, (2) pl. 26. — castanotis Toucans, (1) pl. 13, (2) pl. 19. — culik Toucans, (1) pl. 27. — derbianus Toucans, (1) pl. 32. — erythropygius Toucans, (2) pl. 21. — flavirostris Toucans, (2) pl. 29. — gouldii Icones Avium, p. 7. — hæmatopygus Toucans, (1) pl. 33. — humboldtii Toucans, (1) pl. 22, (2) pl. 22. — hypoglancus Toucans, (1) pl. 19. |
|---|
| — culik Toucans, (1) pl. 27. — derbianus Toucans, (1) pl. 32. — erythropygius Toucans, (2) pl. 21. — flavirostris Toucans, (2) pl. 29. — gouldii Icones Avium, p. 7. — hæmatopygus Toucans, (1) pl. 33. — humboldtii |
| — derbianus Toucans, (1) pl. 32. — erythropygius Toucans, (2) pl. 21. — flavirostris Toucans, (2) pl. 29. — gouldii Icones Avium, p. 7. — hæmatopygus Toucans, (1) pl. 33. — humboldtii Toucans, (1) pl. 22, (2) pl. 22. |
| |
| |
| |
| |
| |
| — humboldtii Toucans, (1) pl. 22, (2) pl. 22. |
| |
| in pograneus i oucuns, (i) pr. iv. |
| — inscriptus Toucans, (1) pl. 23, (2) pl. 23. |
| — langsdorffi Toucans, (1) pl. 28. |
| — maculirostris Toucans, (1) pl. 24. |
| — mariæ Toucans, (2) pl. 30. |
| nattererii Toucans, (1) pl. 25. |
| — pœcilosternus Toucans, (2) pl. 18. |
| pavoninus Toucans, (1) pl. 30. |
| — pluricinctus Toucans, (1) pl. 15, (2) pl. 17. |
| prasinus Toucans, (1) pl. 29. |
| regalis Toucans, (1) pl. 14. |
| reinwardtii Toucans, (1) pl. 26. |
| sturmi Toucans, (2) pl. 27. |
| — sulcatus Toucans, (1) pl. 31. |
| — torquatus Toucans, (2) pl. 20. |
| — ulocomus Toucans, (1) pl. 18. |
| — viridis Toucans, (1) pl. 21, (2) pl. 24. |
| — wiedi Toucans, (2) pl. 16. |
| Pterophanes temmincki Humming B. iii. pl. 178. |
| Pteropodocys phasianella Australia, ii. pl. 59; Handb. i. p. 199. |
| Pteropus conspicillatus Mamm. Austr. iii. pl. 29. |
| funereus Mamm. Austr. iii. pl. 30. |
| — poliocephalus Mamm. Austr. ii. pl. 28. |
| Pterorhinus davidi Asia, iii. pl. 55. |
| —, Père David's Asia, iii, pl. 55. |
| Pteruthius æralatus Asia, ii. pl. 13. |
| |
| —, Grey-headed Asia, ii. pl. 13. |
| —, Himalayan Asia, ii. pl. 3. |

| Pteruthius rufiventer | | | Asia, ii. pl. 15. |
|---|---|---|---|
| —, Rufous-bellied —, see also Shrike-Tit. | • | | Asia, ii. pl. 15. |
| Ptilinopus ewingii | | | Australia, v. pl. 56; Handb. ii. p. 107. |
| — superbus | | | Australia, v. pl. 57. |
| swainsoni | | | Australia, v. pl. 55; Handb. ii. p. 106. |
| Ptilonorhynchus holosericeus | | | Australia, iv. pl. 10; Handb. i. p. 442. |
| — rawnsleyi | | | Australia, Suppl. pl. 34. |
| | | | Australia, iv. pl. 11. |
| Ptilopus bellus | | | New Guinea, v. pl. 58. |
| —— fischeri | | | New Guinea, v. pl. 56. |
| —— lewisi | | | New Guinea, v. pl. 54. |
| nanus | | | New Guinea, v. pl. 51. |
| —— richardsi | | | New Guinea, v. pl. 53. |
| — rivolii | | | New Guinea, v. pl. 59. |
| — solomonis | | | New Guinea, v. pl. 52. |
| | | | New Guinea, v. pl. 57. |
| — wallacii | | | New Guinea, v. pl. 55. |
| 13.41 1.4 | | | Australia, Suppl. pl. 51. |
| 11 | | | Australia, iv. pl. 100; Handb. i. p. 591. |
| — victoriæ | | | Australia, Suppl. pl. 50; Handb. i. |
| | | | р. 593. |
| Ptilosclera versicolor | | | Handb. ii. p. 98. |
| Ptilotis albonotata | | | New Guinea, iii. pl. 47. |
| — auricomis | | | Australia, iv. pl. 37; Handb. i. p. 511. |
| — cassidix | • | | Australia, Suppl. pl. 39. |
| chrysops | | | Australia, iv. pl. 45; Handb. i. p. 521. |
| 1 2 | | | Australia, iv. pl. 32. |
| — cockerelli | | | Australia, Suppl. pl. 43. |
| cratitius | • | ٠ | Australia, iv. pl. 38; Handb. i. p. 513. |
| — fasciogularis | | • | Australia, Suppl. pl. 40; Handb. i. |
| | • | • | p. 507. |
| — filigera | | ٠ | Australia, Suppl. pl. 42; Handb. i. p. 522. |
| — flava | | | Australia, iv. pl. 42; Handb. i. p. 518. |
| — flavescens | | | Australia, iv. pl. 41; Handb. i. p. 517. |
| — flavigula | | | Synopsis, part iv.; Australia, iv. pl. 35; |
| <u> </u> | | | Handb. i. p. 508. |
| —— flavostriata | | | New Guinea, iii. pl. 50. |

| Ptilotis frenata . | | | New Guinea, iii. pl. 49. |
|------------------------|--|--|--|
| — fusca | | | Australia, iv. pl. 44; Handb. i. p. 520. |
| leucotis | | | Australia, iv. pl. 36; Handb. i. p. 510. |
| lewinii | | | Handb. i. p. 503. |
| marmorata | | | New Guinea, iii. pl. 48. |
| — notata | | | Australia, Suppl. pl. 41. |
| ornata | | | Australia, iv. pl. 39; Handb. i. p. 515. |
| ornatus | | | Synopsis, part iv. |
| penicillatus | | | Australia, iv. pl. 43; Handb. i. p. 519. |
| plumula | | | Australia, iv. pl. 40; Handb. i. p. 516. |
| sonorus | | | Australia, iv. pl. 33; Handb. i. p. 504. |
| — unicolor | | | Australia, iv. pl. 46. |
| versicolor | | | Australia, iv. pl. 34; Handb. i. p. 506. |
| Ptistes coccineopterus | | | Handb. ii. p. 39. |
| erythropterus . | | | Handb. ii. p. 37. |
| Ptochoptera iolæma . | | | Humming B., Suppl. p. 48. |
| Puce-throated Hummi | | | Humming B. ii. pl. 55. |
| Pucras Pheasant, Chin | | | Asia, vii. pl. 24. |
| , Darwin's . | | | Asia, vii. pl. 25. |
| ———, Himalayan | | | Asia, vii. pl. 26. |
| ———, Kafiristan | | | Asia, vii. pl. 27. |
| | | | Asia, vii. pl. 28. |
| Pucrasia castanea | | | Asia, vii. pl. 27. |
| —— darwini | | | Asia, vii. pl. 25. |
| macrolopha | | | Cent. pls. 69, 70; Asia, vii. pl. 26. |
| nipalensis | | | Asia, vii. pl. 28. |
| — xanthospila | | | Asia, vii. pl. 24. |
| pucrasia, Phasianus . | | | Cent. pls. 69, 70. |
| puella, Írena | | | Asia, iii. pl. 21. |
| —, Trogon | | | Trogons, (2) pl. 11. |
| Puffin | | | Europe, v. pl. 403; Gt. Brit. v. pl. 51. |
| —, Northern | | | Europe, v. pl. 404. |
| Puffinuria urinatrix . | | | Australia, vii. pl. 60. |
| Puffinus anglorum . | | | Europe, v. pl. 443; Gt. Brit. v. pl. 84. |
| assimilis | | | Synopsis, part iv. p. 7; Australia, vii. |
| | | | pl. 59. |
| brevicaudus | | | Australia, vii. pl. 56. |
| — carneipes | | | Australia, vii. pl. 57. |
| — cinereus | | | Europe, v. pl. 445. |
| | | | * · · · |

| Puffinus major | | | • | Gt. Brit. v. pl. 83. |
|---------------------------|---|---|---|---|
| nugax | | | | Handb. ii. p. 458. |
| — obscurus | | | | Europe, v. pl. 444. |
| sphenurus | | | | Australia, vii. pl. 58. |
| Puff-leg, Aurelia's | | | | Humming B. iv. pl. 283. |
| —, Black-breasted | | | | Humming B. iv. pl. 276. |
| —, Black-vented | | | | Humming B., Suppl. p. 69. |
| —, Blue-vented | | | | Humming B., Suppl. p. 69. |
| —, Brown-booted | | | | Humming B., Suppl. p. 70. |
| ——, Buquet's | | | | Humming B. iv. pl. 273. |
| , Coppery-bellied . | | | | Humming B. iv. pl. 270. |
| ——, Derby's | | | | Humming B. iv. pl. 279. |
| —, D'Orbigny's | | | | Humming B. iv. pl. 278. |
| —, Dybowski's | | | | Humming B., Suppl. p. 68. |
| —, Glowing | | | | Humming B. iv. pl. 275. |
| , Godin's | | | | Humming B. iv. pl. 277. |
| ——, Green-breasted . | | | | Humming B., Suppl. p. 70. |
| ~ * | | | | Humming B. iv. pl. 282. |
| ——, Long-billed | | | | Humming B. iv. pl. 272. |
| —, Metallic | | | | Humming B. iv. pl. 280. |
| , Mosquera's | | | | Humming B. iv. pl. 274. |
| ——, Olive-coloured | | | | Humming B. iv. pl. 271. |
| —, Sapphire-vented . | | | | Humming B., Suppl. pl. 71. |
| —, Scaly | | | | Humming B. iv. pl. 281. |
| pugnax, Machetes | | | | Europe, iv. pl. 325; Gt. Brit. iv. |
| pagata, rationetes | • | • | • | pls. 61, 62. |
| pulchella, Charmosyna . | | | | New Guinea, v. pl. 13. |
| —, Euphema | | | • | Australia, v. pl. 41; Handb. ii. p. 77. |
| pulchellus, Carcineutes . | | | ٠ | Asia, i. pl. 48. |
| ——, Nanodes | | | | Synopsis, part ii. |
| , Nettapus | | | • | Australia, vii. pl. 4; Handb. ii. p. 357. |
| , Trogon | | | • | Trogons, (1) pl. 22. |
| pulcherrimus, Malurus . | | | | Australia, iii. pl. 23; Handb. i. p. 326. |
| , Psephotus | | | | Australia, v. pl. 34; Handb. ii. p. 67. |
| pulchra, Alcyone | | | | Australia, i. Intr. p. xxxii; Handb. i. |
| putenta, meyone | ٠ | • | • | p. 141. |
| , Calothorax | | | | - |
| pulchricollis, Palumbus. | | | | Humming B. iii. pl. 144. Asia, vi. pl. 58. |
| | | | | • |
| pulverulentus, Gambetta | • | | • | Handb. ii. p. 268. |

| pumilus, Scotophilus | Mamm. Austr. iii. pl. 46. |
|-----------------------------------|---|
| punctata, Anas | Australia, vii. pl. 11; Handb. ii. p. 365. |
| punctatum, Cinclosoma | Australia, iv. pl. 4; Handb. i. p. 433. |
| punctatus, Pardalotus | Synopsis, part ii.; Australia, ii. pl. 35; |
| | Handb. i. p. 157. |
| —, Phalacrocorax | Australia, pt. i. (cancelled) pl. 10, & |
| · · | vol. vii. pl. 71; Handb. ii. p. 582. |
| Purple-and-Violet Manucode | New Guinea, i. pl. 35. |
| Purple-backed Flycatcher | New Guinea, ii. pl. 36. |
| Purpleback, Quito | Humming B., Suppl. pl. 38. |
| Purple-bellied Fruit-Pigeon | New Guinea, v. pl. 58. |
| Purple-breasted Carib | Humming B. ii. pl. 82. |
| Trogon | Trogons, (1) pl. 6, (2) pl. 19. |
| Purple Cochoa | Asia, ii. pl. 2. |
| — Cœligene | Humming B. iv. pl. 256. |
| Purple-crowned Fairy | Humming B. iv. pl. 216. |
| Purple Gallinule, Azure-breasted. | Handb. ii. p. 322. |
| , Black-backed | Handb. ii. p. 321. |
| — Heron | Europe, iv. pl. 274; Gt. Brit. iv. pl. 21. |
| Sandpiper | Europe, iv. pl. 334; Gt. Brit. iv. pl. 74. |
| —— Snowcap | Humming B., Suppl. pl. 30. |
| Purple-tailed Avocet | Humming B. iii. pl. 200. |
| Comet | Humming B. iii. pl. 176; Suppl. pl. 37. |
| Humming-bird | Humming B. iii. pl. 193. |
| Purple-throated Adelomyia | Humming B. iii. pl. 197. |
| — Glossy Starling | New Guinea, iv. pl. 13. |
| — Humming-bird | Humming B. iii. pl. 132; Suppl. pl. 6. |
| purpurascens, Sturnus | Asia, v. pl. 44. |
| purpurea, Ardea | Europe, iv. pl. 274; Gt. Brit. iv. pl. 21. |
| —, Cochoa | Asia, ii. pl. 2. |
| , Cœligena | Humming B. iv. pl. 256. |
| Purpureicephalus pileatus | Handb. ii. p. 60. |
| purpureiceps, Heliothrix | Humming B. iv. pl. 216. |
| purpureo-violacea, Phonygama . | New Guinea, i. pl. 35. |
| Purre | Europe, iv. pl. 329. |
| pusilla, Acanthiza | Synopsis, part iv.; Australia, iii. pl. 53; |
| | Handb. i. p. 364. |
| ——, Alcyone | Australia, ii. pl. 26; Handb. i. p. 142. |
| ——, Ardetta | Australia, vi. pl. 68; Handb. ii. p. 319. |

| pusilla, Crex | Europe, iv. pl. 345. |
|---------------------------------|-------------------------------------|
| —, Emberiza | 4 . 3 M C. D 1 OF |
| —, Glossopsitta | TT 11 '' 100 |
| —, Ortygometra | Europe, iv. pl. 345. |
| —, Zapornia | T) 1 045 |
| pusillus, Graucalus | New Guinea, ii. pl. 4. |
| —, Trichoglossus | 1 7 7 7 7 7 7 |
| pusio, Nasiterna | New Guinea, v. pl. 26. |
| Pycnoptilus, Downy | |
| | р. 348. |
| —— floccosus | Australia, Suppl. pl. 27; Handb. i. |
| | р. 348. |
| pygmæa, Limicola | Gt. Brit. iv. pl. 75. |
| | New Guinea, v. pl. 21. |
| , Porzana | Gt. Brit. iv. pl. 89. |
| pygmæum, Œdistoma | New Guinea, iv. pl. 8. |
| pygmæus, Acrobates | Mamm. Austr. i. pl. 28. |
| —, Eurhinorhynchus | Asia, vii. pl. 66. |
| —, Phaethornis | Humming B. i. pl. 41. |
| —, Phalacrocorax | Europe, v. pl. 409. |
| Pygmy Babbler, Roberts' | Asia, iii. pl. 62. |
| Pygmy Parrot, see Pigmy Parrot. | |
| Pygmy Woodpecker, see Pigmy V | Voodpecker. |
| Pylzoff's Rose-Bunting | Asia, v. pl. 32. |
| pylzowi, Urocynchramus | Asia, v. pl. 32. |
| pyra, Topaza | Humming B. ii. pl. 67. |
| Pyrgita cisalpina | Europe, iii. pl. 185. fig. 2. |
| —— domestica | Europe, iii. pl. 184. fig. 1. |
| — hispaniolensis | Europe, iii. pl. 185. fig. 1. |
| — montana | Europe, iii. pl. 184. fig. 2. |
| — petronia | Europe, iii. pl. 186. |
| pyropygia, Eucephala | Humming B., Suppl. p. 92. |
| Pyrrhocorax pyrrhocorax | Europe, iii. pl. 218. |
| pyrrhocyanea, Cissa | Asia, v. pl. 53. |
| Pyrrholæmus brunneus | Australia, iii. pl. 68; Handb. i. |
| | p. 384. |
| pyrrhops, Stachyris | Asia, iv. pl. 9. |
| pyrrhopygia, Acanthiza | |
| ——, Halcyon | A (1' '' 1 ON |
| • | * |

| pyrrhopygia, Hylacola Australia, iii. pl. 39; Handb. i. p. 34 | |
|--|-----|
| pyrrhopygius, Todirhamphus Handb. i. p. 130. | |
| pyrrhothorax, Charadrius Europe, iv. pl. 299. | |
| —, Hemipodius Australia, v. pl. 86. | |
| —, Turnix Handb. ii. p. 186. | |
| pyrrhoura, Myzornis Asia, iv. pl. 20. | |
| Pyrrhula aurantia Asia, v. pl. 34. | |
| — cineracea Asia, v. pl. 40. | |
| — erithacus Asia, v. pl. 39. | |
| — erythrocephala Cent. pl. 32; Asia, v. pl. 36. | |
| — major Asia, v. pl. 38. | |
| — nepalensis Asia, v. pl. 37. | |
| — orientalis Asia, v. pl. 35. | |
| — vulgaris Europe, iii. pl. 209; Gt. Brit. | ii. |
| pls. 41, 42. | |
| • | |
| | |
| quadragintus, Pardalotus Synopsis, part iv.; Australia, ii. pl. 8 Handb. i. p. 160. | 7; |
| quadricolor, Cyanomyia Humming B. v. pl. 284. | |
| —, Halcyon New Guinea, iv. pl. 56. | |
| quadristrigata, Erythra Handb. ii. p. 343. | |
| Quail, Argoondah Bush Asia, vii. pl. 5. | |
| —, Asiatic Bush Asia, vii. pl. 4. | |
| —, Chinese Asia, vii. pl. 6; Australia, v. pl. 92. | |
| , Common Europe, iv. pl. 263; Gt. Brit. iv. pl. | .5. |
| —, Coromandel Asia, vii. pl. 9. | |
| —, Minute Asia, vii. pl. 7. | |
| —, Pectoral Australia, v. pl. 88; Handb. ii. p. 19 | 0. |
| —, Swamp Handb. ii. p. 193. | |
| —, see also Swamp-Quail. | |
| Queen Victoria's Lyre-bird Handb. i. p. 302. | |
| —————————————————————————————————————— | |
| Queensland Bower-bird New Guinea, i. pl. 44. | |
| — Cat-bird New Guinea, i. pl. 38. | |
| — Edible Swift New Guinea, iv. pl. 38. | |
| Querquedula circia Europe, v. pl. 364; Gt. Brit. v. pl. 1 | 7. |
| — crecca Europe, v. pl. 362; Gt. Brit. v. pl. 1 | |
| — glocitans Europe, v. pl. 363. | |
| 2 N | |

| Quezal | Trogons, (2) pl. 1. Asia, i. pl. 34. Humming B., Suppl. pl. 38. Australia, ii. pl. 53; Handb. i. p. 183. Australia, ii. pl. 53. Handb. i. p. 183. |
|-----------------|--|
| Racket-tail | Humming B. iii. pl. 126. Humming B., Suppl. pl. 37. Humming B. iii. pl. 163. Humming B. iii. pl. 164. Humming B. iii. pl. 165. Humming B. iii. pl. 166. Humming B. iii. pl. 166. Humming B. iii. pl. 162. Asia, v. pl. 52. Asia, vi. pl. 12. |
| | Asia, vi. pl. 13. Asia, vi. pl. 15. Asia, vi. pl. 14. Australia, i. pl. 16; Handb. i. p. 40. Australia, i. pl. 16; Handb. ii. p. 40. Australia, vii. pl. 8; Handb. ii. p. 360. |
| radjah, Tadorna | Handb. i. p. 37. Australia, vi. pl. 78; Handb. ii. p. 338. New Guinea, v. pl. 70. |
| | New Guinea, v. pl. 71. Europe, iv. pl. 341; Gt. Brit. iv. pl. 87. Handb. ii. p. 336. New Guinea, v. pl. 69. Australia, vi. pl. 76; Handb. ii. p. 334. Australia, Suppl. pl. 78. Europe, iv. pl. 339; Gt. Brit. iv. pl. 86. Australia, iv. pl. 3. Humming B. iv. pl. 248. |
| —, Bolivian | Humming B., Suppl. pl, 16. |

| Rainbow Humming-bird | © 1 |
|------------------------------|--|
| — Pitta | . Handb. i. p. 432. |
| —, Warszewicz's | . Humming B., Suppl. pl. 17. |
| Rallicula forbesi | . New Guinea, v. pl. 70. |
| Rallina tricolor | . Australia, Suppl. pl. 78. |
| Rallus aquaticus | . Europe, iv. pl. 339; Gt. Brit. iv. pl. 86. |
| — brachipus | . Handb. ii. p. 336. |
| —— lewinii | . Australia, vi. pl. 77. |
| — pectoralis | . Australia, vi. pl. 76. |
| Ramon De la Sagra's Trogon . | . Trogons, (2) pl. 18. |
| | . Trogons, (2) pl. 18. |
| Ramphastos, see Rhamphastos. | |
| TO 1 1 1 1 | . Humming B., Suppl. pl. 43. |
| | . Humming B. iii. pl. 187. |
| — heteropogon | Humming B. iii. pl. 184. |
| — microrhyncha | TT ' T '' 1 100 |
| — olivaceum | TT 1 TO 0 1 1 44 |
| ruficeps | Humming B. iii. pl. 188. |
| stanleyi | Humming B. iii. pl. 185. |
| vulcani | Humming B. iii. pl. 186. |
| ramsayi, Actinodura | Asia, iii. pl. 59. |
| т. | Asia, vi. pl. 24. |
| D i D i | Asia, vi. pl. 24. Asia, iii. pl. 59. |
| Cuckoo-Shrike | · • |
| Pigmy Woodpecker | New Guinea, ii. pl. 4. |
| m : 11 1 | Asia, vi. pl. 24. |
| | New Guinea, iii. pl. 17. |
| Rat, Allied | Mamm. Austr. iii. pl. 15. |
| —, Buff-footed | Mamm. Austr. iii. pl. 14. |
| —, Dusky-footed | Mamm. Austr. iii, pl. 11. |
| —, Fulvous Beaver | Mamm. Austr. iii. pl. 25. |
| —, Golden-bellied Beaver | Mamm. Austr. iii. pl. 24. |
| —, Little | Mamm. Austr. iii. pl. 20. |
| —, Long-haired | Mamm. Austr. iii. pl. 13. |
| —, Plain | Mamm. Austr. iii. pl. 18. |
| —, Sooty Beaver | Mamm. Austr. iii. pl. 27. |
| —, Sordid | Mamm. Austr. iii. pl. 17. |
| —, Tawny | Mamm. Austr. iii. pl. 12. |
| —, White-bellied Beaver | Mamm. Austr. iii. pl. 26. |
| —, White-footed | Mamm. Austr. iii. pl. 16. |
| | 2 n 2 |

| Rat-Kangaroo, see Kangaroo, Rat. | |
|----------------------------------|--|
| Raven | Europe, iii. pl. 220; Gt. Brit. iii. pl. 57. |
| rawnsleyi, Ptilonorhynchus | Australia, Suppl. pl. 34. |
| Rawnsley's Bower-bird | Australia, Suppl. pl. 34. |
| Rayed-tail Trogon | Trogons, (2) pl. 11. |
| rayi, Budytes | Gt. Brit. iii. pl. 3. |
| Razor-bill | Gt. Brit. v. pl. 47. |
| Razor-billed Auk | Europe, v. pl. 401. |
| Rectes arvensis | New Guinea, i. pl. 56. |
| — cerviniventris | New Guinea, i. pl. 53. |
| — jobiensis | New Guinea, i. pl. 55. |
| —— leucorhynchus | New Guinea, i. pl. 52. |
| — uropygialis | New Guinea, i. pl. 54. |
| rectirostris, Ardea | Australia, vi. pl. 54. |
| ——, Dorifera | Humming B., Suppl. p. 28. |
| Recurvirostra avocetta | Europe, iv. pl. 308; Gt. Brit. iv. pl. 52. |
| — rubricollis | Synopsis, part ii.; Australia, vi. pl. 27; |
| | Handb. ii. p. 249. |
| recurvirostris, Avocettula | Humming B. iii. pl. 201. |
| Red-and-Blue Cissa | Asia, v. pl. 53. |
| Red-backed Accentor | Asia, iv. pl. 43. |
| — Dicæum | Asia, ii. pl. 38. |
| —— Eurylaime | Asia, i. pl. 63. |
| — Kingfisher | Australia, ii. pl. 22; Handb. i. p. 130. |
| — Lorikeet | New Guinea, v. pl. 16. |
| —— Parrakeet | Australia, v. pl. 36. |
| —— Pitta | Asia, v. pl. 72. |
| —— Shrike | Europe, ii. pl. 69. |
| Red-billed Azure-crown | Humming B. v. pl. 284. |
| —— Erolia | Asia, vii. pl. 61. |
| —— Toucan | Toucans, (1) pl. 3, (2) pl. 6. |
| —— Train-bearer | Trogons, (2) pl. 5. |
| Red Bird of Paradise | New Guinea, i. pl. 31. |
| Red-booted Racket-tail | Humming B. iii. pl. 165. |
| Redbreast, Common | Europe, ii. pl. 98; Gt. Brit. ii. pl. 48. |
| Red-breasted Accentor | Asia, iv. pl. 46. |
| — Flycatcher | Europe, ii. pl. 65; Gt. Brit. ii. pl. 20. |
| — Goose | Europe, v. pl. 35; Gt. Brit. v. pl. 6. |
| —— Merganser | Europe, v. pl. 385. |

| Red-breasted Pigeon | | | Asia, vi. pl. 51. |
|------------------------|--|---|--|
| — Pomatorhinus | | ٠ | Australia, iv. pl. 21; Handb. i. p. 481. |
| — Snipe | | | Gt. Brit. iv. pl. 76. |
| — Tanysiptera | | | New Guinea, iv. pl. 48. |
| — Toucan | | | Toucans, (1) pl. 11. |
| Red-capped Dottrel | | | Australia, vi. pl. 17; Handb. ii. p. 235. |
| —— Parrakeet | | | Australia, v. pl. 32; Handb. ii. p. 60. |
| — Robin | | | Australia, iii. pl. 5; Handb. i. p. 280. |
| — Thorn-bill | | | Humming B. iii. pl. 188. |
| Red-chested Dottrell | | | Europe, iv. pl. 299. |
| — Hemipode | | | Australia, v. pl. 86, |
| — Turnix | | | Handb. ii. p. 186. |
| | | | Asia, ii. pl. 36. |
| — Goatsucker | | | Europe, ii. pl. 52. |
| — Lorikeet | | | Australia, v. pl. 49; Handb. ii. p. 95. |
| Red-crested Duck | | | Europe, v. pl. 369; Gt. Brit. v. pl. 22. |
| Red-crowned Garrulax . | | | Asia, iii. pl. 50. |
| Red-eared Finch | | | Australia, iii. pl. 79; Handb. i. p. 407. |
| Red-eyebrowed Finch . | | | Australia, iii. pl. 82; Handb. i. p. 411. |
| —— Tree-creeper | | | Australia, iv. pl. 95; Handb. i. p. 602. |
| Red-eyed Stachyris | | | Asia, iv. pl. 9. |
| Red-footed Falcon | | | Europe, i. pl. 23. |
| Red-fronted Lory | | | New Guinea, v. pl. 38. |
| Red Grouse | | | Europe, iv. pl. 252; Gt. Brit. iv. pl. 7. |
| Red-headed Bullfinch . | | | Asia, v. pl. 36. |
| — Bunting | | | Asia, v. pl. 14. |
| Crow-Tit, Larger . | | | Asia, iii. pl. 78. |
| — Honey-eater | | | Australia, iv. pl. 64; Handb. i. p. 556. |
| Paradoxornis | | | Asia, iii. pl. 78. |
| —— Pitta | | | New Guinea, iv. pl. 32. |
| —— Pochard | | | Europe, v. pl. 367. |
| — Stachyris | | | Asia, iv. pl. 10. |
| — Tit | | | Asia, ii. pl. 64. |
| — Trogon | | | Trogons, (1) pl. 33, (2) pl. 43. |
| Red Knee, Banded | | | Australia, vi. pl. 21. |
| Red-kneed Dottrel | | | Handb. ii. p. 240. |
| | | | Asia, iii. pl. 33. |
| Red-legged Gannet | | | Australia, vii. pl. 79; Handb. ii. p. 509. |
| Partridge | | | Europe, iv. pl. 260; Gt. Brit. iv. pl. 14. |
| 8 | | | |

| Red-lored Diamond-bird Red-mantled Grosbeak . | | | |
|--|---|---|--|
| Red-naped Falcon | | | = |
| | | | , 1 |
| —— Pitta | | | , 1 |
| Red-necked Avocet | | | , , |
| — Goatsucker | | | |
| Grebe | • | ٠ | Europe, v. pl. 389; Gt. Brit. v. pl. 39. |
| — Mountain Finch . | • | • | Asia, v. pl. 5. |
| —— Phalarope . · . | | • | Europe, iv. pl. 336; Gt. Brit. iv. pl. 83. |
| — Rail | | • | Australia, Suppl. pl. 78. |
| Red Oriole | | ٠ | Asia, ii. pl. 75. |
| Redpole, Lesser | | ٠ | Europe, iii. pl. 194; Gt. Brit. iii. pl. 52. |
| —, Mealy | | • | Europe, iii. pl. 193; Gt. Brit. iii. pl. 51. |
| Red-rumped Acanthiza . | | | Australia, iii. pl. 58; Handb. i. p. 369. |
| — Araçari | | | Toucans, (2) pl. 21. |
| — Hylacola | | | Handb. i. p. 346. |
| - Mountain Finch . | | • | Asia, v. pl. 3. |
| — Parrakeet | | | Handb. ii. p. 69. |
| — Warbler | | | Australia, iii. pl. 58. |
| — Wren | | | Australia, iii. pl. 39. |
| Redshank | | | Europe, iv. pl. 310; Gt. Brit. iv. pl. 54. |
| —, Spotted | | | Europe, iv. pl. 309; Gt. Brit. iv. pl. 55. |
| Redstart, Black | | | Europe, ii. pl. 96; Gt. Brit. ii. pl. 52. |
| —, Coal-black | | | Asia, iv. pl. 37. |
| , Common | | | Europe, ii. pl. 95; Gt. Brit. ii. pl. 51. |
| ——, Great White-capped | | | Asia, iv. pl. 36. |
| —, Güldenstadt's | | | Asia, iv. pl. 36. |
| Red-tailed Finch | | | Australia, iii. pl. 84; Handb. i. p. 412. |
| — Myzornis | | | Asia, iv. pl. 20. |
| — Tropic-bird | | | Australia, vii. pl. 73; Handb. ii. p. 501. |
| Red-throat | | | Handb. i. p. 384. |
| , Brown | | | Australia, iii. pl. 68. |
| Red-throated Bluebreast . | | | Gt. Brit. ii. pl. 49. |
| | | | Humming B., Suppl. p. 64. |
| — Diver | | | Europe, v. pl. 395; Gt. Brit. v. pl. 45. |
| — Honey-eater | | | Australia, iv. pl. 52; Handb. i. p. 533. |
| — Nyctiornis | | | Asia, i. pl. 38. |
| — Pipit | | | Europe, ii. pl. 140; Asia, iv. pl. 66; |
| * | | | Gt. Brit. iii. pl. 12. |
| | | | • |

| Red-throated Sapphire | Humming B. v. pl. 342. |
|------------------------|---|
| — Thickhead | A / 1' '' 1 FO TY 11 ' 01" |
| — Thrush | |
| Red-tinted Honey-eater | New Guinea, iii. pl. 71. |
| Red-vented Parrakeet | Handb. ii. p. 62. |
| White-tip | Humming B., Suppl. pl. 24. |
| Red Wallaroo | Mamm. Austr. ii. pls. 8, 9; Monogr. |
| | Macrop. part ii. pl. 21. |
| Redwing | Europe, ii. pl. 78. fig. 2; Gt. Brit. ii. |
| | pl. 34. |
| Red-winged Lory | Australia, v. pl. 18; Handb. ii. p. 37. |
| Reed-bird | Europe, iii. pl. 158. |
| Reed Bunting | Europe, iii. pl. 183 ; Gt. Brit. iii. pl. 29. |
| — Lark, Field | Australia, iii. pl. 71. |
| , Striated | Australia, iii. pl. 70. |
| — Locustelle | Europe, ii. pl. 102. |
| — Warbler | Australia, iii. pl. 37; Handb. i. p. 402; |
| | Europe, ii. pl. 108; Gt. Brit. ii. |
| | pl. 73. |
| Warbler, Long-billed | Australia, iii. pl. 38; Handb. i. p. 403. |
| ——, White-edged | New Guinea, iii. pl. 12. |
| — Wren | Europe, ii. pl. 108. |
| Reedling, Bearded | Europe, iii. pl. 158; Gt. Brit. ii. pl. 30. |
| Reef-Heron, Blue | Australia, vi. pl. 60; Handb. ii. p. 307. |
| —, White | Australia, vi. pl. 61; Handb. ii. p. 309. |
| Reeve | Gt. Brit. iv. pl. 62. |
| reevesii, Phasianus | Asia, vii. pl. 33. |
| Reeves's Pheasant | Asia, vii. pl. 33. |
| —— Sapphire | Humming B. v. pl. 333. |
| refulgens, Thalurania | Humming B. ii. pl. 102. |
| Refulgent Wood-Nymph | Humming B. ii. pl. 102. |
| regalis, Milvus | Gt. Brit. i. pl. 22. |
| —, Pteroglossus | Toucans, (1) pl. 14. |
| Regent-bird | Australia, iv. pl. 12; Handb. i. pl. 456. |
| regia, Platalea | Synopsis, part iv. App. p. 7; Australia, |
| | vi. pl. 50; Handb. ii. p. 287. |
| reginæ, Lophornis | Humming B. iii. pl. 122. |
| regius, Cicinnurus | New Guinea, i. pl. 24. |
| reguloides, Acanthiza | Synopsis, part iv.; Australia, iii. pl. 62. |

| reguloides, Geobasileus | Handb. i. p. 376. |
|--|---|
| Reguloides superciliosus | Gt. Brit. ii. pl. 68. |
| Regulus cristatus | Gt. Brit. ii. pl. 69. |
| —, Dalmatian | Europe, ii. pl. 149; Gt. Brit. ii. pl. 68. |
| — himalayensis | Asia, iv. pl. 60. |
| ——— ignicapillus | Europe, ii. pl. 148. fig. 1; Gt. Brit. ii. |
| | pl. 70. |
| — modestus | Europe, ii. pl. 149. |
| — vulgaris | Europe, ii. pl. 148. fig. 2. |
| regulus, Lophornis | Humming B. iii. pl. 120. |
| Regulus-like Acanthiza | Australia, ii. pl. 62. |
| reinwardti, Harpactes | Asia, i. pl. 72; Trogons, (2) pl. 44. |
| —, Pteroglossus | Toucans, (1) pl. 26. |
| ——, Selenidera | Toucans, (2) pl. 35. |
| —, Trogon | Trogons, (1) pl. 27. |
| Reinwardt's Araçari | Toucans, (1) pl. 20. |
| —— Toucanet | Toucans, (2) pl. 35. |
| —— Trogon | Trogons, (1) pl. 27, (2) pl. 44; Asia, i. |
| | pl. 72. |
| Rendova White-eye | New Guinea, iii. pl. 63. |
| | |
| rendovæ, Zosterops | New Guinea, iii. pl. 63. |
| rendovæ, Zosterops resplendens, Trogon | Trogons, (1) pl. 21. |
| resplendens, Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. |
| resplendens, Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. |
| resplendens, Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. |
| resplendens, Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. |
| resplendens, Trogon Resplendent Trogon respublica, Diphyllodes | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. |
| resplendens, Trogon Resplendent Trogon respublica, Diphyllodes | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. |
| resplendens, Trogon Resplendent Trogon respublica, Diphyllodes | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. Toucans, (2) pl. 5. Toucans, (2) pl. 12. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. Toucans, (2) pl. 5. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. Toucans, (2) pl. 5. Toucans, (2) pl. 12. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. Toucans, (2) pl. 5. Toucans, (2) pl. 12. Toucans, (2) pl. 3. Toucans, (1) pl. 7, (2) pl. 2. Toucans, (2) pl. 9. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. Toucans, (2) pl. 5. Toucans, (2) pl. 12. Toucans, (2) pl. 3. Toucans, (1) pl. 7, (2) pl. 2. Toucans, (2) pl. 9. Toucans, (1) pl. 4. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. Toucans, (2) pl. 5. Toucans, (2) pl. 12. Toucans, (2) pl. 3. Toucans, (1) pl. 7, (2) pl. 2. Toucans, (2) pl. 9. Toucans, (1) pl. 4. Toucans, (1) pl. 1, (2) pl. 11. |
| resplendens, Trogon Resplendent Trogon | Trogons, (1) pl. 21. Trogons, (1) pl. 21. New Guinea, i. pl. 20. Australia, ii. pl. 87; Handb. i. p. 246. New Guinea, v. pl. 35. Asia, ii. pl. 36. New Guinea, iv. pl. 59. Humming B. ii. pl. 61. Toucans, (2) pl. 5. Toucans, (2) pl. 12. Toucans, (2) pl. 3. Toucans, (1) pl. 7, (2) pl. 2. Toucans, (2) pl. 9. Toucans, (1) pl. 4. |

| Rhamphastos erythrorhynchus | Toucans, (1) pl. 3, (2) pl. 6. |
|-------------------------------|--|
| inca | (1) (0) 1 7 |
| — osculans | Toucans, (1) pl. 5, (2) pl. 10. |
| — swainsonii | Toucans, (1) pl. 8. |
| tocard | Toucans, (2) pl. 4. |
| toco | Toucans, (1) pl. 6, (2) pl. 1. |
| — tucanus | Toucans, (1) pl. 10. |
| — vitellinus | Toucans, (1) pl. 9, (2) pl. 13. |
| Rhamphocaris crassirostris | New Guinea, iv. pl. 9. |
| Rhamphomicron, see Ramphomica | on. |
| — olivaceum | Humming B., Suppl. pl. 44. |
| Rhinolophus aurantius | . Mamm. Austr. iii. pl. 35. |
| cervinus | Mamm. Austr. iii. pl. 34. |
| — megaphyllus | Mamm. Austr. iii. pl. 33. |
| Rhipidura albiscapa | 1 1 11 1 1 00 TT 11 1 100 |
| — cockerelli | |
| —— dryas | |
| · | i. p. 242; New Guinea, ii. pl. 32. |
| — fuscorufa | New Guinea, ii. pl. 31. |
| — hamadryas | New Guinea, ii. pl. 30. |
| — hyperythra | New Guinea, ii. pl. 33. |
| — isura | Australia, ii. pl. 85; Handb. i. p. 242. |
| —— leucothorax | New Guinea, ii. pl. 27. |
| — motacilloides | Australia, ii. pl. 86. |
| — opistherythra | New Guinea, ii. pl. 29. |
| —— picata | Australia, i. Introd. p. xxxix. |
| — preissi | Handb. i. p. 240. |
| rubrofrontata | New Guinea, ii. pl. 26. |
| — rufifrons | |
| rhodinogaster, Erythrodryas | Australia, iii. pl. 1; Handb. i. p. 276. |
| rhodochlamys, Carpodacus | Asia, v. pl. 26. |
| rhodochrous, Carpodacus | |
| Rhodopechys sanguinea | |
| rhodopeplus, Carpodacus | Cent. pl. 31. fig. 1. |
| Rhodophila melanoleuca | Asia, iv. pl. 32. |
| Rhodopis vespera | Humming B. iii. pl. 154. |
| Rhodostetha rossii | |
| Rhopophilus, Chinese | Asia, iv. pl. 3. |

| Rhopophilus pekinensis | Asia, iv. pl. 3. |
|---------------------------------|---|
| Rhynchæa, Australian | Australia, vi. pl. 41; Handb. ii. p. 274. |
| australis | Synopsis, part iv. App. p. 6; Australia, vi. pl. 41; Handb. ii. p. 274. |
| Rhynchaspis clypeata | Europe, v. pl. 360; Gt. Brit. v. pl. 14. |
| rhynchotis, Spatula | Australia, vii. pl. 12; Handb. ii. p. 368. |
| richardii, Anthus | Europe, ii. pl. 135; Gt. Brit. iii. pl. 8. |
| richardsii, Piezorhynchus | New Guinea, ii. pl. 46. |
| —, Ptilopus | 37 (1 1) 70 |
| Richard's Pipit | Europe, ii. pl. 135; Gt. Brit. iii. pl. 8. |
| Richards's Flycatcher | New Guinea, ii. pl. 46. |
| — Fruit-Pigeon | New Guinea, v. pl. 53. |
| richardsoni, Lestris | Europe, v. pl. 441. |
| ricordi, Sporadinus | Humming B. v. pl. 348. |
| Ricord's Humming-bird | Humming B. v. pl. 348. |
| ridibunda, Xema | Europe, v. pl. 425. |
| ridibundus, Chroicocephalus | Gt. Brit. v. pl. 64. |
| —, Larus | Europe, v. pl. 425; Gt. Brit. v. pl. 64. |
| riedeli, Eclectus | New Guinea, v. pl. 32. |
| Riedel's Parrot | New Guinea, v. pl. 32. |
| riefferi, Amazilia | Humming B. v. pl. 311. |
| Rieffer's Amazili | Humming B. v. pl. 311. |
| Rifle-bird | Australia, iv. pl. 100; Handb. i. p. 591. |
| —, Magnificent | Australia, Suppl. pl. 51; Handb. i. |
| | р. 595. |
| —, New Guinea | New Guinea, i. pl. 13. |
| —, Queen Victoria's | Handb. i. p. 593. |
| —, Victoria | Australia, Suppl. pl. 50. |
| Rimator malacoptilus | Asia, iii. pl. 60. |
| Ring-Dottrel | Europe, iv. pl. 296; Handb. ii. p. 231. |
| , Little | Europe, iv. pl. 297; Gt. Brit. iv. pl. 42. |
| Ring-necked Pheasant, Chinese . | Asia, vii. pl. 39. |
| Ring-Ouzel | Europe, ii. pl. 73; Gt. Brit. ii. pl. 38. |
| Ringed Plover | Gt. Brit. iv. pl. 41. |
| riparia, Cotyle | Gt. Brit. ii. pls. 7, 8. |
| , Hirundo | Europe, ii. pl. 58. |
| Rissa tridactyla | Gt. Brit. v. pl. 61. |
| rissa, Larus | Europe, v. pl. 435. |
| Riverine Emerald | Humming B., Suppl. pl. 51. |
| | |

| Rivoli | Humming B. ii. pl. 59. |
|--|---|
| rivolii, Ptilopus | New Guinea, v. pl. 59. |
| roberti, Campylopterus | Humming B. ii. pl. 53. |
| —, Sphenocichla | Asia, iv. pl. 54. |
| —, Turdinulus | Asia, iii. pl. 62. |
| Robert's Pigmy Babbler | Asia, iii. pl. 62. |
| — Wedge-tailed Wren | Asia, iv. pl. 54. |
| Robertson's Starling | New Guinea, iv. pl. 17. |
| Robin | Europe, ii. pl. 98; Gt. Brit. ii. pl. 48. |
| , American | Europe, ii. pl. 74. |
| —, Buff-sided | Australia, Suppl. pl. 15; Handb. i. p. 288. |
| , Dusky | Australia, iii. pl. 8; Handb. i. p. 286. |
| —, Eastern Scrub | Australia, Suppl. pl. 16; Handb. i. p. 291. |
| —, Flame-breasted | Australia, iii. pl. 6; Handb. i. p. 282. |
| ——, Grey-breasted | Australia, iii. pl. 12; Handb. i. p. 294. |
| —, Hooded | Handb. i. p. 283. |
| —, Indian Ruby-throated | Asia, iv. pl. 39. |
| —, Large-headed | Australia, Suppl. pl. 17; Handb. i. p. 297. |
| —, Norfolk Island | Australia, iii. pl. 4; Handb. ii. p. 526. |
| The state of the s | Australia, iii. pl. 7; Handb. i. p. 285. |
| —, Pied | Australia, iii. pl. 1; Handb. i. p. 236. |
| —, Red-capped | Australia, iii. pl. 5; Handb. i. p. 280. |
| , 11 | |
| —, Rose-breasted Wood | Australia, iii. pl. 2; Handb. i. p. 277. |
| —, Scarlet-breasted | Australia, iii. pl. 3; Haudb. i. p. 279. |
| —, Scrub | Australia, iii. pl. 10; Handb. i. p. 290. |
| , Siberian Ruby-throated | Asia, iv. pl. 38. |
| , Thibet Ruby-throated | Asia, iv. pl. 40. |
| —, White-bellied | Australia, iii. pl. 13; Handb. i. p. 296. |
| —, White-eyebrowed | Australia, iii. pl. 9; Handb. i. p. 280. |
| —, White-tailed | Australia, Suppl. pl. 18. |
| —, Yellow-banded | New Guinea, ii. pl. 19. |
| —, Yellow-breasted | Australia, iii. pl. 11; Handb. i. p. 293. |
| Robust White-eye | Australia, Suppl. pl. 48. |
| — Zosterops | Australia, Suppl. pl. 48; Handb. ii. |
| | App. p. 537. |
| robustus, Osphranter | Mamm. Austr. ii. pls. 10, 11; Monogr. |
| | Macrop. part i. |
| Rock-Dove | Europe, iv. pl. 245. |
| —, White-quilled | Australia, v. pl. 71. |

| Rock Grass-Parrakeet | | | Australia, v. pl. 40. |
|-------------------------|---|---|--|
| Rock-Martin | | | Europe, ii. pl. 56. |
| Rock-Parrakeet | | | Handb. ii. p. 76. |
| Rock-Pigeon | | | Gt. Brit. iv. pl. 3. |
| —, Indian | | | Asia, vi. pl. 56. |
| —, Mongolian | | | Asia, vi. pl. 54. |
| —, White-quilled | | • | Handb. ii. p. 141. |
| Rock-Pipit | | • | Europe, ii. pl. 138; Gt. Brit. iii. pl. 10. |
| Rock-Ptarmigan | | • | Europe, iv. pl. 254. |
| Rock-Thrush | | • | Europe, ii. pl. 86; Gt. Brit. ii. pl. 44. |
| —, Blue | | ٠ | Gt. Brit. ii. pl. 43. |
| —, Chestnut-bellied | | ٠ | Asia, iii. pl. 8. |
| | | | Mamm. Austr. ii. pls. 39, 40. |
| —, Little | | ٠ | Mamm. Austr. ii. pl. 48. |
| —, Short-eared | | • | Mamm. Austr. ii. pl. 47. |
| | | • | Mamm. Austr. ii. pls. 41, 42. |
| , Stripe-sided | | • | Mamm. Austr. ii. pls. 41, 42. Mamm. Austr. ii. pls. 45, 46. |
| —, Yellow-footed | • | • | - |
| Rock-Warbler | | • | Mamm. Austr. ii. pls. 43, 44. |
| | | ٠ | Australia, iii. pl. 69; Handb. i. p. 385. |
| rodochroa, Fringilla | | | Cent. pl. 31. fig. 2. |
| rodopepla, Fringilla | | | Cent. pl. 31. fig. 1. |
| Roller | | | Europe, ii. pl. 60; Gt. Brit. ii. pl. 11. |
| | | | Australia, ii. pl. 17; Handb. i. p. 119. |
| —, Burmese | | ٠ | Asia, i. pl. 55. |
| —, Indian | | ٠ | Asia, i. pl. 54. |
| —, Temminck's | | ٠ | Asia, i. pl. 56. |
| Rook | | | Europe, iii. pl. 224; Gt. Brit. iii. pl. 60. |
| Roraima Coquette | | | Humming B., Suppl. pl. 36. |
| rosa, Palæornis | | | Asia, vi. pl. 2. |
| rosæ, Calothorax | | | Humming B. iii. pl. 149. |
| rosea, Erythrodryas | | ٠ | Australia, iii. pl. 2; Handb. i. p. 277. |
| —, Erythrospiza | | | Europe, iii. pl. 207. |
| Roseate Tern | | | Europe, v. pl. 418; Gt. Brit. v. pl. 71. |
| Rose-breasted Cockatoo | | | Australia, v. pl. 4; Handb. ii. p. 8. |
| — Shrike | | | Gt. Brit. ii. pl. 14. |
| — Wood-Robin | | | Australia, iii. pl. 2; Handb. i. p. 277. |
| Rose-Bunting, Pylzoff's | | | Asia, v. pl. 32. |
| Rose-coloured Pastor | | | Europe,iii. pl.212; Gt. Brit. iii. pls.55,56. |
| Rose-Finch, Caucasian | ٠ | | Asia, v. pl. 25. |
| | | | |

| Rose-Finch, Red-mantled | Asia, v. pl. 26. |
|----------------------------|---|
| —, Siberian | Asia, v. pl. 27. |
| Rose-hill Parrakeet | Australia, v. pl. 27; Handb. ii. p. 55. |
| roseicapilla, Cacatua | Handb. ii. p. 8. |
| roseigaster, Tmetotrogon | . Trogons, (2) pl. 32. |
| —, Trogon | Trogons, (1) pl. 20. |
| rosenbergi, Myzomela | New Guinea, iii. pl. 70. |
| —, Pitta | New Guinea, iv. pl. 37. |
| Rosenberg's Pitta | New Guinea, iv. pl. 37. |
| roseus, Carpodacus | Asia, v. pl. 33. |
| —, Pastor | T 1 010 6 10 |
| | pls. 55, 56. |
| —, Pericrocotus | Asia, ii. pl. 10. |
| rossii, Rhodostethia | Gt. Brit. v. pl. 63. |
| Ross's Gull | Gt. Brit. v. pl. 63. |
| rostratus, Tarsipes | Mamm. Austr. i. pl. 5. |
| Rosy Finch | Asia, v. pl. 30. |
| — Grosbeak | Europe, iii. pl. 207; Asia, v. pl. 33. |
| — Pericrocotus | Asia, ii. pl. 10. |
| — Tantalus | Asia, vii. pl. 59. |
| Rosy-breasted Trogon | Asia, i. pl. 76; Trogons, (1) pl. 35, (2) pl. 39. |
| Rosy-flanked Flower-pecker | 37 0 1 1 7 |
| Rosy-throated Flame-bearer | Humming B., Suppl. pl. 31. fig. 2. |
| Rosy-vented Trogon | (1) 1 20 |
| Rosy-winged Finch | Asia, v. pl. 29. |
| Rough-legged Buzzard | Europe, i. pl. 15; Gt. Brit. i. pl. 7. |
| rowleyi, Hypothymis | New Guinea, ii. pl. 20. |
| Rowley's Blue Flycatcher | New Guinea, ii. pl. 20. |
| Royal Araçari | Toucans, (1) pl. 14. |
| — Spoonbill | Australia, vi. pl. 50; Handb. ii. p. 287. |
| Royston Crow | Gt. Brit. iii. pl. 59. |
| rubecula, Erythaca | Europe, ii. pl. 98. |
| —, Erythacus | Gt. Brit. ii. pl. 48. |
| rubeculoides, Accentor | Asia, iv. pl. 46. |
| , Cyornis | Cent. pl. 25, fig. 1. |
| —, Phœnicura | Cent. pl. 25. fig. 1. |
| , Siphia | Cent. pl. 25, fig. 1. |
| rubeculus, Pomatorhinus | Australia, iv. pl. 21. |
| —, Pomatostomus | Handb. i. p. 481. |
| • | * |

| ruber, Phœnicopterus | Europe, iv. pl. 287. |
|-----------------------------|--|
| rubetra, Pratincola | Europe, ii. pl. 93. |
| —, Saxicola | Europe, ii. pl. 93; Gt. Brit. ii. pl. 46. |
| rubicilla, Carpodacus | Asia, v. pl. 25. |
| rubicola, Pratincola | Gt. Brit. ii. pl. 47. |
| —, Saxicola | Europe, ii. pl. 94. |
| rubidiventris, Parus | Asia, ii. pl. 59. |
| rubidus, Accentor | Asia, iv. pl. 42. |
| rubinea, Clytolæma | Humming B. iv. pl. 249. |
| rubinoides, Phæolæma | Humming B. iv. pl. 268. |
| rubra, Caccabis | Europe, iv. pl. 260; Gt. Brit. iv. pl. 14. |
| rubricata, Origma | Australia, iii. pl. 69; Handb. i. p. 385. |
| rubricatus, Pardalotus | Synopsis, part iv.; Australia, ii. pl. 36; |
| , | Handb. i. p. 158. |
| rubricera, Carpophaga | New Guinea, v. pl. 63. |
| rubricollis, Podiceps | Europe, v. pl. 389; Gt. Brit. v. pl. 39. |
| —, Recurvirostra | Synopsis, part ii.; Australia, vi. pl. 27; |
| , | Handb. ii. p. 249. |
| rubrinucha, Pitta | New Guinea, iv. pl. 35. |
| rubripes, Sula | Synopsis, part iv. App. p. 7. |
| rubritorquis, Trichoglossus | Australia, v. pl. 49; Handb. ii. p. 95. |
| rubrofrontata, Rhipidura | New Guinea, ii. pl. 26. |
| rubronotatus, Psitteuteles | New Guinea, v. pl. 16. |
| rubropygius, Serilophus | Asia, i. pl. 63. |
| Ruby, Banded | Humming B. iv. pl. 250. |
| , Brazilian | Humming B. iv. pl. 249. |
| Ruby-throat, Himalayan | Asia, iv. pl. 39. |
| —, Mongolian | Asia, iv. pl. 40. |
| —, Siberian | Asia, iv. pl. 38. |
| Ruby-throated Humming-bird | Humming B. iii. pl. 131. |
| ruckeri, Glaucis | Humming B. i. pl. 11. |
| Rucker's Hermit | Humming B. i. pl. 11. |
| Ruddy Accentor | Asia, iv. pl. 42. |
| —— Sheldrake | Europe, v. pl. 358; Gt. Brit. v. pl. 12. |
| Ruddy-breasted Emerald | Humming B., Suppl. p. 98. |
| —— Thickhead | New Guinea, iii. pl. 21. |
| rudis, Alcedo | Europe, ii. pl. 62. |
| rueppelli, Curruca | Europe, ii. pl. 122. |
| Rueppell's Warbler | Europe, ii. pl. 122. |
| | |

| rufa, Athene | | | | Australia, i. pl. 36. |
|-----------------------------------|---|---|---|--|
| —, Climacteris | | | | Australia, iv. pl. 94; Handb. i. p. 600. |
| —, Dendrocitta | | | | Cent. pl. 42. |
| —, Limosa | | | | Europe, iv. pl. 306; Gt. Brit. iv. pl. 51. |
| —, Phyllopneuste | | | | Gt. Brit. ii. pl. 66. |
| —, Sylvia | | | | Europe, ii. pl. 131. fig. 2. |
| rufescens, Ægiothus | | | | Gt. Brit. iii. pl. 52. |
| , Anthus | | | | Europe, ii. pl. 137. |
| , Atrichia | | | | Australia, Suppl. pl. 26. |
| —, Bettongia | | | | Mamm. Austr. ii. pl. 65; Monogr. |
| , | | | | Macrop. part i. |
| , Cinclorhamphus . | | | | Australia, iii. pl. 76. |
| —, Cracticus | | | • | New Guinea, iii. pl. 16. |
| —, Numenius | | | • | Asia, vii. pl. 60. |
| —, Ptenoedus | | | • | Handb. i. p. 397. |
| —, Tringa | | | • | Europe, iv. pl. 326. |
| m | | | | Gt. Brit. iv. pl. 64. |
| Rufescent Curlew | | | ٠ | Asia, vii. pl. 60. |
| — Scrub-bird | | • | • | Australia, Suppl. pl. 26. |
| T) # | | • | • | Europe, iv. pl. 325; Gt. Brit. iv. |
| Run | • | ٠ | | pls. 61, 62. |
| Ruffed Bustard | | | | Europe, iv. pl. 268. |
| ruficapilla, Hiaticula | | | • | Australia, vi. pl. 17. |
| ruficapillus, Ægialophilus | | | | Handb. ii. p. 235. |
| ruficauda, Amadina | | | | Synopsis, part i.; Australia, pt. i. |
| rancada, rimadina | | | • | (cancelled) pl. 4. |
| —, Bathilda | | | | Handb. i. p. 412. |
| —, Estrelda | | • | • | Australia, i. pl. 84. |
| ruficeps, Cisticola | | | • | Australia, iii. pl. 45; Handb. i. p. 353. |
| —, Garrulax | | | • | Asia, iii. pl. 50. |
| | | | • | Asia, iii. pl. 78. |
| ——, Paradoxornis ——, Pomatorhinus | | | | Australia, Suppl. pl. 38. |
| Pomatostomus | | | • | Handb. i. p. 484. |
| —, Ramphomicron . | | ٠ | • | _ |
| | | • | • | Humming B. iii. pl. 188. |
| ——, Scæorhynchus | | | | Asia, iii. pl. 78. |
| , Stachyridopsis | | | | Asia, iv. pl. 10. |
| —, Stachyris | | | ٠ | Asia, iv. pl. 10. |
| ruficollis, Anser | | | ٠ | Europe, v. pl. 351. |
| ——, Bernicla | ٠ | | ٠ | Gt. Brit. v. pl. 6. |

| ruficollis, Caprimulgus | | Europe, ii. pl. 52; Gt. Brit. ii. pl. 2. |
|-------------------------------|---|---|
| —, Halmaturus | | Mamm. Austr. ii. pls. 14, 15; Monogr. |
| | | Macrop. part ii. |
| —, Montifringilla | | Asia, v. pl. 5. |
| —, Turdus | | Asia, iii. pl. 2. |
| ruficrissa, Gallinula | | Australia, Suppl. pl. 79. |
| —, Urosticte | | Humming B., Suppl. pl. 24. |
| rufifrons, Rhipidura | | Australia, ii. pl. 84; Handb. i. p. 240. |
| rufigaster, Colluricincla | | Australia, i. Intr. p. xxxvii; Handb. i. p. 226. |
| rufigularis, Acanthogenys | | Synopsis, part iv.; Australia, iv. pl. 53; |
| | | Handb. i. p. 534. |
| —, Conopophila | | Handb. i. p. 533. |
| rufina, Branta | | Gt. Brit. v. pl. 22. |
| ——, Fuligula | | Europe, v. pl. 369. |
| rufipectus, Spilornis | | Asia, i. pl. 9. |
| rufipes, Falco | | Europe, i. pl. 23. |
| rufiventer, Pteruthius | | Asia, ii. pl. 15. |
| rufiventris, Colluriocincla . | | Australia, ii. pl. 75; Handb. i. p. 222. |
| ——, Pachycephala | | Handb. i. p. 212. |
| rufocaligata, Spathura | | Humming B. iii. pl. 165. |
| rufocastanea, Pomarea | | New Guinea, ii. pl. 56. |
| rufogularis, Acanthogenys . | • | Synopsis, part iv.; Australia, iv. pl. 53; Handb. i. p. 534. |
| —, Anthus | | Europe, ii. pl. 140. |
| —, Entomophila | | Australia, iv. pl. 52. |
| —, Pachycephala | | Australia, ii. pl. 70; Handb. i. p. 215. |
| rufonuchalis, Parus | | Asia, ii. pl. 60. |
| Rufous Crow-Shrike | | New Guinea, iii. pl. 16. |
| — Flame-bearer | | Humming B. iii. pl. 137. |
| — Hare-Kangaroo | | Mamm. Austr. ii. pl. 58. |
| —— Jerboa-Kangaroo | | Mamm. Austr. ii. pl. 65; Monogr. |
| | | Macrop. part i. |
| —— Owl | | Australia, i. pl. 36; Handb. i. p. 69. |
| —— Piculet | | Asia, vi. pl. 40. |
| — Sedge-Warbler | | Europe, ii. pl. 112; Gt. Brit. ii. pl. 53. |
| — Spur-fowl | | Asia, vi. pl. 68. |
| — Swallow | | Europe, ii. pl. 55. |
| — Tree-creeper | • | Australia, iv. pl. 94; Handb. i. p. 600. |

| Rufous-and-black Wood-Shrike . | New Guinea, i. pl. 54. |
|-----------------------------------|---|
| Rufous-and-chestnut Flycatcher . | New Guinea, ii. pl. 56. |
| Rufous-backed Egret | Europe, iv. pl. 278. |
| — Fantail Flycatcher | New Guinea, ii. pl. 30. |
| Gerygone | New Guinea, ii. pl. 11. |
| Rufous-bellied Cuckoo | Asia, vi. pl. 43. |
| —— Pteruthius | Asia, ii. pl. 15. |
| —— Tit | Asia, ii. pl. 59. |
| Rufous-breasted Bamboo-Partridge. | Asia, vi. pl. 71. |
| — Fantail Flycatcher | New Guinea, ii. pl. 33. |
| —— Partridge | Odontoph. pl. 25. |
| — Sabre-wing | Humming B. ii. pl. 51. |
| — Spilornis | Asia, i. pl. 9. |
| — Thickhead | Handb. i. p. 212. |
| Rufous-fronted Fantail | Handb. i. p. 240. |
| — Flycatcher | Australia, ii. pl. 84; New Guinea, ii. |
| D 6 . 1 . 1 . 1 . 1 . 1 . 1 | pl. 26. |
| Rufous-headed Bristle-bird | Australia, Suppl. pl. 25. |
| — Grass-Warbler | Handb. i. p. 353. |
| Warbler | Australia, iii. pl. 45. |
| Rufous-naped Tit | Asia, ii. pl. 60. |
| Rufous-necked Wallaby | Mamm. Austr. ii. pls. 14, 15; Monogr. |
| | Macrop. part ii. pl. 17. |
| Rufous-tinted Cinclorhamphus . | Australia, iii. pl. 76; Handb. i. p. 397. |
| Rufous-vented Gallinule | Australia, Suppl. pl. 79. |
| rufula, Cecropis | Asia, i. pl. 27. |
| , Hirundo | Europe, ii. pl. 55. |
| rufus, Campylopterus | Humming B. ii. pl. 50. |
| , Circus | Europe, i. pl. 32. |
| —, Cursorius | Icones Avium, pl. 10. |
| —, Enneoctonus | Gt. Brit. ii. pl. 16. |
| —, Hieracoglaux | Handb. i. p. 69. |
| , Lanius | Europe, ii. pl. 70. |
| —, Osphranter | Mamm. Austr. ii. pls. 6, 7. |
| —, Phylloscopus | Europe, ii. pl. 131. fig. 2. |
| —, Selasphorus | Humming B. ii. pl. 137. |
| rupestris, Columba | Asia, vi. pl. 54. |
| , Hirundo | Europe, ii. pl. 56. |
| , Lagopus | Europe, iv. pl. 254. |

| russata, Ardea | Europe, iv. pl. 278. |
|--------------------------------|--|
| russatus, Bubulcus | Gt. Brit. iv. pl. 24. |
| Russet Wheatear | Europe, ii. pl. 91. |
| Rust-coloured Bronze-wing | Australia, Suppl. pl. 68; Handb. ii. |
| 0 | р. 137. |
| Rustic Bunting | Europe, iii. pl. 177; Asia, v. pl. 10; |
| G | Gt. Brit. iii. pl. 24. |
| rustica, Emberiza | Europe, iii. pl. 177; Asia, v. pl. 10; |
| | Gt. Brit. iii. pl. 24. |
| —, Hirundo | Europe, ii. pl. 54; Gt. Brit. ii. pl. 5. |
| rusticola, Scolopax | Europe, iv. pl. 319; Gt. Brit. iv. pl. 77. |
| Rusty-banded Fruit-Pigeon | New Guinea, v. pl. 60. |
| Rusty-breasted Shrike-Thrush . | Handb. i. p. 226. |
| Rusty-footed Antechinus | Mamm. Austr. i. pl. 40. |
| Rusty-fronted Antechinus | Mamm. Austr. i. pl. 36. |
| Rusty-naped Yuhina | Asia, iv. pl. 14. |
| Ruticilla cæruleocephala | Cent. pl. 25. fig. 2. |
| erythrogaster | Asia, iv. pl. 36. |
| — erythroprocta | Asia, iv. pl. 37. |
| — frontalis | Cent. pl. 26. fig. 1. |
| — phœnicura | Europe, ii. pl. 95; Gt. Brit. ii. pl. 51. |
| — tithys | Gt. Brit. ii. pl. 52. |
| rutila, Casarca | Gt. Brit. v. pl. 12. |
| —, Tadorna | Europe, v. pl. 358. |
| rutilus, Harpactes | Asia, i. pl. 68; Trogons, (2) pl. 41. |
| • | |
| | |
| | |
| sabini, Larus | Europe, v. pl. 429. |
| —, Scolopax | Europe, iv. pl. 321. fig. 1. |
| —, Xema | Europe, v. pl. 429; Gt. Brit. v. pl. 67. |
| Sabine's Gull | Europe, v. pl. 429; Gt. Brit. v. pl. 67. |
| —— Snipe | Europe, iv. pl. 321. fig. 1. |
| Sabre-wing, Blue-throated | Humming B. ii. pl. 46. |
| —, Broad-shafted | Humming B. ii. pl. 48. |
| —, Cuvier's | Humming B. ii. pl. 52. |
| —, De Lattre's | Humming B. ii. pl. 45. |
| —, Fawn-breasted | Humming B. ii. pl. 50. |
| | |

| Sabre-wing, Lazuline | Humming B. ii. pl. 44. |
|--------------------------|--|
| —, Mexican | Humming B., Suppl. p. 5. |
| —, Owen's | Humming B. ii. pl. 53. |
| —, Rufous-breasted | Humming B. ii. pl. 51. |
| , Simon's | Humming B., Suppl. |
| , Sombre | Humming B. ii. pl. 49. |
| , Vallavicencio's | Humming B. ii. pl. 47. |
| —, Wedge-tailed | Humming B. ii. pl. 43. |
| sacer, Falco | Asia, i. pl. 5. |
| Sacred Kingfisher | Australia, ii. pl. 21; Handb. i. p. 128. |
| Saddle-backed Perameles | Mamm. Austr. i. pl. 10. |
| Saffron-coloured Araçari | Toucans, (1) pl. 20. |
| — Hill Toucan | Toucans, (2) pl. 41. |
| sagittata, Chthonicola | Handb. i. p. 390. |
| St. Domingo Humming-bird | Humming B. v. pl. 347. |
| — Mango | Humming B. ii. pl. 79. |
| —— Trogon | Trogons, (2) pl. 32. |
| St. Thomas's Mango | Humming B. ii. pl. 80. |
| Saker Falcon | Asia, i. pl. 5. |
| Salicaria aquatica | Europe, ii. pl. 111. fig. 2. |
| arundinacea | Europe, ii. pl. 108. |
| — cetti | Europe, ii. pl. 114. |
| cisticola | Europe, ii. pl. 113. |
| —— galactotes | Europe, ii. pl. 12. |
| —— melanopogon | Europe, ii. pl. 111. fig 1. |
| — olivetorum | Europe, ii. pl. 107. |
| —, Olive-tree | Europe, ii. pl. 107. |
| —— palustris | Europe, ii. pl. 109. |
| —— phragmitis | Europe, ii. pl. 110. |
| sericea | Europe, ii. pl. 115. |
| — turdoides | Europe, ii. pl. 106. |
| saliceti, Lagopus | Europe, iv. pl. 255. |
| Sallé's Hermit | Humming B. i. pl. 29. |
| Salpornis spilonota | Asia, iv. pl. 56. |
| Salvadori's Hawk-Owl | New Guinea, i. pl. 7. |
| salvini, Eutoxeres | Humming B., Suppl. p. 3. |
| Salvin's Coquette | Humming B., Suppl. pl. 35. |
| — Flame-bearer | Humming B., Suppl. pl. 31. fig. 1. |
| | 2 P 2 |

| Salvin's Sickle-bill | Humming B., Suppl. p. 3. |
|-----------------------------|---|
| San-Christoval Thickhead | New Guinea, iii. pl. 23. |
| sanctus, Halcyon | Synopsis, part iii.; Australia, ii. pl. 21. |
| —, Todirhamphus | Handb. i. p. 128. |
| Sanderling | Europe, iv. pl. 335; Gt. Brit. iv. pl. 66. |
| Sand-Grouse | Europe, iv. pl. 257. |
| —, Banded | Asia, vi. pl. 65. |
| ——, Coronetted | Asia, vi. pl. 63. |
| —, Pallas' | Asia, vi. pl. 60; Gt. Brit. iv. pl. 11. |
| —, Pin-tailed | Europe, iv. pl. 258. |
| —, Spotted | Asia, vi. pl. 62. |
| —, Tibetian | Asia, vi. pl. 61. |
| —, Whistling | Asia, vi. pl. 64. |
| Sand-Martin | Europe, ii. pl. 58; Gt. Brit. ii. pls. 7, 8. |
| Sand-Partridge, Bonham's | Asia, vii. pl. 1. |
| ——, Hey's | , |
| Sandpiper, Australian Marsh | Handb. ii. p. 254. |
| —, Bartram's | Europe, iv. pl. 313; Gt. Brit. iv. pl. 63; |
| | Australia, Suppl. pl. 77; Handb. ii. |
| | p. 242. |
| ——, Bonaparte's | Gt. Brit. iv. pl. 71. |
| —, Broad-billed | Europe, iv. pl. 331; Gt. Brit. iv. pl. 75. |
| , Buff-breasted | Europe, iv. pl. 326; Gt. Brit. iv. pl. 64. |
| —, Common | Europe, iv. pl. 316; Gt. Brit. iv. pl. 58. |
| ——, Curlew | Gt. Brit. iv. pl. 68; Australia, vi. pl. 32; |
| | Handb. ii. p. 256. |
| —, Fairy | . Australia, vi. pl. 35. |
| —, Great | . Australia, vi. pl. 33; Handb. ii. p. 260. |
| —, Green | Europe, iv. pl. 315. fig. 1; Gt. Brit. iv. |
| | pl. 56. |
| —, Grey-rumped | Australia, vi. pl. 38; Handb. ii. p. 268. |
| —, Little | Europe, iv. pl. 332; Australia, vi. pl. 31; |
| | Handb. ii. p. 257. |
| —, Marsh | Europe, iv. pl. 314; Australia, vi. pl. 37; |
| | Handb. ii. p. 267. |
| ——, Pectoral | Europe, iv. pl. 327; Gt. Brit. iv. pl. 67. |
| —, Purple | |
| , I = - | Europe, iv. pl. 334: Gt. Brit. iv. pl. 74. |
| | Europe, iv. pl. 334: Gt. Brit. iv. pl. 74. Europe, iv. pl. 330. |
| | |

| Sandpiper, Spoon-billed | Asia, vii. pl. 66. |
|----------------------------|--|
| , Spotted | Europe, iv. pl. 317; Gt. Brit. iv. pl. 59. |
| —, Terek | Handb. ii. p. 261. |
| —, Wood | Europe, iv. pl. 315. fig. 2; Gt. Brit. iv. pl. 57. |
| Sandwich Tern | Europe, v. pl. 415; Gt. Brit. v. pl. 69. |
| Sanghir Black Sun-bird | New Guinea, iii. pl. 32. |
| sanghirensis, Cinnyris | New Guinea, iii. pl. 32. |
| Sanguine Francolin | Asia, vii. pl. 43. |
| sanguinea, Cacatua | Australia, v. pl. 3; Handb. ii. p. 6. |
| —, Paradisea | New Guinea, i. pl. 31. |
| —, Rhodopechys | Asia, v. pl. 28. |
| Sanguineous Honey-eater | Australia, iv. pl. 63; Handb. i. p. 555. |
| sanguiniceps, Hæmatortyx | Asia, vi. pl. 70. |
| sanguinolenta, Myzomela | Australia, iv. pl. 63; Handb. i. p. 555. |
| Sapphire, Black-bellied | Humming B., Suppl. p. 91. |
| —, Blue-breasted | Humming B. v. pls. 334, 343; Suppl. |
| | p. 92. |
| , Blue-chinned | Humming B. v. pl. 335. |
| —, Blue-faced | Humming B., Suppl. p. 93. |
| , Blue-headed | Humming B. v. pl. 330. |
| —, Fire-rumped | Humming B., Suppl. p. 92. |
| , Green-and-Blue | Humming B. v. pl. 331. |
| , Green-headed | Humming B. v. pl. 332. |
| —, Lerch's | Humming B., Suppl. pl. 57. |
| —, Red-throated | Humming B. v. pl. 342. |
| —, Reeves's | Humming B. v. pl. 333. |
| —, White-throated | TT 1 D 1 044 |
| Sapphire-vented Puff-leg | Humming B., Suppl. pl. 48. |
| Sapphire-wing, Temminck's | Humming B. iii. pl. 178. |
| sapphirina, Hylocharis | Humming B. v. pl. 342. |
| Sapphironia, Blue-throated | Humming B. v. pl. 346. |
| — cæruleogularis | Humming B. v. pl. 346. |
| — goudoti | Humming B. v. pl. 345. |
| —, Green-breasted | Humming B. v. pl. 345. |
| —, Lawrence's | Humming B., Suppl. p. 97. |
| — luminosa | TT 1 0 1 07 |
| sapphiropygia, Eriocnemis | TT : TD (1 1 1 40 |
| Sappho Comet | |
| ·· - | |

| Sarciophorus pectoralis | | Australia, vi. pl. 11; Handb. ii. p. 222. |
|---------------------------|---|--|
| Sarcophanops steerii | | Asia, i. pl. 65. |
| Sarcophilus, Ursine | | Mamm. Austr. i. pl. 48. |
| — ursinus | | Mamm. Austr. i. pl. 48. |
| sarda, Curruca | | Europe, ii. pl. 127. |
| , Sylvia | | Europe, ii. pl. 127. |
| Sardinian Starling | | Europe, iii. pl. 211; Asia, v. pl. 42. |
| — Warbler | | Europe, ii. pl. 123. |
| Sasia abnormis | | Asia, vi. pl. 41. |
| —— ochracea | | Asia, vi. pl. 40. |
| Satellite, Mexican | | Humming B. iii. pl. 142. |
| Satin Bower-bird | | Australia, iv. pl. 10; Handb. i. p. 442. |
| saturata, Nectarinia | , | Asia, ii. pl. 27. |
| satyra, Ceriornis | | Cent. pl. 62; Asia, vii. pl. 49. |
| satyrus, Tragopan | | Cent. pl. 62. |
| saucerottei, Erythronota | | Humming B. v. pl. 321. |
| Saucerotte's Erythronote | | Humming B. v. pl. 321. |
| Saucerottia, Blue-capped | | Humming B. v. pl. 323. |
| — cyanifrons | | Humming B. v. pl. 323. |
| saularis, Copsychus | | Asia, iii. pl. 24. |
| Sauloprocta motacilloides | | Handb. i. p. 244. |
| picata | | Handb. i. p. 246. |
| Sauromarptis gaudichaudi | | New Guinea, iv. pl. 52. |
| Savi's Warbler | | Europe, ii. pl. 104; Gt. Brit. ii. pl. 77. |
| Saw-bill Humming-bird | | Humming B. i. pl. 1. |
| , Spix's | | Humming B. i. pl. 2. |
| saxatilis, Perdix | | Europe, iv. pl. 261. fig. 2. |
| —, Petrocincla | | Europe, ii. pl. 86; Gt. Brit. ii. pl. 44. |
| Saxicola atrogularis | | Asia, iv. pl. 31. |
| — aurita | | Europe, ii. pl. 92. |
| — cachinnans | | Europe, ii. pl. 88. |
| — capistrata | , | Asia, iv. pl. 28. |
| leucomela | | Europe, ii. pl. 89; Asia, iv. pl. 29. |
| — montana | | Asia, iv. pl. 30. |
| enanthe | | Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. |
| — rubetra | | Europe, ii. pl. 93; Gt. Brit. ii. pl. 46. |
| rubicola | | Europe, ii. pl. 94. |
| stapazina | | Europe, ii. pl. 91. |
| Scaly-breasted Lorikeet | | Australia, v. pl. 50; Handb. ii. p. 96. |

| 0.1.1.111 | N () 144 |
|---------------------------------------|---|
| Scaly-chested Honey-eater | |
| Scaly-necked Pied Flycatcher . | New Guinea, ii. pl. 49. |
| Scaly Partridge | . Odontoph. pl. 19. |
| — Puff-leg | e 1 |
| scandens, Climacteris | . Australia, iv. pl. 93; Handb. i. p. 598. |
| scapulata, Eucephala | Humming B., Suppl. p. 91. |
| scapulatus, Aprosmictus | . Australia, v. pl. 17; Handb. ii. p. 35. |
| Scarlet-breasted Robin | Australia, iii. pl. 3; Handb. i. p. 279. |
| Scarlet Bullfinch | . Gt. Brit. iii. pl. 43. |
| — Grosbeak | Europe, iii. pl. 206. |
| Scaup Duck | Gt. Brit. v. pl. 24. |
| —— Pochard | Europe, v. pl. 371. |
| Sceloglaux albifacies | . Australia, Suppl. pl. 2; Handb. ii, App. |
| e e e e e e e e e e e e e e e e e e e | p. 524. |
| Scenopæus dentirostris | . New Guinea, i. pl. 43. |
| schinzii, Tringa | Europe, iv. pl. 330. |
| Schinz's Sandpiper | Europe, iv. pl. 330. |
| schistacea, Geocichla | . New Guinea, iii. pl. 1. |
| Schistes albogularis | Humming B. iv. pl. 220. |
| — geoffroyi | Humming B. iv. pl. 218. |
| — personatus | Humming B. iv. pl. 219. |
| schisticeps, Palæornis | Asia, vi. pl. 8. |
| schlegeli, Pachycephala | M G : !!! 1 00 |
| a 11 11 mil 11 1 | New Guinea, iii. pl. 22. New Guinea, iii. pl. 22. |
| ~ | |
| | Gt. Brit. iii. pl. 29. |
| Scheniclus albescens | Australia, vi. pl. 31. |
| | Australia, vi. pl. 30. |
| magnus | . Australia, vi. pl. 33. |
| subarquatus | Australia, vi. pl. 32. |
| schæniclus, Emberiza | Europe, iii. pl. 183. |
| Schreiber's Humming-bird | . Humming B. ii. pl. 93. |
| schreibersi, Ionolaima | Humming B. ii. pl. 93. |
| schwaneri, Pitta | . Asia, v. pl. 78. |
| Schwaner's Pitta | . Asia, v. pl. 78. |
| Scimitar-Babbler, Chestnut-crown | ed. Handb. i. p. 484. |
| —, Red-breasted | . Handb. i. p. 481. |
| —, Red-kneed | . Asia, iii. pl. 33. |
| ——, Temporal | |
| —, White-eyebrowed | |
| | • |

| Scimitar-bill | Asia, iii. pl. 34. |
|-------------------------------|--|
| scintilla, Selasphorus | Humming B. iii. pl. 138. |
| scintillans, Hemipodius | Australia, v. pl. 83. |
| —, Phasianus | Asia, vii. p. 38. |
| —, Turnix | Handb. ii. p. 181. |
| scintillatus, Chalcopsittacus | New Guinea, v. pl. 38. |
| scintilliceps, Iyngipicus | Asia, vi. pl. 21. |
| Scissor-tailed Racket-tail | Humming B. iii. pl. 166. |
| scissiura, Spathura | Humming B. iii. pl. 166. |
| sciureus, Belideus | Mamm. Austr. i. pl. 24. |
| sclateri, Chalcophasis | Asia, vii. pl. 55. |
| —, Lophophorus | Asia, vii. pl. 55. |
| —, Meliarchus | New Guinea, iii. pl. 52. |
| , Myzomela | New Guinea, iii. pl. 68. |
| Sclater's Ground-Dove, Mrs | New Guinea, v. pl. 49. |
| Honey-eater | New Guinea, i. pls. 52, 68. |
| —— Monaul | Asia, vii. pl. 55. |
| scolopacina, Gallinago | Gt. Brit. iv. pl. 79. |
| Scolopax australis | Australia, vi. pl. 40. |
| — gallinago | Europe, iv. pl. 321. fig. 2. |
| — gallinula | Europe, iv. pl. 322. |
| — major | Europe, iv. pl. 320. |
| — rusticola | Europe, iv. pl. 319; Gt. Brit. iv. pl. 77. |
| | Europe, iv. pl. 321. fig. 1. |
| Scops aldrovandi | Europe, i. pl. 41. |
| —— Eared Owl | Europe, i. pl. 41. |
| —— Owl | Gt. Brit. i. pl. 33. |
| ——, Indian | Asia, i. pl. 13. |
| —— pennatus | Asia, i. pl. 13. |
| zorca | Gt. Brit. i. pl. 33. |
| Scoter | Gt. Brit. v. pl. 28. |
| —, Black | Europe, v. pl. 378. |
| , Surf | Europe, v. pl. 376; Gt. Brit. v. pl. 30. |
| —, Velvet | Europe, v. pl. 377; Gt. Brit. v. pl. 29. |
| scoticus, Lagopus | Europe, iv. pl. 252; Gt. Brit. iv. pl. 7. |
| Scotophilus, Blackish-grey | Mamm. Austr. iii. pl. 44. |
| gouldi | Mamm. Austr. iii. pl. 40. |
| — greyi | Mamm. Austr. iii. pl. 45. |
| —, Grey's | Mamm. Austr. iii. pl. 45. |

| Scotophilus microdon | | Mamm. Austr. iii. pl. 42. |
|----------------------------|--|--|
| morio | | Mamm. Austr. iii. pl. 41. |
| — nigrogriseus | | Mamm. Austr. iii. pl. 44. |
| — picatus | | Mamm. Austr. iii. pl. 43. |
| —, Pied | | Mamm. Austr. iii. pl. 43. |
| pumilus | | Mamm. Austr. iii. pl. 46. |
| scouleri, Enicurus | | Asia, iv. pl. 71; Cent. pl. 28. |
| —, Henicurus | | Asia, iv. pl. 71. |
| Scouler's Forktail | | Asia, iv. pl. 71. |
| scripta, Geophaps | | Australia, v. pl. 67; Handb. ii. p. 130. |
| scriptus, Elanus | | Australia, i. pl. 24; Handb. i. p. 55. |
| Scrub-bird, Cautious | | Handb. i. p. 347. |
| , Downy | | Handb. i. p. 348. |
| , Little | | Handb. i. p. 390. |
| —, Noisy | | Handb. i. p. 344. |
| —, Red-rumped | | Handb. i. p. 346. |
| , Rufescent | | Australia, Suppl. pl. 26. |
| 0 1 70 11 | | Australia, iii. pl. 10; Handb. i. p. 290. |
| —, Beccari's | | New Guinea, iii. pl. 13. |
| —, Eastern | | Australia, Suppl. pl. 16; Handb. i. |
| , | | p. 291. |
| scutatus, Augastes | | Humming B. iv. pl. 221. |
| Scythrops novæ-hollandiæ . | | Australia, iv. pl. 90; Handb. i. p. 628. |
| Sea-Eagle | | Europe, i. pl. 10; Gt. Brit. i. pl. 4. |
| —, White-bellied | | Australia, i. pl. 3; Handb. i. p. 13. |
| —, White-breasted | | Australia, i. pl. 4; Handb. i. p. 17. |
| Sea-Leopard | | Mamm. Austr. iii. pl. 50. |
| Seal, Cowled | | Mamm. Austr. iii. pl. 49. |
| Sedge-Warbler | | Europe, ii. pl. 110; Gt. Brit. ii. pl. 75. |
| , Great | | Europe, ii. pl. 106. |
| —, Rufous | | Europe, ii. pl. 112; Gt. Brit. ii. pl. 53. |
| segetum, Anser | | Europe, v. pl. 348; Gt. Brit. v. pl. 2. |
| Seisura inquieta | | Australia, ii. pl. 87; Handb. i. p. 246. |
| Selasphorus ardens | | Humming B., Suppl. pl. 31. fig. 1. |
| —— flammula | | Humming B., Suppl. pl. 31. fig. 2. |
| —— floresii | | Humming B. iii. pl. 139. |
| 1 1 1 | | Humming B. iii. pl. 141. |
| — henshawi | | Humming B., Suppl. p. 41. |
| — platycercus | | Humming B. iii. pl. 140. |

| Selasphorus rufus | Humming B. iii. pl. 137. |
|----------------------------|--|
| scintilla | Humming B. iii. pl. 138. |
| — torridus | Humming B., Suppl. p. 41. |
| selbii, Colluricincla | 1 1 1 1 1 TH TT 11 1 004 |
| Selby's Shrike-Thrush | TT 11 ' 004 |
| — Wood-Shrike | Australia, ii. pl. 77. |
| Selenidera gouldi | Toucans, (2) pl. 32. |
| langsdorffi | Toucans, (2) pl. 33. |
| — maculirostris | Toucans, (2) pl. 31. |
| nattereri | Toucans, (2) pl. 34. |
| — piperivora | Toucans, (2) pl. 36. |
| — reinwardti | Toucans, (2) pl. 35. |
| Seleucides nigricans | New Guinea, i. pls. 14, 15. |
| Semeiophorus vexillarius | Icones Avium, pl. 13. |
| semicoronatus, Iyngipicus | |
| Semioptera wallacei | |
| • | App. p. 532. |
| Semipalmated Goose | 1 1 1 1 1 0 77 1 1 0 77 |
| Sandpiper | Europe, iv. pl. 311. |
| semipalmatus, Totanus | Europe, iv. pl. 311. |
| semitorquatus, Platycercus | Australia, v. pl. 19; Handb. ii. p. 42. |
| semitorques, Spizixus | Asia, iii. pl. 10. |
| Sepoy Finch | Asia, v. pl. 24. |
| septentrionalis, Colymbus | Europe, v. pl. 395; Gt. Brit. v. pl. 45. |
| sericea, Meliornis | Handb. i. p. 490. |
| | Synopsis, part i.; Australia, iv. pl. 25. |
| —, Salicaria | Europe, ii. pl. 115. |
| sericeola, Meliphaga | Synopsis, part iv. App. p. 5. |
| Sericornis, Allied | Australia, iii. pl. 48; Handb. ii. p. 358. |
| , Arfak | New Guinea, iii. pl. 6. |
| arfakiana | New Guinea, iii. pl. 6. |
| — beccarii | New Guinea, iii. pl. 5. |
| ——, Beccari's | New Guinea, iii. pl. 5. |
| —, Buff-breasted | Australia, iii. pl. 50; Handb. i. p. 360. |
| — citreogularis | Synopsis, part iv.; Australia, iii. pl. 46; Handb. i. p. 354. |
| — frontalis | Synopsis, part iv.; Australia, i. pl. 49; Handb. i. p. 359. |

| Sericornis humilis | Synopsis, part iv.; Australia, iii. pl. 47; Handb. i. p. 356. |
|----------------------------------|--|
| —— lævigaster | Australia, iii. pl. 50; Handb. i. p. 360. |
| —, Large-billed | Australia, iii. pl. 52; Handb. i. p. 362. |
| , Little | New Guinea, iii. pl. 7. |
| ——— maculatus | Australia, iii. pl. 51; Handb. i. p. 361. |
| —— magnirostris | Australia, iii. pl. 52; Handb. i. p. 362. |
| minimus | New Guinea, iii. pl. 7. |
| osculans | Australia, iii. pl. 48; Handb. i. p. 358. |
| parvulus | Synopsis, part iv. |
| —, Sombre-coloured | Australia, iii. pl. 47. |
| , Spotted | Australia, iii. pl. 51. |
| —, White-fronted | Australia, iii. pl. 49; Handb. i. p. 359. |
| —, Yellow-throated | Australia, iii. pl. 46. |
| Sericulus chrysocephalus | Australia, iv. pl. 12. |
| —— melinus | Handb. i. p. 456. |
| Serilophus lunatus | Asia, i. pl. 62. |
| — rubropygius | Asia, i. pl. 63. |
| Serin Finch | Europe, iii. pl. 195; Gt. Brit. iii. pl. 38. |
| Serinus flavescens | Europe, iii. pl. 195. |
| — hortulanus | Gt. Brit. iii. pl. 38. |
| Serpent-Eagle, Rufous-breasted . | Asia, i. pl. 9. |
| serrator, Mergus | Europe, v. pl. 385; Gt. Brit. v. pl. 35. |
| serrirostris, Petasophora | Humming B. iv. pl. 223. |
| setarius, Prioniturus | Asia, vi. pl. 12. |
| —, Pterocles | Europe, iv. pl. 258. |
| setosa, Echidna | Mamm. Austr. i. pl. 3. |
| sexpennis, Parotia | New Guinea, i. pl. 25. |
| Shag | Europe, v. pl. 410; Gt. Brit. v. pl. 53. |
| Shaheen Falcon | Asia, i. pl. 3. |
| Sháma, Chestnut-bellied | Asia, iii. pl. 26. |
| Sharp-billed Toucan | Toucans, (1) pl. 7. |
| shawi, Phasianus | Asia, vii. pl. 35. |
| Shaw's Pheasant | Asia, vii. pl. 35. |
| Shear-tail, Cora's | Humming B. iii. pl. 153. |

| Shear-tail, Mexican | . Humming B. iii. pl. 155. |
|--------------------------------|--|
| CI 1 | . Humming B. iii. pl. 157. |
| 60 | . Europe, v. pl. 445. |
| —, Dusky | . Europe, v. pl. 444. |
| C . | . Gt. Brit. v. pl. 83. |
| 3.6 1 | . Europe, v. pl. 443. |
| —, Manx | . Gt. Brit. v. pl. 84. |
| Shieldrake, Chestnut-coloured. | . Australia, vii. pl. 7; Handb. ii. p. 361. |
| —, Common | . Europe, v. pl. 357; Gt. Brit. v. pl. 11. |
| —, Radjah | . Australia, vii. pl. 8; Handb. ii. p. 360. |
| —, Ruddy | . Europe, v. pl. 358; Gt. Brit. v. pl. 12. |
| Shining Aplonis | . Australia, Suppl. pl. 33. |
| —— Calornis | . Handb. i. p. 477. |
| — Cuckoo | . Australia, iv. pl. 89. |
| — Flycatcher | Australia, ii. pl. 91; Handb. i. pp. 249, |
| | 255. |
| —— Sun-beam | . Humming B. iii. pl. 179. |
| -— Train-bearer | . Trogons, (2) pl. 3. |
| — Trogon | . Trogons, (1) pl. 24. |
| Shore-Lark | Europe, iii. pl. 164; Gt. Brit. iii. pl. 18. |
| Shore-Plover, Large-billed | . Handb. ii. p. 213. |
| shorii, Picus | . Cent. pl. 49. |
| —, Tiga | Cent. pl. 49. |
| Short-billed Emerald | Humming B. v. pl. 298. |
| — Smicrornis | Handb. i. p. 273. |
| — Warbler | Australia, ii. pl. 103. |
| Short-crested Partridge | Odontoph. pl. 12. |
| Short-eared Owl | Europe, i. pl. 40; Gt. Brit. i. pl. 32. |
| —— Phalangista | Mamm. Austr. i. pl. 17. |
| — Rock-Wallaby | Mamm. Austr. ii. pl. 47; Monogr. |
| | Macrop. part i. pl. 6. |
| Short-headed Belideus | Mamm. Austr. i. pl. 25. |
| Short-nosed Perameles | Mamm. Austr. i. pl. 12. |
| Short-tailed Albatros | Australia, vii. pl. 39; Handb. ii. p. 433. |
| —— Cuscus | Mamm. Austr. i. pl. 21. |
| —— Petrel | Australia, vii. pl. 56; Handb. ii. p. 459. |
| —— Turdinus | Asia, iii. pl. 63. |
| — Wallaby | Mamm. Austr. ii. pls. 37, 38. |
| | |

| Short-tailed Wood-Star | Humming B. iii. pl. 148. |
|-----------------------------|--|
| Short-toed Eagle | Europe, i. pl. 13. |
| — Lark | Europe, ii. pl. 163; Gt. Brit. iii. pl. 21. |
| —– Ptarmigan | Europe, iv. pl. 256. |
| Short-wing, Chestnut-headed | Asia, iv. pl. 2. |
| —, Gould's | Asia, iii. pl. 61. |
| —, Slaty-bellied | Asia, iv. pl. 1. |
| —, Stellated | Asia, iii. pl. 61. |
| Short-winged Podargus | Handb. i. p. 89. |
| Shoveller, Australian | Australia, vii. pl. 12; Handb. ii. |
| , | р. 368. |
| — Duck | Europe, v. pl. 360; Gt. Brit. v. pl. 14. |
| —, European | Handb. ii. p. 370. |
| —, Variegated | Australia, Suppl. pl. 80; Handb. ii. p. 580. |
| Shrike, Great | Europe, ii. pl. 66. |
| —, Great Grey | Europe, ii. pl. 67; Gt. Brit. ii. pl. 13. |
| —, Lesser Grey | Europe, ii. pl. 68. |
| —, Red-backed | Europe, ii. pl. 69. |
| —, Rose-breasted | Gt. Brit. ii. pl. 14. |
| —, Woodchat | Europe, ii. pl. 70. |
| , see also Cuckoo-Shrike. | • |
| Shrike-like Thickhead | Australia, ii. pl. 69; Handb. i. p. 214. |
| Shrike-Thrush, Brown | Australia, ii. pl. 76; Handb. i. p. 223. |
| —, Buff-bellied | Australia, ii. pl. 75; Handb. i. p. 222. |
| —, Harmonious | Australia, ii. pl. 74; Handb. i. p. 220. |
| —, Little | Australia, ii. pl. 78; Handb. i. p. 225. |
| —, Rusty-breasted | Handb. i. p. 226. |
| —, Selby's | Australia, ii. pl. 77; Handb. i. p. 224. |
| Shrike-Tit, Black-eared | Asia, ii. pl. 16. |
| —, Crested | Handb. i. p. 231. |
| —, Frontal | Australia, ii. pl. 79; Handb. i. p. 228. |
| —, Grey-headed | Asia, ii. pl. 13. |
| ——, Himalayan | Asia, ii. pl. 14. |
| —, Rufous-bellied | Asia, ii. pl. 15. |
| —, White-bellied | Australia, ii. pl. 80; Handb. i. p. 229. |
| —, Yellow-green | Asia, ii. pl. 17 |
| Shy Albatros | Handb. ii. p. 434. |

| Siamese Fireback | Asia, vii. pl. 21. |
|-----------------------------|--|
| Siberian Grosbeak | Europe, iii. pl. 205; Asia, v. pl. 27. |
| Jay | Europe, iii. pl. 215. |
| — Ruby-throat | Asia, iv. pl. 38. |
| — Thrush | Europe, ii. pl. 82; Gt. Brit. ii. pl. 40. |
| — Tit | Europe, iii. pl. 151. fig. 2. |
| Sibia, Black-and-White | Asia, iii. pl. 32. |
| — melanoleuca | Asia, iii. pl. 32. |
| sibilatrix, Phyllopneuste | Gt. Brit. ii. pl. 67. |
| —, Phylloscopus | Europe, ii. pl. 131. fig. 3. |
| , Sylvia | Europe, ii. pl. 131. fig. 3. |
| sibiricus, Cichloselys | Gt. Brit. ii. pl. 40. |
| —, Parus | Europe, iii. pl. 151. fig. 2. |
| —, Turdus | Europe, ii. pl. 82. |
| —, Uragus | Europe, iii. pl. 205; Asia, v. pl. 27. |
| Sickle-bill, Condamine's | Humming B. i. pl. 4. |
| , Ecuadorian | Humming B., Suppl. p. 1. |
| Humming-bird | Humming B. i. pl. 3. |
| ——. Salvin's | Humming B., Suppl. p. 3. |
| Silky-plumed Honey-eater | New Guinea, iii. pl. 39. |
| Silky Warbler | Europe, ii. pl. 115. |
| Silver Gull | Handb. ii. p. 387. |
| Silver-eared Liothrix | Asia, iv. pl. 16. |
| Silvery-backed Butcher-bird | Australia, ii. pl. 51. |
| — Crow-Shrike | Handb. i. p. 182. |
| Silvery-crowned Friar-bird | Australia, iv. pl. 59; Handb. i. p. 548. |
| Silvery-grey Petrel | Australia, vii. pl. 48; Handb. ii. p. 467. |
| Silvery-throated Tit | Asia, ii. pl. 69. |
| Simon's Sabre-wing | Humming B., Suppl. pl. 3. |
| — Thorn-bill | Humming B., Suppl. pl. 43. |
| simplex, Eriocnemis | Humming B. iv. pl. 271. |
| ——, Geoffroyius | New Guinea, v. pl. 29. |
| —, Pachycephala | Australia, ii. pl. 72; Handb. i. p. 217. |
| —, Zosterops | Asia, ii. pl. 34. |
| sinensis, Hydrophasianus | Cent. pl. 76; Asia, vii. pl. 68. |
| —, Ixus | Asia, iii. pl. 11. |
| —, Parra | Cent. pl. 77. |
| ——. Pica | Cent. pl. 43. |

| sinensis, Urocissa | Asia, v. pl. 48. |
|-----------------------------|--|
| Singing Honey-eater | Australia, iv. pl. 33; Handb. i. p. 504. |
| sipahi, Hæmatospiza | Asia, v. pl. 24. |
| Siphia rubeculoides | Cent. pl. 25. fig. 1. |
| Siskin | Europe, iii. pl. 197; Gt. Brit. iii. pl. 37. |
| Sitta asiatica | Europe, iii. pl. 236. |
| | Gt. Brit. ii. pl. 22. |
| — castaneoventris | Asia, ii. pl. 45. |
| — cinnamomeoventris | Asia, ii. pl. 44. |
| — europæa | Europe, iii. pl. 234. |
| — formosa | Asia, ii. pl. 43. |
| — himalayensis | Asia, ii. pl. 47. |
| — leucopsis | Asia, ii. pl. 46. |
| — nagaensis | Asia, ii. pl. 42. |
| | Europe, iii. pl. 235. |
| Sittella albata | New Guinea, iii. pl. 28. |
| —, Black-capped | Australia, iv. pl. 104; Handb. i. p. 612. |
| chrysoptera | Synopsis, part iv.; Australia, iv. pl. 101; |
| | Handb. i. p. 609. |
| — leucocephala | Synopsis, part iv.; Australia, iv. pl. 102; |
| - | Handb. i. p. 610. |
| leucoptera | Australia, iv. pl. 103; Handb. i. p. 611. |
| — melanocephala | Synopsis, part iv. |
| —, Orange-winged | Australia, iv. pl. 609. |
| pileata | Synopsis, part iv.; Australia, iv. pl. 104; |
| - | Handb. i. p. 612. |
| — striata | Australia, Suppl. pl. 54. |
| —, Striated | Australia, Suppl. pl. 54. |
| —, White-headed | Australia, iv. pl. 102; Handb. i. p. 610. |
| —, White-winged | Australia, iv. pl. 103; New Guinea, iii. |
| | pl. 28; Handb. i. p. 611. |
| Siva, Blue-winged | Asia, iv. pl. 19. |
| — cyanuroptera | Asia, iv. pl. 19. |
| strigula | Asia, iv. pl. 18. |
| —, Striped-throated | Asia, iv. pl. 18. |
| Six-plumed Bird of Paradise | New Guinea, i. pl. 25. |
| Skua | Europe, v. pl. 439. |
| —, Aretic | Gt. Brit. v. pl. 80. |

| Skua, Great | Gt. Brit. v. pl. 78; Handb. ii. p. 389. |
|---------------------------------|--|
| — Gull | Australia, vii. pl. 21. |
| —, Long-tailed | Gt. Brit. v. pl. 81. |
| —, Parasitic | Europe, v. pl. 442. |
| —, Pomarhine | Europe, v. pl. 440. |
| —, Pomatorhine | Gt. Brit. v. pl. 79. |
| —, Richardson's | Europe, v. pl. 442. |
| Skylark | Europe, iii. pl. 166; Gt. Brit. iii. |
| | pl. 15. |
| Slate-coloured Partridge | Asia, vii. pl. 8. |
| Slaty-grey Cuckoo-Shrike | New Guinea, ii. pl. 1. |
| — Glossy Starling | New Guinea, iv. pl. 15. |
| Slaty-headed Parrakeet | Asia, vi. pl. 8. |
| Slender Shear-tail | Humming B. iii. pl. 157. |
| Slender-billed Chat-Thrush | Asia, iii. pl. 30. |
| —— Curlew | Europe, iv. pl. 304. |
| — Spine-bill | Australia, iv. pl. 61. |
| — White-eye | Australia, Suppl. pl. 47. |
| Small-billed Azure-crown | Humming B., Suppl. p. 72. |
| Small-footed Bat | Mamm. Austr. iii. pl. 42. |
| Small Frigate-bird | Australia, vii. pl. 72; Handb. ii. p. 499. |
| smaragdicaudus, Cynanthus | Humming B. iii. pl. 173. |
| smaragdinicollis, Metallura | Humming B. iii. pl. 196. |
| smaragdinipectus, Eriocnemis | Humming B., Suppl. p. 72. |
| smaragdo-cærulea, Eucephala | Humming B. v. pl. 331. |
| Smaragdochrysis iridescens | Humming B. v. pl. 359. |
| Smew | Europe, v. pl. 387; Gt. Brit. v. pl. 37. |
| Smicrornis brevirostris | Australia, ii. pl. 103; Handb. i. p. 273. |
| — flavescens | Australia, ii. pl. 104; Handb. i. p. 274. |
| , Short-billed | Australia, ii. pl. 103; Handb. i. p. 273. |
| —, Yellow-tinted | Australia, ii. pl. 104; Handb. i. p. 274. |
| , see also Warbler. | 1 - 1 |
| smithii, Ailurædus | Handb. i. p. 446. |
| —, Geophaps | Australia, v. pl. 68; Handb. ii. p. 133. |
| —, Ptilonorhynchus | Australia, iv. pl. 11. |
| Smith's Partridge Bronze-wing . | Australia, v. pl. 68; Handb. ii. p. 133. |
| Snipe, Australian Painted | Handb. ii. p. 274. |
| —, Brown | Gt. Brit. iv. pl. 76. |

| Snipe, Common | Europe, iv. pl. 321. fig. 2; Gt. Brit. iv. pl. 79. |
|------------------------------|--|
| —, Great | Europe, iv. pl. 320; Gt. Brit. iv. pl. 78. |
| —, Grey | Europe, iv. pl. 323. |
| , Jack | Europe, iv. pl. 322; Gt. Brit. iv. pl. 80. |
| —, New Holland | Australia, vi. pl. 40; Handb. ii. p. 271. |
| , Red-breasted | Gt. Brit. iv. pl. 76. |
| , Sabine's | Europe, iv. pl. 321. fig. 1. |
| , Summer | Gt. Brit. iv. pl. 58. |
| Snow-Bunting | Europe, iii. pl. 170; Gt. Brit. iii. pl. 31. |
| Snow-cap Humming-bird | Humming B. ii. pl. 116. |
| —, Purple | Humming B., Suppl. pl. 30. |
| Snow-Finch | Europe, iii. pl. 189. |
| Snow-Flake | Gt. Brit. iii. pl. 31. |
| Snow-Goose | Europe, v. pl. 346. |
| Snow-Partridge, Altaic | Asia, vii. pl. 31. |
| , Caspian | Asia, vii. pl. 29. |
| —, Himalayan | Asia, vii. pl. 30. |
| , Moupin | Asia, vii. pl. 44. |
| , Tibetan | Asia, vii. pl. 32. |
| Snow-tailed Trogon | Trogons, (2) pl. 22. |
| Snowy Owl | Europe, i. pl. 43; Gt. Brit. i. pl. 34. |
| Snowy-throated Emerald | Humming B. v. pl. 293. |
| sæmmeringi, Phasianus | Asia, vii. pl. 37. |
| Soft-plumaged Petrel | Australia, vii. pl. 50; Handb. ii. p. 453. |
| Solan Gannet | Europe, v. pl. 412. |
| Solander's Petrel | Handb. ii. p. 450. |
| solandri, Pterodroma | Handb. ii. p. 450. |
| solaris, Pericrocotus | Asia, ii. pl. 5. |
| solitaria, Ceyx | New Guinea, iv. pl. 45. |
| —, Origma | Synopsis, part iv. App. p. 3. |
| Solitary Kingfisher | New Guinea, iv. pl. 45. |
| Solomon-Islands Fruit-Pigeon | New Guinea, v. pl. 52. |
| — Lark-heeled Cuckoo | New Guinea, iv. pl. 44. |
| —— Pigmy Parrot | New Guinea, v. pl. 26. |
| solomonis, Ptilopus | New Guinea, v. pl. 52. |
| solstitialis, Spathura | Humming B., Suppl. pl. 37. |
| Somateria mollissima | Europe, v. pl. 374; Gt. Brit. v. pl. 26. |

2 R

| g t n: | F 1 977 Ct D 't 1 97 |
|----------------------------|--|
| Somateria spectabilis | Europe, v. pl. 375; Gt. Brit. v. pl. 27. |
| Sombre Egret | Australia, vi. pl. 59; Handb. ii. p. 305. |
| — Gallinule | Australia, vi. pl. 73; Handb. ii. p. 328. |
| — Honey-eater | Australia, iv. pl. 77; Handb. i. p. 576. |
| Humming-bird | Humming B. ii. pl. 54. |
| —— Partridge | Australia, v. pl. 91. |
| — Sabre-wing | Humming B. ii. pl. 49. |
| — Swamp-Quail | Handb. ii. p. 195. |
| —— Tit | Europe, iii. pl. 151. fig. 1. |
| Sombre-coloured Sericornis | Australia, ii. pl. 47; Handb. i. p. 356. |
| — Warbler | Australia, iii. pl. 47. |
| — Water-Ouzel | Asia, iv. pl. 23. |
| Song-Thrush | Europe, ii. pl. 78. fig. 1. |
| sonnerati, Gallus | Asia, vii. pl. 56. |
| Sonnerat's Jungle-fowl | Asia, vii. pl. 56. |
| Pigmy Woodpecker | Asia, vi. pl. 30. |
| sonninii, Eupsychortyx | Odontoph. pl. 11. |
| Sonnini's Partridge | Odontoph. pl. 11. |
| sonorivox, Bambusicola | Asia, vi. pl. 72. |
| sonorus, Ptilotis | Australia, iv. pl. 33; Handb. i. p. 504. |
| Sooty Albatros | Australia, vii. pl. 44; Handb. ii. p. 441. |
| — Antechinus | Mamm. Austr. i. pl. 41. |
| Barbed-throat | Humming B. i. pl. 15. |
| Beaver-Rat | Mamm. Austr. iii. pl. 27. |
| Crow-Shrike | Australia, ii. pl. 43; Handb. i. p. 170. |
| Kangaroo | Mamm. Austr. ii. pl. 5; Monogr. |
| | Macrop. ii. pl. 16. |
| — Owl | Australia, i. pl. 30; Handb. i. p. 65. |
| Oyster-catcher | Australia, vi. pl. 8. |
| — Phalangista | Mamm. Austr. i. pl. 15. |
| — Tern | Australia, vii. pl. 32; Handb. ii. p. 408. |
| sophiæ, Erythronota | Humming B. v. pl. 322. |
| —, Leptopæcile | Asia, ii. pl. 62. |
| Sophia's Erythronote | Humming B. v. pl. 322. |
| Sordid Friar-bird | Handb. i. p. 550. |
| — Kingfisher | Australia, v. pl. 23; Handb. i. p. 132. |
| — Rat | Mamm. Austr. iii. pl. 17. |
| sordida, Phæoptila | Humming B. v. pl. 340. |

| 323 A. A. A. A. | At |
|-----------------------------|--|
| sordidus, Artamus | Australia, ii. pl. 27; Handb. i. p. 143. |
| —, Cinclus | Asia, iv. pl. 23. |
| —, Halcyon | Australia, ii. pl. 23. |
| ——, Mus | Mamm. Austr. iii. pl. 17. |
| —, Synoicus | Australia, v. pl. 91; Handb. ii. p. 195. |
| —, Todirhamphus | Handb. i. p. 132. |
| —, Tropidorhynchus | Australia, Introd. i. p. lviii; Handb. i. p. 550. |
| Southern Hermit | Humming B. i. pl. 34. |
| Ringed Perroquet | New Guinea, v. pl. 2. |
| — Sphecotheres | Handb. i. p. 467. |
| — Stone-Plover | Australia, vi. pl. 5; Handb. ii. p. 210. |
| ——— Term | Handb. ii. p. 398. |
| Thorn-bill | Humming B. iii. pl. 186. |
| — White-faced Flycatcher | New Guinea, ii. pl. 18. |
| spadiceus, Galloperdix | Asia, vi. pl. 68. |
| spaldingi, Orthonyx | Australia, Suppl. pl. 53. |
| Spalding's Orthonyx | Australia, Suppl. pl. 53. |
| Spangled Coquette | Humming B. iii. pl. 122. |
| — Drongo | Australia, ii. pl. 82. |
| — Drongo-Shrike | Handb. i. p. 235. |
| Spanish Sparrow | Europe, iii. pl. 185. fig. 1. |
| Sparganura glyceria | Humming B., Suppl. pl. 39. |
| sparganurus, Cometes | Humming B. ii. pl. 174. |
| Sparkling Hemipode | Australia, vi. pl. 83. |
| —— Pheasant | Asia, vii. pl. 38. |
| Sparkling-tail Humming-bird | Humming B. iii. pl. 158. |
| Sparrow, Alpine | Europe, iii. pl. 185. fig. 2. |
| —, Common | Europe, iii. pl. 184. fig. 1; Gt. Brit. iii. pl. 32. |
| —, Doubtful | Europe, iii. pl. 186. |
| —, Hedge | Gt. Brit. ii. pl. 55. |
| —, House | Gt. Brit. iii. pl. 32. |
| — Owl | Europe, i. pl. 50. |
| —, Spanish | Europe, iii. pl. 185. fig. 1. |
| —, Tree | Europe, iii. pl. 184. fig. 2; Gt. Brit. iii. pl. 33. |
| —, Turkestan | Asia, v. pl. 15. |
| , ruincolali | 2 R 2 |

| Sparrow-Hawk | Europe, i. pl. 18; Gt. Brit. i. pl. 10. |
|--------------------------|---|
| , Collared | Australia, i. pl. 19; Handb. i. p. 45. |
| sparverioides, Cuculus | Cent. pl. 53. |
| - | Cent. pl. 53. |
| - | Humming B. iii, pl. 163. |
| 1 | Humming B. iii. pl. 164. |
| rufocaligata | Humming B. iii. pl. 165. |
| | Humming B. iii. pl. 166. |
| —— solstitialis | Humming B., Suppl. pl. 37. |
| | Humming B. iii. pl. 162. |
| Spatula clypeata | Gt. Brit. iv. pl. 14; Handb. ii. p. 370. |
| — rhynchotis | Australia, vii. pl. 12; Handb. ii. p. 368. |
| | Australia, Suppl. pl. 80; Handb. ii. App. |
| — variegata | р. 580. |
| spatuliger, Prioniturus | Asia, vi. pl. 14. |
| speciosa, Diphyllodes | New Guinea, i. pl. 22. |
| | |
| | New Guinea, i. pl. 9. Odontoph. pl. 25. |
| —, Odontophorus | 1 1 |
| —, Pericrocotus | Asia, ii. pl. 7; Cent. pl. 7. |
| —, Ptilopus | New Guinea, v. pl. 57. |
| Speckled Piculet | Asia, vi. pl. 39. |
| — Turnix | Handb. ii. p. 181. |
| Wood-Owl | Asia, i. pl. 16. |
| spectabilis, Donacicola | New Guinea, iv. pl. 24. |
| —, Eugenes | Humming B., Suppl. pl. 13. |
| —, Somateria | Europe, v. pl. 375; Gt. Brit. v. pl. 27. |
| Spectacled Hare-Kangaroo | Mamm. Austr. ii. pl. 59; Monogr. |
| | Macrop. part ii. |
| —— Petrel | Australia, vii. pl. 46; Handb. ii. p. 445. |
| — Vampire | Mamm. Austr. iii. pl. 29. |
| — Warbler | Europe, ii. pl. 127. |
| spencei, Heliangelus | Humming B. iv. pl. 244. |
| Spence's Sun-Angel | Humming B. iv. pl. 244. |
| Sphecotheres, Australian | Australia, iv. pl. 15. |
| —— australis | Australia, iv. pl. 15. |
| —— flaviventris | Australia, Suppl. pl. 37; Handb. i. p. 468. |
| maxillaris | Handb. i. p. 467. |
| —, Yellow-bellied | Australia, Suppl. pl. 37 |

| Spheniscus minor | Australia, vii. pl. 84. |
|---------------------------|---|
| undina | Australia, vii. pl. 85. |
| Sphenocercus sphenurus | Cent. pl. 57. |
| Sphenocichla humii | Asia, iv. pl. 55. |
| roberti | Asia, iv. pl. 54. |
| Sphenœacus galactodes | Australia, iii. pl. 35; Handb. i. p. 399. |
| gramineus | Australia, iii. pl. 36; Handb. i. p. 400. |
| , Grass-loving | Australia, iii. pl. 36. |
| —, Tawny | Australia, iii. pl. 35. |
| Sphenoproctus curvipennis | Humming B., Suppl. p. 5. |
| Sphenostoma cristatum | Australia, iii. pl. 17; Handb. i. |
| | p. 316. |
| Sphenura brachyptera | Handb. i. p. 342. |
| — broadbenti | Australia, Suppl. pl. 25. |
| — longirostris | Handb. i. p. 343. |
| —, Treron | Cent. pl. 57. |
| —, Vinago | Cent. pl. 57. |
| sphenurus, Haliaetus | Synopsis, part iii. |
| —, Haliastur | Australia, i. pl. 5; Handb. i. p. 20. |
| , Puffinus | Australia, vii. pl. 58. |
| —, Sphenocercus | Cent. pl. 57. |
| —, Thiellus | Handb. ii. p. 466. |
| Spiloglaux boobook | Handb. i. p. 74. |
| — maculatus | Handb. i. p. 76. |
| — marmoratus | Handb. i. p. 73. |
| spilonota, Salpornis | Asia, iv. pl. 56. |
| spilonotus, Parus | Asia, ii. pl. 53. |
| spiloptera, Psaroglossa | Cent. pl. 34. |
| spilopterus, Lamprotornis | Cent. pl. 34. |
| Spilornis rufipectus | Asia, i. pl. 9. |
| —, Rufous-breasted | Asia, i. pl. 9. |
| spilorrhoa, Myristicivora | Handb. ii. p. 114. |
| Spine-bill | Handb. i. p. 551. |
| —, Slender-billed | Australia, iv. pl. 61. |
| —, White-eyebrowed | Australia, iv. pl. 62; Handb. i. p. 553. |
| —, see also Honey-eater. | • |
| Spine-tailed Orthonyx | |
| Swift | Handb. i. p. 103. |
| spinicaudus, Orthonyx | Australia, iv. pl. 99; Handb. i. p. 607. |

| spinicollis, Carphibis | Handb. ii. p. 282. |
|---------------------------|--|
| —, Geronticus | Australia, vi. pl. 45. |
| spinoides, Carduelis | Cent. pl. 33, fig. 2. |
| —, Chrysomitris | Cent. pl. 33. fig. 2. |
| spinoletta, Anthus | Gt. Brit. iii. pl. 11. |
| spinosus, Pluvianus | Europe, iv. pl. 293. |
| spinus, Carduelis | Europe, iii. pl. 197. |
| —, Chrysomitris | Europe, iii. pl. 197; Gt. Brit. iii. pl. 37. |
| Spiny-cheeked Honey-eater | Australia, iv. pl. 53; Handb. i. p. 534. |
| Spiny Echidna | Mamm. Austr. i. pl. 2. |
| spixi, Grypus | Humming B. i. pl. 2. |
| Spix's Saw-bill | Humming B. i. pl. 2. |
| Spizaëtus alboniger | Asia, i. pl. 10. |
| Spizixos canifrons | Asia, iii. pl. 9. |
| —, Chinese | Asia, iii. pl. 10. |
| , Crested | Asia, iii. pl. 9. |
| — semitorques | Asia, iii. pl. 10. |
| splendens, Malurus | Australia, iii. pl. 21; Handb. i. p. 323. |
| Splendid Grass-Parrakeet | Australia, v. pl. 42; Handb. ii. p. 79. |
| —— Parrakeet | Australia, v. pl. 28; Handb. ii. p. 57. |
| splendida, Euphema | Australia, v. pl. 42; Handb. ii. p. 79. |
| splendidus, Platycercus | Australia, v. pl. 28; Handb. ii. p. 57. |
| Spoonbill | Europe, iv. pl. 286; Gt. Brit. iv. pl. 32. |
| —, Royal | Australia, vi. pl. 50; Handb. ii. p. 287. |
| —, Yellow-legged | Australia, vi. pl. 49; Handb. ii. p. 288. |
| Spoon-billed Kingfisher | New Guinea, iv. pl. 59. |
| —— Sandpiper | Asia, vii. pl. 66. |
| Sporadinus elegans | Humming B. v. pl. 347. |
| —— maugæi | Humming B. v. pl. 349. |
| — ricordi | Humming B. v. pl. 348. |
| Spotless Egret | Australia, vi. pl. 58; Handb. ii. p. 304. |
| —— Gallinule | Australia, vi. pl. 82. |
| Spotted Adelomyia | Humming B. iii. pl. 199. |
| — Antechinus | Mamm. Austr. i. pl. 44. |
| Babbler, Marsh | Asia, iii. pl. 65. |
| — Bower-bird | Australia, iv. pl. 8; Handb. i. p. 450. |
| —— Calodera | Australia, pt. i. (cancelled) pl. 3. |
| —— Cormorant | Australia, vii. pl. 71; Handb. ii. App. |
| | p. 582. |

| Spotted Crake | Europe, iv. pl. 343; Gt. Brit. iv. pl. 88. |
|--|--|
| Creeper | Asia, iv. pl. 56. |
| Cuckoo, Great | Gt. Brit. iii. pl. 69. |
| —— Diamond-bird | Handb. i. p. 157. |
| —— Eagle | Europe, i. pl. 8; Gt. Brit. i. pl. 3. |
| —— Emu | Handb. ii. p. 204. |
| —— Flycatcher | Europe, ii. pl. 65; Gt. Brit. ii. pl. 19. |
| — Forktail | Asia, iv. pl. 69. |
| — Goatsucker | Australia, ii. pl. 8. |
| Ground-Thrush | Australia, iv. pl. 4; Handb. i. p. 433. |
| — Nightjar | Handb. i. p. 98. |
| —— Owl | Australia, i. pl. 33; Handb. i. p. 76. |
| Redshank | Europe, iv. pl. 309; Gt. Brit. iv. pl. 55. |
| —— Sand-Grouse | Asia, vi. pl. 62. |
| — Sandpiper | Europe, iv. pl. 317; Gt. Brit. iv. pl. 59. |
| — Sericornis | Australia, iii. pl. 51; Handb. i. p. 361. |
| —— Tit | Asia, ii. pl. 53. |
| — Warbler | Australia, iii. pl. 51. |
| — Water-Crake | Australia, vi. pl. 79; Handb. ii. p. 339. |
| — Whitethroat | Humming B., Suppl. p. 73. |
| Woodpecker, Chinese | Asia, vi. pl. 17. |
| ———, Formosan | Asia, vi. pl. 16. |
| —————————————————————————————————————— | Gt. Brit. iii. pl. 70. |
| ———, Hartlaub's | Asia, vi. pl. 20. |
| ———, Javan | Asia, vi. pl. 19. |
| —————————————————————————————————————— | Gt. Brit. iii. pl. 72. |
| — Wren | Asia, iv. pl. 52. |
| Spotted-billed Araçari | Toucans, (1) pl. 24. |
| — Toucanet | Toucans, (2) pl. 31. |
| Spotted-breasted Humming-bird . | Humming B., Suppl. pl. 4. |
| Spotted-sided Finch | Australia, iii. pl. 86; Handb. i. p. 417. |
| Spotted-tailed Dasyurus | Mamm. Austr. i. pl. 49. |
| Spotted-throated Kingfisher | New Guinea, iv. pl. 58. |
| Spur-fowl, Ceylon | Asia, vi. pl. 67. |
| —, Painted | Asia, vi. pl. 69. |
| —, Rufous | Asia, vi. pl. 68. |
| Spur-winged Plover | Europe, iv. pl. 293. |
| | |

| Squacco Heron | Europe, iv. pl. 275; Gt. Brit. iv. pl. 25. |
|----------------------------|--|
| squamata, Callipepla | Odontoph. pl. 19. |
| , Eriocnemis | Humming B. iv. pl. 281. |
| —, Micrura | Icones Avium, pl. 5. |
| —, Pnoepyga | Icones Avium, pl. 5. |
| —, Stigmatops | New Guinea, iii. pl. 44. |
| squamatus, Picus | Cent. pl. 48. |
| squamulatus, Piezorhynchus | New Guinea, ii. pl. 49. |
| Square-tailed Cuckoo | Handb. i. p. 620. |
| — Grass-Warbler | Handb. i. p. 352. |
| — Kite | Australia, i. pl. 22; Handb. i. p. 51. |
| — Warbler | Australia, iii. pl. 44. |
| Squatarola cinerea | Europe, iv. pl. 290. |
| — helvetica | Gt. Brit. iv. pls. 36, 37; Australia, vi. |
| | pl. 12; Handb. ii. p. 224. |
| Squirrel-like Belideus | Mamm. Austr. i. pl. 24. |
| Stachyris pyrrhops | Asia, iv. pl. 9. |
| , Red-eyed | Asia, iv. pl. 9. |
| —, Red-headed | Asia, iv. pl. 10. |
| — ruficeps | Asia, iv. pl. 10. |
| stacii, Phasianus | Cent. pl. 68. |
| stagnatilis, Ardetta | Australia, vi. pl. 67. |
| —, Totanus | Europe, iv. pl. 314; Australia, vi. |
| | pl. 37; Handb. ii. p. 267. |
| Stagonopleura guttata | Handb. i. p. 417. |
| Standard-wing | Australia, Suppl. pl. 52; Handb. ii. |
| | App. p. 532. |
| stanleyi, Ramphomicron | Humming B. iii. pl. 185. |
| Stanley's Thorn-bill | Humming B. iii. pl. 185. |
| stapazina, Saxicola | Europe, ii. pl. 91. |
| Staphida torqueola | Asia, iv. pl. 8. |
| Staphidia, Grey-headed | Asia, iv. pl. 8. |
| Star-frontlet | Humming B. iv. pl. 235. |
| —, Bonaparte's | Humming B. iv. pl. 236. |
| —, Buff-tailed | Humming B., Suppl. pl. 18. |
| —, Ecuadorian | Humming B., Suppl. pl. 23. |
| —, Golden | Humming B. iv. pl. 237. |
| —, Jelski's | Humming B., Suppl. pl. 19. |
| | |

| Star-frontlet, Parzudaki's —, Viola —, Violet-throated Starling, Common | Humming B. iv. pl. 240. Humming B. iv. pl. 241. Humming B. iv. pl. 239. Europe, iii. pl. 210; Gt. Brit. iii. |
|--|---|
| | pls. 53, 54. New Guinea, iv. pl. 14. Asia, v. pl. 43. New Guinea, iv. pl. 18. |
| —, Congretated Glossy | New Guinea, iv. pl. 12. New Guinea, iv. pl. 16. Asia, v. pl. 44. New Guinea, iv. pl. 13. |
| | New Guinea, iv. pl. 17. Gt. Brit. iii. pls. 55, 56. Europe, iii. pl. 211; Asia, v. pl. 42. New Guinea, iv. pl. 15. |
| Starred Partridge Star-throat, Angela | Odontoph. pl. 27. Humming B. iv. pl. 263. Humming B. iv. pl. 260. |
| —, Long-billed | Humming B. iv. pl. 259. Humming B. iv. pl. 261. Humming B. iv. pl. 262. Humming B., Suppl. p. 30. |
| Steere's Broadbill | Asia, i. pl. 65. Asia, v. pl. 74. Asia, v. pl. 74. Asia, i. pl. 65. |
| Stella Parrakeet stellæ, Charmosyna stellaris, Botaurus | New Guinea, v. pl. 15. New Guinea, v. pl. 15. Europe, iv. pl. 280; Gt. Brit. iv. pl. 27. |
| Stellated Short-wing stellatus, Drymochares | Asia, iii. pl. 61. Asia, iii. pl. 61. Odontoph. pl. 27. Gt. Brit. v. pl. 25. |
| Steller's Duck Stenorhynchus leptonyx stenura, Panychlora Stercorarius catarrhactes | Gt. Brit. v. pl. 25. Mamm. Austr. iii. pl. 50. Humming B., Suppl. p. 100. Gt. Brit. v. pl. 78; Handb. ii. p. 389. |
| | 2 s |

| Stercorarius longicaudus | Gt. Brit. v. pl. 81. |
|-------------------------------|--|
| — parasiticus | Gt. Brit. v. pl. 80. |
| — pomatorhinus | Gt. Brit. v. pl. 79. |
| Sterna anglica | Europe, v. pl. 416. |
| —— arctica | Europe, v. pl. 419. |
| cantiaca | Europe, v. pl. 415. |
| —— caspia | Europe, v. pl. 414. |
| —— dougallii | Europe, v. pl. 418. |
| — fuliginosa | Synopsis, part ii. |
| — gracilis | Australia, vii. pl. 27; Handb. ii. p. 399. |
| — hirundo | Europe, v. pl. 417; Gt. Brit. v. pl. 70. |
| — macrotarsa | Synopsis, part ii. |
| macrura | Gt. Brit. v. pl. 72. |
| — melanauchen | Australia, vii. pl. 28; Handb. ii. p. 400. |
| — melanogaster | Asia, vii. pl. 70. |
| — melanorhyncha | Australia, vii. pl. 26; Handb. ii. p. 398. |
| — melanura | Synopsis, part iv. App. p. 7. |
| — minuta | Europe, v. pl. 420; Gt. Brit. v. pl. 71. |
| — paradisea | Gt. Brit. v. pl. 71. |
| —— poliocerca | Synopsis, part ii. |
| — stolida | Europe, v. pl. 421. |
| Sternoclyta cyaneipectus | Humming B. ii. pl. 58. |
| Sternula minuta | Europe, v. pl. 420; Gt. Brit. v. 71. |
| — nereis | Australia, vii. pl. 29; Handb. ii. p. 402. |
| — placens | New Guinea, v. pl. 72. |
| stictocephalus, Phalacrocorax | Handb. ii. p. 495. |
| stictolæma, Halcyon | New Guinea, iv. pl. 58. |
| Stictonetta nævosa | Handb. ii. p. 367. |
| Stictopelia cuneata | Handb. ii. p. 146. |
| Stictoptera annulosa | Handb. i. p. 410. |
| — bichenovii | Handb. i. p. 409. |
| stigmaticus, Halmaturus | Mamm. Austr. ii. pls. 34, 35. |
| Stigmatops albo-auricularis | New Guinea, iii. pl. 45. |
| chloris | New Guinea, iii. pl. 42. |
| — kebirensis | New Guinea, iii. pl. 43. |
| ocularis | Handb. i. p. 500. |
| — squamata | New Guinea, iii. pl. 44. |
| — subocularis | Handb. i. p. 501. |
| Stilt | Gt. Brit. iv. pl. 34. |

| Stilt, Banded | Australia, vi. pl. 26; Handb. ii. p. 248. |
|------------------------|--|
| , New Zealand | Australia, vi. pl. 25; Handb. ii. p. 574. |
| — Plover | Europe, iv. pl. 289. |
| —, White-headed | Australia, vi. pl. 24; Handb. ii. p. 246. |
| Stint, Little | Europe, iv. pl. 332; Gt. Brit. iv. pl. 72. |
| —, Temminck's | Europe, iv. pl. 333; Gt. Brit. iv. pl. 73. |
| Stipiturus malachurus | Australia, iii. pl. 31; Handb. i. p. 339. |
| Stock-Dove | Europe, iv. pl. 244; Gt. Brit. iv. pl. 2. |
| Stokes's Humming-bird | Humming B. iv. pl. 266. |
| stokesi, Eustephanus | Humming B. iv. pl. 266. |
| stolida, Sterna | Europe, v. pl. 421. |
| stolidus, Anous | Australia, vii. pl. 34; Handb. ii. p. 413. |
| Stomiopera unicolor | Handb. i. p. 523. |
| Stonechat | Europe, ii. pl. 94; Gt. Brit. ii. pl. 47. |
| —, Black-and-White | Asia, iv. pl. 29. |
| —, Black-throated | Asia, iv. pl. 31. |
| —, Grey-capped | Asia, iv. pl. 28. |
| , Indian | Asia, iv. pl. 34. |
| —, Mountain | Asia, iv. pl. 30. |
| —, Pied | Asia, iv. pl. 26. |
| —, White-tailed | Asia, iv. pl. 27. |
| Stone-Curlew | Europe, iv. pl. 288; Gt. Brit. iv. pl. 35. |
| Stone-Plover, Southern | Australia, vi. pl. 5; Handb. ii. p. 210. |
| Stone's Cat-bird | New Guinea, i. pl. 37. |
| stonii, Ailurœdus | New Guinea, i. pl. 37. |
| Stoparola melanops | Cent. pl. 6. |
| Stork | Gt. Brit. iv. pl. 30. |
| —, Black | Europe, iv. pl. 284; Gt. Brit. iv. pl. 31. |
| —, Maguari | Europe, iv. pl. 285. |
| —, White | Europe, iv. pl. 283. |
| Storm-Petrel | Gt. Brit. v. pl. 86. |
| —, Black-bellied | Australia, vii. pl. 62; Handb. ii. p. 479 |
| , Common | Europe, v. pl. 448. |
| —, Forked-tailed | Europe, v. pl. 447; Gt. Brit. v. pl. 85. |
| —, Grey-backed | Australia, vii. pl. 64; Handb. ii. p. 476. |
| —, Leach's | Europe, v. pl. 447; Gt. Brit. v. pl. 85. |
| —, White-bellied | Australia, vii. pl. 63; Handb. ii. p. 480. |
| —, White-faced | Australia, vii. pl. 61; Handb. ii. p. 482. |
| —, Wilson's | Australia, vii. pl. 65. |
| | $2 	ext{ s } 2$ |

| Storm-Petrel, Yellow-webbed . | | Handb. ii. p. 478. |
|-------------------------------|---|--|
| Stout-billed Flower-pecker | | New Guinea, iv. pl. 9. |
| Straw-necked Ibis | | Australia, vi. pl. 45; Handb. ii. p. 282. |
| Streaked Honey-eater | | Australia, Suppl. pl. 42; Handb. i. |
| | | p. 522. |
| strenua, Athene | | Synopsis, part iii.; Australia, i. pl. 35. |
| —, Campephaga | ٠ | New Guinea, ii. pl. 3. |
| strenuus, Cuculus | • | Asia, vi. pl. 42. |
| —, Hieracoglaux | | Handb. i. p. 68. |
| —, Sylochelidon | | Australia, vii. pl. 22. |
| —, Zosterops | | Australia, Suppl. pl. 48; Handb. ii. p. 537. |
| Strepera anaphonensis | | Australia, ii. pl. 45; Handb. i. p. 173. |
| | | Australia, ii. pl. 44; Handb. i. p. 171. |
| — fuliginosa | | Australia, ii. pl. 43; Handb. i. p. 170. |
| — graculina | | Australia, ii. pl. 42; Handb. i. p. 168. |
| strepera, Chaulelasmus | | Gt. Brit. v. pl. 19. |
| —, Chauliodes | | Europe, v. pl. 366. |
| —, Coronica | | Synopsis, part i. |
| strepitans, Pitta | | Australia, iv. pl. 1; Handb. i. p. 430. |
| Strepsilas collaris | | Europe, iv. pl. 318. |
| interpres | | Australia, vi. pl. 39; Handb. ii. p. 269; |
| • | | Gt. Brit. iv. pl. 60. |
| striata, Grammatoptila | | Cent. pl. 37. |
| —, Sittella | | Australia, Suppl. pl. 54. |
| Striated Acanthiza | | Australia, iii. pl. 61; Handb. i. p. 372. |
| — Calamanthus | | Handb. i. p. 388. |
| — Diamond-bird | | Handb. i. p. 161. |
| — Ground Warbler | | Handb. i. p. 388. |
| —— Reed-Lark | | Australia, iii. pl. 70. |
| —— Sittella | | Australia, Suppl. pl. 54. |
| — Warbler | | Australia, iii. pl. 61. |
| — Wren | | Australia, iii. pl. 29; Handb. i. p. 337. |
| , Goyder's | | New Guinea, iii. pl. 8. |
| striatus, Amytis | | Australia, iii. pl. 29; Handb. i. p. 337. |
| —, Garrulus | | Cent. pl. 37. |
| —, Pardalotus | | Synopsis, part ii.; Australia, ii. pl. 38; |
| | | Handb. i. p. 161. |
| strictipennis, Ibis | | Synopsis, part iv. App. p. 7. |

| strictipennis, Threskiornis strigirostris, Didunculus —, Gnathodon |
|--|
| |
| strigoides, Podargus |
| Strigops habroptilus |
| App. p. 539. strigula, Siva |
| striigularis, Phaethornis. Stringops, see Strigops. Stripe-breasted Star-throat |
| Stringops, see Strigops. Stripe-breasted Star-throat |
| Stripe-breasted Star-throat . Humming B. iv. pl. 262. Stripe-sided Rock-Wallaby . Mamm. Austr. ii. pls. 41, 42; Monogr. |
| Stripe-breasted Star-throat . Humming B. iv. pl. 262. Stripe-sided Rock-Wallaby . Mamm. Austr. ii. pls. 41, 42; Monogr. |
| Stripe-sided Rock-Wallaby . Mamm. Austr. ii. pls. 41, 42; Monogr. Macrop. part ii. Stripe-tail |
| Stripe-tail |
| —, Grey Humming B., Suppl. pl. 55. —, Panama Humming B., Suppl. p. 85. Stripe-tailed Belideus Mamm. Austr. i. pl. 26. Stripe-throated Hermit Humming B. i. pl. 37. Striped-breasted Partridge Odontoph. pl. 32. Striped-throated Siva Asia, iv. pl. 18. Strix candida Australia, Suppl. pl. 1; Asia, i. pl. 18. — castanops Synopsis, part iii.; Australia, i. pl. 28; Handb. i. p. 62. — cyclops Synopsis, part iii.; Australia, i. pl. 31; Handb. i. p. 66. — flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. — indica Asia, i. pl. 17. — novæ-hollandiæ Handb. i. p. 64. — personata Synopsis, part iii.; Australia, i. pl. 29. |
| —, Panama Humming B., Suppl. p. 85. Stripe-tailed Belideus Mamm. Austr. i. pl. 26. Stripe-throated Hermit Humming B. i. pl. 37. Striped-breasted Partridge Odontoph. pl. 32. Striped-throated Siva Asia, iv. pl. 18. Strix candida Australia, Suppl. pl. 1; Asia, i. pl. 18. — castanops Synopsis, part iii.; Australia, i. pl. 28; Handb. i. p. 62. — cyclops Synopsis, part iii.; Australia, i. pl. 31; Handb. i. p. 66. — flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. — indica Asia, i. pl. 17. — novæ-hollandiæ Handb. i. p. 64. — personata Synopsis, part iii.; Australia, i. pl. 29. |
| Stripe-tailed Belideus |
| Stripe-throated Hermit |
| Striped-breasted Partridge . Odontoph. pl. 32. Striped-throated Siva . Asia, iv. pl. 18. Strix candida |
| Striped-throated Siva Asia, iv. pl. 18. Strix candida Australia, Suppl. pl. 1; Asia, i. pl. 18. — castanops Synopsis, part iii.; Australia, i. pl. 28; Handb. i. p. 62. — cyclops Synopsis, part iii. — delicatulus Synopsis, part iii.; Australia, i. pl. 31; Handb. i. p. 66. — flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. — indica Asia, i. pl. 17. — novæ-hollandiæ Handb. i. p. 64. — personata Synopsis, part iii.; Australia, i. pl. 29. |
| Strix candida Australia, Suppl. pl. 1; Asia, i. pl. 18. — castanops Synopsis, part iii.; Australia, i. pl. 28; Handb. i. p. 62. — cyclops Synopsis, part iii. — delicatulus Synopsis, part iii.; Australia, i. pl. 31; Handb. i. p. 66. — flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. — indica Asia, i. pl. 17. — novæ-hollandiæ Handb. i. p. 64. — personata Synopsis, part iii.; Australia, i. pl. 29. |
| — castanops Synopsis, part iii.; Australia, i. pl. 28; — Handb. i. p. 62. — cyclops Synopsis, part iii. — delicatulus Synopsis, part iii.; Australia, i. pl. 31; — Handb. i. p. 66. — flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. — indica Asia, i. pl. 17. — novæ-hollandiæ Handb. i. p. 64. — personata Synopsis, part iii.; Australia, i. pl. 29. |
| Handb. i. p. 62. — cyclops Synopsis, part iii. — delicatulus Synopsis, part iii.; Australia, i. pl. 31; Handb. i. p. 66. — flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. — indica Asia, i. pl. 17. — novæ-hollandiæ |
| — delicatulus |
| Handb. i. p. 66. — flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. — indica Asia, i. pl. 17. — novæ-hollandiæ |
| flammea Europe, i. pl. 36; Gt. Brit. i. pl. 28. indica Asia, i. pl. 17. novæ-hollandiæ |
| indica |
| — novæ-hollandiæ Handb. i. p. 64. — personata Synopsis, part iii.; Australia, i. pl. 29. |
| —— personata Synopsis, part iii.; Australia, i. pl. 29. |
| |
| |
| — tenebricosus Australia, i. pl. 30; Handb. i. p. 65. |
| Strong-billed Honey-eater Australia, iv. pl. 70; Handb. i. p. 565. |
| strophianus, Heliangelus Humming B. iv. pl. 243. |
| strophiatus, Accentor Asia, iv. pl. 47. |
| strophium, Odontophorus Odontoph. pl. 31. |
| struthersii, Ibidorhynchus Cent. pl. 79; Asia, vii. pl. 61. |
| Struthidea cinerea Synopsis, part i.; Australia, iv. pl. 17; Handb. i. p. 472. |
| —, Grey Australia, iv. pl. 17; Handb. i. p. 472. |
| stuebeli, Chlorostilbon Humming B., Suppl. p. 99. |

| Stübel's Emerald Humming B., Suppl. p. 99. | stuebeli, Oxypogon | Humming B., Suppl. p. 59. |
|--|---------------------------|--|
| Helmet-crest | Stübel's Emerald | |
| sturmi, Pteroglossus Toucans, (2) pl. 27. Sturm's Araçari Toucans, (2) pl. 27. Sturnus humii Asia, v. pl. 43. — purpurascens Asia, v. pl. 44. — unicolor Europe, iii. pl. 211; Asia, v. pl. 42. — vulgaris Europe, iii. pl. 210; Gt. Brit. iii. pls. 53, 54. suavis, Copsychus Asia, iii. pl. 26. suavissima, Cyclopsitta New Guinea, v. pl. 5. subalaris, Amblyornis New Guinea, i. pl. 47. subalpina, Sylvia Europe, ii. pl. 124. Subalpina, Sylvia Europe, ii. pl. 124. Subalpina, Ancylocheilus Gt. Brit. iv. pl. 68; Handb. ii. p. 256. —, Tringa Europe, ii. pl. 124. subarquata, Ancylocheilus Australia, vi. pl. 328. subarquata, Schœniclus Australia, vi. pl. 328. subarquatus, Schemiclus Australia, vi. pl. 32. subcristata, Eucephala Humming B., Suppl. p. 92. subcristata, Baza Humming B., Suppl. p. 92. subfasciata, Glyciphila New Guinea, v. pl. 66. subfasciata, Glyciphila New Guinea, v. pl. 66. subniger, Falco Australia, i. pl. 9; Handb. i. p. 28. | Helmet-crest | |
| Sturm's Araçari Toucans, (2) pl. 27. Sturnus humii Asia, v. pl. 43. — purpurascens Asia, v. pl. 44. — unicolor Europe, iii. pl. 211; Asia, v. pl. 42. — vulgaris Europe, iii. pl. 210; Gt. Brit. iii. pls. 53, 54. suavis, Copsychus Asia, iii. pl. 26. suavissima, Cyclopsitta New Guinea, v. pl. 5. subalaris, Amblyornis New Guinea, i. pl. 47. subalpine, Sylvia Europe, ii. pl. 124. Subalpine Warbler Europe, ii. pl. 124. subalpine Warbler Europe, ii. pl. 28. subarquata, Ancylocheilus Gt. Brit. iv. pl. 68; Handb. ii. p. 256. —, Tringa Europe, ii. pl. 328. subarquatus, Schœniclus Australia, vi. pl. 32. subraquatus, Schœniclus Australia, vi. pl. 32. subcærulea, Eucephala Humming B., Suppl. p. 92. subcretulea, Eucephala Humming B., Suppl. p. 92. subristatus, Lepidogenys Synopsis, part iii.; Australia, i. pl. 25. subfasciata, Glyciphila New Guinea, v. pl. 66. subriger, Falco Australia, i. pl. 9; Handb. i. p. 28. subocularis, Glyciphila Synopsis, | | |
| Sturnus humii Asia, v. pl. 43. — purpurascens Asia, v. pl. 44. — unicolor Europe, iii. pl. 211; Asia, v. pl. 42. — vulgaris Europe, iii. pl. 210; Gt. Brit. iii. pls. 53, 54. suavis, Copsychus Asia, iii. pl. 26. suavissima, Cyclopsitta New Guinea, v. pl. 5. subalaris, Amblyornis New Guinea, i. pl. 47. subalpina, Sylvia Europe, ii. pl. 124. Subalpine Warbler Europe, ii. pl. 124. subarquata, Ancylocheilus Gt. Brit. iv. pl. 68; Handb. ii. p. 256. —, Tringa Europe, iv. pl. 328. subarquatus, Schœniclus Australia, vi. pl. 32. subcarulea, Eucephala Humming B., Suppl. p. 92. subcarulea, Eucephala Humming B., Suppl. p. 92. subcariata, Baza Handb. i. p. 56. subfasciata, Glyciphila New Guinea, iii. pl. 46. subfasciata, Glyciphila New Guinea, v. pl. 66. subniger, Falco Australia, i. pl. 9; Handb. i. p. 28. subcoularis, Glyciphila Synopsis, part iiv. App. p. 6. —, Stigmatops Handb. i. p. 501. subplacens, Psitteuteles New Guinea, v. pl. 17. | | |
| — unicolor | | |
| — vulgaris | — purpurascens | . Asia, v. pl. 44. |
| — vulgaris | — unicolor | Europe, iii. pl. 211; Asia, v. pl. 42. |
| suavis, Copsychus | | |
| suavissima, Cyclopsitta New Guinea, v. pl. 5. subalaris, Amblyornis New Guinea, i. pl. 47. subalpina, Sylvia Europe, ii. pl. 124. Subalpine Warbler | suavis, Copsychus | |
| subalpina, Sylvia Europe, ii. pl. 124. Subalpine Warbler Europe, ii. pl. 124. subarquata, Ancylocheilus Gt. Brit. iv. pl. 68; Handb. ii. p. 256. —, Tringa Europe, iv. pl. 328. subarquatus, Schœniclus Australia, vi. pl. 32. subbuteo, Falco Europe, i. pl. 22; Gt. Brit. i. pl. 18. subcærulea, Eucephala Humming B., Suppl. p. 92. subcristata, Baza Handb. i. p. 56. subcristatus, Lepidogenys Synopsis, part iii.; Australia, i. pl. 25. subfasciata, Glyciphila New Guinea, iii. pl. 46. subfasciata, Glyciphila New Guinea, v. pl. 66. subniger, Falco Australia, i. pl. 9; Handb. i. p. 28. subocularis, Glyciphila Synopsis, part iv. App. p. 6. —, Stigmatops Handb. i. p. 501. subplacens, Psitteuteles New Guinea, v. pl. 17. suecica, Cyanecula Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. —, Phœnicura Europe, ii. pl. 97; Gt. Brit. v. pl. 54. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fiber H | | . New Guinea, v. pl. 5. |
| subalpina, Sylvia Europe, ii. pl. 124. Subalpine Warbler Europe, ii. pl. 124. subarquata, Ancylocheilus Gt. Brit. iv. pl. 68; Handb. ii. p. 256. —, Tringa Europe, iv. pl. 328. subarquatus, Schœniclus Australia, vi. pl. 32. subbuteo, Falco Europe, i. pl. 22; Gt. Brit. i. pl. 18. subcærulea, Eucephala Humming B., Suppl. p. 92. subcristata, Baza Handb. i. p. 56. subcristatus, Lepidogenys Synopsis, part iii.; Australia, i. pl. 25. subfasciata, Glyciphila New Guinea, iii. pl. 46. subfasciata, Glyciphila New Guinea, v. pl. 66. subniger, Falco Australia, i. pl. 9; Handb. i. p. 28. subocularis, Glyciphila Synopsis, part iv. App. p. 6. —, Stigmatops Handb. i. p. 501. subplacens, Psitteuteles New Guinea, v. pl. 17. suecica, Cyanecula Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. —, Phœnicura Europe, ii. pl. 97; Gt. Brit. v. pl. 54. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fiber H | subalaris, Amblyornis | . New Guinea, i. pl. 47. |
| subarquata, Ancylocheilus | subalpina, Sylvia | - |
| subarquata, Ancylocheilus | | |
| my Tringa | | |
| subarquatus, Schœniclus subbuteo, Falco | | - |
| subbuteo, Falco Europe, i. pl. 22; Gt. Brit. i. pl. 18. subcærulea, Eucephala | | Australia, vi. pl. 32. |
| subcærulea, Eucephala | | |
| subcristatus, Lepidogenys Synopsis, part iii.; Australia, i. pl. 25. subfasciata, Glyciphila New Guinea, iii. pl. 46. subflavescens, Carpophaga New Guinea, v. pl. 66. subniger, Falco | | |
| subfasciata, Glyciphila New Guinea, iii. pl. 46. subflavescens, Carpophaga New Guinea, v. pl. 66. subniger, Falco | subcristata, Baza | . Handb. i. p. 56. |
| subfasciata, Glyciphila New Guinea, iii. pl. 46. subflavescens, Carpophaga New Guinea, v. pl. 66. subniger, Falco | subcristatus, Lepidogenys | Synopsis, part iii.; Australia, i. pl. 25. |
| subflavescens, Carpophaga New Guinea, v. pl. 66. subniger, Falco | | |
| subocularis, Glyciphila Synopsis, part iv. App. p. 6. —, Stigmatops Handb. i. p. 501. subplacens, Psitteuteles New Guinea, v. pl. 17. suecica, Cyanecula Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. —, Phonicura Europe, ii. pl. 97. Sula australis Australia, vii. pl. 76; Handb. ii. p. 504. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fusca Australia, vii. pl. 78. — melanura Europe, v. pl. 413. — personata Australia, vii. pl. 77. — piscator Australia, vii. pl. 79; Handb. ii. p. 509. | | |
| —, Stigmatops Handb. i. p. 501. subplacens, Psitteuteles New Guinea, v. pl. 17. suecica, Cyanecula Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. —, Phœnicura Europe, ii. pl. 97. Sula australis Australia, vii. pl. 76; Handb. ii. p. 504. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fusca Australia, vii. pl. 78. — melanura Europe, v. pl. 413. — personata Australia, vii. pl. 77. — piscator Australia, vii. pl. 79; Handb. ii. p. 509. | subniger, Falco | Australia, i. pl. 9; Handb. i. p. 28. |
| —, Stigmatops Handb. i. p. 501. subplacens, Psitteuteles New Guinea, v. pl. 17. suecica, Cyanecula Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. —, Phœnicura Europe, ii. pl. 97. Sula australis Australia, vii. pl. 76; Handb. ii. p. 504. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fusca Australia, vii. pl. 78. — melanura Europe, v. pl. 413. — personata Australia, vii. pl. 77. — piscator Australia, vii. pl. 79; Handb. ii. p. 509. | subocularis, Glyciphila | Synopsis, part iv. App. p. 6. |
| subplacens, Psitteuteles New Guinea, v. pl. 17. suecica, Cyanecula Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. —, Phœnicura Europe, ii. pl. 97. Sula australis Australia, vii. pl. 76; Handb. ii. p. 504. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fusca Australia, vii. pl. 78. — melanura Europe, v. pl. 413. — personata Australia, vii. pl. 77. — piscator Australia, vii. pl. 79; Handb. ii. p. 509. | | |
| suecica, Cyanecula Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. —, Phœnicura Europe, ii. pl. 97. Sula australis Australia, vii. pl. 76; Handb. ii. p. 504. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fusca Australia, vii. pl. 78. — melanura Europe, v. pl. 413. — personata Australia, vii. pl. 77. — piscator Australia, vii. pl. 79; Handb. ii. p. 509. | | New Guinea, v. pl. 17. |
| Sula australis Australia, vii. pl. 76; Handb. ii. p. 504. — bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. — cyanops Handb. ii. p. 506. — fiber Handb. ii. p. 507. — fusca Australia, vii. pl. 78. — melanura Europe, v. pl. 413. — personata Australia, vii. pl. 77. — piscator Australia, vii. pl. 79; Handb. ii. p. 509. | suecica, Cyanecula | |
| bassana Europe, v. pl. 412; Gt. Brit. v. pl. 54. cyanops | —, Phœnicura | Europe, ii. pl. 97. |
| — cyanops | Sula australis | Australia, vii. pl. 76; Handb. ii. p. 504. |
| fiber | — bassana | Europe, v. pl. 412; Gt. Brit. v. pl. 54. |
| fusca | —— cyanops | . Handb. ii. p. 506. |
| fusca | — fiber | . Handb. ii. p. 507. |
| melanura Europe, v. pl. 413. personata Australia, vii. pl. 77. piscator Australia, vii. pl. 79; Handb. ii. p. 509. | — fusca | . Australia, vii. pl. 78. |
| personata Australia, vii. pl. 77. piscator | — melanura | Europe, v. pl. 413. |
| — piscator Australia, vii. pl. 79; Handb. ii. p. 509. | | . Australia, vii. pl. 77. |
| | | . Australia, vii. pl. 79; Handb. ii. p. 509. |
| | — rubripes | |

| ——, Pteroglossus | sulcatus, Aulacorhamphus | | Toucans, (2) pl. 42. |
|--|----------------------------------|-----|-------------------------------------|
| Sulphur-and-white-breasted Toucan. Toucans, (1) pl. 9, (2) pl. 13. Sulphur-crested Cockatoo, Great Handb. ii. p. 2. sulphurea, Calobates Gt. Brit. iii. pls. 6, 7. Sultan Tit Asia, ii. pl. 51. sultanea, Melanochlora Asia, ii. pl. 51. Sumatran Kingfisher Asia, i. pl. 42. sumatrana, Ardea Handb. ii. p. 296. sumatranus, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 244. —, Gorgeted Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 23. | —, Pteroglossus | | Toucans, (1) pl. 31. |
| Sulphur-crested Cockatoo, Great Handb. ii. p. 2. sulphurea, Calobates Gt. Brit. iii. pls. 6, 7. Sultan Tit Asia, ii. pl. 51. sunatran Kingfisher Asia, ii. pl. 51. Sumatran Kingfisher Asia, ii. pl. 42. sumatranua, Ardea Handb. ii. p. 296. sumatranua, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Pamela's Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 33. —, Mafoor Isla | sulcirostris, Phalacrocorax | | Australia, vii. pl. 67. |
| sulphurea, Calobates Gt. Brit. iii. pls. 6, 7. Sultan Tit Asia, ii. pl. 51. sultanea, Melanochlora Asia, ii. pl. 51. Sumatran Kingfisher Asia, i. pl. 42. sumatranua, Ardea Handb. ii. p. 296. sumatranus, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 243. —, Gorgeted Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B., iii. pl. 180. —, Pamela's Humming B., iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Asia, ii. pl. 32. —, Black-breasted Asia, ii. pl. 27. —, Seylonese Asia, ii. pl. 24. —, Fiery-tailed Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 23. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Mrs. Gould's | Sulphur-and-white-breasted Touca | ın. | Toucans, (1) pl. 9, (2) pl. 13. |
| Sultan Tit Asia, ii. pl. 51. sultanea, Melanochlora Asia, ii. pl. 51. Sumatran Kingfisher Asia, i. pl. 42. sumatranua, Ardea Handb. ii. p. 296. sumatranus, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Shining Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australia Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Seylonese Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 33. —, Mafoor Island Black <td< td=""><td>Sulphur-crested Cockatoo, Great</td><td></td><td>Handb. ii. p. 2.</td></td<> | Sulphur-crested Cockatoo, Great | | Handb. ii. p. 2. |
| sultanea, Melanochlora Asia, ii. pl. 51. Sumatran Kingfisher Asia, i. pl. 42. sumatrana, Ardea Handb. ii. p. 296. sumatranus, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 243. —, Spence's Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Loten's Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Misori Island Black New Guinea, iii. pl. 31. —, Nepalese | sulphurea, Calobates | | Gt. Brit. iii. pls. 6, 7. |
| Sumatran Kingfisher Asia, i. pl. 42. sumatrana, Ardea Handb. ii. p. 296. sumatranus, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 244. —, Spence's Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Shining Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 23. —, Loten's Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Mrs. Gould's Asia, ii. pl. 26. —, Nepalese Asia, ii. p | Sultan Tit | | Asia, ii. pl. 51. |
| sumatrana, Ardea Handb. ii. p. 296. sumatranus, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 244. —, Spence's Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B. suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Shining Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Mrs. Gould's Asia, ii. pl. 26. —, Nepalese Asia, ii. pl. 25. —, Sanghir Black< | sultanea, Melanochlora | | Asia, ii. pl. 51. |
| sumatranus, Corydon Asia, i. pl. 61. Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 244. —, Spence's Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Shining Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 24. —, Fiery-tailed Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Misori Island Black New Guinea, iii. pl. 31. —, Mrs. Gould's Asia, ii. pl. 26. —, Nepalese Asia, ii. pl. 25. —, Sanghir Black New Guinea, iii. pl. 30. —, Vigors' | Sumatran Kingfisher | | |
| Summer Snipe Gt. Brit. iv. pl. 58. Sun-Angel Humming B. iv. pl. 242. —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 244. —, Spence's Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Shining Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 24. —, Fiery-tailed Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Misori Island Black New Guinea, iii. pl. 31. —, Mrs. Gould's Asia, ii. pl. 26. —, Nepalese Asia, ii. pl. 25. —, Sanghir Black New Guinea, iii. pl. 32. —, Vigors' Asia, ii. pl. 21 Sun-Gem Hummin | sumatrana, Ardea | | Handb. ii. p. 296. |
| Sun-Angel Humming B. iv. pl. 242. | sumatranus, Corydon | | Asia, i. pl. 61. |
| —, Amethystine Humming B. iv. pl. 245. —, Gorgeted Humming B. iv. pl. 243. —, Spence's Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Shining Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australia Asia, ii. pl. 32. —, Australian Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 28. —, Jericho Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 23. —, Loten's Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Misori Island Black New Guinea, iii. pl. 31. —, Nepalese Asia, ii. pl. 26. —, Nepang Asia, ii. pl. 25. —, Sanghir Black New Guinea, iii. pl. 32. —, Vigors' Asia, ii. pl. 21. Mumming B. iv. pl. 212. | Summer Snipe | | Gt. Brit. iv. pl. 58. |
| —, Gorgeted Humming B. iv. pl. 243. —, Spence's Humming B. iv. pl. 244. Sunbeam, Black-throated Humming B., Suppl. pl. 47. —, Castelnau's Humming B. iii. pl. 180. —, Pamela's Humming B. iii. pl. 181. —, Shining Humming B. iii. pl. 179. Sun-bird, Asiatic Asia, ii. pl. 32. —, Australia Asia, ii. pl. 32. —, Australian Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 24. —, Fiery-tailed Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 23. —, Loten's Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Misori Island Black New Guinea, iii. pl. 31. —, Mrs. Gould's Asia, ii. pl. 26. —, Nepalese Asia, ii. pl. 25. —, Sanghir Black New Guinea, iii. pl. 32. —, Vigors' Asia, ii. pl. 21 Sundara, Niltava Asia, ii. pl. 21 Humming B. iv. pl. 212. | Sun-Angel | | Humming B. iv. pl. 242. |
| —, Spence's | —, Amethystine | | Humming B. iv. pl. 245. |
| Sunbeam, Black-throated | , Gorgeted | | Humming B. iv. pl. 243. |
| Sunbeam, Black-throated | ——, Spence's | | Humming B. iv. pl. 244. |
| —, Pamela's | | | Humming B., Suppl. pl. 47. |
| —, Shining | —, Castelnau's | | Humming B. iii. pl. 180. |
| Sun-bird, Asiatic Asia, ii. pl. 32. —, Australian Australia, Suppl. pl. 45; Handb. i. p. 584. —, Black-breasted Asia, ii. pl. 27. —, Ceylonese Asia, ii. pl. 24. —, Fiery-tailed Asia, ii. pl. 28. —, Goalpourah Asia, ii. pl. 29. —, Jericho Asia, ii. pl. 23. —, Loteu's Asia, ii. pl. 33. —, Mafoor Island Black New Guinea, iii. pl. 30. —, Misori Island Black New Guinea, iii. pl. 31. —, Mrs. Gould's Asia, ii. pl. 26. —, Nepalese Asia, ii. pl. 31. —, Penang Asia, ii. pl. 25. —, Sanghir Black New Guinea, iii. pl. 32. —, Vigors' Asia, ii. pl. 30. sundara, Niltava Asia, ii. pl. 21 Sun-Gem Humming B. iv. pl. 212. | —, Pamela's | | Humming B. iii. pl. 181. |
| | —, Shining | | Humming B. iii. pl. 179. |
| p. 584. —, Black-breasted | Sun-bird, Asiatic | | Asia, ii. pl. 32. |
| | —, Australian | | Australia, Suppl. pl. 45; Handb. i. |
| | | | p. 584. |
| | ——, Black-breasted | | Asia, ii. pl. 27. |
| | • | | Asia, ii. pl. 24. |
| | | | Asia, ii. pl. 28. |
| | | | Asia, ii. pl. 29. |
| | —, Jericho | | Asia, ii. pl. 23. |
| | —, Loten's | | Asia, ii. pl. 33. |
| | ——, Mafoor Island Black | | New Guinea, iii. pl. 30. |
| | , Misori Island Black | | New Guinea, iii. pl. 31. |
| | · | | Asia, ii. pl. 26. |
| , Sanghir Black New Guinea, iii. pl. 32, Vigors' Asia, ii. pl. 30. sundara, Niltava Asia, ii. pl. 21 Sun-Gem | —, Nepalese | | Asia, ii. pl. 31. |
| —, Vigors' Asia, ii. pl. 30. sundara, Niltava Asia, ii. pl. 21. Sun-Gem | | | Asia, ii. pl. 25. |
| sundara, Niltava Asia, ii. pl. 21 Sun-Gem | —, Sanghir Black | | New Guinea, iii. pl. 32. |
| Sun-Gem Humming B. iv. pl. 212. | ——, Vigors' | | Asia, ii. pl. 30. |
| | sundara, Niltava | | Asia, ii. pl. 21 |
| Superb Bird of Paradise New Guinea, i. pl. 18. | | | Humming B. iv. pl. 212. |
| | Superb Bird of Paradise | | New Guinea, i. pl. 18. |

| Superb Fruit-Pigeon | Australia u ul 57 . Handh :: n 109 |
|--|--|
| | Australia, v. pl. 57; Handb. ii. p. 108. |
| T. 1.1 | Australia, iii. pl. 18; Handb. i. p. 317. Australia, iii. pl. 21; Handb. i. p. 323. |
| | - |
| T | Australia, iii. pl. 20; Handb. i. p. 322. |
| | Australia, iii. pl. 26; Handb. i. p. 333. |
| ————, Blue-breasted | Australia, iii. pl. 23; Handb. i. p. 326. |
| ————, Brown's | Australia, iii. pl. 27; Handb. i. p. 334. |
| —————————————————————————————————————— | Australia, Suppl. pl. 20; Handb. i. p. 329. |
| —— , Fawn-breasted | Australia, Suppl. pl. 22. |
| —— ——, Graceful | Australia, iii. pl. 22; Handb. i. p. 324. |
| ————, Lambert's | Australia, iii. pl. 24; Handb. i. p. 327. |
| —— ——, Long-tailed | Australia, iii. pl. 19; Handb. i. p. 320. |
| —————, Lovely | Australia, Suppl. pl. 21; Handb. i. p. 328. |
| —— , Turquoisine | Australia, Suppl. pl. 23. |
| ————, White-backed | Australia, Suppl. pl. 24; Handb. i. p. 332. |
| —— ——, White-winged | Australia, iii. pl. 25; Handb. i. p. 330. |
| superba, Lophorhina | New Guinea, i. pl. 18. |
| , Menura | Australia, iii. pl. 14; Handb. i. p. 298. |
| superbus, Lamprotreron | Handb. ii. p. 108. |
| —, Ptilonopus | Australia, v. pl. 57. |
| superciliaris, Drymodes | Australia, Suppl. pl. 16; Handb. i. |
| | p. 291. |
| —, Xiphorhamphus | Asia, iii. pl. 34. |
| superciliosa, Anas | Australia, vii. pl. 9; Handb. ii. p. 363. |
| ——, Petroica | Australia, iii. pl. 9; Handb. i. p. 289. |
| ——, Pœcilodryas | Australia, iii. pl. 9; Handb. i. p. 289. |
| superciliosus, Acanthorhynchus . | Synopsis, part ii.; Australia, iv. pl. 62; Handb. i. p. 553. |
| ——, Artamus | Australia, ii. pl. 32; Handb. i. p. 152. |
| ——, Dasylophus | Asia, vi. pl. 44. |
| —, Malacoturnix | Asia, vii. pl. 8. |
| —, Ocypterus | Synopsis, part i. |
| —, Phaethornis | Humming B. i. pl. 17. |
| —, Pomatorhinus | Australia, iv. pl. 22. |
| —, Pomatostomus | TT 11 1 100 |
| —, Reguloides | G: D: !! 1 40 |
| | . T |

| Surf Duck Europe, v. pl. 376. | |
|---|------|
| —— Scoter Gt. Brit. v. pl. 30. | |
| Surnia cinerea Europe, i. pl. 42. | |
| — funerea Europe, i. pl. 45; Gt. Brit. i. pl. 35 | 5. |
| — nyctea Europe, i. pl. 43. | |
| — uralensis Europe, i. pl. 44. | |
| Surucua Trogon Trogons, (1) pl. 15, (2) pl. 25. | |
| surucua, Trogon Trogons, (2) pl. 25. | |
| surucura, Trogon Trogons, (1) pl. 15. | |
| Suthora, Anderson's Asia, iii. pl. 68. | |
| — brunnea Asia, iii. pl. 68. | |
| — fulvifrons Asia, iii. pl. 71. | |
| —, Fulvous-fronted Asia, iii. pl. 71. | |
| — munipurensis Asia, iii. pl. 69. | |
| — nipalensis Asia, iii. pl. 70. | |
| —, Webb's Asia, iii. pl. 72. | |
| — webbiana Asia, iii. pl. 72. | |
| White-faced Asia, iii. pl. 70. | |
| sutorius, Orthotomus Asia, iv. pl. 7. | |
| Suya lepida Asia, iv. pl. 4. | |
| Little Asia, iv. pl. 4. | |
| swainsoni, Antechinus Mamm. Austr. i. pl. 34. | |
| —, Graucalus Synopsis, part iv.; Australia, ii. pl. 5 | 58 : |
| Handb. i. p. 197. | , |
| —, Ptilonopus Australia, v. pl. 55; Handb. ii. p. 1 | 06. |
| swainsonii, Rhamphastos Toucans, (1) pl. 8. | |
| Trichoglossus Australia, v. pl. 48. | |
| Swainson's Antechinus Mamm. Austr. i. pl. 34. | |
| — Cuckoo-Shrike Australia, ii. pl. 58. | |
| — Fruit-Pigeon Australia, v. pl. 55; Handb. ii. p. 1 | 06. |
| — Graucalus Handb. i. p. 197. | |
| — Lorikeet Australia, v. pl. 48. | |
| — Toucan Toucans, (1) pl. 8. | |
| Swallow, Australian Spine-tailed . Australia, ii. pl. 10. | |
| Bungalow Asia, i. pl. 32. | |
| , Ceylonese Mosque Asia, i. pl. 30. | |
| Chimney Europe, ii. pl. 54. | |
| —, Common Gt. Brit. ii. pl. 5. | |
| —, Daurian Mosque Asia, i. pl. 28. | |

| Swallow Dicæum | Australia, ii. pl. 34; Handb. i. p. 581. |
|---------------------------|--|
| —, Indian Cliff | Asia, i. pl. 33. |
| —, Indian Mosque | Asia, i. pl. 29. |
| —, Rufous | Europe, ii. pl. 55. |
| —, Torres Straits' | Handb. i. p. 110. |
| —, Tree | Handb. i. p. 111. |
| —, Welcome | Australia, ii. pl. 13; Handb. i. p. 107. |
| , Western Mosque | Asia, i. pl. 27. |
| —, White-breasted | Australia, ii. pl. 12; Handb. i. p. 115. |
| ——, Wire-tailed | Asia, i. pl. 26. |
| —, Wood | Australia, ii. pl. 27; Handb. i. p. 143. |
| Swallow-tail Humming-bird | Humming B. ii. pl. 42. |
| —, Western | Humming B., Suppl. pl. 2. |
| Swallow-tailed Kite | Europe, i. pl. 30. |
| Swamp-Quail | Handb. ii. p. 193. |
| —, Least | Handb. ii. p. 197. |
| —, Northern | Handb. ii. p. 195. |
| —, Sombre | Handb. ii. p. 195. |
| ——, Tasmanian | Handb. ii. p. 194. |
| Swan, Bewick's | Europe, v. pl. 356; Gt. Brit. v. pl. 10. |
| ——, Black | Australia, vii. pl. 6; Handb. ii. p. 346. |
| ——, Domestic | Europe, v. pl. 354. |
| , Mute | Gt. Brit. v. pl. 8. |
| ——, Whistling | Europe, v. pl. 355. |
| ——, Wild | Gt. Brit. v. pl. 9. |
| Swan River Honey-eater | Australia, iv. pl. 73; Handb. i. p. 570. |
| Swift | Europe, ii. pl. 53. fig. 1; Gt. Brit. ii. pl. 3. |
| —, Alpine | Gt. Brit. ii. pl. 4. |
| | Australia, ii. pl. 11; Handb. i. p. 105. |
| ——, Bearded Tree | Asia, i. pl. 24. |
| , Common | Gt. Brit, ii. pl. 3. |
| —, Crested Tree | Asia, i. pl. 21. |
| —, Hooded Tree | Asia, i. pl. 25. |
| —, Klecho Tree | Asia, i. pl. 22. |
| , Long-winged | Australia, pt. ii. (cancelled) pl. 1. |
| — Lorikeet | Australia, v. pl. 47; Handb. ii. p. 90. |
| , Palm Roof | Asia, i. pl. 20. |
| —, Queensland Edible | New Guinea, iv. pl. 38. |
| —, Spine-tailed | Australia, ii. pl. 10; Handb. i. p. 103. |
| | |

| Swift, Wallace's Tree | Asia, i. pl. 23. |
|-------------------------|--|
| —, White-bellied | Europe, ii. pl. 53. fig. 2. |
| Swift-flying Hemipode | Australia, v. pl. 87; Handb. ii. p. 184. |
| — Turnix | Handb. ii. p. 184. |
| swinhoei, Euplocamus | Asia, vii. pl. 16. |
| Swinhoe's Fireback | Asia, vii. pl. 16. |
| Pigmy Woodpecker | Asia, vi. pl. 21. |
| Sword-bill | Humming B. iv. pl. 233. |
| Sylochelidon caspia | Handb. ii. p. 392. |
| | Australia, vii. pl. 22. |
| Sylph, Blue-tailed | Humming B. iii. pl. 172. |
| —, Bolivian | Humming B., Suppl. pl. 40. |
| , Green-tailed | Humming B. iii. pl. 173. |
| Sylvia cinerea | Gt. Brit. ii. pl. 57. |
| curruca | Gt. Brit. ii. pl. 58. |
| — hippolais | Europe, ii. p. 133. |
| —— icterina | Europe, ii. pl. 132. |
| —— nana | Asia, iv. pl. 50. |
| — nattereri | Europe, ii. pl. 134. |
| rufa | Europe, ii. pl. 131. fig. 2. |
| —— sibilatrix | Europe, ii. pl. 131. fig. 3. |
| trochilus | Europe, ii. pl. 131. fig. 1. |
| sylvia, Tanysiptera | Handb. i. p. 137. |
| Syma flavirostris | Handb. i. p. 135. |
| Symmorphus leucopygus | Synopsis, part iv. App. p. 3. |
| Synoïcus australis | Australia, v. pl. 89; Handb. ii. p. 193. |
| cervinus | Handb. ii. p. 195. |
| —— chinensis | Australia, v. pl. 92. |
| — diemenensis | Australia, v. pl. 90; Handb. ii. p. 194. |
| —— sordidus | Australia, v. pl. 91; Handb. ii. p. 195. |
| Sypheotides auritus | Asia, vii. pl. 57. |
| — bengalensis | Cent. pls. 73, 74, 75. |
| syriaca, Sitta | Europe, iii. pl. 235. |
| syrmatophorus, Herodias | Australia, vi. pl. 56. |
| , Phaethornis | Humming B. i. pl. 20. |
| Syrnium aluco | Europe, i. pl. 47; Gt. Brit. i. pl. 29. |
| —— ocellatum | Asia, i. pl. 16. |
| Syrrhaptes paradoxus | Asia, vi. pl. 60; Gt. Brit. iv. pl. 11. |
| —— tibetanus | Asia, vi. pl. 61. |

 2 ± 2

| Tabuan Water-Crake . | | Handb. ii. p. 341. |
|---------------------------|---|--|
| tabuensis, Platycercus . | | Synopsis, part iv. |
| ——, Porzana | | Handb. ii. p. 341. |
| tachydromus, Hemipodius | | Europe, iv. pl. 264. |
| Tachypetes aquila | | Handb. ii. p. 499. |
| minor | | Handb. ii. p. 499. |
| taczanowskii, Agyrtria . | | Humming B., Suppl. pl. 52. |
| Taczanowski's Emerald . | | Humming B., Suppl. pl. 52. |
| Tadorna radjah | | Australia, vii. pl. 8; Handb. ii. p. 360. |
| —— rutila | | Europe, v. pl. 358. |
| — vulpanser | | Europe, v. pl. 357; Gt. Brit. v. pl. 11. |
| tadornoides, Casarca | | Australia, vii. pl. 7; Handb. ii. p. 361. |
| Tæniopygia castanotis . | | Handb. i. p. 419. |
| taguanoides, Petaurista . | | Mamm. Austr. i. pl. 22. |
| Tailor-bird | | Asia, iv. pl. 7. |
| taivanus, Garrulus | | Asia, v. pl. 58. |
| Talegalla lathami | | Australia, v. pl. 77; Handb. ii. p. 150. |
| —, Wattled | | Australia, v. pl. 77; Handb. ii. p. 150. |
| Talegallus lathami | | Handb. ii. p. 150. |
| tancolo, Gecinus | | Asia, vi. pl. 35. |
| Tantalus leucocephalus . | | Asia, vii. pl. 59. |
| —, Rosy | | Asia, vii. pl. 59. |
| Tanysiptera, Black-headed | | New Guinea, iv. pl. 50. |
| , Blue-breasted | | New Guinea, iv. pl. 47. |
| —— carolinæ | | New Guinea, iv. pl. 47. |
| — danaë | | New Guinea, iv. pl. 49. |
| microrhyncha | | New Guinea, iv. pl. 51. |
| — nigriceps | | New Guinea, iv. pl. 50. |
| — nympha | | New Guinea, iv. pl. 48. |
| —, Red-breasted | | New Guinea, iv. pl. 48. |
| | | Australia, Suppl. pl. 6; Handb. i. p. 137. |
| —, White-tailed | | Australia, Suppl. pl. 6. |
| Taphozous, Australian . | , | Mamm. Austr. iii. pl. 32. |
| — australis | | Mamm. Austr. iii. pl. 32. |
| tarda, Otis | | Europe, iv. pl. 267; Gt. Brit. iv. pl. 17. |
| Tarsipes, Long-nosed | | Mamm. Austr. i. pl. 5. |
| — rostratus | | Mamm. Austr. i. pl. 5. |
| tartarica, Alauda | | Europe, iii. pl. 161. |
| Tasmanian Acanthiza . | | Australia, iii. pl. 54; Handb. i. p. 365. |
| — Bat | | Mamm. Austr. iii. pl. 48. |

| Tasmanian Crow-Shrike | Australia, ii. pl. 48; Handb. i. p. 178. |
|----------------------------|--|
| — Honey-eater | Australia, iv. pl. 27; Handb. i. p. 493. |
| — Jerboa-Kangaroo | Mamm. Austr. ii. pl. 63; Monogr. |
| o crook italigatoo | Macrop. part ii. |
| — Nyctophilus | Mamm. Austr. iii. pl. 38. |
| — Rat-Kangaroo | Mamm. Austr. ii. pl. 68. |
| — Swamp-Quail | Handb. ii. p. 194. |
| — Wallaby | Mamm. Austr. ii. pls. 35, 36; Monogr. |
| Wallady | Macrop. part i. |
| — Warbler | Australia, iii. pl. 54. |
| 4 1 17 | Mamm. Austr. iii. pl. 48. |
| Tawny Grass-bird | Handb. i. p. 399. |
| | |
| | Europe, i. pl. 47; Gt. Brit. i. pl. 29. |
| —— Pipit | Europe, ii. pl. 137; Gt. Brit. iii. pl. 9. |
| | Mamm. Austr. iii. pl. 12. |
| —— Sphenœacus | Australia, iii. pl. 35. |
| — Warbler | Australia, iii. pl. 35. |
| Tawny-shouldered Podargus | Handb. i. p. 84. |
| Teal, Australian | Handb. ii. p. 365. |
| —, Bimaculated | Europe, v. pl. 363. |
| ——, Common | Europe, v. pl. 362; Gt. Brit. v. pl. 16. |
| —, Garganey | Europe, v. pl. 364. |
| telescophthalmus, Arses | New Guinea, ii. pl. 40. |
| temminckii, Artamides | New Guinea, ii. pl. 2. |
| —, Ceriornis | Asia, vii. pl. 46. |
| —, Coracias | Asia, i. pl. 56. |
| —, Iyngipicus | Asia, vi. pl. 25. |
| —, Leimonites | Gt. Brit. iv. pl. 73. |
| —, Lyncornis | Icones Avium, pl. 16. |
| —, Myophonus | Cent. pl. 21. |
| —, Pterophanes | Humming B. iii. pl. 178. |
| —, Tringa | Europe, iv. pl. 333. |
| —, Trogon | Trogons, (1) pl. 29. |
| Temminck's Horned Pheasant | Asia, vii. pl. 46. |
| —— Pigmy Woodpecker | Asia, vi. pl. 25. |
| — Roller | Asia, i. pl. 56. |
| — Sapphire-wing | Humming B. iii, pl. 178. |
| — Stint | Gt. Brit. iv. pl. 73. |
| — Tringa | Europe, iv. pl. 333. |
| Trogon | Trogons, (1) pl. 29. |
| 2108011 | 11080110, (1) pr. 20. |

| temnurus, Prionoteles | Trogons, (2) pl. 33. |
|-------------------------------|--|
| —, Trogon | Trogons, (1) pl. 19. |
| Temporal Pomatorhinus | Australia, iv. pl. 20; Handb. i. p. 479. |
| temporalis, Ægintha | Handb. i. p. 411. |
| ——, Estrelda | Australia, iv. pl. 82. |
| 77 . 1.1 | Australia, iv. pl. 20; Handb. i. p. 479. |
| Tenasserim Kingfisher | Asia, i. pl. 50. |
| tenebricosus, Strix | Australia, i. pl. 30; Handb. i. p. 65. |
| tenebrosa, Gallinula | Australia, vi. pl. 73; Handb. ii. p. 328. |
| tenellus, Trogon | Trogons, (2) pl. 15. |
| tengmalmi, Noctua | Europe, i. pl. 49. |
| —, Nyctale | Gt. Brit. i. pl. 36. |
| Tengmalm's Owl | Europe, i. pl. 49; Gt. Brit. i. pl. 36. |
| Tenimber Parrot | New Guinea, v. pl. 30. |
| —— Thickhead | New Guinea, iii. pl. 18. |
| tenuirostris, Acanthorhynchus | Synopsis, part ii.; Australia, iv. pl. 61; |
| | Handb. i. p. 551. |
| —, Graucalus | Synopsis, part iv. |
| —, Licmetis | Handb. ii. p. 11. |
| —, Numenius | Europe, iv. pl. 304. |
| ——, Tringa | Handb. ii. p. 260. |
| —, Zosterops | Synopsis, part i.; Australia, Suppl. |
| | pl. 47; Handb. ii. p. 536. |
| tephropleurus, Zosterops | Australia, Suppl. pl. 49; Handb. ii. |
| | p. 538. |
| Terek Godwit | Europe, iv. pl. 307; Australia, vi. |
| | pl. 34. |
| —— Sandpiper | Handb. ii. p. 261. |
| terek, Limosa | Europe, iv. pl. 307. |
| Terekia cinerea | Australia, vi. pl. 34; Handb. ii. p. 261. |
| Tern, Arctic | Europe, v. pl. 419; Gt. Brit. v. pl. 72. |
| —, Australian Little | Australia, vii. pl. 29. |
| ——, Bass's Straits' | Australia, vii. pl. 24; Handb. ii. p. 396. |
| —, Black | Europe, v. pl. 422; Gt. Brit. v. pl. 75. |
| —, Black-bellied | Asia, vii. pl. 70. |
| —, Black-billed | Australia, vii. pl. 26. |
| ——, Black-naped | Australia, vii. pl. 28; Handb. ii. p. 400. |
| —, Caspian | Europe, v. pl. 414; Gt. Brit. v. pl. 68; |
| | Handb. ii. p. 392. |

| Tern, Common Europe, v. pl. 417; Gt. Brit | . v. pl. 70. |
|---|---------------|
| —, Graceful Australia, vii. pl. 27; Handb | . ii. p. 399. |
| —, Great-footed Australia, Suppl. pl. 81. | |
| , Gull-billed Europe, v. pl. 416; Gt. Brit | . v. pl. 74. |
| —, Indian Handb. ii. p. 397. | - |
| , Little Europe, v. pl. 420; Gt. Brit. | . v. pl. 73 ; |
| Handb. ii. p. 402, | • , |
| —, Long-legged Handb. ii. p. 403. | |
| —, Marsh Australia, vii. pl. 31; Handb. | . ii. p. 406. |
| —, Moustache Europe, v. pl. 424. | • |
| , Noddy Europe, v. pl. 421; Aust | ralia, vii. |
| pl. 34; Handb. ii, p. 413. | , |
| —, Panayan Australia, vii. pl. 33; Handb. | ii. p. 411. |
| —, Powerful Australia, vii. pl. 22. | • |
| —, Roseate Europe, v. pl. 418; Gt. Brit. | . v. pl. 71. |
| —, Sandwich Europe, v. pl. 415; Gt. Brit. | |
| , Sooty Australia, vii. pl. 32; Handb. | |
| —, Southern | • |
| —, Torres' Australia, vii. pl. 25. | |
| —, Torres Straits' Australia, vii. pl. 23; Handb. | ii. p. 394 : |
| New Guinea, v. pl. 72, | 1 , |
| —, Whiskered Gt. Brit. v. pl. 77. | |
| —, White Australia, vii. pl. 30; Handb. | ii. p. 405. |
| —, White-capped Australia, vii. pl. 36. | 1 |
| —, White-winged Europe, v. pl. 423; Gt. Brit. | v. pl. 76. |
| terræ reginæ, Collocalia New Guinea, iv. pl. 38. | |
| terrestris, Eutrygon New Guinea, v. pl. 62. | |
| Tesia, Blue-bellied Asia, iv. pl. 1. | |
| — castaneo-coronata Asia, iv. pl. 2. | |
| —, Chestnut-crowned Asia, iv. pl. 2. | |
| — cyaneiventer Asia, iv. pl. 1. | |
| Tetrao hybridus Europe, iv. pl. 249. | |
| — mlokosiewiczi Asia, vi. pl. 66. | |
| — tetrix Europe, iv. pl. 250; Gt. Brit. | iv. pl. 6. |
| — urogallus Europe, iv. pl. 248; Gt. Brit. | • |
| Tetraogallus altaicus Asia, vii. pl. 31. | 1 |
| caspins Asia, vii. pl. 29. | |
| — himalayensis Asia, vii. pl. 30. | |
| | |

| Tetraophasis obscurus . | | Asia, vii. pl. 44. |
|----------------------------|--|--|
| tetrax, Otis | | Europe, iv. pl. 269; Gt. Brit. iv. pl. 18. |
| tetrix, Tetrao | | Europe, iv. pl. 250; Gt. Brit. iv. pl. 6. |
| Textile Wren | | Australia, iii. pl. 28; Handb. i. p. 335. |
| textilis, Amytis | | Australia, iii. pl. 28; Handb. i. p. 335. |
| Thalasseus bengalensis . | | Handb. ii. p. 397. |
| — cristatus | | Handb. ii. p. 394. |
| — pelecanoides | | Australia, vii. pl. 23. |
| — poliocercus | | Australia, vii. pl. 24; Handb. ii. p. 396. |
| — torresii | | Australia, vii. pl. 25. |
| Thalassidroma bulweri . | | Europe, v. pl. 449. |
| —— leachii | | Europe, v. pl. 447; Gt. Brit. v. pl. 85. |
| —— leucogaster | | Australia, vii. pl. 63. |
| marina | | Australia, vii. pl. 61. |
| — melanogaster | | Australia, vii. pl. 62. |
| nereis | | Australia, vii. pl. 64. |
| pelagica | | Europe, v. pl. 448; Gt. Brit. v. pl. 86. |
| — wilsonii | | Australia, vii. pl. 65. |
| thalassina, Petasophora . | | Humming B. iv. pl. 227. |
| Thalassoica glacialoides . | | Handb. ii. p. 467. |
| Thalurania columbica . | | Humming B. ii. pl. 106. |
| —— eryphile | | Humming B. ii. pl. 108. |
| — furcata | | Humming B. ii. pl. 101. |
| — furcatoides | | Humming B., Suppl. p. 39. |
| glaucopis | | Humming B. ii. pl. 99. |
| — hypochlora | | Humming B., Suppl. pl. 28. |
| jelskii | | Humming B., Suppl. pl. 29. |
| — nigrofasciata | | Humming B. ii. pl. 104. |
| refulgens | | Humming B. ii. pl. 102. |
| — tschudi | | Humming B. ii. pl. 103. |
| — venusta | | Humming B. ii. pl. 105. |
| verticeps | | Humming B. ii. pl. 107. |
| wagleri | | Humming B. ii. pl. 109. |
| — watertoni | | Humming B. ii. pl. 100. |
| Thaumalea amherstiæ . | | Asia, vii. pl. 20. |
| — picta | | Asia, vii. pl. 19. |
| Thaumastura cora | | Humming B. iii. pl. 153. |
| — elisæ | | Humming B. iii. pl. 155. |
| enicura | | Humming B. iii. pl. 157. |
| | | |

| | TT . T 1 750 |
|----------------------------|---|
| Thaumastura evelinæ | Humming B. iii. pl. 156. |
| Thaumatias affinis | 9 1 |
| — albiventris | 0 1 |
| — brevirostris | 0 1 |
| — candidus | Humming B. v. pl. 292. |
| — chionopectus | Humming B. v. pl. 293. |
| — chionurus | Humming B. v. pl. 300. |
| — leucogaster | Humming B. v. pl. 294. |
| —— linnæi | Humming B. v. pl. 302. |
| — milleri | Humming B. v. pl. 296. |
| — nitidifrons | Humming B. v. pl. 297. |
| — viridiceps | Humming B. v. pl. 295. |
| thetidis, Halmaturus | Mamm. Austr. ii. pls. 31, 32; Monogr. |
| onetials, Hallautitus | Macrop. part ii. |
| Thibet Partridge | Asia, vi. pl. 74. |
| Thick-billed Green Bittern | Asia, vi. pi. 74. Australia, vi. pl. 66. |
| | = |
| | Asia, iv. pl. 12. |
| — Mangrove-Bittern | Handb. ii. p. 316. |
| — Partridge | Odontoph. pl. 24. |
| Thickhead, Banded | Australia, ii. pl. 67. |
| —, Black-tailed | Australia, ii. pl. 66; Handb. i. p. 211. |
| —, Brown | New Guinea, iii. pl. 20. |
| —, Gilbert's | Australia, ii. pl. 71; Handb. i. p. 216. |
| ——, Grey | New Guinea, iii. pl. 26. |
| ——, Grey-tailed | Australia, ii. pl. 65; Handb. i. p. 209. |
| —, Grey-throated | New Guinea, iii. pl. 24. |
| —, Guttural | Australia, ii. pl. 64. |
| —, Hattam | New Guinea, iii. pl. 25. |
| —, Lunated | Australia, ii. pl. 68; Handb. i. p. 213. |
| —, Narrow-collared | New Guinea, iii. pl. 19. |
| —, Olivaceous | Australia, ii. pl. 73; Handb. i. p. 218. |
| —, Philippine Islands | Asia, ii. pl. 12. |
| —, Plain-coloured | Australia, ii. pl. 72; Handb. i. p. 217. |
| —, Ramsay's | New Guinea, iii. pl. 17. |
| —, Red-throated | Australia, ii. pl. 70; Handb. i. p. 215. |
| —, Ruddy-breasted | New Guinea, iii. pl. 21. |
| —, Rufous-breasted | Handb. i. p. 212. |
| —, San Christoval | |
| —, Schlegel's | |

| Thickhead, Shrike-like | Australia, ii. pl. 69; Handb. i. p. 214. |
|--|--|
| —, Tenimber | New Guinea, iii. pl. 18. |
| —, White-throated | Australia, ii. pl. 64; Handb. i. p. 207. |
| , Yellow-and-Grey | New Guinea, iii. pl. 15. |
| Thick-knee | Europe, iv. pl. 288. |
| Thick-kneed Bustard | Europe, iv. pl. 288; Gt. Brit. iv. pl. 35. |
| Thick-tailed Dromicia | Mamm. Austr. i. pl. 29. |
| — Podabrus | Mamm. Austr. i. pl. 47. |
| Thiellus sphenurus | Handb. ii. p. 466. |
| Thornbill, Columbian | Humming B. iii. pl. 184. |
| —, Herran's | Humming B. iii. pl. 187. |
| Humming-bird | Humming B. iii. pl. 189. |
| 01' | Humming B., Suppl. pl. 44. |
| D. J J | Humming B. iii. pl. 188. |
| —, Ked-capped | Humming B., Suppl. pl. 43. |
| —, Southern | Humming B. iii. pl. 186. |
| G. 1 1 | Humming B. iii. pl. 185. |
| —, Stanley's | Humming B. iii. pl. 129. |
| ** 1 | Humming B., Suppl. p. 51. |
| , and an | 9 . 11 1 |
| | Humming B. iii. pl. 128. Humming B. iii. pl. 127. |
| —, Popelaire's | |
| Three-toed Woodpecker | Europe, iii. pl. 232. |
| Threnetes autoniæ | Humming B. i. pl. 15. |
| cervinicauda | Humming B. i. pl. 14. |
| leucurus | Humming B. i. pl. 13. |
| Threskiornis strictipennis | Australia, vi. pl. 46; Handb. ii. p. 284. |
| Thrush, Afghan | Asia, iii. pl. 4. |
| —, Allied | Asia, iii. pl. 37. |
| —, Allied Laughing | Asia, iii. pl. 45. |
| —, Austen's Laughing | Asia, iii. pl. 47. |
| —, Beautiful Laughing | Asia, iii. pl. 36. |
| —, Black-and-yellow-billed | |
| Laughing | Asia, iii. pl. 51. |
| , Black-chinned Laughing . | Asia, iii. pl. 52. |
| —, Black-throated | Europe, ii. pl. 75; Gt. Brit. ii. pl. 36. |
| , Bligh's Whistling | Asia, iii. pl. 27. |
| ——, Blue | Europe, ii. pl. 87. |
| —, Blue Rock | Gt. Brit. ii. pl. 43. |
| —, Blyth's Laughing | Asia, iii. pl. 41. |

| Thrush, Chestnut-backed Ground. | Handb. i. p. 435. |
|--|---|
| —, Chestnut-breasted Ground . | Australia, Suppl. pl. 32; Handb. i. |
| , | p. 438. |
| —, Chestnut-coloured | Asia, iii. pl. 5. |
| —, Chinese Laughing | Asia, iii. pl. 54. |
| , Cinnamon Ground | Australia, iv. pl. 6; Handb. i. p. 437. |
| , Clouded | Asia, iii. pl. 1. |
| , Crimson-winged Laughing . | Asia, iii. pl. 35. |
| —, Delessert's Laughing | Asia, iii. pl. 48. |
| —, Elliot's Laughing | Asia, iii. pl. 42. |
| —, Formosan Whistling | Asia, iii. pl. 28. |
| —, Gould's | Asia, iii. pl. 3. |
| —, Grey-banded Laughing | Asia, iii. pl. 53. |
| —, Grey-winged | Asia, iii. pl. 7. |
| —, Lunulated Laughing | Asia, iii. pl. 46. |
| —, Missel | Europe, ii. pl. 77; Gt. Brit. ii. pl. 33. |
| —, Mountain | Australia, iv. pl. 7; Handb. i. p. 439. |
| —, Naumann's | Europe, ii. pl. 79. |
| — Nightingale | Europe, ii. pl. 117. |
| —, Ocellated Laughing | Asia, iii. pl. 44. |
| —, Pallid | Europe, ii. pl. 80. |
| , Red-crowned Laughing | Asia, iii. pl. 50. |
| —, Red-throated | Asia, iii. pl. 2. |
| —, Rock | Europe, ii. pl. 86; Gt. Brit. ii. pl. 44. |
| —, Siberian | Europe, ii. pl. 82; Gt. Brit. ii. pl. 40. |
| —, Slender-billed Chat | Asia, iii. pl. 30. |
| —, Song | Europe, ii. pl. 78. fig. 1; Gt. Brit. ii. |
| | pl. 32. |
| —, Spotted Ground | Handb, i. p. 433. |
| —, Tickell's Laughing | Asia, iii. pl. 43. |
| — Warbler | Gt. Brit, ii. pl. 72. |
| —, White-collared | Asia, iii. pl. 6. |
| —, White's | Europe, ii. pl. 81; Gt. Brit. ii. pl. 39. |
| ——, Yellow-throated Laughing . | Asia, iii. pl. 49. |
| Thylacine | Mamm. Austr. i. pls. 53, 54. |
| Thylacinus cyanocephalus | Mamm. Austr. i. pls. 53, 54. |
| ${\bf Tibet an\ Short\text{-}toed\ Sand\text{-}Grouse\ .}$ | Asia, vi. pl. 61. |
| —— Snow-Partridge | Asia, vii. pl. 32. |
| tibetanus, Syrrhaptes | Asia, vi. pl. 61. |
| | 0 0 |

| tibetanus, Tetraogallus | Asia, vii. pl. 32. |
|---------------------------------|---|
| tibialis, Lorius | 37 67 1 3 6 |
| tibicen, Cracticus | α |
| —, Gymnorhina | 4 / 1: :: 1 /0 TT 11 : 15° |
| Tickell's Laughing Thrush | Asia, iii. pl. 43. |
| Tiga shorii | Cent. pl. 49. |
| Timolia lerchi | Humming B., Suppl. pl. 57. |
| timoriensis, Nyctophilus | 3.5 |
| timorlaoensis, Geoffroyius | 37 0 1 1 00 |
| Timor Laut Fantail Flycatcher . | New Guinea, ii. pl. 31. |
| tinnunculoides, Falco | T ' 1 07 |
| Tinnunculus alaudarius | Ct. D.'t. 1 01 |
| — cenchroides | 4 4 11 1 1 10 TT 11 1 0" |
| tinnunculus, Falco | Europe, i. pl. 26. |
| Tiny Fruit-Pigeon | New Guinea, v. pl. 51. |
| Tippet-Grebe, Australian | Handb. ii. p. 511. |
| Tit, Afghan | |
| —, Ash-coloured | |
| , Azure | 7 11 1 1 7 7 7 0 |
| , Bearded | D 1 170 C. D 1 00 |
| —, Black-crested | 1 1 01 |
| —, Blue | Europe, iii. pl. 154; Gt. Brit. ii. pl. 24. |
| —, Chestnut-bellied | Asia, ii. pl. 49. |
| —, Chestnut-breasted | Asia, ii. pl. 68. |
| —, Chinese | 1 1 |
| —, Chinese Penduline | |
| —, Coal | C. D.: " 1 0" |
| —, Cole | T 1 177 C |
| , Crested | n 1 150 (v h :/ " 1 00 |
| , Elegant | A ' '' 1 70 07 |
| —, Exile | Asia, ii. pl. 63. |
| —, Great | Europe, iii. pl. 150; Gt. Brit. ii. pl. 23. |
| —, Grey | 4 1 |
| —, Jerdon's | |
| , Long-tailed | TO 111 1 TYPE OF TO 11 11 |
| , 6 | pls. 28, 29. |
| , Marsh | Europe, iii. pl. 155. fig. 2; Gt. Brit. ii. |
| , | pl. 27. |
| —, Mountain | • |
| , | , , |

| Tit, New Guinea | | New Guinea, iv. pl. 1. |
|-------------------------------|-----|---|
| —, Penduline | | Europe, iii. pl. 159. |
| , Red-headed | | Asia, ii. pl. 64. |
| —, Rufous-bellied | | Asia, ii. pl. 59. |
| —, Rufous-naped | | Asia, ii. pl. 60. |
| —, Siberian | | Europe, iii. pl. 151. fig. 2. |
| —, Silvery-throated | | Asia, ii. pl. 69. |
| —, Sombre | | Europe, iii. pl. 151. fig. 1. |
| —, Spotted | | Asia, ii. pl. 53. |
| —, Sultan | | Asia, ii. pl. 51. |
| —, Toupet | | Europe, iii. pl. 152. |
| —, White-naped | | Asia, ii. pl. 48. |
| | | |
| , White-throated | | Asia, ii. pl. 67. |
| —, Yarkand | | Asia, ii. pl. 62. |
| ——, Yellow-cheeked | | Asia, ii. pl. 52. |
| Tit-Babbler, Chestnut-headed. | | Asia, iv. pl. 11. |
| tithys, Phœnicura | | Europe, ii. pl. 96. |
| —, Ruticilla | | Europe, ii. pl. 96; Gt. Brit. ii. pl. 52. |
| Titlark | | Gt. Brit. iii. pl. 13. |
| Tmetotrogon roseigaster | | Trogons, (2) pl. 32. |
| Tocard Toucan | | Toucans, (2) pl. 4. |
| tocard, Rhamphastos | . ' | Toucans, (2) pl. 4. |
| , 1 | | Toucans, (1) pl. 6 , (2) pl. 1 . |
| Toco Toucan | | Toucans, (1) pl. 6, (2) pl. 1. |
| Todirhamphus pyrrhopygius . | | Handb. i. p. 130. |
| sanctus | | Handb. i. p. 128. |
| —— sordidus | | Handb. i. p. 132. |
| Todopsis bonapartii | | New Guinea, ii. pl. 22. |
| — cyanocephala | | New Guinea, ii. pl. 21. |
| — grayi | | New Guinea, ii. pl. 24. |
| — wallacii | | New Guinea, ii. pl. 23. |
| Todus multicolor | | Icones Avium, pl. 2. |
| Tooth-bill, Ecuadorian | | Humming B., Suppl. pl. 3. |
| Tooth-billed Bower-bird | | New Guinea, i. pl. 43. |
| Topaz, Crimson | | Humming B. ii. pl. 66. |
| —, Elliot's | | Humming B., Suppl. pl. 12. |
| —, Fiery | | Humming B. ii. pl. 67. |
| - and Ruby Humming-bird | | Humming B. iv. pl. 204. |
| Topaza pella | | Humming B. ii. pl. 66. |

| Topaza pyra | Humming B. ii. pl. 67. |
|--|--|
| Top-knot Pigeon | Australia, v. pl. 61; Handb. ii. p. 116. |
| torda, Alca | Europe, v. pl. 401; Gt. Brit. v. pl. 47. |
| torquata, Bourcieria | Humming B. iv. pl. 251. |
| —, Glareola | Europe, iv. pl. 265. |
| —, Merula | Europe, ii. pl. 73; Gt. Brit. ii. pl. 38. |
| torquatus, Accipiter | Synopsis, part iii.; Australia, i. pl. 19; |
| | Handb. i. p. 45. |
| —, Cracticus | Handb. i. p. 184. |
| —, Histrionicus | Gt. Brit. v. pl. 32. |
| —, Melidectes | New Guinea, iii. pl. 36. |
| —, Palumbus | Gt. Brit. iv. pl. 1. |
| —, Pedionomus | Australia, v. pl. 80; Handb. ii. p. 187. |
| —, Phasianus | Asia, vii. pl. 39. |
| —, Pteroglossus | Toucans, (2) pl. 20. |
| torqueola, Staphidia | Asia, iv. pl. 8. |
| torquilla, Yunx | Europe, iii. pl. 233; Gt. Brit. iii. pl. 76. |
| torresii, Thalasseus | Australia, vii. pl. 25. |
| Torres' Tern | Australia, vii. pl. 25. |
| —— Straits' Fruit-Pigeon | Australia, v. pl. 60. |
| Swallow | Handb. i. p. 110. |
| —————————————————————————————————————— | Australia, vii. pl. 23; Handb. ii. p. 394; |
| | New Guinea, v. pl. 72. |
| Torrid Flame-bearer | Humming B., Suppl. p. 41. |
| torridus, Selasphorus | Humming B., Suppl. p. 41. |
| Totanus bartramius | Europe, iv. pl. 313. |
| —— calidris | Europe, iv. pl. 310; Gt. Brit. iv. pl. 54. |
| fuscus | Europe, iv. pl. 309; Gt. Brit. iv. pl. 55. |
| — glareola | Europe, iv. pl. 315. fig. 2; Gt. Brit. iv. |
| - | pl. 57. |
| — glottis | Europe, iv. pl. 312. |
| — glottoides | Cent. pl. 75. |
| — griseopygius | Australia, vi. pl. 38. |
| — hypoleucus | Europe, iv. pl. 316. |
| — macularius | Europe, iv. pl. 317. |
| ochropus | Europe, iv. pl. 315; Gt. Brit. iv. pl. 56. |
| — semipalmatus | Europe, iv. pl. 311. |
| — stagnatilis | Europe, iv. pl. 314; Australia, vi. |
| 5 | pl. 37; Handb. ii. p. 267. |
| | • |

| Toucan, see also Araçari. | |
|----------------------------------|----------------------------------|
| —, see also Groove-bill. | |
| —, see also Toucanet. | |
| —, Ariel | Toucans, (1) pl. 10, (2) pl. 12. |
| —, Black-billed Hill | Toucans, (2) pl. 40. |
| , Chestnut-billed Groove-bill . | Toucans, (2) pl. 44. |
| —, Citron-breasted | Toucans, (2) pl. 9. |
| —, Culminated | Toucans, (2) pl. 11. |
| —, Cuvier's | Toucans, (1) pl. 2, (2) pl. 8. |
| , Doubtful | Toucans, (2) pl. 5. |
| —, Green-billed | Toucans, (2) pl. 14. |
| ——, Grey-breasted Hill | Toucans, (2) pl. 38. |
| —, Hooded Hill | Toucans, (2) pl. 39. |
| —, Inca | Toucans, (2) pl. 7. |
| ——, Keel-billed | Toucans, (2) pl. 2. |
| —, Laminated Hill | Toucans, (2) pl. 37. |
| —, Lemon-rumped | Toucans, (1) pl. 4. |
| —, Osculant | Toucans, (1) pl. 5, (2) pl. 10. |
| —, Red-billed | Toucans, (1) pl. 3, (2) pl. 6. |
| \longrightarrow , Red-breasted | Toucans, (1) pl. 11. |
| ——, Saffron-coloured Hill | Toucans, (2) pl. 41. |
| —, Sharp-billed | Toucans, (1) pl. 7. |
| —, Short-billed | Toucans, (2) pl. 3. |
| , Sulphur-and-White-breasted . | Toucans, (1) pl. 9, (2) pl. 13. |
| —, Swainson's | Toucans, (1) pl. 8. |
| —, Tocard | Toucans, (2) pl. 4. |
| —, Toco | Toucans, (1) pl. 6, (2) pl. 1. |
| Toucanet, Culik | Toucans, (2) pl. 36. |
| —, Gould's | Toucans, (2) pl. 32. |
| —, Langsdorff's | Toucans, (2) pl. 33. |
| —, Natterer's | Toucans, (2) pl. 34. |
| —, Reinwardt's | Toucans, (2) pl. 35. |
| —, Spotted-billed | Toucans, (2) pl. 31. |
| Toupet Tit | Europe, iii. pl. 152. |
| Tragopan hastingsii | Cent. pls. 63, 64, 65. |
| satyrus | Cent. pl. 62. |
| trailli, Oriolus | Cent. pl. 35. |
| —, Pastor | Cent. pl. 35. |
| —, Psaropholus | Asia, ii. pl. 74. |
| | , . r |

| Train-bearer | Humming B. iii. pls. 170, 171. |
|-------------------------------|--|
| —, Beautiful | Trogons, (2) pl. 2. |
| , Bogota | Humming B. iii. pl. 167. |
| —, Ecuador | Humming B., Suppl. p. 56. |
| —, Golden-headed | Trogons, (2) pl. 4. |
| —, Graceful | Humming B. iii. pl. 168. |
| , Green-tailed | Humming B., Suppl. p. 53. |
| —, Grey-bellied | Humming B., Suppl. p. 56. |
| —, Red-billed | Trogons, (2) pl. 5. |
| , Shining | Trogons, (2) pl. 3. |
| Train-bearing Hermit | Humming B. i. pl. 20. |
| tranquilla, Geopelia | Australia, v. pl. 73; Handb. ii. p. 144. |
| Travancore Pigmy Woodpecker . | |
| traviesi, Bourcieria | Humming B., Suppl. pl. 21. |
| Travies's Inca | Humming B., Suppl. pl. 21. |
| Tree-creeper | G: D:: 11 1 0/ |
| , Black-backed | 1 . 11 1 1 00 77 11 1 000 |
| ——, Black-tailed | |
| , Brown | 1 . 11 1 1 00 TT 11 1 700 |
| , New Guinea | New Guinea, iii. pl. 29. |
| , Red-eyebrowed | Australia, iv. pl. 95; Handb. i. pl. 602. |
| —, Rufous | Australia, iv. pl. 94; Handb. i. p. 600. |
| —, White-throated | 1 / 1' ' 1 00 TT 11 ' 00" |
| Tree-duck, Eyton's | Handb. ii. p. 375. |
| —, Whistling | TT 11. 22 974 |
| Tree-Martin | . Australia, ii. pl. 14. |
| Tree-Pipit | . Europe, ii. pl. 139; Gt. Brit. iii. pl. 14. |
| , Indian | Asia, iv. pl. 65. |
| Tree-Sparrow | Europe, iii. pl. 184. fig. 2; Gt. Brit. iii. pl. 33. |
| Tree Swallow | Handb. i. pl. 111. |
| Tree-Swift, Bearded | 1 1 1 1 1 |
| | . Asia, i. pl. 21. |
| arm a s | . Asia, i. pl. 25. |
| | Asia, i. pl. 22. |
| 777 13 1 | . Asia, i. pl. 23. |
| m t | Cent. pl. 58. |
| • | Cent. pl. 57. |
| Spiremana | F-, 0,, |

| Tribonyx, Black-tailed | Australia, vi. pl. 72; Handb. ii. p. 325. |
|-------------------------------|--|
| ——— mortieri | Australia, vi. pl. 71; Handb. ii. p. 324. |
| —, Mortier's | Australia, vi. pl. 71; Handb. ii. p. 324. |
| — ventralis | Australia, vi. pl. 72; Handb. ii. p. 325. |
| Trichodroma phænicoptera | Europe, iii. pl. 239. |
| Trichoglossus chlorolepidotus | Australia, v. pl. 50; Handb. ii. p. 96. |
| concinnus | Australia, v. pl. 52. |
| — goldiei | New Guinea, v. pl. 41. |
| — multicolor | Handb. ii. p. 93. |
| musschenbroeckii | New Guinea, v. pl. 42. |
| — porphyrocephalus | Australia, v. pl. 53. |
| — pusillus | Australia, v. pl. 54. |
| — rubritorques | Australia, v. pl. 49; Handb. ii. p. 95. |
| swainsonii | Australia, v. pl. 48. |
| — versicolor | Australia, v. pl. 51. |
| tricolor, Ephthianura | Australia, iii. pl. 66; Handb. i. p. 380. |
| —, Rallina | Australia, Suppl. pl. 78. |
| Tricoloured Ephthianura | Australia, iii. pl. 66; Handb. i. p. 380. |
| tridactyla, Rissa | Gt. Brit. v. pl. 61. |
| tridactylus, Apternus | Europe, iii. pl. 232. |
| —, Picoides | Europe, iii. pl. 232. |
| Tringa, Australian | Australia, vi. pl. 30. |
| canutus | Gt. Brit. iv. pl. 65; Handb. ii. p. 259. |
| — maritima | Europe, iv. pl. 334. |
| , Marsh | Handb. ii. p. 254. |
| minuta | Europe, iv. pl. 332; Gt. Brit. iv. pl. 72. |
| — pectoralis | Europe, iv. pl. 327. |
| —— platyrhyncha | Europe, iv. pl. 331. |
| — rufescens | Europe, iv. pl. 326. |
| | Europe, iv. pl. 330. |
| —— subarquata | Europe, iv. pl. 328. |
| — temminckii | Europe, iv. pl. 333; Gt. Brit. iv. pl. 73. |
| — tenuirostris | Handb. ii. p. 260. |
| — variabilis | Europe, iv. pl. 329; Gt. Brit. iv. pls. 69,70. |
| Tringites rufescens | Gt. Brit. iv. pl. 64. |
| tristigmata, Phlogænas | Asia, vi. pl. 59. |
| tristis, Phyllopneuste | Asia, iv. pl. 59. |
| —, Phylloscopus | Asia, iv. pl. 59. |

| tristrami, Amydrus | Asia, v. pl. 45. |
|--------------------------|--|
| —, Dicæum | New Guinea, iv. pl. 3. |
| , Halcyon | New Guinea, iv. pl. 54. |
| Tristram's Amydrus | Asia, v. pl. 45. |
| — Flower-pecker | New Guinea, iv. pl. 3. |
| — Kingfisher | New Guinea, iv. pl. 54. |
| triton, Cacatua | New Guinea, v. pl. 44. |
| Triton Cockatoo | New Guinea, v. pl. 44. |
| trivirgata, Monarcha | Synopsis, part ii.; Australia, ii. pl. 96; |
| | Handb. i. p. 263. |
| Trochalopteron affine | Asia, iii. pl. 37. |
| —, Beautiful | Asia, iii. pl. 36. |
| —— blythi | Asia, iii. pl. 41. |
| — cineraceum | Asia, iii. pl. 39. |
| —, Cinereous | Asia, iii. pl. 39. |
| , Crimson-winged | Asia, iii. pl. 35. |
| —— elliotii | Asia, iii. pl. 42. |
| —— erythrocephalum | Cent. pl. 17. |
| — formosum | Asia, iii. pl. 36. |
| — melanostigma | Asia, iii. pl. 43. |
| — phæniceum | Asia, iii. pl. 35; Icones Avium, pl. 3. |
| — variegatum | Asia, iii. pl. 38. |
| — virgatum | Asia, iii. pl. 40. |
| ——, White-eyebrowed | Asia, iii. pl. 40. |
| Trochilus alexandri | Humming B. iii. pl. 132. |
| — colubris | Humming B. iii. pl. 131. |
| — polytmus | Humming B. ii. pl. 98. |
| trochilus, Phyllopneuste | Gt. Brit. ii. pl. 65. |
| —, Phylloscopus | Europe, ii. pl. 131. fig. 1. |
| , Sylvia | Europe, ii. pl. 131. fig. 1. |
| Troglodytes europæus | Europe, ii. pl. 130; Gt. Brit. ii. pl. 63. |
| — nipalensis | Asia, iv. pl. 51. |
| Trogon ambiguus | Trogons, (1) pl. 4, (2) pl. 8. |
| ardens | Trogons, (1) pl. 35. |
| — atricollis | Trogons, (1) pl. 8, (2) pl. 14. |
| — aurantiiventris | Trogons, (2) pl. 12. |
| aurantius | Trogons, (1) pl. 14, (2) pl. 24. |
| — bairdi | Trogons, (2) pl. 23. |

| Trogon, Baird's | | | | Trogons, (2) pl. 23. |
|-------------------|---|---|---|---------------------------------------|
| —, Beautiful | | | | Trogons, (1) pl. 22. |
| — behni | | | | Trogons, (2) pl. 20. |
| —, Behn's | | | | Trogons, (2) pl. 20. |
| —, Black-faced | | | | Trogons, (2) pl. 10. |
| —, Black-headed | | | | Trogons, (1) pl. 12, (2) pl. 27. |
| —, Black-tailed | | | | Trogons, (1) pl. 18, (2) pl. 29. |
| —, Black-throated | | | | Trogons, (1) pl. 8, (2) pl. 14. |
| , Black-winged | | | | Trogons, (1) pls. 10, 11, (2) pl. 21. |
| —, Booted | | | | Trogons, (1) pl. 7. |
| caligatus | | | | Trogons, (1) pl. 7, (2) pl. 16. |
| chionurus | | | | Trogons, (2) pl. 22. |
| — citreolus | | | | Trogons, (1) pl. 13, (2) pl. 26. |
| — clathratus | | Ċ | Ċ | Trogons, (2) pl. 28. |
| —, Collared | | | Ċ | Trogons, (1) pl. 5, (2) pl. 13. |
| — collaris | | · | | Trogons, (1) pl. 5, (2) pl. 13. |
| —, Cuba | Ċ | Ċ | | Trogons, (1) pl. 19. |
| ——, Cuban | Ċ | | | Trogons, (2) pl. 33. |
| — diardi | • | Ċ | | Trogons, (1) pl. 30. |
| —, Diard's | | | | Asia, i. pl. 70; Trogons, (1) pl. 30, |
| , 2 | • | • | • | (2) pl. 36. |
| —, Doubtful | | | | Trogons, (1) pl. 4, (2) pl. 8. |
| — duvaucelii | | | | Trogons, (1) pl. 32. |
| —, Duvaucel's | | | | Asia, i. pl. 67; Trogons, (1) pl. 32, |
| • | | | | (2) pl. 40. |
| —— elegans | | | | Trogons, (1) pl. 3, (2) pl. 9. |
| erythrocephalus . | | | | Trogons, (1) pl. 33. |
| —, Fasciated | | | | Asia, i. pl. 75; Trogons, (2) pl. 38. |
| —— fulgidus | | | | Trogons, (1) pl. 24. |
| ——, Gartered | | | | Trogons, (2) pl. 16. |
| ——, Giant | | | | Trogons, (1) pl. 28. |
| —— gigas | | | | Trogons, (1) pl. 28. |
| , Graceful | | | | Trogons, (1) pl. 3, (2) pls. 9, 15. |
| — hodgsoni | | | | Trogons, (1) pl. 34. |
| —, Hodgson's | | | | Asia, i. pl. 69; Trogons, (1) pl. 34, |
| <u> </u> | | | | (2) pl. 42. |
| ——, Kasumba | | | | Asia, i. pl. 74; Trogons, (2) pl. 37. |
| ——, Large-tailed | | | | Trogons, (1) pl. 17. |

2 x 2

| Trogon, Lattice-tailed | | | | | Trogons, (2) pl. 28. |
|------------------------|---|---|----|-----|---|
| ——, Lemon-breasted | | | | | Trogons, (1) pl. 13, (2) pl. 26. |
| ——, Little | | | | | Trogons, (1) pl. 9, (2) pl. 17. |
| ——, Long-tailed | | | | | Trogons, (2) pl. 30. |
| —, Macklot's | | | | | Asia, i. pl. 73; Trogons, (2) pl. 45. |
| — macroura | | | | | Trogons, (1) pl. 17. |
| — macrurus | | | | | Trogons, (2) pl. 30. |
| ——, Malabar | | | | | Trogons, (1) pl. 31. |
| —— malabaricus | | | | | Trogons, (1) pl. 31. |
| —, Malacca | | | | | Asia, i. pl. 68; Trogons, (2) pl. 41. |
| — massena | | | | | Trogons, (1) pl. 16, (2) pl. 31. |
| —, Massena's | | | | | Trogons, (2) pl. 31. |
| — melanocephala . | | | | | Trogons, (1) pl. 12. |
| _ | | | | • | Trogons, (2) pl. 27. |
| — melanopterus . | | | | • | Trogons, (1) pls. 10, 11. |
| . * | | • | • | • | Trogons, (1) pl. 18. |
| — melanurus | | • | • | • | Trogons, (2) pl. 29. |
| — meridionalis . | | | • | • | Trogons, (1) pl. 9, (2) pl. 17. |
| ——, Mexican | | • | - | • | Trogons, (1) pls. 1, 2, (2) pl. 7. |
| — mexicanus | • | • | ٠ | • | Trogons, (1) pls. 1, 2, (2) pl. 7. Trogons, (1) pls. 1, 2, (2) pl. 7. |
| ——, Mountain | | | | | Asia, i. pl. 71; Trogons, (1) pl. 36, |
| , mountain | • | • | • | ٠ | |
| | | | | | (2) pl. 46. |
| — narina | | | | | Trogons, (1) pl. 26. |
| —, Narina | | | | | Trogons, (1) pl. 26, (2) pl. 34. |
| neoxenus | | | | - | Trogons, (1) pl. 25. |
| nigricaudata . | | | | | Trogons, (1) pl. 18. |
| , Orange-breasted | | | ٠ | • | Trogons, (1) pl. 14, (2) pls. 12, 24. |
| — oreskios | | ٠ | ٠. | . • | Trogons, (1) pl. 36. |
| , Pavonine | | | | | Trogons, (1) pl. 23. |
| — pavoninus | | | | | Trogons, (1) pl. 23. |
| — personatus | | ٠ | | | Trogons, (2) pl. 10. |
| —, Prince Massena's | | | | | Trogons, (1) pl. 16. |
| — puella | | | | | Trogons, (2) pl. 11. |
| —— pulchellus | | | | | Trogons, (1) pl. 22. |
| ——, Purple-breasted | | | | | Trogons, (1) pl. 6, (2) pl. 19. |
| —, Ramon de la Sagr | | | | | Trogons, (2) pl. 18. |
| ramonianus | | | | | Trogons, (2) pl. 18. |
| —, Rayed-tail | | | | | Trogons, (2) pl. 11. |
| | | | | | |

| Trogon, Red-headed | | Trogons, (1) pl. 33, (2) pl. 43. |
|-----------------------------|--|--|
| — reinwardti | | Trogons, (1) pl. 27. |
| ——, Reinwardt's | | Asia, i. pl. 72; Trogons, (1) pl. 27, |
| | | (2) pl. 44. |
| — resplendens | | Trogons, (1) pl. 21. |
| —, Resplendent | | Trogons, (1) pl. 21. |
| — roseigaster | | Trogons, (1) pl. 20. |
| ——, Rosy-breasted | | Asia, i. pl. 76; Trogons, (1) pl. 35, |
| | | (2) pl. 39. |
| —, Rosy-vented | | Trogons, (1) pl. 20. |
| —, St. Domingo | | Trogons, (2) pl. 32. |
| —, Shining | | Trogons, (1) pl. 24. |
| ——, Snow-tailed | | Trogons, (2) pl. 22. |
| —— surucua | | Trogons, (2) pl. 25. |
| —, Surucua | | Trogons, (1) pl. 15, (2) pl. 25. |
| — surucura | | Trogons, (1) pl. 15. |
| temminckii | | Trogons, (1) pl. 29. |
| —, Temminck's | | Trogons, (1) pl. 29. |
| — temnurus | | Tregons, (1) pl. 19. |
| —— tenellus | | Trogons, (2) pl. 15. |
| — variegatus | | Trogons, (1) pl. 6, (2) pl. 19. |
| — viridis | | Trogons, (2) pl. 21. |
| —, Welcome | | Trogons, (1) pl. 25, (2) pl. 6. |
| —, West-African | | Trogons, (2) pl. 35. |
| troile, Uria | | Europe, v. pl. 396; Gt. Brit. v. pl. 48. |
| Tropic-bird, Red-tailed | | Australia, vii. pl. 73; Handb. ii. p. 501. |
| Tropidorhynchus argenticeps | | Australia, iv. pl. 59; Handb. i. p. 548. |
| buceroides | | Australia, Suppl. pl. 44; Handb.i.p. 547. |
| — citreogularis | | Synopsis, part i.; Australia, iv. pl. 60; |
| | | Handb. i. p. 549. |
| corniculatus | | Synopsis, part i.; Australia, iv. pl. 58; |
| | | Handb. i. p. 545. |
| sordidus | | Australia, i. Introd. p. lviii; Handb. i. |
| | | p. 550. |
| Trumpeter Bullfinch | | Asia, v. pl. 31. |
| Tryngites rufescens | | Gt. Brit. iv. p. 64. |
| Tryphæna dupontii | | Humming B. iii. pl. 158. |
| tschebaiewi, Calliope | | Asia, iv. pl. 40. |
| • | | * |

| tschudii, Thalurania | Humming B. ii. pl. 103. |
|------------------------------|--|
| Tschudi's Inca | *** |
| Wood-Nymph | TT 1 TO 11 1 100 |
| tucanus, Rhamphastos | (7) 1 70 |
| Tufted Coquette | TT 1 75 111 1 44 H |
| — Duck | T 1.070 Ct Tt 1.00 |
| tumulus, Megapodius | 1 1 2' 2 50 TT 21 '' 10F |
| Turati's Honey-sucker, Count | 37 0 : 3 07 |
| Turdinulus roberti | A ' ''' 1 60 |
| Turdinus brevicaudatus | Asia, iii. pl. 63. |
| turdoides, Acrocephalus | Gt. Brit. ii. pl. 72. |
| —, Philomela | Europe, ii. pl. 117. |
| , Salicaria | Europe, ii. pl. 106. |
| Turdus atrogularis | Europe, ii. pl. 75; Gt. Brit. ii. pl. 36. |
| — erythrogaster | Cent. pl. 13. |
| — fuscatus | |
| —— gouldi | Asia, iii. pl. 3. |
| — iliacus | Europe, ii. pl. 78. fig. 2; Gt. Brit. ii. |
| | pl. 34. |
| musicus | Europe, ii. pl. 78. fig. 1; Gt. Brit. ii. |
| | pl. 32. |
| — naumannii | Europe, ii. pl. 79. |
| —— pallidus | Europe, ii. pl. 80. |
| —— pilaris | Europe, ii. pl. 76; Gt. Brit. ii. pl. 35. |
| — pecilopterus | Cent. pl. 14. |
| ruficollis | Asia, iii. pl. 2. |
| —— sibiricus | Europe, ii. pl. 82. |
| —— viscivorus | Europe, ii. pl. 77; Gt. Brit. ii. pl. 33. |
| — whitei | Europe, ii. pl. 81. |
| Turkestan Sparrow | Asia, v. pl. 15. |
| Turnix africanus | Gt. Brit. iv. pl. 16. |
| —, Andalusian | Europe, iv. pl. 264; Gt. Brit. iv. pl. 16. |
| —, Black-breasted | Australia, v. pl. 81; Handb. ii. p. 178. |
| — castanotus | Handb. ii. p. 183. |
| —— dussumieri | Asia, vii. pl. 10. |
| — fasciatus | Asia, vii. pl. 11. |
| — melanogaster | Handb. ii. p. 178. |
| — melanotus | Handb. ii. p. 182. |

| Turnix pyrrhothorax | Handb. ii. p. 186. |
|---------------------------------|--|
| scintillans | TT 11 '' 101 |
| —— varius | TT 11 '' 1=0 |
| velox | Handb. ii. p. 184. |
| , see also Hemipode. | • |
| Turnstone | Europe, iv. pl. 318; Gt. Brit. iv. pl. 60; |
| | Australia, vi. pl. 39; Handb. ii. p. 269. |
| Turquoisine Superb Warbler | Australia, Suppl. pl. 23. |
| Turtle-Dove | Europe, iv. pl. 246; Gt. Brit. iv. pl. 4. |
| —, Little | Handb. ii. p. 146. |
| Turtur auritus | Europe, iv. pl. 246; Gt. Brit. iv. pl. 4. |
| turtur, Columba | Europe, iv. pl. 246. |
| , Prion | Australia, vi. pl. 54; Handb. ii. p. 472. |
| Twelve-wired Bird of Paradise . | New Guinea, i. pls. 14, 15. |
| Twite | Europe, iii. pl. 192; Gt. Brit. iii. pl. 50. |
| Two-wattled Cassowary | New Guinea, v. pl. 73. |
| typica, Cœligena | Humming B. iv. pl. 255. |
| —, Helianthea | Humming B. iv. pl. 235. |
| —, Juliamyia | Humming B. v. pl. 337. |
| —, Myiabeillia | Humming B. iv. pl. 211. |
| Tyrian-tail Humming-bird | Humming B. iii. pl. 195. |
| tyrianthina, Metallura | Humming B. iii. pl. 195. |
| tyro, Dacelo | Asia, i. pl. 51. |
| • | • |
| | |
| ualabatus, Halmaturus | Mamm. Austr. ii. pls. 22, 23; Monogr. |
| | Macrop. part ii. |
| ugiensis, Pomarea | New Guinea, ii. pl. 58. |
| Ugi-Island Flycatcher | New Guinea, ii. pl. 58. |
| ulocomus, Pteroglossus | Toucans, (1) pl. 18. |
| Ulula nebulosa | Europe, i. pl. 46. |
| Unadorned Cuckoo | Australia, iv. pl. 85. |
| —— Rock-Wallaby | Mamm. Austr. ii. pls. 45, 46; Monogr. |
| | Macrop. part ii. pl. 25. |
| underwoodi, Spathura | Humming B. iii. pl. 162. |
| Undina leucocephala | Europe, v. pl. 383. |
| undina, Eudyptula | Handb. ii. p. 521. |

| undina, Spheniscus | Australia, vii. pl. 85. |
|--------------------------------|---|
| undulatus, Hæmatornis | Cent. pl. 1. |
| —, Melopsittacus | Australia, v. pl. 44; Handb. ii. p. 81. |
| —, Nanodes | Australia, pt. i. (cancelled). |
| unguifer, Macropus | Monogr. Macrop. part. i. |
| —, Onychogalea | Mamm. Austr. ii. pls. 52, 53. |
| uniappendiculatus, Casuarius | Australia, Suppl. pls. 74, 75. |
| unicolor, Antechinus | Mamm. Austr. i. pl. 37. |
| —, Merula | Asia, iii. pl. 4. |
| —, Nyctophilus | Mamm. Austr. iii. pl. 38. |
| —, Paradoxornis | Asia, iii. pl. 76. |
| —, Ptilotis | Australia, iv. pl. 46. |
| —, Stomiopera | Handb. i. p. 523. |
| —, Sturnus | Europe, iii. pl. 211; Asia, v. pl. 42. |
| , Suthora | Asia, iii. pl. 76. |
| Uniform Honey-eater | Australia, iv. pl. 46. |
| Uniform-coloured Honey-eater . | Handb. i. p. 523. |
| unimodus, Artamides | New Guinea, ii. pl. 1. |
| Upupa epops | Europe, iii. pl. 238; Gt. Brit. ii. pl. 12. |
| —— nigripennis | Asia, i. pl. 66. |
| Uragus sibiricus | Asia, v. pl. 27. |
| Ural Owl | Europe, i. pl. 44. |
| uralensis, Surnia | Europe, i. pl. 44. |
| Uranomitra microrhyncha | Humming B., Suppl. p. 72. |
| — viridifrons | Humming B. Suppl. pl. 49. |
| urbica, Chelidon | Gt. Brit. ii. pl. 6. |
| —, Hirundo | Europe, ii. pl. 57. |
| Uria brunnichii | Europe, v. pl. 398. |
| — carbo | Asia, vii. pl. 71. |
| grylle | Europe, v. pl. 399; Gt. Brit. v. pl. 49. |
| — lachrymans | Europe, v. pl. 397. |
| — troile | Europe, v. pl. 396; Gt. Brit. v. pl. 48. |
| urinatrix, Halodroma | Haudb. ii. p. 483. |
| —, Puffinuria | Australia, vii. pl. 60. |
| Urocharis longicauda | New Guinea, iv. pl. 11. |
| Urochroa bougueri | Humming B. ii. pl. 57. |
| urochrysia, Hypuroptila | Humming B. ii. pl. 90. |
| Urocichla longicauda | Asia, iv. pl. 53. |

| Ilusaissa amuulaa | Agin v nl 46 |
|------------------------------|---|
| Urocissa cærulea | |
| | . Asia, v. pl. 51. |
| | . Cent. pl. 41. |
| | Asia, v. pl. 50. |
| O . | . Asia, v. pl. 49. |
| 1 | . Asia, v. pl. 47. |
| | . Asia, v. pl. 48. |
| Urocynchramus pylzowi | , 1 |
| 8 , | . Europe, iv. pl. 248; Gt. Brit. iv. pl. 5. |
| uropygialis, Acanthiza | Synopsis, part iv.; Australia, iii. pl. 56; |
| | Handb. i. p. 367. |
| —, Limosa | . Australia, vi. pl. 29; Handb. ii. p. 252. |
| , Numenius | Australia, vi. pl. 43; Handb. ii. p. 279. |
| ——, Pardalotus | Australia, ii. pl. 41; Handb. i. p. 166. |
| , Rectes | New Guinea, i. pl. 54. |
| —, Zosterops | New Guinea, iii. pl. 58. |
| Urosticte benjamini | TT . D 1 |
| — intermedia | |
| — ruficrissa | |
| Ursine Sarcophilus | . Mamm. Austr. i. pl. 48. |
| ursinus, Dendrolagus | 3.5 |
| dismus, Denarosagus | Macrop. part ii. |
| —, Sarcophilus | * * |
| ussheri, Pitta | |
| TT 1 1 TOLL | |
| Ussher's Pitta | Asia, v. pl. 75. |
| | |
| , , TV | 0 1 10 |
| vagabunda, Pica | Cent. pl. 42. |
| validirostris, Hæmatopus | Synopsis, part i. |
| —, Melithreptus | Australia, iv. pl. 70; Handb. i. p. 565. |
| Vampire, Funereal | 1 |
| ——, Grey-headed | 1 |
| —, Spectacled | Mamm. Austr. iii. pl. 29. |
| Van der Bosch's Pitta | Asia, v. pl. 83. |
| Van Diemen's Land Partridge. | Australia, v. pl. 90. |
| Vanellus cristatus | Europe, iv. pl. 291; Gt. Brit. iv. pl. 33. |
| —— goensis | Cent. pl. 78. |
| —— keptuschka | Europe, iv. pl. 292. |

| Vanga cinerea | Synopsis, part i. |
|--------------------------------|--|
| — destructor | |
| — nigrogularis | |
| Van Musschenbroek's Lorikeet . | 37 0 1 10 |
| van-wyckii, Carpophaga | 37 C ' 1 0/ |
| Van Wyck's Fruit-Pigeon | N O ' 1 64 |
| variabilis, Tringa | Europe, iv. pl. 329. |
| Variable Dasyurus | 35 1 1 50 |
| Varied Cuckoo-Shrike | A |
| — Graucalus | TT 11 1 105 |
| — Hemipode | A 4 1' 1 CO |
| Honey-eater | Australia, iv. pl. 34; Handb. i. p. 506. |
| — Lorikeet | Australia, v. pl. 51; Handb. ii. p. 98. |
| —— Parrakeet | Handb. ii. p. 68. |
| — Turnix | Handb. ii. p. 179. |
| variegata, Spatula | Australia, Suppl. pl. 80; Handb. ii. |
| 0 / 1 | р. 580. |
| Variegated Shoveller | Australia, Suppl. pl. 80; Handb. ii. |
| 0 | App. p. 580. |
| —— Thrush | Asia, iii. pl. 38. |
| —— Wagtail | Asia, iv. pl. 67. |
| variegatum, Cinclosoma | 0 1 10 |
| —, Trochalopteron | |
| variegatus, Trogon | Trogons, (1) pl. 6, (2) pl. 19. |
| varius, Hemipodius | . Synopsis, part ii.; Australia, iv. pl. 82. |
| , Phalacrocorax | 15 21 11 100 |
| —, Turnix | Handb. ii. p. 179. |
| vellerosus, Mus | Mamm. Austr. iii. pl. 12. |
| velox, Hemipodius | |
| , Turnix | . Handb. ii. p. 184. |
| Velvet-breast, Buff-tailed | Humming B. ii. pl. 85. |
| —, White-tailed | Humming B. ii. pl. 86. |
| Velvet Scoter | T 1 000 Ct D 1 1 00 |
| venatoria, Cissa | Asia, v. pl. 54. |
| Venezuelan Emerald | Humming B., Suppl. pl. 58. |
| ventralis, Tribonyx | Anstralia, vi. pl. 72; Handb. ii. p. 325. |
| (17) | Humming B. ii. pl. 105. |
| venustulus, Parus | Asia, ii. pl. 48. |

| venustus, Nanodes | | Synopsis, part ii. |
|--------------------------------|---|--|
| —, Platycercus | | Handb. ii. p. 53. |
| Veraguan Lance-bill | | Humming B., Suppl. pl. 22. |
| Mango | | Humming B. ii. pl. 76. |
| Wood-Nymph | | Humming B. ii. pl. 105. |
| veraguensis, Dorifera | | Humming B., Suppl. pl. 22. |
| , Lampornis | | Humming B. ii. pl. 76. |
| veredus, Charadrius | | Australia, vi. pl. 14. |
| verreauxi, Lophornis | | Humming B. iii. pl. 125. |
| versicolor, Phasianus | | Asia, vii. pl. 40. |
| —, Ptilosclera | | Handb. ii. p. 98. |
| —, Ptilotis | | Australia, iv. pl. 34; Handb. i. p. 506. |
| , Trichoglossus | | Australia, v. pl. 51. |
| versteri, Pristorhamphus | | New Guinea, iv. pl. 10. |
| Verster's Flower-pecker | | New Guinea, iv. pl. 10. |
| verticeps, Thalurania | | Humming B. ii. pl. 107. |
| vespera, Rhodopis | | Humming B. iii. pl. 154. |
| Vespertilio macropus | | Mamm. Austr. iii. pl. 47. |
| — tasmaniensis | | Mamm. Austr. iii. pl. 48. |
| vespertinus, Erythropus | | Gt. Brit. i. pl. 20. |
| vestita, Eriocnemis | | Humming B. iv. pl. 275. |
| vexillarius, Cosmetornis | | Icones Avium, pl. 13. |
| —, Semeiophorus | | Icones Avium, pl. 13. |
| Victoria Rifle-bird | | Australia, Suppl. pl. 50. |
| victoriæ, Menura | | Handb. i. p. 302. |
| —, Ptilorhis | | Australia, Suppl. pl. 50; Handb. i. |
| | | p. 593. |
| vidua, Piezorhynchus | | New Guinea, ii. pl. 48. |
| vieilloti, Euplocamus | | Asia, vii. pl. 15. |
| Vieillot's Fireback | | Asia, vii. pl. 15. |
| vigorsi, Nectarinia | | Asia, iv. pl. 30. |
| —, Pitta | | Australia, pt. ii. (cancelled) pl. 4, & vol. iv. pl. 2; Handb. ii. p. 527. |
| Vigors' Pigmy Woodpecker . | | Asia, vi. pl. 34. |
| — Pitta | | Australia, pt. ii. (cancelled) pl. 4, & |
| Sun-bird | | vol. iv. pl. 2; Handb. ii. App. p. 527. |
| | | , 1 |
| villavicencio, Campylopterus . | ٠ | Humming B. ii. pl. 47. |

| Villavicencio's Sabre-wing | Humming B. ii. pl. 47. |
|--|--------------------------------------|
| Vinago militaris | Cent. pl. 58. |
| — sphenura | Cent. pl. 57. |
| vincens, Prionochilus | Asia, ii. pl. 41. |
| vinitincta, Merula | Australia, Suppl. pl. 31; Handb. ii. |
| The state of the s | р. 529. |
| Vinons Grosbeak | Europe, iii. pl. 208. |
| —— Pipit | Gt. Brit. iii. pl. 11. |
| Vinous-tinted Blackbird | Australia, Suppl. pl. 31; Handb. ii. |
| | App. p. 529. |
| viola, Heliotrypha | Humming B. iv. pl. 241. |
| Viola Star-frontlet | Humming B. iv. pl. 241. |
| Violet-crown | Humming B. v. pl. 285. |
| Violet-ear, Bolivian | Humming B. iv. pl. 225. |
| —, Brazilian | Humming B. iv. pl. 223. |
| —, Brown | Humming B. iv. pl. 229. |
| —, Chequered | Humming B. iv. pl. 226. |
| —, Colombian | Humming B. iv. pl. 224. |
| , Guiana | Humming B., Suppl. pl. 11. |
| , Little | Humming B. iv. pl. 228. |
| —, Mexican | Humming B. iv. pl. 227. |
| Violet-tail Humming-bird | Humming B. iii. pl. 196. |
| Violet-throated Star-frontlet | Humming B. iv. pl. 239. |
| violiceps, Cyanomyia | Humming B. v. pl. 285. |
| violifera, Helianthea | Humming B. iv. pl. 239. |
| Viralva leucopareia | Europe, v. pl. 424. |
| — leucoptera | Europe, v. pl. 423. |
| — nigra | Europe, v. pl. 422. |
| virescens, Chrysobronchus | Humming B. iv. pl. 230. |
| virgatum, Trochalopteron | Asia, iii. pl. 40. |
| virginalis, Lampornis | Humming B. ii. pl. 80. |
| Virginian Partridge | Odontoph. pl. 1. |
| virginianus, Colinus | Odontoph. pl. 1. |
| , Ortyx | Odontoph. pl. 1. |
| virgo, Anthropoides | Europe, iv. pl. 272. |
| viridicauda, Leucippus | Humming B., Suppl. p. 73. |
| viridicaudata, Phaethornis | Humming B. i. pl. 33. |
| viridicaudus, Chrysobronchus | Humming B. iv. pl. 231. |
| viridiceps, Thaumatias | Humming B. v. pl. 295. |
| 1 / | -0 |

| viridifrons, Uranomitra | Humming B., Suppl. pl. 404. |
|-----------------------------|--|
| viridigaster, Amazilia | Humming B. v. pl. 314. |
| viridipallens, Delattria | Humming B. ii. pl. 63, |
| viridis, Cochoa | Asia, ii. pl. 1. |
| —, Gecinus | Gt. Brit. iii. pls. 74, 75. |
| —, Lampornis | Humming B. ii. pl. 78. |
| —, Merops | Asia, i. pl. 35. |
| ——, Mimeta | Handb. i. p. 462. |
| —, Oriolus | Australia, iv. pl. 13. |
| —, Pteroglossus | Toucans, (1) pl. 21, (2) pl. 24. |
| —, Trogon | Trogons, (2) pl. 21. |
| viscivorus, Turdus | Europe, ii. pl. 77; Gt. Brit. ii. pl. 33. |
| vitellinus, Rhamphastos | Toucans, (1) pl. 9, (2) pl. 13. |
| vittata, Amaurodryas | Handb. i. p. 286. |
| vittatus, Prion | Australia, vii. pl. 55; Handb. ii. |
| vittatus, 1 Hou | p. 474. |
| viverrina, Phalangista | Mamm. Austr. i. pl. 19. |
| Viverrine Phalangista | Mamm. Austr. i. pl. 19. |
| viverrinus, Dasyurus | Mamm. Austr. i. pl. 50. |
| Vivia innominata | Asia, vi. pl. 39. |
| Vizor-bearer, Hooded | Humming B. iv. pl. 222. |
| —, Natterer's | Humming B. iv. pl. 221. |
| Von Rosenberg's Honey-eater | New Guinea, iii. pl. 70. |
| vulcani, Ramphomicron | Humming B. iii. pl. 186. |
| vulgaris, Buteo | Europe, i. pl. 14; Gt. Brit. i. pl. 6. |
| —, Clangula | Europe, v. pl. 379. |
| —, Coccothraustes | Europe, iii. pl. 199; Gt. Brit. iii. pl. 40. |
| , Francolinus | Europe, iv. pl. 259. |
| , Merula | Europe, ii. pl. 72; Gt. Brit. ii. pl. 37. |
| , Milvus | Europe, i. pl. 28. |
| —, Otus | Europe, i. pl. 39; Gt. Brit. i. pl. 31. |
| , Pyrrhula | Europe, iii. pl. 209; Gt. Brit. iii. |
| , I Jilliana | pls. 41, 42. |
| —, Regulus | Europe, ii. pl. 148. fig. 2. |
| —, Sturnus | Europe, iii. pl. 210; Gt. Brit. iii. |
| | pls. 53, 54. |
| vulpanser, Tadorna | Europe, v. pl. 357; Gt. Brit. v. pl. 11. |
| vulpina, Phalangista | Mamm. Austr. i. pl. 16. |
| Vulpine Phalangista | Mamm. Austr. i. pl. 16. |
| | |

| Vulture, Bearded —, Bengal —, Black | Europe, i. pl. 1. Europe, i. pl. 4. Asia, i. pl. 2. Asia, i. pl. 1. Europe, i. pl. 2. |
|---|---|
| wagleri, Aulacorhamphus | Toucans, (2) pl. 48. |
| ——, Thalurania | Humming B. ii. pl. 109. |
| Wagler's Groove-bill | Toucans, (2) pl. 48. |
| — Wood-Nymph | Humming B. ii. pl. 109. |
| Wagtail, Deccan | . Asia, iv. pl. 62. |
| —, Great Pied | . Asia, iv. pl. 61. |
| —, Grey | . Europe, ii. pl. 147; Gt. Brit. iii. pls. 6, 7. |
| ——, Grey-capped | Gt. Brit. iii. pl. 5. |
| , , | Europe, ii. pl. 146; Gt. Brit. iii. pl. 4. |
| , | . Asia, iv. pl. 63. |
| —, Pied | Europe, ii. pl. 141; Gt. Brit. iii. pl. 1. |
| , Variegated | . Asia, iv. pl. 67. |
| · | Europe, ii. pl. 143; Gt. Brit. iii. pl. 2. |
| | . Europe, ii. pl. 142. |
| —, Yellow | Europe, ii. pl. 145; Gt. Brit. iii. pl. 3. |
| , | . Europe, ii. pl. 144; Asia, iv. pl. 64. |
| Waigiou Bird of Paradise | _ |
| wakoloensis, Myzomela | . New Guinea, iii. pl. 64. |
| waldeni, Actinodura | . Asia, iii. pl. 58. |
| Walden's Actinodura | . Asia, iii. pl. 58. |
| — Bar-wing | . Asia, iii. pl. 58. |
| Wallaby, Agile | 1 , , , , , , , , , , , |
| —, Bennett's | Macrop. part ii. Mamm. Austr. ii. pls. 16, 17; Monogr. Macrop. part i. |
| ——, Black | Mamm. Austr. ii. pls. 22, 23; Monogr. Macrop. part ii. |

| Wallaby, Black-gloved | Mamm. Austr. ii. pls. 20, 21; Monogr. |
|------------------------|---|
| | Macrop. part i. |
| —, Black-striped | Mamm. Austr. ii. pls. 26, 27; Monogr. Macrop. part i. |
| —, Branded | Mamm. Austr. ii. pls. 33, 34. |
| | |
| —, Brush-tailed Rock | Mamm. Austr. ii. pls. 39, 40; Monogr. Macrop. part ii. |
| —, Derby's | Mamm. Austr. ii. pls. 29, 30; Monogr. |
| | Macrop. part i. |
| —, Great Rock | Monogr, Macrop, part ii. |
| —, Grey's | Mamm. Austr. ii. pls. 18, 19. |
| —, Little Rock | Mamm. Austr. ii. pl. 48. |
| ——, Pademelon | Mamm. Austr. ii. pls. 31, 32; Monogr. |
| | Macrop. part ii. |
| —, Parma | Mamm. Austr. ii. pl. 28. |
| , Parry's | Monogr. Macrop. part ii. |
| —, Rufous-necked | Mamm. Austr. ii. pls. 14, 15; Monogr. |
| | Macrop. part ii. |
| —, Short-eared Rock | Mamm. Austr. ii. pl. 47; Monogr. Macrop. part i. |
| —, Short-tailed | Mamm. Austr. ii. pls. 37, 38. |
| , Stripe-sided Rock | Mamm. Austr. ii. pls. 41, 42; Monogr. |
| , . | Macrop, part ii. |
| ——, Tasmanian | Mamm. Austr. ii. pls. 35, 36; Monogr. |
| | Macrop. part i. |
| —, Unadorned Rock | Mamm. Austr. ii. pls. 45, 46; Monogr. |
| | Macrop. part ii. |
| —, Yellow-footed Rock | Mamm. Austr. ii. pls. 43, 44. |
| Wallace's Fruit-Pigeon | New Guinea, v. pl. 55. |
| — Goatsucker | New Guinea, iv. pl. 39. |
| — Todopsis | New Guinea, ii. pl. 23. |
| — Tree-Swift | Asia, i. pl. 23. |
| wallacii, Ægotheles | New Guinea, iv. pl. 39. |
| —, Dendrochelidon | Asia, i. pl. 23. |
| —, Ptilopus | New Guinea, v. pl. 55. |
| —, Semioptera | Australia, Suppl. pl. 52; Handb. ii. |
| | p. 532. |
| —, Todopsis | New Guinea, ii. pl. 23. |

| Wallaroo, Black | Mamm. Austr. ii. pls. 10, 11; Monogr. |
|--------------------------|--|
| | Macrop. part i. |
| ——, Parry's | Mamm. Austr. ii. pls. 12, 13. |
| —, Red | Mamm. Austr. ii. pls. 8, 9; Monogr. |
| | Macrop. part ii. |
| Wall-creeper | Europe, iii. pl. 239. |
| wallichii, Catreus | Cent. pl. 67; Asia, vii. pl. 18. |
| Wanderer, Collared Plain | Australia, v. pl. 80; Handb. ii. p. 187. |
| Wandering Albatros | Australia, vii. pl. 38; Handb. ii. p. 427. |
| Warbler, Allied | Handb. i. p. 358. |
| —, Aquatic | Europe, ii. pl. 111. fig. 2; Gt. Brit. ii. |
| | pl. 76. |
| —, Australian Reed | Handb. i. p. 402. |
| ——, Banded Superb | Australia, iii. pl. 21; Handb. i. p. 323. |
| —, Barred | Europe, ii. pl. 128. |
| ——, Black-backed Superb | Australia, iii. pl. 20; Handb. i. p. 322. |
| ——, Blackcap | Gt. Brit. ii. pl. 60. |
| ——, Black-headed Superb | Australia, iii. pl. 26; Handb. i. p. 333. |
| —, Blue-breasted Superb | Australia, iii. pl. 23; Handb. i. p. 326. |
| —, Blue-throated | Europe, ii. pl. 97; Gt. Brit. ii. pl. 49. |
| —, Bouelli's | Europe, ii. pl. 134. |
| ——, Brown | Australia, ii. pl. 98; Handb. i. p. 267. |
| —, Brown's Superb | Australia, iii. pl. 27; Handb. i. p. 334. |
| —, Buff-breasted | Australia, ii. pl. 101; Handb. i. pp. 270, |
| | 360. |
| —, Buff-rumped | Handb. i. p. 376. |
| ——, Cetti's | Europe, ii. pl. 114. |
| ——, Chestnut-rumped | Handb. i. p. 367. |
| —, Chiffchaff | Gt. Brit. ii. pl. 66. |
| ——, Crowned Superb | Australia, Suppl. pl. 20; Handb. i. |
| | p. 329. |
| —, Dartford | Europe, ii. pl. 129; Gt. Brit. ii. pl. 59. |
| —, Desert | Asia, iv. pl. 50. |
| —, Exile Grass | Australia, iii. pl. 42; Handb. i. p. 350. |
| ——, Fantail | Europe, ii. pl. 113. |
| ——, Fawn-breasted Superb | Australia, Suppl. pl. 22. |
| ——, Field Ground | Handb. i. p. 389. |
| , Fuscous | Australia, ii. pl. 98. |
| —, Garden | Europe, ii. pl. 121; Gt. Brit. ii. pl. 62. |

| Warbler, Gorget | Furana ii nl 118 |
|------------------------|--|
| Warbler, Gorget | Europe, ii. pl. 118. |
| - | Australia, iii. pl. 22; Handb. i. p. 324. |
| | Europe, ii. pl. 103; Gt. Brit. ii. pl. 78. |
| —, Great-billed | Australia, ii. pl. 100; Handb. i. p. 270. |
| —, Great Grass | Australia, iii. pl. 41; Handb. i. p. 349. |
| —, Great Sedge | Europe, ii. pl. 106; Gt. Brit. ii. pl. 72. |
| —, Green-backed | Australia, ii. pl. 102; Handb. i. p. 271. |
| —, Icterine | Europe, ii. pl. 132. |
| —, Lambert's Superb | Australia, iii. pl. 24; Handb. i. p. 327. |
| —, Large-billed | Handb. i. p. 362. |
| —, Lineated Grass | Australia, iii. pl. 43; Handb. i. p. 351. |
| —, Little | Australia, iii. pls. 60, 72; Handb. i. p. 371. |
| —, Little Brown | Handb. i. p. 364. |
| —, Little Hill | Asia, iv. pl. 4. |
| , Long-billed Reed | Handb. i. p. 403. |
| , Long-tailed Superb | Australia, iii. pl. 19; Handb. i. p. 320. |
| , Lovely Superb | Australia, Suppl. pl. 21; Handb. i. p. 328. |
| —, Marmora's | Europe, ii. pl. 127. |
| , Marsh | Europe, ii. pl. 109; Gt. Brit. ii. |
| | pl. 74. |
| —, Melodious | Gt. Brit. ii. pl. 71. |
| —, Moustached | Europe, ii. pl. 111. fig. 1. |
| —, Natterer's | Europe, ii. pl. 134. |
| —, Orange-fronted | Handb. i. p. 380. |
| —, Orphean | Europe, ii. pl. 119; Gt. Brit. ii. pl. 61. |
| —, Plain-coloured | Handb. i. p. 370. |
| —, Red-rumped | Handb. i. p. 369. |
| —, Reed | Europe, ii. pl. 108; Gt. Brit. ii. pl. 73; |
| | Australia, iii. pl. 37. |
| —, Rock | Australia, iii. pl. 69; Handb. i. p. 385. |
| —, Rufous-backed | New Guinea, ii. pl. 11. |
| —, Rufous-headed Grass | Australia, iii. pl. 45; Handb. i. p. 353. |
| —, Rufous Sedge | Gt. Brit. ii. pl. 53. |
| —, Rüppell's | Europe, ii. pl. 122. |
| —, Sardinian | Europe, ii. pl. 123. |
| | $2 \mathrm{~z}$ |

| Warbler, Savi's | Europe, ii. pl. 104; Gt. Brit. ii. pl. 77. |
|------------------------|--|
| —, Sedge | Europe, ii. pl. 110; Gt. Brit. ii. pl. 75. |
| —, Short-billed | Australia, ii. pl. 103; Handb. i. p. 273. |
| —, Siberian Willow | Asia, iv. pl. 59. |
| , Silky | Europe, ii. pl. 115. |
| —, Sombre-coloured | Handb. i. p. 356. |
| , Spectacled | Europe, ii. pl. 127. |
| , Spotted | Handb. i. p. 361. |
| —, Square-tailed Grass | Australia, iii. pl. 44; Handb. i. p. 352. |
| , Striated | Handb. i. p. 372. |
| —, Striated Ground | Handb. i. p. 388. |
| , Sub-Alpine | Europe, ii. pl. 124. |
| , Superb | Australia, iii. pl. 18; Handb. i. p. 317. |
| —, Tasmanian | Handb. i. p. 365. |
| ——, Thrush | Gt. Brit. ii. pl. 72. |
| —, Tricoloured | Handb. i. p. 380. |
| —, Turquoisine Superb | Australia, Suppl. pl. 23. |
| —, Western | Australia, ii. pl. 99; Handb. i. p. 368. |
| , White-backed Superb | Australia, Suppl. pl. 24; Handb. i. p. 332. |
| —, White-faced | Handb. i. p. 382. |
| —, White-fronted | TT 11 * 000 |
| * | Handb. i. p. 359. |
| —, White-throated | Australia, ii. pl. 97; Handb. i. p. 266. |
| | - |
| —, White-throated | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330 Europe, ii. pl. 132; Gt. Brit. ii. |
| —, White-throated | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330 |
| , White-throated | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. |
| | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. |
| | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. Gt. Brit. ii. pl. 68. |
| | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. Gt. Brit. ii. pl. 68. Handb. i. p. 374. |
| | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. Gt. Brit. ii. pl. 68. Handb. i. p. 374. Handb. i. p. 354. |
| | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. Gt. Brit. ii. pl. 68. Handb. i. p. 374. Handb. i. p. 354. Australia, ii. pl. 104; Handb. i. p. 274. |
| | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. Gt. Brit. ii. pl. 68. Handb. i. p. 374. Handb. i. p. 354. Australia, ii. pl. 104; Handb. i. p. 274. Australia, v. pl. 44; Handb. ii. p. 81. |
| —, White-throated | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. Gt. Brit. ii. pl. 68. Handb. i. p. 374. Handb. i. p. 354. Australia, ii. pl. 104; Handb. i. p. 274. Australia, v. pl. 44; Handb. ii. p. 81. Humming B., Suppl. p. 89. |
| —, White-throated | Australia, ii. pl. 97; Handb. i. p. 266. Australia, iii. pl. 25; Handb. i. p. 330- Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. Gt. Brit. ii. pl. 67. Gt. Brit. ii. pl. 68. Handb. i. p. 374. Handb. i. p. 354. Australia, ii. pl. 104; Handb. i. p. 274. Australia, v. pl. 44; Handb. ii. p. 81. Humming B., Suppl. p. 89. Humming B., Suppl. pl. 17. |

| W. C. I. T.W. | TT 11 '' 940 |
|-----------------------------|---|
| Water-Crake, Little | Handb. ii. p. 340. |
| ——, Spotted | Australia, vi. pl. 79; Handb. ii. p. 339. |
| —, Tabuan | Handb. ii. p. 341. |
| —, White-eyebrowed | Australia, vi. pl. 81; Handb. ii. p. 343. |
| Waterhen, Black-tailed | Handb. ii. p. 325. |
| —, Mortier's | Handb. ii. p. 324. |
| —, White-breasted | Asia, vii. pl. 67. |
| Water-Ouzel | Europe, ii. pl. 83; Gt. Brit. ii. pl. 41. |
| —, Asiatic | Asia, iv. pl. 21. |
| —, Black-bellied | Europe, ii. pl. 84; Gt. Brit. ii. pl. 42. |
| —, Cashmirian | Asia, iv. pl. 25. |
| —, Pallas's | Europe, ii. pl. 85; Asia, iv. pl. 22. |
| , Sombre-coloured | Asia, iv. pl. 23. |
| —, White-bellied | Asia, iv. pl. 24. |
| Water-Rail | Europe, iv. pl. 339; Gt. Brit. iv. |
| | pl. 86. |
| ——, Lewin's | Australia, vi. pl. 77; Handb. ii. p. 336. |
| watertoni, Thalurania | Humming B. ii. pl. 100. |
| Waterton's Wood-Nymph | Humming B. ii. pl. 100. |
| Wattle-bird, Brush | Australia, iv. pl. 56; Handb. i. p. 541. |
| —, Lunulated | Australia, iv. pl. 57; Handb. i. p. 543. |
| Wattle-cheeked Honey-eater | Australia, iv. pl. 38; Handb. i. |
| • | p. 513. |
| Wattled Bird of Paradise | New Guinea, i. pl. 16. |
| IIoney-eater | Australia, iv. pl. 55; Handb. i. |
| • | pp. 536, 538. |
| —— Peewit | Australia, vi. pl. 9. |
| — Plover | Handb. ii. p. 218. |
| — Talegalla | Australia, v. pl. 77; Handb. ii. p. 150. |
| Waxen Chatterer | Europe, iii. pl. 160; Gt. Brit. ii. |
| water charters | pl. 21. |
| Wax-wing | Gt. Brit. ii. pl. 21. |
| Weaver-Finch, Black-cheeked | New Guinea, iv. pl. 25. |
| —, Forbes' | , 1 |
| *** | New Guinea, iv. pl. 23. |
| | New Guinea, iv. pl. 26. |
| —, Large Rufous-and-Black . | New Guinea, iv. pl. 22. |
| , Orange-rumped | New Guinea, iv. pl. 24. |
| webbiana, Suthora | Asia, iii. pl. 72. |
| | 4 L 4 |

| Wedge-bill, Crested Australia, iii. pl. 17; Handb. i. p. 316. —, Geoffroy's Humming B. iv. pl. 218. —, Masked Humming B. iv. pl. 219. —, White-throated Humming B. iv. pl. 220. Wedge-billed Wren, Hume's Asia, iv. pl. 55. —, Robert's Asia, iv. pl. 54. Wedge-tailed Eagle Australia, i. pl. 1; Handb. i. p. 8. — Petrel Australia, vii. pl. 58; Handb. ii. p. 466. — Sabre-wing Humming B. ii. pl. 43. Wekau Australia, Suppl. pl. 2; Handb. ii. App. p. 524. Welcome Swallow Australia, i. pl. 13; Handb. i. p. 107. — Trogon Trogons, (1) pl. 25, (2) pl. 6. West-Australian Goshawk Australia, i. pl. 18; Handb. i. p. 107. — Trogon Trogons, (2) pl. 35. Westermanni, Casnarius New Guinea, v. pl. 75. Westermanni, Scassowary New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 18. — Gerygone Handb. ii. p. 88. | Webb's Suthora | Asia, iii. pl. 72. |
|---|-------------------------|---|
| ——, Geoffroy's Humming B. iv. pl. 218. ——, Masked Humming B. iv. pl. 219. ——, White-throated Humming B. iv. pl. 220. Wedge-billed Wren, Hume's Asia, iv. pl. 55. ————, Robert's Asia, iv. pl. 54. Wedge-tailed Eagle Australia, i. pl. 1; Handb. i. p. 8. —— Petrel Australia, vii. pl. 58; Handb. ii. p. 466. —————————————————————————————————— | Wedge-bill, Crested | Australia, iii. pl. 17; Handb. i. p. 316. |
| ——, Masked | 9 , | |
| —, White-throated Humming B. iv. pl. 220. Wedge-billed Wren, Hume's Asia, iv. pl. 55. —, Robert's Asia, iv. pl. 54. Wedge-tailed Eagle Australia, i. pl. 1; Handb. i. p. 8. — Petrel Australia, vii. pl. 58; Handb. ii. p. 466. — Sabre-wing Humming B. ii. pl. 43. Wekau Australia, Suppl. pl. 2; Handb. ii. App. p. 524. Welcome Swallow Australia, ii. pl. 13; Handb. i. p. 107. — Trogon Trogons, (1) pl. 25, (2) pl. 6. West-African Trogon Trogons, (2) pl. 35. West-Australian Goshawk Australia, i. pl. 18; Handb. i. p. 43. — Great Kangaroo Mamm. Austr. ii. pls. 3, 4. westermann's Cassowary New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. ii. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. ii. p. 268. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 18. — Mosque-Swallow Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 98. — J. Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | • | |
| Wedge-billed Wren, Hume's Asia, iv. pl. 55. ———————————————————————————————————— | | - |
| ————————————————————————————————————— | | |
| Wedge-tailed Eagle Australia, i. pl. 1; Handb. i. p. 8. — Petrel Australia, vii. pl. 58; Handb. ii. p. 466. — Sabre-wing Humming B. ii. pl. 43. Wekau Australia, Suppl. pl. 2; Handb. ii. App. p. 524. Welcome Swallow Australia, ii. pl. 13; Handb. i. p. 107. — Trogon Trogons, (1) pl. 25, (2) pl. 6. West-African Trogon Trogons, (2) pl. 35. West-Australian Goshawk Australia, i. pl. 18; Handb. i. p. 43. — Great Kangaroo Mamm. Austr. ii. pls. 3, 4. westermanni, Casuarius New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. i. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. i. p. 268. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Microca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. <t< td=""><td></td><td></td></t<> | | |
| —— Petrel | | Australia, i. pl. 1; Handb. i. p. 8. |
| p. 466. Humming B. ii. pl. 43. | _ | |
| Wekau Australia, Suppl. pl. 2; Handb. ii. App. p. 524. Welcome Swallow Australia, ii. pl. 13; Handb. i. p. 107. — Trogon Trogons, (1) pl. 25, (2) pl. 6. West-African Trogon Trogons, (2) pl. 35. West-Australian Goshawk Australia, i. pl. 18; Handb. i. p. 43. — Great Kangaroo Mamm. Austr. ii. pls. 3, 4. westermanni, Casuarius New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. ii. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. ii. p. 268. — Ground Parrakeet Handb. ii. p. 88. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micrœca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 90; Gt. Bri | | р. 466. |
| App. p. 524. | — Sabre-wing | Humming B. ii. pl. 43. |
| App. p. 524. | Wekau | Australia, Suppl. pl. 2; Handb. ii. |
| — Trogon Trogons, (1) pl. 25, (2) pl. 6. West-African Trogon Trogons, (2) pl. 35. West-Australian Goshawk Australia, i. pl. 18; Handb. i. p. 43. — Great Kangaroo Mamm. Austr. ii. pls. 3, 4. westermanni, Casuarius New Guinea, v. pl. 75. Western Acanthiza New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. ii. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. ii. p. 268. — Ground Parrakeet Handb. ii. p. 88. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micreca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | | App. p. 524. |
| West-African Trogon Trogons, (2) pl. 35. West-Australian Goshawk Australia, i. pl. 18; Handb. i. p. 43. — Great Kangaroo Mamm. Austr. ii. pls. 3, 4. westermanni, Casuarius New Guinea, v. pl. 75. Westermann's Cassowary New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. ii. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. ii. p. 268. — Ground Parrakeet Handb. ii. p. 88. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micrœca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. —, Black-eared Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | Welcome Swallow | Australia, ii. pl. 13; Handb. i. p. 107. |
| West-Australian Goshawk Australia, i. pl. 18; Handb. i. p. 43. — Great Kangaroo Mamm. Austr. ii. pls. 3, 4. westermanni, Casuarius New Guinea, v. pl. 75. Westermann's Cassowary New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. ii. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. ii. p. 268. — Ground Parrakeet Handb. ii. p. 88. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micrœa New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. — Brit. ii. pl. 45. — Common Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | —— Trogon | Trogons, (1) pl. 25, (2) pl. 6. |
| — Great Kangaroo | West-African Trogon | Trogons, (2) pl. 35. |
| — Great Kangaroo | West-Australian Goshawk | Australia, i. pl. 18; Handb. i. p. 43. |
| Westermann's Cassowary New Guinea, v. pl. 75. Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. i. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. i. p. 268. — Ground Parrakeet Handb. ii. p. 88. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micrœca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. — Black-eared Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | — Great Kangaroo | |
| Western Acanthiza Handb. i. p. 368. — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. i. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. i. p. 268. — Ground Parrakeet Handb. ii. p. 88. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micrœca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. — Black-eared Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | westermanni, Casuarius | New Guinea, v. pl. 75. |
| — Black Cockatoo Australia, v. pl. 9; Handb. ii. p. 17. — Brown Hawk Australia, i. pl. 12; Handb. i. p. 33. — Duck Europe, v. pl. 372. — Gerygone Handb. ii. p. 268. — Ground Parrakeet Handb. ii. p. 88. — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micrœca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. — Black-eared Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | Westermann's Cassowary | New Guinea, v. pl. 75. |
| — Brown Hawk Australia, i. pl. 12; Handb. i. p. 33. — Duck | Western Acanthiza | Handb. i. p. 368. |
| — Duck | Black Cockatoo | Australia, v. pl. 9; Handb. ii. p. 17. |
| | Brown Hawk | Australia, i. pl. 12; Handb. i. p. 33. |
| | — Duck | Europe, v. pl. 372. |
| — Horned Pheasant Asia, vii. pl. 45. — Long-billed Cockatoo Handb. ii. p. 12. — Micrœca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. — Black-eared Europe, ii. pl. 92. — Common Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | Gerygone | Handb. i. p. 268. |
| — Long-billed Cockatoo | Ground Parrakeet | Handb. ii. p. 88. |
| — Micrœca New Guinea, ii. pl. 10. — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. —, Black-eared Europe, ii. pl. 92. —, Common Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | — Horned Pheasant | Asia, vii. pl. 45. |
| — Mosque-Swallow Asia, i. pl. 27. — Nyctophilus Mamm. Austr. iii. pl. 39. — Perroquet New Guinea, v. pl. 1. — Swallow-tail Humming B., Suppl. pl. 2. — Warbler Australia, ii. pl. 99, iii. pl. 57. Wheatear, Black Europe, ii. pl. 88. — Black-eared Europe, ii. pl. 92. — Common Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | — Long-billed Cockatoo | Handb. ii. p. 12. |
| — Nyctophilus | ——— Micrœca | New Guinea, ii. pl. 10. |
| — Perroquet | | Asia, i. pl. 27. |
| — Swallow-tail | — Nyctophilus | Mamm. Austr. iii. pl. 39. |
| — Warbler | —— Perroquet | New Guinea, v. pl. 1. |
| Wheatear, Black Europe, ii. pl. 88. —, Black-eared Europe, ii. pl. 92. —, Common Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | —— Swallow-tail | Humming B., Suppl. pl. 2. |
| —, Black-eared Europe, ii. pl. 92. —, Common Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | — Warbler | Australia, ii. pl. 99, iii. pl. 57. |
| —, Common Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. | Wheatear, Black | Europe, ii. pl. 88. |
| 1 / 1 | ——, Black-eared | Europe, ii. pl. 92. |
| —, Pied Europe, ii. pl. 89. | • | Europe, ii. pl. 90; Gt. Brit. ii. pl. 45. |
| | —, Pied | Europe, ii. pl. 89. |

| Wheatear, Russet | Europe, ii. pl. 91. |
|---|---|
| • | Europe, iv. pl. 303; Gt. Brit. iv. |
| winnoiei | pl. 49. |
| —, Australian | Australia, vi. pl. 43; Handb. ii. p. 279. |
| | Australia, vi. pl. 44; Handb. ii. p. 280. |
| | Gt. Brit. ii. pl. 46. |
| | Gt. Brit. v. pl. 77. |
| | Australia, vii. pl. 14. |
| — Eagle | Australia, i. pl. 5; Handb. i. p. 20. |
| - | Asia, vi. pl. 64. |
| — Swan | Europe, v. pl. 355. |
| | Asia, iii. pl. 27. |
| | Asia, iii. pl. 28. |
| | Handb. ii. p. 374. |
| | Australia, ii. pl. 47; Handb. i. p. 176. |
| | New Guinea, iv. pl. 55. |
| | New Guinea, ii. pl. 48. |
| | Australia, Suppl. pl. 24; Handb. i. |
| * | |
| | р. 332. |
| — Woodpecker | p. 332. Gt. Brit. iii. pl. 71. |
| | - |
| White-banded Groove-bill ' | Gt. Brit. iii. pl. 71. |
| White-banded Groove-bill | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. |
| White-banded Groove-bill | Ft. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. |
| White-banded Groove-bill | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. |
| White-banded Groove-bill | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. |
| White-banded Groove-bill | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. |
| White-banded Groove-bill White-bellied Antechinus Beaver-rat Brouze-wing Cacique Callene Cuckoo-Shrike | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. |
| White-banded Groove-bill White-bellied Antechinus Beaver-rat Bronze-wing Cacique Callene Cuckoo-Shrike Emerald | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, ii. pl. 57. Humming B. v. pl. 301. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, ii. pl. 57. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, ii. pl. 57. Humming B. v. pl. 301. Australia, Suppl. pl. 13. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat — Brouze-wing — Cacique — Callene — Cuckoo-Shrike — Emerald — Flycatcher — Graucalus — Owlet-Nightjar | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, ii. pl. 57. Humming B. v. pl. 301. Australia, Suppl. pl. 13. Handb. i. p. 196. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat 1 — Brouze-wing 2 — Cacique 3 — Callene 4 — Cuckoo-Shrike 4 — Emerald 1 — Flycatcher 4 — Graucalus 1 — Owlet-Nightjar 1 — Pigeon 4 | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, ii. pl. 57. Humming B. v. pl. 301. Australia, Suppl. pl. 13. Handb. i. p. 196. Handb. i. p. 81. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat — Bronze-wing — Cacique — Callene — Cuckoo-Shrike — Emerald — Flycatcher — Graucalus — Owlet-Nightjar — Robin | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, ii. pl. 57. Humming B. v. pl. 301. Australia, Suppl. pl. 13. Handb. i. p. 196. Handb. i. p. 81. Asia, vi. pl. 55. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, ii. pl. 57. Humming B. v. pl. 301. Australia, Suppl. pl. 13. Handb. i. p. 196. Handb. i. p. 81. Asia, vi. pl. 55. Australia, iii. pl. 13; Handb. i. p. 296. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Asia, iii. pl. 29. Australia, iii. pl. 57. Humming B. v. pl. 301. Australia, Suppl. pl. 13. Handb. i. p. 196. Handb. i. p. 81. Asia, vi. pl. 55. Australia, iii. pl. 13; Handb. i. p. 296. Australia, iii. pl. 13; Handb, i. p. 13. |
| White-banded Groove-bill White-bellied Antechinus — Beaver-rat | Gt. Brit. iii. pl. 71. Toucans, (2) pl. 49. Mamm. Austr. i. pl. 38. Mamm. Austr. iii. pl. 26. Australia, Suppl. pl. 69. Humming B., Suppl. pl. 5. Australia, ii. pl. 57. Humming B. v. pl. 301. Australia, Suppl. pl. 13. Handb. i. p. 196. Handb. i. p. 81. Asia, vi. pl. 55. Australia, iii. pl. 13; Handb. i. p. 296. Australia, i. pl. 3; Handb, i. p. 13. Australia, ii. pl. 3; Handb, i. p. 13. |

| White-billed Wood-Shrike | New Guinea, i. pl. 52. |
|----------------------------|--|
| White-booted Racket-tail | Humming B, iii. pl. 162. |
| White-breasted Amazili | Humming B. v. pl. 306. |
| — Cormorant | Australia, vii. pl. 69; Handb. ii. p. 492. |
| — Emerald | Humming B. v. pl. 292. |
| — Erythronote | Humming B. v. pl. 319. |
| — Fantail Flycatcher | New Guinea, ii. pl. 27. |
| — Finch | Australia, iii. pl. 95; Handb. i. p. 427. |
| — Leucippus | Humming B. v. pl. 290. |
| — Oyster-Catcher | Australia, vi. pl. 7; Handb. ii. p. 215. |
| — Sea-Eagle | Australia, i. pl. 4; Handb. i. p. 17. |
| —— Swallow | Australia, ii. pl. 12; Handb. i. p. 115. |
| — Waterhen | Asia, vii. pl. 67. |
| — Zosterops | Australia, Suppl. pl. 46; Handb. ii. |
| 1 | App. p. 535. |
| White-capped Blue-Pie | Asia, v. pl. 51. |
| — Noddy | Handb. ii. p. 419. |
| —— Term | Australia, vii. pl. 36. |
| White-cheeked Honey-eater | Australia, iv. pl. 25; Handb. i. p. 490. |
| White-chested Pigeon | New Guinea, v. pl. 48. |
| White-collared Flycatcher | Europe, ii. pl. 63. fig. 2; Gt. Brit. ii. |
| , | pl. 18. |
| — Merula | Asia, iii. pl. 6. |
| White Crane | Europe, iv. pl. 271. |
| White-crowned Black Cuckoo | New Guinea, iv. pl. 42. |
| — Flycatcher | New Guinea, ii. pl. 47. |
| White-eared Flycatcher | Australia, Suppl. pl. 12; Handb. i. |
| • | p. 264. |
| — Grass-Finch | Australia, iii. pl. 92; Handb.i. p. 424. |
| — Honey-eater | Australia, iv. pl. 36; Handb. i. p. 510. |
| — Partridge | Odontoph. pl. 10. |
| White-edged Reed-Warbler | New Guinea, iii. pl. 12. |
| White Egret, Great | Gt. Brit. iv. pl. 22. |
| White-eye, Brown-tailed | New Guinea, iii. pl. 59. |
| —, Chestnut-sided | Asia, ii. pl. 35. |
| —, Dusky-fronted | New Guinea, iii. pl. 60. |
| —, Green-backed | Australia, iv. pl. 82; Handb. i. p. 588. |
| —, Grey-backed | Australia, iv. pl. 81; Handb. i. p. 587. |

| White-eye, Grey-breasted | Handb. ii. p. 538. |
|---------------------------|--|
| —, Grey-sided | |
| —, Heath Island | |
| —, Ké-Island | New Guinea, iii. pl. 58. |
| T 1432 3 | . Australia, Suppl. pl. 47; Handb. ii. |
| , 0 | Арр. р. 536. |
| —, Plain | Asia, ii. pl. 34. |
| —, Rendova | New Guinea, iii. pl. 63. |
| —, Robust | 4 . 11 O 1 1 40 TT 11 11 |
| | p. 537. |
| —, White-breasted | Handb. ii. p. 535. |
| —, Yellow | Australia, iv. pl. 83; Handb. i. p. 590. |
| White-eyebrowed Partridge | Odontoph. pl. 21. |
| —— Pomatorhinus | Australia, iv. pl. 22; Handb. i. p. 482. |
| —— Robin | Australia, iii. pl. 9; Handb. i. p. 289. |
| —— Spine-bill | Australia, iv. pl. 62; Handb. i. p. 553. |
| — Trochalopteron | Asia, iii. pl. 40. |
| — Water-Crake | Australia, vi. pl. 81; Handb. ii. p. 343. |
| — Wood-Swallow | Australia, ii. pl. 32; Handb. i. p. 152. |
| White-eyed Crow | Australia, iv. pl. 18; Handb. i. p. 475. |
| — Duck | Europe, v. pl. 368; Gt. Brit. v. pl. 21; |
| | Australia, vii. pl. 16; Handb. ii. |
| | p. 377. |
| White-faced Honey-eater | New Guinea, iii. pl. 33. |
| — Nuthatch | Asia, ii. pl. 46. |
| —— Partridge | Odontoph. pl. 13. |
| — Storm-Petrel | Australia, vii. pl. 61; Handb. ii. p. 482. |
| —— Suthora | Asia, iii. pl. 70. |
| —— Xerophila | Australia, iii. p. 67; Handb. i. p. 382. |
| White-footed Antechinus | Mamm. Austr. i. pls. 35, 42. |
| — Hapalotis | Mamm. Austr. iii. pl. 1. |
| — Mouse | Mamm. Austr. iii. pl. 19. |
| —— Rat | Mamm. Austr. iii. pl. 16. |
| White-fronted Ephthianura | Australia, iii. pl. 64; Handb. i. p. 377. |
| — Falcon | Australia, i. pl. 10; Handb. i. p. 29. |
| — Flycatcher | New Guinea, ii. pl. 37. |
| — Goose | Europe, v. pl. 349; Gt. Brit. v. pl. 4. |
| — Heron | Australia, vi. pl. 53; Handb. ii. p. 299. |

| White-fronted Honey-eater | Australia, iv. pl. 29; Handb. i. p. 497. |
|------------------------------------|--|
| — Sericornis | Handb. i. p. 359. |
| — Warbler | Australia, iii. pl. 49. |
| White Fruit-Pigeon, Yellow-tinted. | • |
| — Goshawk | Australia, i. pl. 15; Handb. i. p. 38. |
| White-headed Duck | Europe, v. pl. 383. |
| —— Eagle | Europe, i. pl. 11. |
| — Fruit-Pigeon | Australia, v. pl. 59; Handb. ii. p. 112. |
| — Osprey | Australia, i. pl. 6; Handb. i. p. 22. |
| —— Petrel | Australia, vii. pl. 49; Handb. ii. p. 451. |
| — Sittella | Australia, iv. pl. 102; Handb. i. p. 610. |
| ——, White-winged | New Guinea, iii. pl. 28. |
| Stilt | Australia, v. pl. 24; Handb. ii. p. 246. |
| White Ibis | Australia, vi. pl. 46; Handb. ii. p. 284. |
| White-marked Honey-eater | New Guinea, iii. pl. 47. |
| White-naped Tit | Asia, ii. pl. 48. |
| Yuhin | Asia, iii. pl. 64. |
| White Nutmeg-Pigeon | Handb. ii. p. 114. |
| White-pinioned Honey-eater | Australia, iv. pl 69. |
| White-plumed Honey-eater | Australia, iv. pl. 43; Handb. i. p. 519. |
| White-quilled Honey-eater | Handb. i. p. 563. |
| —— Pigmy Goose | Handb. ii. p. 359. |
| —— Rock-Dove | Australia, v. pl. 71. |
| —— Rock-Pigeon | Handb. ii. p. 141. |
| White Reef-Heron | Australia, vi. pl. 61; Handb. ii. p. 309. |
| White-rumped Wood-Swallow . | Australia, ii. pl. 33; Handb. i. p. 154. |
| White-shafted Fantail Flycatcher. | Australia, ii. pl. 83; Handb. i. p. 238. |
| White-shouldered Campephaga . | Handb. i. p. 204. |
| — Cuckoo-Shrike | Australia, ii. pl. 63. |
| White-sided Hill-Star | Humming B. ii. pl. 71. |
| White-spotted Flycatcher | New Guinea, ii. pl. 12. |
| — Laughing Thrush | Asia, iii. pl. 44. |
| White Stork | Europe, iv. pl. 283; Gt. Brit. iv. pl. 30. |
| White-tailed Barbed-throat | Humming B. i. pl. 13. |
| — Bush-Chat | Asia, iv. pl. 33. |
| — Emerald | Humming B. v. pl. 300. |
| — Kingfisher | Australia, Suppl. pl. 6; Handb. i. p. 137. |
| —— Robin | Australia, Suppl. pl. 18. |

| — Velvet-breast | White-tailed Stonechat. | | | | Asia, iv. pl. 27. |
|--|---------------------------|---|---|---|--|
| White-throat Humming B. v. pl. 291; Gt. Brit. ii. pl. 57. —, Berlepsch's Humming B., Suppl. p. 73. —, Common Europe, ii. pl. 125. fig. 1. —, Desert Asia, iv. pl. 50. —, Lesser Europe, ii. pl. 125. fig. 2; Gt. Brit. ii. pl. 58. —, Spotted Humming B., Suppl. p. 73. White-throated Bluebreast Gt. Brit. ii. pl. 50. — Dumetia Asia, iv. pl. 5. — Emerald Humming B. v. pl. 294. — Gerygone Handb. i. p. 266. — Goatsucker Australia, ii. pl. 7. — Honey-eater Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. — Humming-bird Humming B., Suppl. p. 10. — Nightjar Handb. i. p. 96. — Oreopyra Humming B., iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B., v. pl. 344. — Thickhead Hadb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, iv. pl. 98; Handb. i. p. 605. — Wedge-bill Humming B., Suppl. p. 34. < | — Velvet-breast | | | | Humming B. ii. pl. 86. |
| pl. 57. Humming B., Suppl. p. 73. —, Common. Europe, ii. pl. 125. fig. 1. Asia, iv. pl. 50. Europe, ii. pl. 125. fig. 2; Gt. Brit. ii. pl. 58. Humming B., Suppl. p. 73. Gt. Brit. ii. pl. 58. Humming B., Suppl. p. 73. White-throated Bluebreast Gt. Brit. ii. pl. 50. Asia, iv. pl. 5. Humming B. v. pl. 294. Gerygone Handb. i. p. 266. Humming B. v. pl. 294. Gerygone Handb. i. p. 266. Australia, ii. pl. 7. Honey-eater Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. Humming-bird Humming B., Suppl. p. 10. Handb. i. p. 96. Humming B. v. pl. 264. Pigeon New Guinea, v. pl. 67. Humming B. v. pl. 344. Thickhead Handb. i. p. 207. Tit Asia, ii. pl. 67. Australia, iv. pl. 98; Handb. i. p. 605. Warbler Australia, iv. pl. 98; Handb. i. p. 605. Warbler Australia, iv. pl. 99. Humming B. iv. pl. 220. White-tip Humming-bird Humming B., Suppl. p. 34. Humming B., Suppl. p. 34. Mamm. Austr. ii. pl. 2. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-tufted Flycatcher New Guinea, ii. pl. 51. White-tufted Flycatcher New Guinea, ii. pl. 51. White-tufted Flycatcher New Guinea, ii. pl. 51. White-tufted Flycatcher New Guinea, ii. pl. 56. Humming B., Suppl. p. 86. Golden-throat Humming B., Suppl. p. 86. Humming B., Suppl. p. 86. Humming B., Suppl. p. 86. Humming B., Suppl. p. 30. Humming B., Suppl. p. 86. Humming B., Suppl. p. 30. | White Tern | | | | Australia, vii. pl. 30; Handb. ii. p. 405. |
| —, Berlepsch's | White-throat | | | | |
| ————————————————————————————————————— | , Berlepsch's | | | | • |
| ————————————————————————————————————— | • | | | | |
| —, Lesser Europe, ii. pl. 125. fig. 2; Gt. Brit. ii. pl. 58. —, Spotted Humming B., Suppl. p. 73. White-throated Bluebreast Gt. Brit. ii. pl. 50. — Dumetia Asia, iv. pl. 5. — Emerald Humming B. v. pl. 294. — Gerygone Handb. i. p. 266. — Goatsucker Australia, ii. pl. 7. — Honey-eater Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. — Humming-bird Humming B., Suppl. p. 10. — Nightjar Handb. i. p. 96. — Oreopyra Humming B. iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. ii. pl. 190. — Peruvian Humming B., Suppl. p. 34. — Red-vented Humming B., Suppl. p. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-tufted Flycatcher New Guinea, ii. pl. 51. <td< td=""><td>,</td><td></td><td></td><td></td><td></td></td<> | , | | | | |
| pl. 58. ——, Spotted | , | | | | |
| White-throated Bluebreast Gt. Brit. ii. pl. 50. — Dumetia. Asia, iv. pl. 5. — Emerald. Humming B. v. pl. 294. — Gerygone Handb. i. p. 266. — Goatsucker Australia, ii. pl. 7. — Honey-eater Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. — Humming-bird Humming B., Suppl. p. 10. — Nightjar. Handb. i. p. 96. — Oreopyra Humming B. iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Warbler Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, iv. pl. 98; Handb. i. p. 605. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B., Suppl. p. 34. — , Peruvian Humming B., Suppl. p. 34. — , Red-vented Humming B., Suppl. p. 88. — White-tufted Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 30. | | | | | |
| — Dumetia . Asia, iv. pl. 5. — Emerald . Humming B. v. pl. 294. — Gerygone . Handb. i. p. 266. — Goatsucker . Australia, ii. pl. 7. — Honey-eater . Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. — Humming-bird . Humming B., Suppl. p. 10. — Nightjar . Handb. i. p. 96. — Oreopyra . Humming B. iv. pl. 264. — Pigeon . New Guinea, v. pl. 67. — Sapphire . Humming B. v. pl. 344. — Thickhead . Handb. i. p. 207. — Tit . Asia, ii. pl. 67. — Warbler . Australia, iv. pl. 98; Handb. i. p. 605. — Warbler . Australia, iv. pl. 98; Handb. i. p. 605. — Wedge-bill . Humming B. iv. pl. 220. White-tip Humming-bird . Humming B., Suppl. p. 34. —, Peruvian . Humming B., Suppl. p. 34. —, Red-vented . Humming B., Suppl. p. 2. White-tipped Hapalotis . Mamm. Austr. ii. pl. 2. White-vented Amazili . Humming B., Suppl. p. 88. — Copper-tail . Humming B., Suppl. p. 64. — Golden-throat . Humming B., Suppl. | —, Spotted | | | | Humming B., Suppl. p. 73. |
| — Emerald . Humming B. v. pl. 294. — Gerygone . Handb. i. p. 266. — Goatsucker . Australia, ii. pl. 7. — Honey-eater . Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. — Humming-bird . Humming B., Suppl. p. 10. — Nightjar . Handb. i. p. 96. — Oreopyra . Humming B. iv. pl. 264. — Pigeon . New Guinea, v. pl. 67. — Sapphire . Humming B. v. pl. 344. — Thickhead . Handb. i. p. 207. — Tit . Asia, ii. pl. 67. — Warbler . Australia, iv. pl. 98; Handb. i. p. 605. — Warbler . Australia, ii. pl. 97. — Wedge-bill . Humming B. iv. pl. 220. White-tip Humming-bird . Humming B., Suppl. p. 34. — , Peruvian . Humming B., Suppl. p. 34. — , Red-vented . Humming B., Suppl. p. 88. — White-tufted Flycatcher . New Guinea, ii. pl. 51. White-vented Amazili . Humming B., Suppl. p. 88. — Copper-tail . Humming B., Suppl. p. 86. — Star-throat . Humming B., Suppl. p. 30. | White-throated Bluebreast | | | | Gt. Brit. ii. pl. 50. |
| — Gerygone Handb. i. p. 266. — Goatsucker Australia, ii. pl. 7. — Honey-eater Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. — Humming-bird Humming B., Suppl. p. 10. — Nightjar. Handb. i. p. 96. — Oreopyra Humming B. iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B., Suppl. p. 34. — , Peruvian Humming B., Suppl. p. 34. — , Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-tufted Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 30. | | | | | Asia, iv. pl. 5. |
| — Goatsucker Australia, ii. pl. 7. — Honey-eater Australia, iv. pls. 51, 74; Handb. i. pp. 532, 571. — Humming-bird Humming B., Suppl. p. 10. — Nightjar Handb. i. p. 96. — Oreopyra Humming B. iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B., Suppl. p. 34. — , Peruvian Humming B., Suppl. p. 34. — , Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-tufted Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 30. | —— Emerald | | | | Humming B. v. pl. 294. |
| — Honey-eater | — Gerygone | | | | Handb. i. p. 266. |
| pp. 532, 571. — Humming-bird | — Goatsucker | | | | Australia, ii. pl. 7. |
| — Humming-bird Humming B., Suppl. p. 10. — Nightjar. Handb. i. p. 96. — Oreopyra Humming B. iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B. iii. pl. 190. —, Peruvian Humming B., Suppl. p. 34. —, Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 86. — Star-throat Humming B., Suppl. p. 30. | — Honey-eater | | | | |
| — Nightjar. Handb. i. p. 96. — Oreopyra Humming B. iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B., Suppl. p. 34. —, Peruvian Humming B., Suppl. p. 34. —, Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 86. — Star-throat Humming B., Suppl. p. 30. | — Humming-hird | | | | |
| — Oreopyra Humming B. iv. pl. 264. — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B., Suppl. p. 34. —, Peruvian Humming B., Suppl. p. 34. —, Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-tufted Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 86. — Star-throat Humming B., Suppl. p. 30. | | | | • | |
| — Pigeon New Guinea, v. pl. 67. — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B. jii. pl. 190. —, Peruvian Humming B., Suppl. p. 34. —, Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-vented Amazili New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 86. — Star-throat Humming B., Suppl. p. 30. | | | • | | - |
| — Sapphire Humming B. v. pl. 344. — Thickhead Handb. i. p. 207. — Tit Asia, ii. pl. 67. — Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. — Warbler Australia, ii. pl. 97. — Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B., Suppl. p. 34. —, Peruvian Humming B., Suppl. p. 34. —, Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-vented Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 86. — Star-throat Humming B., Suppl. p. 30. | | | • | | |
| Thickhead | | | • | | |
| Tit | | | • | | |
| Tree-creeper Australia, iv. pl. 98; Handb. i. p. 605. Warbler Australia, ii. pl. 97. Wedge-bill Humming B. iv. pl. 220. White-tip Humming-bird Humming B. iii. pl. 190. Peruvian Humming B., Suppl. p. 34. Red-vented Humming B., Suppl. pl. 24. White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-tufted Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. Copper-tail Humming B., Suppl. p. 64. Golden-throat Humming B., Suppl. p. 86. Star-throat Humming B., Suppl. p. 30. | | • | • | • | = |
| Warbler | | • | • | Ċ | |
| Wedge-bill | — Warbler | | | • | |
| White-tip Humming-bird | | | • | • | |
| —, Peruvian —, Red-vented —, Red-vented — Humming B., Suppl. pl. 24. White-tipped Hapalotis — New Guinea, ii. pl. 51. White-vented Amazili — Humming B., Suppl. p. 88. — Copper-tail — Humming B., Suppl. p. 64. — Golden-throat — Humming B., Suppl. p. 86. — Star-throat — Humming B., Suppl. p. 30. | | | | | |
| —, Red-vented | | | | • | |
| White-tipped Hapalotis Mamm. Austr. ii. pl. 2. White-tufted Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail | * | | | | |
| White-tufted Flycatcher New Guinea, ii. pl. 51. White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail | | | | | |
| White-vented Amazili Humming B., Suppl. p. 88. — Copper-tail Humming B., Suppl. p. 64. — Golden-throat Humming B., Suppl. p. 86. — Star-throat | | | | | |
| Copper-tail | | | | | * |
| Golden-throat | | | | | |
| — Star-throat Humming B., Suppl. p. 30. | 1. | | | | 0 . 11 |
| 0 , 11 1 | | | | | |
| , | | | | | 0 . 11 1 |
| 3 л | | | | | |

| White Wagtail | Europe, ii. pl. 143; Gt. Brit. iii. pl. 2. |
|--|--|
| White-winged Chough | Australia, iv. pl. 16. |
| — Corcorax | Handb. i. p. 470. |
| —— Crossbill | Europe, iii. pl. 203; Gt. Brit. iii. pl. 47. |
| —— , American | Gt. Brit. iii. pl. 48. |
| — Crow-Shrike | Handb. i. p. 187. |
| — Lark | Gt. Brit. iii. pl. 20. |
| — Magpie | Asia, v. pl. 55. |
| —— Petrel | Handb. ii. p. 454. |
| —— Red-footed Kestrel | Asia, i. pl. 8. |
| —— Sittella | Australia, iv. pl. 103; Handb. i. p. 611. |
| —— Superb Warbler | Handb. i. p. 330. |
| — Tern | Europe, v. pl. 423; Gt. Brit. v. pl. 76. |
| —— Wagtail | Europe, ii. pl. 142. |
| White-headed Sittella | New Guinea, iii. pl. 28. |
| — Wren | Australia, iii. pl. 25. |
| White's Thrush | Europe, ii. pl. 81; Gt. Brit. ii. pl. 39. |
| whitei, Turdus | Europe, ii. pl. 81. |
| whitelyana, Ionolæma | Humming B., Suppl. pl. 12. |
| Whitely's Humming-bird | Humming B., Suppl. pl. 12. |
| Whooper | Gt. Brit. v. pl. 9. |
| Widgeon | Europe, v. pl. 359; Gt. Brit. v. pl. 13. |
| wiedi, Pteroglossus | Toucans, (2) pl. 16. |
| Wild Duck | Gt. Brit. v. pl. 15. |
| , Australian | Australia, vii. pl. 9; Handb. ii. p. 363. |
| —— Swan | Gt. Brit. v. pl. 9. |
| Wilhelmina Lorikeet | New Guinea, v. pl. 19. |
| wilhelminæ, Psitteuteles | New Guinea, v. pl. 19. |
| williami, Metallura | Humming B. iii. pl. 193. |
| Willow Locustelle | Europe, ii. pl. 104. |
| — Ptarmigan | Europe, iv. pl. 255. |
| Willow-Warbler, Melodious | Gt. Brit. ii. pl. 71. |
| , Siberian | Asia, iv. pl. 59. |
| $\label{eq:willow-Wren} Willow-Wren \ . \ . \ . \ . \ . \ . \ .$ | Europe, ii. pl. 133; Gt. Brit. ii. pl. 65. |
| —, Melodious | Europe, ii. pl. 133. |
| , Yellow | Europe, ii. pl. 132. |
| wilsoni, Cœligena | Humming B. iv. pl. 258. |
| wilsonii, Thalassidroma | Australia, vii. pl. 65. |

| Wilson's Cœligene | Humming B. iv. pl. 258. |
|-------------------------------|--|
| — Erythronote | Humming B. v. pl. 318. |
| — Storm-Petrel | Australia, vii. pl. 65. |
| Winchat | Europe, ii. pl. 93. |
| Winking Owl | Australia, i. pl. 34; Handb. i. p. 71. |
| Winter Finch | Europe, i. pl. 190. |
| Wire-tailed Swallow | Asia, i. pl. 26. |
| Wombat | Mamm. Austr. i. pls. 55, 56. |
| —, Broad-fronted | Mamm. Austr. i. pls. 57, 58. |
| —, Hairy-nosed | Mamm. Austr. i. pls. 59, 60. |
| wombat, Phascolomys | Mamm. Austr. i. pls. 55, 56. |
| Wonga-wonga Pigeon | Australia, v. pl. 63; Handb. ii. p. 120. |
| Woodchat | Gt. Brit. ii. pl. 16. |
| —— Shrike | Europe, ii. pl. 70. |
| Woodcock | Europe, iv. pl. 319; Gt. Brit. iv. pl. 77. |
| Wood Fantail | New Guinea, ii. pl. 32. |
| — Flycatcher | Handb. i. p. 242. |
| Wood-Ibis, Indian | Asia, vii. pl. 59. |
| Wood-Lark | Europe, iii. pl. 167; Gt. Brit. iii. pl. 16. |
| Wood-Nymph, Black-banded | Humming B. ii. pl. 104. |
| Wood It Jin pin, Diach Sanaca | |
| —, Brazilian | Humming B. ii. pls. 99, 108. |
| | |
| —, Brazilian | Humming B. ii. pls. 99, 108. |
| —, Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. |
| ——, Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. |
| ——, Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. |
| ——, Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. Humming B., Suppl. p. 39. Humming B. ii. pl. 102. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B. ii. pl. 106. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. Humming B., Suppl. p. 39. Humming B. ii. pl. 102. Humming B. ii. pl. 103. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. Humming B., Suppl. p. 39. Humming B. ii. pl. 102. Humming B. ii. pl. 103. Humming B. ii. pl. 105. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. Humming B. ii. pl. 102. Humming B. ii. pl. 103. Humming B. ii. pl. 105. Humming B. ii. pl. 105. |
| ——, Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. Humming B. ii. pl. 102. Humming B. ii. pl. 103. Humming B. ii. pl. 105. Humming B. ii. pl. 105. Humming B. ii. pl. 109. Humming B. ii. pl. 109. |
| , Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. Humming B. ii. pl. 102. Humming B. ii. pl. 103. Humming B. ii. pl. 105. Humming B. ii. pl. 109. Humming B. ii. pl. 109. Humming B. ii. pl. 100. Asia, i. pl. 16. |
| ——, Brazilian | Humming B. ii. pls. 99, 108. Humming B. ii. pl. 101. Humming B., Suppl. pl. 28. Humming B. ii. pl. 106. Humming B. ii. pl. 107. Humming B., Suppl. pl. 29. Humming B., Suppl. pl. 29. Humming B., Suppl. p. 48. Humming B., Suppl. p. 39. Humming B. ii. pl. 102. Humming B. ii. pl. 103. Humming B. ii. pl. 105. Humming B. ii. pl. 105. Humming B. ii. pl. 109. Humming B. ii. pl. 100. Asia, i. pl. 16. Asia, vi. pl. 31. |

| Woodpecker, Doerries' Pigmy | Asia, vi. pl. 22. |
|-----------------------------|--|
| —, Formosan Green | Asia, vi. pl. 35. |
| , Formosan Spotted | Asia, vi. pl. 16. |
| —, Great Black | Europe, iii. pl. 225; Gt. Brit. iii. pl. 73. |
| —, Great Spotted | Gt. Brit. iii. pl. 70. |
| —, Green | Europe, iii. pl. 226; Gt. Brit. iii. |
| | pls. 74, 75. |
| , Grey-headed Pigmy | Asia, vi. pl. 27. |
| —, Hardwicke's Pigmy | Asia, vi. pl. 28. |
| —, Hartlaub's Spotted | Asia, vi. pl. 20. |
| —, Heart-spotted | Asia, vi. pl. 18. |
| —, Javan Spotted | Asia, vi. pl. 19. |
| —, Lesser Spotted | Europe, iii. pl. 231; Gt. Brit. iii. pl. 72. |
| —, Malayan Pigmy | Asia, vi. pl. 29. |
| —, Middle Spotted | Europe, iii. pl. 230. |
| —, Negros Yellow-faced | Asia, vi. pl. 37. |
| —, Orange-breasted Pigmy | Asia, vi. pl. 23. |
| —, Ramsay's Pigmy | Asia, vi. pl. 24. |
| —, Sonnerat's Pigmy | Asia, vi. pl. 30. |
| —, Swinhoe's Pigmy | Asia, vi. pl. 21. |
| —, Temminck's Pigmy | Asia, vi. pl. 25. |
| —, Three-toed | Europe, iii. pl. 232. |
| ——, Travancore Pigmy | Asia, vi. pl. 33. |
| —, Vigors' Pigmy | Asia, vi. pl. 34. |
| —, White-backed | Gt. Brit. iii. pl. 71. |
| —, Yellow-naped | Asia, vi. pl. 36. |
| Wood-Pigeon | Europe, iv. pl. 243; Gt. Brit. iv. pl. 1. |
| —, Collared | Asia, vi. pl. 58. |
| —, Elphinstone's | Asia, vi. pl. 57. |
| Wood-Robin, Pink-breasted | Australia, iii. pl. 1; Handb. i. p. 276. |
| —, Rose-breasted | Australia, iii. pl. 2; Handb. i. p. 277. |
| Wood Sandpiper | Europe, iv. pl. 315. fig. 2; Gt. Brit. iv. pl. 57. |
| Wood-Shrike, Aru Island | New Guinea, i. pl. 56. |
| —, Brown | |
| , Buff-bellied | Australia, ii. pl. 75. |
| —, Crested | Australia, ii. pl. 81. |
| ——, Fawn-breasted | _ |

| Wood-Shrike, Grey | Handb. i. p. 472. |
|----------------------------|--|
| —, Harmonious | Australia, ii. pl. 74. |
| —, Jobi Island | New Guinea, i. pl. 55. |
| —, Rufous-and-Black | New Guinea, i. pl. 54. |
| —, Little | Australia, ii. pl. 78. |
| ——, Selby's | Australia, ii. pl. 77. |
| —, White-billed | New Guinea, i. pl. 52. |
| —, see also Shrike-Thrush. | |
| Wood-Star, Bahama | Humming B. iii. pl. 156. |
| —, Beautiful | Humming B. iii. pl. 144. |
| —, Bryant's | Humming B., Suppl. pl. 33. |
| —, Crimson-throated | Humming B. iii. pl. 149. |
| —, Decorated | Humming B. iii. pl. 146. |
| —, Fanny's | Humming B. iii. pl. 151. |
| —, Heliodore's | Humming B. iii. pl. 147. |
| —, Jourdan's | Humming B. iii. pl. 150. |
| —, Little | Humming B., Suppl. pl. 32. |
| —, Lyre-shaped | Humming B., Suppl. pl. 34. |
| —, Mulsant's | Humming B. iii. pl. 145. |
| —, Short-tailed | Humming B. iii. pl. 148. |
| —, Yarrell's | Humming B. iii. pl. 152. |
| Wood-Swallow | Australia, ii. pl. 27; Handb. i. p. 143. |
| —, Black-faced | Australia, Suppl. pl. 7; Handb. i. |
| | p. 149. |
| —, Grey-breasted | Australia, ii. pl. 29; Handb. i. p. 147. |
| —, Hooded | New Guinea, iv. pl. 21. |
| —, Little | Australia, ii. pl. 28; Handb. i. p. 146. |
| —, Masked | Australia, ii. pl. 31; Handb. i. p. 150. |
| —, Meyer's | New Guinea, iv. pl. 19. |
| —, New Ireland | New Guinea, iv. pl. 20. |
| , White-eyebrowed | Australia, ii. pl. 32; Handb. i. p. 152. |
| —, White-rumped | Australia, ii. pl. 33; Handb. i. p. 154. |
| —, White-vented | Australia, ii. pl. 30; Handb. i. p. 149. |
| Wood-Wren | Europe, ii. pl. 131. fig. 3; Gt. Brit. ii. |
| | pl. 67. |
| Woolly Phalanger | Mamm. Austr. i. pl. 20. |
| —— Phascogale | Mamm. Austr. i. pl. 33. |
| Wren, Bauded | Australia, iii. pl. 21. |
| | |

| Wren, Beautiful | Australia, iii. pl. 23. |
|-------------------------|--|
| , Black-backed | Australia, iii. pl. 20. |
| —, Black-headed | Australia, iii. pl. 26. |
| —, Blue | Australia, iii. pl. 18. |
| TD 1 | • |
| | Australia, iii. pl. 27. |
| , Cautious | Australia, iii. pl. 40. |
| ——, Common | Europe, ii. pl. 130; Gt. Brit. ii. pl. 63. |
| —, Crowned | Australia, Suppl. pl. 20. |
| —, Emu | Australia, iii. pl. 31; Handb. i. p. 339. |
| —, Fire-crested | Europe, ii. pl. 148. fig. 1; Gt. Brit. ii. pl. 70. |
| —, Golden-crested | Europe, ii. pl. 148. fig. 2; Gt. Brit. ii. |
| | pl. 69. |
| —, Goyder's Striated | New Guinea, iii. pl. 8. |
| —, Graceful | Australia, iii. pl. 22. |
| —, Hume's Wedge-tailed | Asia, iv. pl. 55. |
| —, Lambert's | Australia, iii. pl. 24. |
| —, Large-tailed | Australia, iii. pl. 30; Handb. i. p. 338. |
| —, Long-billed | Asia, iii. pl. 60. |
| —, Long-tailed | Australia, iii. pl. 19. |
| —, — Hill | Asia, iv. pl. 53. |
| —, Lovely | Australia, Suppl. pl. 21. |
| —, Melodious Willow | Europe, ii. pl. 133. |
| —, Nepaulese | Asia, iv. pl. 51. |
| —, Red-rumped | Australia, iii. pl. 39. |
| —, Reed | Europe, ii. pl. 108. |
| , Robert's Wedge-tailed | Asia, iv. pl. 54. |
| —, Spotted | Asia, iv. pl. 52. |
| —, Striated | Australia, iii. pl. 29; Handb. i. p. 337. |
| —, Textile | Australia, iii. pl. 28; Handb. i. p. 335. |
| —, White-winged | Australia, iii. pl. 25. |
| —, Willow | Europe, ii. pl. 132; Gt. Brit. ii. pl. 65. |
| —, Wood | Europe, ii. pl. 131. fig. 3; Gt. Brit. ii. |
| | pl. 67. |
| —, Yellow Willow | Europe, ii. pl. 132. |
| Wryneck | Europe, iii. pl. 233; Gt. Brit. iii. |
| • | pl. 76. |
| —, Indian | Asia, vi. pl. 38. |

| xanthocheilus, Charadrius A xanthochloris, Allotrius | sia, vi. pl. 37. ustralia, vi. pl. 13. sia, ii. pl. 17. sia, ii. pl. 52; Cent. pl. 29. fig. 1. umming B., Suppl. pl. 15. ew Guinea, i. pl. 48. nopsis, part iv.; Australia, v. pl. 12; Handb. ii. p. 22. sia, vi. pl. 48. nopsis, part iii. amm. Austr. ii. pls. 43, 44. ustralia, Suppl. pl. 8. sia, vi. pl. 47. audb. ii. p. 63. sia, vii. pl. 24. ew Guinea, iii. pl. 51. umming B. ii. pl. 65. umming B. ii. pl. 65. urope, v. pl. 426. ustralia, vii. pl. 20. urope, v. pl. 427. |
|--|---|
| Xenorhynchus australis H | rrope, v. pl. 429; Gt. Brit. v. pl. 67. andb. ii. p. 293. ew Guinea, iii. pl. 27. |
| —— leucopsis Au | ustralia, iii. pl. 67; Handb. i. p. 382. |
| | ew Guinea, iii. pl. 27. ustralia, iii. pl. 67; Handb. i. p. 382. |
| • | ustrana, m. pr. 67; Handb. 1, p. 582. sia, iii. pl. 34. |
| 22. Passampino supervinuto Al | and the Att |
| Yarkand Tit As yarrelli, Calothorax | E. Brit. iii. pls. 74, 75. sia, iii, pl. 62. umming B. iii. pl. 152. urope, ii. pl. 141; Gt. Brit. iii. pl. 1. umming B. iii. pl. 152. |

| yaruqui, Phaethornis | Humming B. i. pl. 27. |
|-----------------------------|--|
| Yaruquian Hermit | Humming B. i. pl. 27. |
| Yellow-ammer | Europe, iii. pl. 173; Gt. Brit. iii. pl. 22. |
| Yellow-and-Grey Thickhead | New Guinea, iii. pl. 15. |
| Yellow-banded Robin | New Guinea, ii. pl. 19. |
| Yellow-bellied Flycatcher | Australia, ii. pl. 94; Handb. i. pl. 261; |
| • | New Guinea, ii. pl. 13. |
| —— Parrakeet | Australia, v. pl. 24; Handb. ii. p. 48. |
| —— Sphecotheres | Australia, Suppl. pl. 37. |
| Yellow-billed Albatros | Australia, vii. pl. 42. |
| —— Araçari | Toucans, (2) pl. 29. |
| — Blue Pie | Asia, v. pl. 50. |
| — Kingfisher | Australia, Suppl. pl. 5; Handb. i. p. 135. |
| Yellow-breasted Bunting | Europe, iii. pl. 174. |
| — Ephthianura | New Guinea, iii. pl. 14. |
| — Flycatcher | Australia, Suppl. pl. 11; Handb. i. p. 257. |
| — Robin | Australia, iii. pl. 11; Handb. i. p. 293. |
| Yellow-browed Warbler | Gt. Brit. ii. pl. 68. |
| Yellow Bunting | Europe, iii. pl. 173; Gt. Brit. iii. pl. 22. |
| Yellow-cheeked Parrakeet | Handb. ii. p. 58. |
| —— Tit | Asia, ii. pl. 52. |
| Yellow-collared Parrakeet | Australia, v. pl. 19; Handb. ii. p. 42. |
| Yellow-eared Black Cockatoo | Australia, v. pl. 12; Handb. ii. p. 22. |
| — Honey-eater | Australia, iv. pl. 32. |
| Yellow-faced Honey-eater | Australia, iv. pl. 45; Handb. i. p. 521. |
| Yellow-footed Rock-Wallaby | Mamm. Austr. ii. pls. 43, 44. |
| Yellow-fronted Panoplites | Humming B. ii. pl. 111. |
| Yellow-green Allotrius | Asia, ii. pl. 17. |
| Yellowhammer | Gt. Brit. iii. pl. 22. |
| Yellow-headed Parrot | New Guinea, v. pl. 28. |
| — Wagtail | Europe, ii. pl. 144; Asia, iv. pl. 64. |
| Yellow Honey-eater | Australia, iv. pl. 42; Handb. i. p. 518. |
| Yellow-legged Spoonbill | Australia, vi. pl. 49; Handb. ii. p. 288. |
| Yellow-mantled Lory | New Guinea, v. pl. 36. |
| Yellow-naped Woodpecker | Asia, vi. pl. 36. |
| Yellow-necked Bittern | Australia, vi. pl. 65. |

| Yellow-necked Mangrove-Bittern . | Handb. ii. p. 315. |
|----------------------------------|--|
| Yellow-nosed Albatros | Handb. ii. p. 437. |
| Yellow-rumped Diamond-bird | Australia, ii. pl. 41; Handb. i. p. 166. |
| —— Finch | Australia, iii. pl. 96; Handb. i. p. 428. |
| — Flower-pecker | Australia, Suppl. pl. 8. |
| — Geobasileus | Handb. i. p. 374. |
| Honey-Guide | Asia, vi. pl. 48. |
| —— Parrakeet | Australia, v. pl. 25; Handb. ii. p. 50. |
| — Warbler | Australia, iii. pl. 63. |
| Yellow-spotted Honey-eater | Australia, Suppl. pl. 41. |
| Yellow-streaked Honey-eater | New Guinea, iii. pl. 50. |
| Yellow-throated Dicæum | Asia, ii. pl. 37. |
| — Friar-bird | Australia, iv. pl. 60; Handb. i. p. 549. |
| —— Garrulax | Asia, iii. pl. 49. |
| — Honey-eater | Australia, iv. pls. 35, 79; Handb. i. |
| | p. 508. |
| — Laughing Thrush | Asia, iii. pl. 49. |
| — Miner | Australia, iv. pl. 79; Handb. i. |
| | p. 578. |
| —— Pericrocotus | Asia, ii. pl. 5. |
| —— Sericornis | Handb. i. p. 354. |
| — Warbler | Australia, iii. pl. 46. |
| Yellow-tinted Brown Honey-eater. | New Guinea, iii. pl. 53. |
| — Honey-eater | Australia, iv. pl. 41; Handb. i. p. 517. |
| — Smicrornis | Handb. i. p. 274. |
| — Warbler | Australia, ii. pl. 104. |
| — White Fruit-Pigeon | New Guinea, v. pl. 66. |
| Yellow-tufted Honey-eater | Australia, iv. pl. 37; Handb. i. p. 511. |
| Yellow-vented Parrakeet | Handb. ii. p. 63. |
| Yellow Wagtail | Europe, ii. pl. 145; Gt. Brit. iii. pl. 3. |
| Yellow-webbed Storm-Petrel | Handb. ii. p. 478. |
| Yellow White-eye | Australia, iv. pl. 83. |
| — Willow-Wren | Europe, ii. pl. 132. |
| Yellow-winged King-Parrot | New Guinea, v. pl. 9. |
| Yellow Zosterops | Handb. i. p. 590. |
| Yucatan Amazili | Humming B. v. pl. 308. |
| yucatanensis, Amazilia | Humming B. v. pl. 308. |
| Yuhina diademata | Asia, iii. pl. 64. |

| Yuhina occipitalis | ss. | | Asia, iv. pl. 14. Asia, iv. pl. 14. Asia, iv. pl. 14. Asia, iii. pl. 64. Asia, vi. pl. 38. Europe, iii. pl. 233; Gt. Brit. iii. pl. 76. |
|--------------------|-----|---|---|
| Zapornia baillonii | | | Australia, iv. text to pl. 48. Europe, iv. pl. 344. Europe, iv. pl. 343. Europe, iv. pl. 345. Asia, ii. pl. 24. Asia, vi. pl. 67. Asia, vii. pl. 62. Humming B., Suppl. pl. 54. Handb. i. p. 406. Handb. i. p. 407. Synopsis, part iv.; Handb. ii. p. 43. Humming B. i. pl. 34. Cent. pl. 22. Gt. Brit. i. pl. 33. Synopsis, part i.; Australia, Suppl. pl. 46; Handb. ii. App. p. 535. New Guinea, iii. pl. 59. Australia, iv. pl. 81; Handb. i. p. 587. Asia, ii. pl. 35. Australia, iv. pl. 82. New Guinea, iii. pl. 62. Synopsis, part i.; Australia, iv. pl. 81. Asia, ii. pl. 35. New Guinea, iii. pl. 60. Handb. i. p. 588. Australia, iv. pl. 82; Handb. i. p. 588. |
| ——, Grey-backed | | • | Australia, iv. pl. 81; Handb. i. p. 587. Australia, Suppl. pl. 49. |

| Zosterops, Long-billed . | | | | Handb. ii. App. p. 536. |
|--------------------------|---|---|---|--|
| —— longirostris | | | | |
| —— luteus | | | | Australia, iv. pl. 83; Handb. i. p. 590. |
| ——, Plain | | | | Asia, ii. pl. 34. |
| — rendovæ | | | | New Guinea, iii. pl. 63. |
| ——, Robust | | | | Australia, Suppl. pl. 48; Handb. ii. |
| | | | | App. p. 537. |
| —— simplex | | | | Asia, ii. pl. 34. |
| —, Slender-billed | | | | Australia, Suppl. pl. 47. |
| strenuus | • | | | Australia, Suppl. pl. 48; Handb. ii. App. p. 537. |
| —— tenuirostris | | | | Synopsis, part i.; Australia, Suppl. pl. 47; Handb. ii. App. p. 536. |
| — tephropleurus | | | | Australia, Suppl. pl. 49; Handb. ii. App. p. 538. |
| uropygialis | | | | New Guinea, iii. pl. 58. |
| —, White-breasted . | | | • | Australia, Suppl. pl. 46; Handb. ii. App. p. 535. |
| ——, Yellow | | • | | Australia, iv. pl. 83; Handb. i. p. 590. |



ERRATA ET CORRIGENDA.

-ces

| Page | |
|--|----------------------------------|
| 3. Add: Acrocephalus melanopogon. | Europe, ii. pl. 111. fig. 1. |
| —— phragmitis | Europe, ii. pl. 110; Gt. Brit. |
| | ii. pl. 75. |
| 5. Add: æmodium, Conostoma | Asia, iii. pl. 31. |
| 7. Add: albicollis, Trogon | Trogons, (1) pl. 19. |
| 8. albivitta, Aulacorhamphus | For pl. 59 read pl. 49. |
| 9. Allied Sericornis | Add: Australia, iii. pl. 48. |
| 13. Add: angustipennis, Chlorostil- | |
| bon | Humming B. v. pl. 353. |
| 28. Add: Barn-Owl, Masked | Australia, i. pl. 29. |
| 30. Add: Beaver-Rat, Fulvous | Mamm. Austr. iii. pl. 25. |
| ——, Golden-bellied | Mamm. Austr. iii. pl. 24. |
| ——, Sooty | Mamm. Austr. iii. pl. 27. |
| ——, White-bellied | Mamm. Austr. iii. pl. 26. |
| 31. Add: bella, Estrelda | Australia, iii. pl. 78. |
| 34. Add: Black-backed Gull, Great. | Gt. Brit. v. pl. 55. |
| —————————————————————————————————————— | Gt. Brit. v. pl. 56. |
| 35. Add: Black-crested Puff-leg | Humming B. iv. pl. 276. |
| 38. Add: Black Woodpecker, Great. | |
| 39. Blue-throated Groove-bill | For pl. 5 read pl. 45. |
| — Helmet-crest | For pl. 4 read pl. 41. |
| 40. Add: Bonelli's Warbler | Europe, ii. pl. 134. |
| 42. For brachypternus read brachypter | |
| 45. Add. Brown Kingfisher, Great . | Australia, ii. pl. 18; Handb. i. |
| | p. 122. |
| Brown Owl | Europe, i. pl. 47; Gt. Brit. i. |
| | pl. 29. |
| 47. Buff-breasted Sericornis | _ |
| Bullfinch | For pl. 41 read pls. 41, 42. |
| | |

| | 011 | |
|---|--------------------|----------------------------------|
| Page | | 411. Ct. D. 't. ''. 1 91 |
| 49. Bunting, Snow | | 1 |
| | | • |
| 50. Add: Caccabis | • | |
| _ | Henry De Lattre's. | - |
| 52. calosoma, Lamp | | |
| 54. Add: canus, Pi | | - |
| 56. caryocatactes, N cassidix, Ptilosi | - | Tor pr. 03 read prs. 03, 00. |
| 66. Cinclorhamphus | | For Handb. i. p. 47 read p. 395. |
| 67. Cinclosoma, Cin | | |
| 79. Add: Crake, | | жи. Панао. г. р. 437. |
| , | · · · · · · | Handb. i. p. 343. |
| 80. Add: Crex pusi | | |
| 83. Add: Cuckoo, | | паторе, т. рг. э4э. |
| · · | · · · · · · · | Handb. i. p. 626. |
| 85. Curlew Sandpip | | |
| 88. Cypselus murar | | |
| 91. Dicæum cruenta | | _ |
| | | <i>Add</i> : Handb. i. p. 13. |
| | | Add: Handb. i. p. 17. |
| | | For pl. 21 read pl. 2. |
| 112. Field-Mouse, ad | | 1 |
| | | For p. 451 read p. 415. |
| · | red Grass | |
| 123. Add: Furze-Ch | | Gt. Brit. ii. pl. 47. |
| 130. Godwit, Terek | | For p. 307 read pl. 307. |
| 134. Grass-Parrakeet | , Orange-bellied . | Add: Handb. ii. p. 75. |
| 136. Great Spotted C | Cuckoo | Add: Gt. Brit. iii. pl. 69. |
| 143. guttata, Stegano | pleura, read Stag | onopleura. |
| 144. Add: Hæmatop | s gularis | Synopsis part i. |
| lun | ulatus | Synopsis, part i. |
| vali | dirostris | Synopsis, part i. |
| Erase: Hæmatop | ous gularis. | |
| lun | ulatus. | |
| — val | | |
| | | For p. 43 read p. 45. |
| 160. Add: Humming | g-bird, Rainbow . | Humming B. iv. pl. 247. |

| Page |
|---|
| 169. Kangaroo, Brindled, read Bridled. |
| 172. Kingfisher, Sordid For Australia, ii. p. 23 read pl. 23. |
| —, White-backed Erase: Handb. i. p. 137. |
| —, White-tailed Add: Handb. i. p. 137. |
| 174. Lance-bill, Veraguan For p. 22 read pl. 22. |
| 175. Large-billed Sericornis Add: Australia, iii. pl. 52. |
| 176. Add: Larus ridibundus Europe, v. pl. 425; Gt. Brit. v. pl. 64. |
| 177. Add: Leach's Petrel Europe, v. pl. 447; Gt. Brit. v. pl. 85. |
| 180. leucomela, Saxicola Add: Europe, ii. pl. 89. |
| 187. Add: Loriculus, Orange-crowned. New Guinea, v. pl. 43. |
| 206. Add: minuta, Sternula Gt. Brit. v. pl. 73. |
| 207. modesta, Regulus: read modestus. |
| 208. morphnoides, Hieraëtus For pl. 11 read p. 11. |
| 209. Mountain Thrush Add: Handb. i. p. 439. |
| 228. For Otis bengalensis read Otus. |
| 233. Add: Paradise Flycatcher, Ince's. Asia, ii. pl. 19. |
| 250. phœnicoptera, Trichodroma, read Tichodroma. |
| 291. Sabre-wing, Vallavicencio's, read Villavicencio's. |
| 298. Sericornis, Allied Handb. ii. p. 358, read i. p. 358. |
| 305. Add: Solan Goose Europe, v. pl. 412; Gt. Brit. v. |
| pl. 54. |

THE LUDDARY OF THE SEP 2.5 BH32 UNIVERSELL TO THE US.











